



STATE OF NEVADA
Department of Conservation & Natural Resources
DIVISION OF ENVIRONMENTAL PROTECTION

Jim Gibbons, Governor
Allen Biaggi, Director
Leo M. Drozdoff, P.E., Administrator

September 15, 2009

Mr. Michael Skromyda
TRONOX LLC
P.O. Box 55
Henderson, NV 89009

Re: Discharge Monitoring Report Forms – TRONOX - Permit No. NV0000078

Dear Mr. Skromyda:

Enclosed please find monthly pre-printed Discharge Monitoring Report (DMR) forms for your NPDES permit monitoring program for the period October through December 2009.

NPDES data reported on these forms by your facility will be entered into the National ICIS Permit Compliance database. Reporting for TRONOX is recommended to be submitted on the enclosed pre-printed forms to alleviate any possible parameter and/or coding errors. If Facsimile DMR forms are prepared and used by TRONOX, it is imperative that all data and coding is accurate. Monitoring period dates have been pre-printed for the applicable quarter. DMRs are due in the Carson City office by no later than the 28th day of the month following the calendar quarter.

Completed original, signed forms and laboratory analyses shall be mailed to:

Nevada Division of Environmental Protection
Bureau of Water Pollution Control
Attention: Compliance Coordinator
901 S. Stewart Street, Suite 4001
Carson City, NV 89701-5249

Completed copies shall be mailed to:

U.S. EPA Region 9
Attention: NPDES/DMR, WTR-7
75 Hawthorne Street
San Francisco, CA 94105

If you have any questions or comments, please feel free to contact me at (775) 687-9438.

Sincerely,

Diana Silsby
Compliance Coordinator
Bureau of Water Pollution Control

cc: Val King, Supervisor, Compliance and Enforcement Branch
Fred Stater, Plant Manager, TRONOX
Susan Crowley, TRONOX

Enclosure



