

TRONOX

Fredrick R. Stater
Plant Manager

(702) 651-2233
Fax (702) 651-2301
rick.stater@tronox.com

April 25, 2006

Compliance Coordinator
Nevada Division of Environmental Protection
Bureau of Water Permits & Compliance
901 South Stewart Street, Suite 4001
Carson City, NV 89701-5249

SUBJECT: First Quarter 2006 DMR - NPDES Permit # NV0000078

Tronox LLC (Tronox), formerly Kerr-McGee Chemical LLC, maintains an NPDES Permit #NV0000078 covering its production operations in Henderson, Nevada. The attached Discharge Monitoring Reports (Attachment 1) reflect discharge from the Tronox Henderson facility as monitored by NPDES equipment. Stabilized water, from water leaks, discharged through the outfalls for brief periods and are quantified in Table 1a, below. Storm water discharges are quantified in Table 1b, below.

Table 1a. Non-Storm Flow Totals

Outfall	January Flow (thousands of gallons)	February Flow (thousands of gallons)	March Flow (thousands of gallons)
001	0	5.8	0
002	<1	<1	246
003	0	0	0

Table 1b. Stormwater Flow Totals (thousands of gallons)

Outfall	3-22-06 (thousands of gallons)
001	13.6
002	28.4
003	0

Analytical associated with outfall flow is attached to this report. Should you have any questions concerning this report, please contact Susan M. Crowley at (702) 651-2234 or e-mail susan.crowley@tronox.com. Thank you.

Sincerely,



Fredrick R. Stater
Plant Manager

Overnight Mail

cc: Susan Crowley
Don Shandy
Mr. Carey Houk (W-5-3)/U.S. EPA Region

Attachments

Tronox LLC

8000 West Lake Mead Parkway, Henderson, Nevada 89015 • P.O. Box 55, Henderson, Nevada 89009

ATTACHMENT 1

Discharge Monitoring Reports



C:\SMC\My
Documents\Excel Spr

January 2006



C:\SMC\My
Documents\Excel Spr

February 2006



C:\SMC\My
Documents\Excel Spr

March 2006

DISCHARGE - 001
F - FINAL
MAJOR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
001 A
DISCHARGE NUMBER
NV0000078
PERMIT NUMBER

PERMITTEE NAME/ADDRESS:
NAME: Trinox LLC
ADDRESS: PO Box 55
Henderson, NV 89009-7000

FACILITY: Trinox LLC
LOCATION: BMI Park - Henderson
Attn: Susan Crowley

MONITORING PERIOD
FROM 06 | 01 | 01 TO 06 | 01 | 31

NO DISCHARGE X
NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. FREQUENCY OF EX ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM		
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	*****	33	37	(04)	0
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	30DA AVG	DAILY MX	DEG. C	CONTIN UOUS
pH	*****	*****	****	*****	*****	*****	(12)	0
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM	SU	ONCE/ DISCHG
FLOW IN CONDUIT OR THRU TREATMENT PLANT	*****	*****	(03)	*****	*****	*****	****	0
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	MGD	*****	*****	*****	****	CONTIN UOUS
SOLIDS, TOTAL DISSOLVED	*****	*****	(26)	*****	*****	*****	(19)	0
70285 > 0 0 INCREASE (NOT END OF PIPE)	*****	*****	LBS/DY	*****	REPORT 30DA AVG	REPORT DAILY MX	MG/L	ONCE/ DISCHG
PERCHLORATE (C104)	*****	*****	****	*****	*****	*****	(19)	0
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	ONCE/ DISCHG
	*****	*****	****	*****	*****	*****	(19)	0
	*****	*****	****	*****	*****	*****	MG/L	ONCE/ DISCHG
	*****	*****	****	*****	*****	*****	MG/L	ONCE/ DISCHG
	*****	*****	****	*****	*****	*****	MG/L	ONCE/ DISCHG
	*****	*****	****	*****	*****	*****	MG/L	ONCE/ DISCHG
	*****	*****	****	*****	*****	*****	MG/L	ONCE/ DISCHG

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Fredrick R. Stater
Plant Manager

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER
[Signature]

OFFICER OR AUTHORIZED AGENT

702-851-2200
702-851-2200
06 | 04 | 25
AREA CODE NUMBER YEAR MO DAY

TELEPHONE DATE

Form by WinflowChem(707)864-9845;pg11090v-5.01-4/1998

COMMENT AND EXPLANATION OF ANY VIOLATIONS
(Reference all attachments here)

PERMITTEE NAME/ADDRESS: **Tronox LLC**
 NAME: **Tronox LLC**
 ADDRESS: **PO Box 55 Henderson, NV 89009-7000**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
 002 A
 DISCHARGE NUMBER

DISCHARGE 002
 F - FINAL MAJOR

FACILITY: **Tronox LLC**
 LOCATION: **BMI Park - Henderson**
 Attn: **Susan Crowley**

MONITORING PERIOD
 FROM **06 | 01 | 01** TO **06 | 01 | 31**

NO DISCHARGE
 NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	*****	18	18	(04)	0	
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	33	37	DEG. C		CONTINUOUS
pH	*****	*****	****	7.6	*****	7.7	(12)	0	
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM	SU	0	ONCE/DISCHG
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	<0.001	<0.001	(03)	*****	*****	*****	****	0	
60050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	****	0	CONTINUOUS
SOLIDS, TOTAL DISSOLVED	0.07	0.03	(26)	*****	*****	40	(19)	0	
70295 > 0 0 INCREASE (NOT END OF PIPE)	1000 30DA AVG	REPORT DAILY MX	LBS/DY	*****	*****	REPORT DAILY MX	MG/L	0	ONCE/DISCHG
PERCHLORATE (CIO4)	*****	*****	****	*****	0.009	0.020	(19)	0	
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG
	*****	*****	****	*****	*****	*****	*****		
	*****	*****	****	*****	*****	*****	*****		ONCE/DISCHG
	*****	*****	****	*****	*****	*****	*****		
	*****	*****	****	*****	*****	*****	*****		ONCE/DISCHG

NAME / TITLE: **Fredrick R. Stater**
 Plant Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER: *[Signature]*
 OFFICER OR AUTHORIZED AGENT

TELEPHONE: **702-651-2200**
 AREA CODE NUMBER: **702** | 651 | 2200
 YEAR: **06** | MO: **04** | DAY: **25**

FORMS BY: **WidowC@harr(702)884-0845;port1090.v5.01.41.99**

(Reference all attachments here)

COMMENT AND EXPLANATION OF ANY VIOLATIONS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

DISCHARGE MONITORING REPORT (DMR)
 001 B
 DISCHARGE NUMBER
 NV0000078
 PERMIT NUMBER

F - FINAL

MAJOR DISCHARGE

MONITORING PERIOD
 FROM 06 01 01 TO 06 01 31

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	*****	*****	(12)	0	ONCE/DISCHG	DISCRT
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	SU		ONCE/DISCHG	DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	*****	(19)	0	ONCE/DISCHG	DISCRT
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****	(19)	0	ONCE/DISCHG	DISCRT
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****	(19)	0	ONCE/DISCHG	DISCRT
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****	(19)	0	ONCE/DISCHG	DISCRT
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT
OIL AND GREASE	*****	*****	****	*****	*****	(19)	0	ONCE/DISCHG	DISCRT
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	*****	*****	(03)	*****	*****	*****	0	CONTINUOUS	RCORDR
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	MGD	*****	*****	*****	0	TELEPHONE	DATE
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER Fredrick R. Stater Plant Manager OFFICER OR AUTHORIZED AGENT SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER TELEPHONE 702-651-2200 YEAR MO DAY 06 04 25 AREA CODE NUMBER 702-651-2200 FORMS BY: WadsworthChem(707)864-0846; pm11095v4.01; 4/1/98									

(Reference all attachments here)

COMMENT AND EXPLANATION OF ANY VIOLATIONS

TYPED OR PRINTED

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)
 001 B
 DISCHARGE NUMBER
 NV0000078
 PERMIT NUMBER

Henderson, NV 89009-7000

001 STORMWATER MONITORING
 F - FINAL
 MAJOR NO DISCHARGE

MONITORING PERIOD
 FROM 06 01 01 TO 06 01 31

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****			0		
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX		ONCE/ DISCHG	DISCRT
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****			0		
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX		ONCE/ DISCHG	DISCRT
PERCHLORATE (ClO4)	*****	*****	****	*****			0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX		ONCE/ DISCHG	DISCRT
SAMPLE MEASUREMENT									
PERMIT REQUIREMENT									
SAMPLE MEASUREMENT									
PERMIT REQUIREMENT									
SAMPLE MEASUREMENT									
PERMIT REQUIREMENT									
SAMPLE MEASUREMENT									
PERMIT REQUIREMENT									
SAMPLE MEASUREMENT									
PERMIT REQUIREMENT									
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER							TELEPHONE	DATE	
Fredrick R. Stater								06 04 25	
Plant Manager							702-651-2200	AREA CODE NUMBER	YEAR MO DAY
TYPED OR PRINTED									
COMMENT AND EXPLANATION OF ANY VIOLATIONS							SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		
							OFFICER OR AUTHORIZED AGENT		

Form by WindowChem(707)904-0845,PH119937-01-01-008

(Reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

DISCHARGE MONITORING REPORT (DMR)
 002 B
 DISCHARGE NUMBER
 NV0000078
 PERMIT NUMBER

002 STORMWATER MONITORING

F - FINAL

MAJOR NO DISCHARGE
 NOTE: Read instructions before completing this form

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 06 | 01 | 01 TO 06 | 01 | 31

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	*****	*****	(12)	0	ONCE/ DISCHG	DISCRT
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	SU	0	ONCE/ DISCHG	DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	*****	(19)	0	ONCE/ DISCHG	DISCRT
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L	0	ONCE/ DISCHG	DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****	(19)	0	ONCE/ DISCHG	DISCRT
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L	0	ONCE/ DISCHG	DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****	(19)	0	ONCE/ DISCHG	DISCRT
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L	0	ONCE/ DISCHG	DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****	(19)	0	ONCE/ DISCHG	DISCRT
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L	0	ONCE/ DISCHG	DISCRT
OIL AND GREASE	*****	*****	****	*****	*****	(19)	0	ONCE/ DISCHG	DISCRT
03562 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L	0	ONCE/ DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	*****	*****	****	*****	*****	MG/L	0	ONCE/ DISCHG	DISCRT
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	(03)	*****	*****	MG/L	0	ONCE/ DISCHG	DISCRT
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER	REPORT 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	*****	*****	*****
Fredrick R. Stater Plant Manager	*****	*****	*****	*****	*****	*****	*****	*****	*****
TYPED OR PRINTED	*****	*****	*****	*****	*****	*****	*****	*****	*****
COMMENT AND EXPLANATION OF ANY VIOLATIONS	(Reference all attachments here)								

PERMITTEE'S RESPONSIBILITY FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS TO THE BEST OF HIS KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

TELEPHONE: 702-651-2200

AREA CODE NUMBER: 702-651-2200

YEAR: 06 | MO: 04 | DAY: 25

FORM 789 by WPCB/CW/Chen(10/19) 684-9845, print 10/99, v. 6.01, 4/1/98

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

002 STORMWATER MONITORING

F - FINAL

MONITORING PERIOD

NO DISCHARGE

NOTE: Read instructions before completing this form

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000


FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

DISCHARGE NUMBER: 002 B
 PERMIT NUMBER: NV0000078

FROM 06 | 01 | 01 TO 06 | 01 | 31

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****			0		
70295 1 0 0	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX		ONCE/ DISCHG	DISCRT
EFFLUENT GROSS VALUE	*****	*****	****	*****			0		
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX		ONCE/ DISCHG	DISCRT
81017 1 0 0	*****	*****	****	*****			0		
EFFLUENT GROSS VALUE	*****	*****	****	*****			0		
PERCHLORATE (ClO4)	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX		ONCE/ DISCHG	DISCRT
61209 1 0 0	*****	*****	****	*****			0		
EFFLUENT GROSS VALUE	*****	*****	****	*****			0		

NAME / TITLE: PRINCIPAL EXECUTIVE OFFICER
Fredrick R. Stater
 Plant Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

 OFFICER OR AUTHORIZED AGENT

TELEPHONE: 702-651-2200
 DATE: 06 | 04 | 25

AREA CODE NUMBER: 702
 YEAR: 06
 MO: 04
 DAY: 25

Form by WindrowChem(707)884-0845;port1090;v5.01;4/186

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)
 003 B
 DISCHARGE NUMBER
 NV0000078
 PERMIT NUMBER

PERMITTEE NAME/ADDRESS:
 Trinox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

FACILITY: Trinox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley


MONITORING PERIOD
 FROM 06 | 01 | 01 TO 06 | 01 | 31

MAJOR NO DISCHARGE F - FINAL

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			UNIT	NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
pH	*****	*****			*****		(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	*****	REPORT MAXIMUM	SU		ONCE/DISCHG	DISCRT
SULFATE, TOTAL (AS SO4)	*****	*****	****	*****	*****	*****	(19)	0		
00945 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	REPORT DAILY MX	MG/L		ONCE/DISCHG	DISCRT
MANGANESE, TOTAL (AS MN)	*****	*****	****	*****	*****	*****	(19)	0		
01055 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	REPORT DAILY MX	MG/L		ONCE/DISCHG	DISCRT
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	*****	*****	(19)	0		
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	REPORT DAILY MX	MG/L		ONCE/DISCHG	DISCRT
PERCHLORATE (CLO4)	*****	*****	****	*****	*****	*****	(19)	0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	REPORT DAILY MX	MG/L		ONCE/DISCHG	DISCRT

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Fredrick R. Stater
 Plant Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER

 OFFICER OR AUTHORIZED AGENT

TELEPHONE _____ DATE _____

702-651-2200
 AREA CODE NUMBER YEAR MO DAY
 06 | 04 | 25

Form 2 by WinbrowChem(707)864-0845, Rev 1/99, 3.5.14-11/99

(Reference all attachments here)
 COMMENT AND EXPLANATION OF ANY VIOLATIONS
 No Discharge

DISCHARGE - 001
 F - FINAL MAJOR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 001 A
 DISCHARGE NUMBER

PERMIT NUMBER
 NV0000078

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 06 02 01 TO 06 02 28

NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	****	18	18	(04)	0	
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	33	37	DEG. C	0	CONTINUOUS
pH	*****	*****	****	7.9	*****	7.9	(12)	0	
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	6.0	*****	9.0	SU	0	ONCE/DISCHG
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.006	0.006	(03)	*****	*****	*****	****	0	
50050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	****	0	CONTINUOUS
SOLIDS, TOTAL DISSOLVED	11.60	11.60	(26)	*****	236	236	(19)	0	
70295 > 0 0 INCREASE (NOT END OF PIPE)	1000 30DA AVG	REPORT DAILY MX	LBS/DY	*****	REPORT 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG
PERCHLORATE (ClO4)	*****	*****	****	*****	0.044	0.044	(19)	0	
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L		ONCE/DISCHG
	*****	*****	****	*****	*****	*****	(19)		
	*****	*****	****	*****	*****	*****	MG/L		ONCE/DISCHG
	*****	*****	****	*****	*****	*****	MG/L		ONCE/DISCHG
	*****	*****	****	*****	*****	*****	MG/L		ONCE/DISCHG

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Fredrick R. Stater
 Plant Manager

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER
Fredrick R. Stater

OFFICER OR AUTHORIZED AGENT

702-851-2200
 AREA CODE NUMBER

06 | 04 | 25
 YEAR | MO | DAY

TELEPHONE

DATE

Form by WinflowChem707984-0645;rev110800-01-11-06

(Reference all attachments here)

COMMENT AND EXPLANATION OF ANY VIOLATIONS

TYPED OR PRINTED

PERMITTEE NAME/ADDRESS: **Tronox LLC**
 NAME: **Tronox LLC**
 ADDRESS: **PO Box 55 Henderson, NV 89009-7000**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DISCHARGE 002
 F - FINAL MAJOR

002 A
 DISCHARGE NUMBER

NV0000078
 PERMIT NUMBER

FACILITY: **Tronox LLC**
 LOCATION: **BMI Park - Henderson**
 Attn: **Susan Crowley**

MONITORING PERIOD
 FROM **06 02 01** TO **06 02 28**

NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	*****	18	19	0		
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	33	37			RCORDR
pH	*****	*****	****	*****	7.5	7.8	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	6.0	9.0	0		DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	<0.001	<0.001	(03)	*****	*****	*****	0		
50050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	0		RCORDR
SOLIDS, TOTAL DISSOLVED	0.01	0.01	(26)	*****	10	18	0		
70296 > 0 0 INCREASE (NOT END OF PIPE)	1000 30DA AVG	REPORT DAILY MX	LBS/DY	*****	REPORT 30DA AVG	REPORT DAILY MX	0		DISCRT
PERCHLORATE (C104)	*****	*****	****	*****	<0.004	0.004			
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX			DISCRT
	*****	*****	****	*****	*****	*****			
	*****	*****	****	*****	*****	*****			DISCRT
	*****	*****	****	*****	*****	*****			
	*****	*****	****	*****	*****	*****			DISCRT

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Fredrick R. Stater
 Plant Manager

TYPED OR PRINTED

COMMENT AND EXPLANATION OF ANY VIOLATIONS

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER
Fredrick R. Stater

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER

OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

702-651-2200

06 | 04 | 25

AREA CODE NUMBER

YEAR

MO

DAY

Forms by WinbowChem(707)854-0845;print 10/95;v5.01;4/1/98

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

DISCHARGE MONITORING REPORT (DMR)
 001 B
 DISCHARGE NUMBER
 NV0000078
 PERMIT NUMBER

001 STORMWATER MONITORING
 F - FINAL
 MAJOR NO DISCHARGE

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 06 | 02 | 01 TO 06 | 02 | 28

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****			*****		(12)	0	
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	*****	REPORT MAXIMUM	SU	0	ONCE/DISCHG DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	*****	*****	(19)	0	ONCE/DISCHG DISCRT
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
NITRATE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
00830 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
OIL AND GREASE	*****	*****	****	*****	*****	*****	(19)	0	ONCE/DISCHG DISCRT
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	*****	*****	****	*****	*****	*****	****	0	CONTIN UOUS RCORDR
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	(03)	*****	*****	*****	****	0	CONTIN UOUS RCORDR
CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER THE DIRECTION OF THE PRINCIPAL EXECUTIVE OFFICER OF THE FACILITY AND THAT THE INFORMATION REPORTED HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.									
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER Fredrick R. Stater Plant Manager TYPED OR PRINTED									
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT OFFICER OR AUTHORIZED AGENT TELEPHONE DATE 702-851-2200 06 04 25 AREA CODE NUMBER YEAR MO DAY 702-851-2200 06 04 25									

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

001 B
 DISCHARGE NUMBER

001 STORMWATER MONITORING
 F - FINAL

MAJOR
 NO DISCHARGE

MONITORING PERIOD
 FROM 06 | 02 | 01 TO 06 | 02 | 28

NOTE: Read instructions before completing this form

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

PARAMETER	QUANTITY OR LOADING				QUALITY OR CONCENTRATION				NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT				
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****			(19)	0	ONCE/ DISCHG		
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT	
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****			(19)	0			
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT	
PERCHLORATE (CIO4)	*****	*****	****	*****			(19)	0			
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT	
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Fredrick R. Stater
 Plant Manager
 TYPED OR PRINTED

CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON AN AWARENESS OF THE PERSONS OR PERSONS WHO MANAGE THE SYSTEM OR THESE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION. THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
 OFFICER OR AUTHORIZED AGENT

702-851-2200
 AREA CODE NUMBER
 06 | 04 | 25
 YEAR MO DAY

TELEPHONE DATE

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 (Reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)
 002 B
 002 STORMWATER MONITORING
 DISCHARGE NUMBER

F - FINAL

PERMIT NUMBER
 NV0000078

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 PO Box 55
 Henderson, NV 89009-7000

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 06 02 01 TO 06 02 28

MAJOR NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING				QUALITY OR CONCENTRATION				NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT				
pH	*****	*****	****	*****	*****		(12)		0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	REPORT MINIMUM	REPORT MAXIMUM			ONCE/DISCHG	DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	*****				0		
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L		ONCE/DISCHG	DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****			(19)	0		
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L		ONCE/DISCHG	DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****			(19)	0		
00830 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L		ONCE/DISCHG	DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****			(19)	0		
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L		ONCE/DISCHG	DISCRT
OIL AND GREASE	*****	*****	****	*****	*****			(19)	0		
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L		ONCE/DISCHG	DISCRT
FLOW IN CONDUIT OR THRU TREATMENT PLANT	*****	*****	****	*****	*****				0		
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****				0		
TELEPHONE DATE 702-651-2200 06 04 25 AREA CODE NUMBER YEAR MO DAY 702-651-2200 06 04 25											
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER Fredrick R. Stater SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OFFICER OR AUTHORIZED AGENT TYPED OR PRINTED											

Form by WindrowChem(707)984-0845; p711090; v3.01.44.92

(Reference all attachments here)

COMMENT AND EXPLANATION OF ANY VIOLATIONS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

002 STORMWATER MONITORING
 DISCHARGE NUMBER: 002 B
 PERMIT NUMBER: NV0000078

F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley
 MAJOR NO DISCHARGE
 MONITORING PERIOD FROM 06 02 01 TO 06 02 28
 NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****			0		
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****			0		
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
PERCHLORATE (ClO4)	*****	*****	****	*****			0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT

NAME / TITLE: **Fredrick R. Stater**
 Plant Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER: *[Signature]*
 OFFICER OR AUTHORIZED AGENT

TELEPHONE: 702-651-2200
 DATE: 06 | 04 | 25

AREA CODE NUMBER: 702-651-2200
 YEAR MO DAY: 06 | 04 | 25

Forms by: WinslowChen(707)864-9845; 01/1996; v.5 01/4/98

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS: NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

DISCHARGE MONITORING REPORT (DMR)
 NV0000078
 PERMIT NUMBER

003 B
 DISCHARGE NUMBER

F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 06 | 02 | 01 TO 06 | 02 | 28

MAJOR NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	SAMPLE MEASUREMENT	*****						0		
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	REPORT MINIMUM	*****	REPORT MAXIMUM		ONCE/DISCHG	DISCRT
SULFATE, TOTAL (AS SO4)	SAMPLE MEASUREMENT	*****	*****	****	*****			0		
00945 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX		ONCE/DISCHG	DISCRT
MANGANESE, TOTAL (AS MN)	SAMPLE MEASUREMENT	*****	*****	****	*****			0		
01055 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX		ONCE/DISCHG	DISCRT
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****	*****	****	*****			0		
70285 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX		ONCE/DISCHG	DISCRT
PERCHLORATE (CLO4)	SAMPLE MEASUREMENT	*****	*****	****	*****			0		
61209 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX		ONCE/DISCHG	DISCRT

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Fredrick R. Stater
 Plant Manager

TYPED OR PRINTED

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 No Discharge

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
Fredrick R. Stater

702-651-2200
 AREA CODE NUMBER

06 | 04 | 25
 YEAR MO DAY

TELEPHONE

Form 3 by WindowsChem(207)864-0843;prn11092v6.01.4/108

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 PO Box 55
 Henderson, NV 89009-7000

PERMIT NUMBER: NV0000078
 DISCHARGE NUMBER: 001 A

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 06 | 03 | 01 TO 06 | 03 | 31

NO DISCHARGE


NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	*****			0		
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	33 30DA AVG	37 DAILY MX		CONTINUOUS	RCORR
pH	*****	*****	****	*****	*****		0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM		ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	OPTIONAL 30DA AVG	REPORT DAILY MX	(03)	*****	*****	*****	0		
50050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD	*****	*****			CONTINUOUS	RCORR
SOLIDS, TOTAL DISSOLVED	1000 30DA AVG	REPORT DAILY MX	(26)	*****	*****		0		
70295 > 0 0 INCREASE (NOT END OF PIPE)	*****	*****	LBS/DY	*****	*****			ONCE/DISCHG	DISCRT
PERCHLORATE (ClO4)	*****	*****		*****	*****		0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****		*****	*****			ONCE/DISCHG	DISCRT
	*****	*****		*****	*****			ONCE/DISCHG	DISCRT
	*****	*****		*****	*****			ONCE/DISCHG	DISCRT
	*****	*****		*****	*****			ONCE/DISCHG	DISCRT

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Fredrick R. Stater
 Plant Manager

TYPED OR PRINTED

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 (Reference all attachments here)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT


OFFICER OR AUTHORIZED AGENT

702-651-2200
 AREA CODE NUMBER

06 | 04 | 25
 YEAR MO DAY

TELEPHONE DATE

Perms By WindowChem(707)894-9845;PR110900-45 01-41196

DISCHARGE 002
F - FINAL
MAJOR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
002 A
DISCHARGE NUMBER
NV0000078
PERMIT NUMBER

PERMITTEE NAME/ADDRESS
Tronox LLC
PO Box 55
Henderson, NV 89009-7000

FACILITY: Tronox LLC
LOCATION: BMI Park - Henderson
Attn: Susan Crowley
MONITORING PERIOD
FROM 06 | 03 | 01 TO 06 | 03 | 31
NO DISCHARGE
NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	*****	18	20	(04)	0	
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	33 30DA AVG	37 DAILY MX	DEG. C		RCORDR
pH	*****	*****	****	*****	7.6	8.2	(12)	0	
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	6.0	9.0	SU		DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.090	0.003	(03)	*****	*****	*****		0	
50050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****			RCORDR
SOLIDS, TOTAL DISSOLVED	0.86	12.75	(26)	*****	37	78		0	
70285 > 0 0 INCREASE (NOT END OF PIPE)	1000 30DA AVG	REPORT DAILY MX	LBS/DY	*****	REPORT 30DA AVG	REPORT DAILY MX	MG/L		DISCRT
PERCHLORATE (ClO4)	*****	*****	****	*****	0.013	0.022		0	
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L		DISCRT
	*****	*****	****	*****	*****	*****			
	*****	*****	****	*****	*****	*****			DISCRT
	*****	*****	****	*****	*****	*****			
	*****	*****	****	*****	*****	*****			DISCRT

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Fredrick R. Stater
Plant Manager
TYPED OR PRINTED
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER
OFFICER OR AUTHORIZED AGENT
TELEPHONE
DATE
702-651-2200
AREA CODE NUMBER
06 | 04 | 25
YEAR MO DAY
Forn by WndowChem/07/964-8645; part 1/99/0-5.01-4/1995

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)
 001 B
 DISCHARGE NUMBER

F - FINAL

MONITORING PERIOD
 FROM 06 | 03 | 01 TO 06 | 03 | 31

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MAJOR NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	8.2	*****	(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	*****	SU		ONCE/DISCHG	DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	80	(19)	0		
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L		ONCE/DISCHG	DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	0.37	(19)	0		
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L		ONCE/DISCHG	DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	0.6	(19)	0		
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L		ONCE/DISCHG	DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	1.4	(19)	0		
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L		ONCE/DISCHG	DISCRT
OIL AND GREASE	*****	*****	****	*****	6	(19)	0		
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L		ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.013	0.013	(03)	*****	*****	MG/L	0		
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L		ONCE/DISCHG	DISCRT
<p>NAME / TITLE PRINCIPAL EXECUTIVE OFFICER: <i>Fredrick R. Stater</i></p> <p>OFFICER OR AUTHORIZED AGENT: <i>Fredrick R. Stater</i></p> <p>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT: <i>Fredrick R. Stater</i></p>									
<p>TELEPHONE: 702-651-2200</p> <p>DATE: 06 04 25</p> <p>AREA CODE NUMBER: 702-651-2200</p> <p>YEAR MO DAY: 06 04 25</p>									

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 TYPED OR PRINTED
 (Reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

001 STORMWATER MONITORING
 DISCHARGE NUMBER: 001 B
 PERMIT NUMBER: NV0000078

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 PO Box 55
 Henderson, NV 89009-7000

F - FINAL

MAJOR NO DISCHARGE

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 06 | 03 | 01 TO 06 | 03 | 31

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING				QUALITY OR CONCENTRATION				NO EX	NO FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT				
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	442	442	(19)	0	ONCE/ DISCHG	DISCRT	
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L				
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****	30	30.0	(19)	0			
61017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L		ONCE/ DISCHG	DISCRT	
PERCHLORATE (CIO4)	*****	*****	****	*****	0.180	0.180	(19)	0			
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L		ONCE/ DISCHG	DISCRT	
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Fredrick R. Stater
 Plant Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER
[Signature]
 OFFICER OR AUTHORIZED AGENT

TELEPHONE: 702-651-2200
 AREA CODE NUMBER: 702-651-2200
 YEAR: 06 | MO: 04 | DAY: 25

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 (Reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 002 B
 002 STORMWATER MONITORING
 F - FINAL
 MAJOR NO DISCHARGE

PERMIT NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

PERMIT NUMBER: NV0000078
 DISCHARGE NUMBER: 002 B

MONITORING PERIOD
 FROM 06 03 01 TO 06 03 31

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	SAMPLE MEASUREMENT	*****	*****	****	8.2	*****	8.2	(12)	0	
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	REPORT MINIMUM	*****	REPORT MAXIMUM	SU		DISCRT
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	207	(19)	0	
00530 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	OPTIONAL 30DA AVG	MG/L		DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.05	(19)	0	
00610 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	OPTIONAL 30DA AVG	MG/L		DISCRT
NITRATE PLUS NITRATE TOTAL 1 DET. (AS N)	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0.67	(19)	0	
00830 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	OPTIONAL 30DA AVG	MG/L		DISCRT
PHOSPHORUS, TOTAL (AS P)	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0.16	(19)	0	
00665 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	OPTIONAL 30DA AVG	MG/L		DISCRT
OIL AND GREASE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<5	(19)	0	
03582 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	OPTIONAL 30DA AVG	MG/L		DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	0.028	0.028	(03)	*****	*****	*****	*****	0	
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	*****	*****	RCORDR

NAME / TITLE: **Fredrick R. Stater**
 Plant Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER: *Fredrick R. Stater*

OFFICER OR AUTHORIZED AGENT

702-851-2200
 AREA CODE NUMBER

06 | 04 | 25
 YEAR | MO | DAY

TELEPHONE DATE

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 (Reference all attachments here)

PERMITTEE NAME/ADDRESS: **Trinox LLC**
 NAME: **Trinox LLC**
 ADDRESS: **PO Box 55 Henderson, NV 89009-7000**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

002 B
 DISCHARGE NUMBER

002 STORMWATER MONITORING
 F - FINAL

FACILITY: **Trinox LLC**
 LOCATION: **BMI Park - Henderson**
 Attn: **Susan Crowley**

MONITORING PERIOD

FROM **06 03 01** TO **06 03 31**

MAJOR NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING				QUALITY OR CONCENTRATION				NO EX	NO FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT	UNIT			
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	770	770	(19)	0	0	ONCE/DISCHG	DISCRT
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L				
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****	7	7.0	(19)	0	0	ONCE/DISCHG	DISCRT
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L				
PERCHLORATE (ClO4)	*****	*****	****	*****	22	22	(19)	0	0	ONCE/DISCHG	DISCRT
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L				

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY OBTAIN AND EVALUATE THE INFORMATION SUBMITTED BASED ON THE INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION. THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

Fredrick R. Stater
 Plant Manager

[Signature]
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: 702-851-2200 DATE: 06 | 04 | 25

AREA CODE NUMBER: 702-851-2200 YEAR MO DAY: 06 | 04 | 25

Forms by WindowChem[07]064-0645.ppt[1]080.v.01.4/1/98

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS: NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 NAME: Tronox LLC
 ADDRESS: PO Box 55 Henderson, NV 89009-7000

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

DISCHARGE MONITORING REPORT (DMR)
 003 B
 DISCHARGE NUMBER

PERMIT NUMBER: NV0000078
 F - FINAL
 MAJOR NO DISCHARGE

MONITORING PERIOD
 FROM 06 | 03 | 01 TO 06 | 03 | 31

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	*****	*****	(12)	0	ONCE/ DISCHG	DISCRT
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	REPORT MAXIMUM	SU	0	ONCE/ DISCHG	DISCRT
SULFATE, TOTAL (AS SO4)	*****	*****	****	*****	*****	(19)	0	ONCE/ DISCHG	DISCRT
00945 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT
MANGANESE, TOTAL (AS MN)	*****	*****	****	*****	*****	(19)	0	ONCE/ DISCHG	DISCRT
01055 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	*****	(19)	0	ONCE/ DISCHG	DISCRT
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT
PERCHLORATE (CLO4)	*****	*****	****	*****	*****	(19)	0	ONCE/ DISCHG	DISCRT
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT
TELEPHONE							702-651-2200	06 04 25	YEAR MO DAY
AREA CODE NUMBER							702-651-2200	AREA CODE NUMBER	YEAR MO DAY

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION AND I AM AWARE THAT THERE ARE PENALTIES FOR ENTERING THE INFORMATION SUBMITTED IN THIS REPORT TO THE BEST OF MY KNOWLEDGE AND BELIEVE IT IS ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPROVEMENT FOR EXCESSIVE VIOLATIONS.

NAME / TITLE: **Fredrick R. Stater**
 Plant Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: 702-651-2200
 DATE: 06 | 04 | 25

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 No Discharge

(Reference all attachments here)

00044/961223-1801

PAGE 1 OF 1

ATTACHMENT 2

Supporting Information



C:\SMC\My
Documents\Excel Spre

Outfall Analytical Summary



C:\SMC\My
Documents\Excel Spre

Stabilized Analytical Summary

1st Quarter 2006 - NPDES Permit NV00000078 Analytical Summary (Outfalls)

Analytical Method	Chemical Name	Location ID	Outfall-001	Outfall-001	Outfall-002	Outfall-002	Outfall-002	Outfall-002	Outfall-002
		Sample Date	2/6/2006	3/22/2006	1/5/2006	1/11/2006	1/18/2006	1/25/2006	2/1/2006
	Unit								
EPA 350.1	Ammonia (as N)	mg/l		0.37					
EPA 410.4	Chemical oxygen demand	mg/l		30					1070
SM 2120B	Laboratory conductivity	um/cm	1380		1010 v	999 v	1000 v	1100 v	
EPA 150.1	Laboratory pH	s.u.	7.9	8.2	7.8 v	7.7 v	7.7 v	7.6 v	7.7
EPA 353.2	Nitrate/Nitrite	mg/l		0.6					
EPA 413.1	Oil and grease	mg/l		6					
EPA 314	Perchlorate	ug/l	44	180	20 vd	6.2 v	4.4 v <	4 u <	4
EPA 160.1	Total Dissolved Solids	mg/l	924	442	704 v	706 v	718 v	688 v	694
EPA 365.1	Total Phosphorus-P	mg/l		1.4					
EPA 160.2	Total Suspended Solids	mg/l		80					

1st Quarter 2006 - NPDES Permit NV0000078 Ane

Analytical Method	Chemical Name	Location ID	Sample Date	Unit	Outfall-002	Outfall-002	Outfall-002	Outfall-002	Outfall-002
EPA 350.1	Ammonia (as N)	Outfall-002	2/8/2006	mg/l	1140	1110	999	1070	1020
EPA 410.4	Chemical oxygen demand	Outfall-002	2/15/2006	mg/l	7.5	7.8	7.7	7.7	7.6
SM 2120B	Laboratory conductivity	Outfall-002	2/22/2006	um/cm					
EPA 150.1	Laboratory pH	Outfall-002	2/15/2006	s.u.					
EPA 353.2	Nitrate/Nitrite	Outfall-002	2/22/2006	mg/l					
EPA 413.1	Oil and grease	Outfall-002	2/15/2006	mg/l					
EPA 314	Perchlorate	Outfall-002	2/15/2006	ug/l					
EPA 160.1	Total Dissolved Solids	Outfall-002	2/22/2006	mg/l	700	674	688	682	694
EPA 365.1	Total Phosphorus-P	Outfall-002	2/8/2006	mg/l	<	4	4	4.8	4
EPA 160.2	Total Suspended Solids	Outfall-002	2/8/2006	mg/l					
		Outfall-002	3/15/2006						
		Outfall-002	3/8/2006						
		Outfall-002	3/20/2006						

1st Quarter 2006 - NPDES Permit NV0000078 Ana

Analytical Method	Chemical Name	Location ID	Outfall-002	Outfall-002
		Sample Date	3/22/2006	3/29/2006
		Unit		
EPA 350.1	Ammonia (as N)	mg/l	< 0.05	
EPA 410.4	Chemical oxygen demand	mg/l	7	
SM 2120B	Laboratory conductivity	um/cm		1110
EPA 150.1	Laboratory pH	s.u.	8.2	8.2
EPA 353.2	Nitrate/Nitrite	mg/l	0.67	
EPA 413.1	Oil and grease	mg/l	< 5	
EPA 314	Perchlorate	ug/l	22	7.5
EPA 160.1	Total Dissolved Solids	mg/l	770	674
EPA 365.1	Total Phosphorus-P	mg/l	0.16	
EPA 160.2	Total Suspended Solids	mg/l	207	

1st Quarter 2006 - NPDES Permit NV0000078 Analytical Summary (Stabilized Water)

Analytical Method	Chemical Name	Location ID	Stabilized water	Stabilized water	Stabilized water	Stabilized water	Stabilized water
EPA 160.1	Total Dissolved Solids	Sample Date	1/5/2006	1/11/2006	1/18/2006	1/25/2006	2/1/2006
	mg/l	Unit	736 v	666 v	686 v	688 v	700

1st Quarter 2006 - NPDES Permit NV00000078

Analytical Method	Chemical Name	Location ID	Stabilized water	Stabilized water	Stabilized water	Stabilized water	Stabilized water	Stabilized water	Stabilized water	Stabilized water
EPA 160.1	Total Dissolved Solids	Sample Date	Unit	mg/l	2/8/2006	2/15/2006	2/22/2006	3/1/2006	3/1/2006	3/1/2006
				688	664	670	662			

1st Quarter 2006 - NPDES Permit NV00000078

Analytical Method	Chemical Name	Location ID	Stabilized water	Stabilized water	Stabilized water	Stabilized water
EPA 160.1	Total Dissolved Solids	Sample Date	3/8/2006	3/15/2006	3/20/2006	3/29/2006
	Unit					
	mg/l		666	676	720	596


**Tronox LLC
First Quarter 2006
NPDES Permit NV0000078**

**Supporting
Analytical Reports**

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.



Susan M. Crowley, CEM 1428, exp 3-8-07



From: Origin ID: (702)651-2220
KERR-MCGEE CHEMICAL
KERR-MCGEE CHEMICAL
8000 LAKE MEAD DRIVE
SHIPPING DEPARTMENT
HENDERSON, NV 89015



CLS02206/16/02

Ship Date: 27APR06
ActWgt: 1 LB
System#: 2274147/INET2400
Account#: S *****

REF: SMC DOCS



Delivery Address Bar Code

SHIP TO: (000)000-0000 **BILL SENDER**
Compliance Coordinator Bur. of Wate
NV Div. of Env. Protection
901 S. Stewart St.
Suite 4001
Carson City, NV 897015249

PRIORITY OVERNIGHT

FRI

Deliver By:
28APR06



TRK# 7927 2628 1899

FORM
0201

RNO A2

89701 -NV-US

XH CSNA



Durkin, Judi

From: TrackingUpdates@fedex.com
Sent: Friday, April 28, 2006 12:29 PM
To: Durkin, Judi
Subject: FedEx Shipment 792726281899 Delivered

This tracking update has been requested by:

Name: 'not provided by requestor'

E-mail: 'not provided by requestor'

Message: First Quarter 2006 DMR -- NPDES Permit # NV0000078

Our records indicate that the following shipment has been delivered:

Tracking number: 792726281899
Reference: SMC DOCS
Ship (P/U) date: Apr 27, 2006
Delivery date: Apr 28, 2006 09:44 AM
Sign for by: M.MEDRANO
Delivered to: Receptionist/Front Desk
Service type: FedEx Priority Overnight

