



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)


Laboratory Report

for

Tronox LLC - Henderson
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley
Fax: (405) 302-4607



ADE Andy Eaton
Project Manager



Report#: 198078
Project: CLO4
PO#: Susan Crowle

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 10 page[s].



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

198078

750 Royal Oaks Ave, Suite 100, Monrovia, CA 91016
 (626) 386-1100 (800) 566-5227

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: FC

(800) 566-5227

SAMPLE TEMP, RECEIPT AT LAB: 5C

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME		PROJECT JOB # / P.O.#		REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES		<input checked="" type="checkbox"/> (check for yes)	
KERRMCEE-MP		Collection Walls Fields - Weekly - SO #12373		ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)			
Sampler: <u>Michele Brown</u> Susan Crowley (702) 651-2200		Tronox LLC - Henderson Plant PO Box 55 Henderson, NV 89009		REF		SAMPLER COMMENTS NO SAMPLE SBO - 12373 & 18787	
TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX	GRAB	COMP	
0530	3/6/07		ART-1	RSW	X		X
0530	3/6/07		ART-2	RSW	X		X
0530	3/6/07		ART-3	RSW	X		X
0530	3/6/07		ART-4	RSW	X		X
0530	3/6/07		ART-5	RSW	X		X
0530	3/6/07		ART-6	RSW	X		X
0530	3/6/07		ART-7	RSW	X		X
0530	3/6/07		ART-8	RSW	X		X
0600	3/6/07		PC-99R2/R3	RSW	X		X
0600	3/6/07		PC-115R	RSW	X		X
0600	3/6/07		PC-116R	RSW	X		X
0600	3/6/07		Seep Surface Flow	RSW	X		X

*** MATRIX TYPES:**

Reported by Volume:
 CFW = Chloraminated Finished Water
 FW = Other Finished Water

Reported by Weight:
 SO = Soil
 SL = Sludge

RGW = Raw Ground Water
 RSW = Raw Surface Water
 CW = Chlorinated Waste Water
 WW = Other Waste Water
 SW = Storm Water

RELINQUISHED BY: <u>Michele Brown</u>	SIGNATURE	COMPANY/TITLE	DATE	TIME
RECEIVED BY: _____		Veolia Water for Tronox LLC - Henderson Plant	3/7/2007	12:00pm
RELINQUISHED BY: _____	<u>Fiddler</u>	Mech	3-7	_____
RECEIVED BY: _____				



750 Royal Oaks Ave, Suite 100, Montrovia, CA 91016
(626) 366-1100 (800) 566-5227

MWLABS USE ONLY:

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: FC

SAMPLE TEMP, RECEIPT AT LAB: 5°C

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME: PROJECT JOB # / P.O.#
 KERRMCOEE-MP Collection Wells Fields - Monthly - SO#12373
 Sampler Signature: Michele Brown
 Susan Crowley (702) 651-2200
 Tronox LLC - Henderson Plant LLC
 PO Box 55
 Henderson, NV 89009

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES		ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)		SAMPLER COMMENTS
DATE	TIME	TEST	RESULT	
6:00	3/7/07	SF-1	RSW	FC 38 data rec sample NSB sample
6:00	3/7/07	PC-117	RSW	
6:00	3/7/07	PC-118	RSW	
6:00	3/7/07	PC-119	RSW	
6:00	3/7/07	PC-120	RSW	
6:00	3/7/07	PC-121	RSW	
6:00	3/7/07	PC-133	RSW	
5:30	3/7/07	ART-9	RSW	

* MATRIX TYPES:

Reported by Volume:
CFW = Chlor(amin)ated Finished Water
FW = Other Finished Water

Reported by Weight:
SO = Soil
SL = Sludge

RGW = Raw Ground Water
RSW = Raw Surface Water

CWW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

SIGNATURE

Michele Brown

PRINT NAME

Michele Brown

COMPANY/TITLE

Veolia Water for Tronox LLC - Henderson Plant

DATE

3/7/2007

TIME

1200pm

RELINQUISHED BY:

RECEIVED BY:

RECEIVED BY:

[Signature]

Fidel Chavez

MWLAB

B-S 100



MWH Laboratories, a Division of MWH Americas, Inc.
750 Royal Oaks Avenue Suite 100
Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

Bottle Order for Tronox, LLC- Henderson Standing

Andrew Eaton Your MWL Project Manager
(626) 386-1125 Direct Phone/Voice Mail

Client Code KERRMCGEE-MP
Project Code CLO4
PO# / Job# GWREMIATION
Blanket PO

SO# 34501 12373 RS

Sampler: Please Return this Paper with your samples

Created by 0

Order Date 02/05/07

Date Needed by Client
Date Samples to Arrive at MWL
SHIP LOCATION

Ship Sample Kits to
Veolia Water-Tronox LLC
Gate 1
8000 West Lake Mead Drive
Henderson, NV 89015

Send Report to

Tronox, LLC Henderson Plant
P.O. Box 55
Henderson, NV 89009

Billing Address

Tronox, LLC
Attn: Accounts Payable
P.O. BOX 268859
Oklahoma City, OK 73126-8859

ATTN: Susan Crowley
PHONE: 702-651-2234

ATTN: Susan Crowley
PHONE: 702-651-2234
FAX: 702-651-2310

Quote#

of Samples Tests

Bottles-Qty for each sample, type & preservative if any

UN#

Important Comments

# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
30	CLO4, TDS,	1 250 ml poly /no preservative		Per Ed Krish 7-4-06 all samples will be TDS in lieu of EC
	SHEET OF LABELS WITH WELL-IDS	see comments section		PC-117, PC-118, PC-119, PC-120, and PC-121
				PC-116R
				PC-99R2
				PC-99R3
				PC-115R
				ART-1
				ART-2
				ART-3
				ART-4
				ART-5
				ART-6
				ART-7
				ART-8
				Seep Surface Flow
				SF-1"
				Do NOT prelabel bottles with site, but provide pre-printed labels for client to stick on
				EXTRA BOTTLES INCLUDED
				client code changed 7/25/03
				Testcode updated 3-16-06
				standing order changed 6-14-06
				login note added 7-6-06
				TDS

ActiveCode Status Date Shipped Carrier Qty of Coolers Tracking Number Prepared By

SCANNED

MWH Laboratories
 750 Royal Oaks Drive, Monrovia, CA 91016
 PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 198078
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

The following samples were received from you on **03/08/07**. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2703080102	ART-2	CLO4 TDS	Water	06-mar-2007 05:30:00
2703080104	ART-3	CLO4 TDS	Water	06-mar-2007 05:30:00
2703080105	ART-4	CLO4 TDS	Water	06-mar-2007 05:30:00
2703080106	ART-6	CLO4 TDS	Water	06-mar-2007 05:30:00
2703080107	ART-7	CLO4 TDS	Water	06-mar-2007 05:30:00
2703080108	ART-8	CLO4 TDS	Water	06-mar-2007 05:30:00
2703080109	PC-99R2/R3	CLO4 TDS	Water	06-mar-2007 06:00:00
2703080110	PC-115R	CLO4 TDS	Water	06-mar-2007 06:00:00
2703080111	PC-116R	CLO4 TDS	Water	06-mar-2007 06:00:00
2703080112	SEEP SURFACE FLOW	CLO4 TDS	Water	06-mar-2007 06:00:00
2703080113	SF-1	CLO4 TDS	Water	07-mar-2007 06:00:00
2703080114	PC-117	CLO4 TDS	Water	07-mar-2007 06:00:00
2703080115	PC-118	CLO4 TDS	Water	07-mar-2007 06:00:00
2703080116	PC-120	CLO4 TDS	Water	07-mar-2007 06:00:00
2703080117	PC-121	CLO4 TDS	Water	07-mar-2007 06:00:00
2703080118	PC-133	CLO4 TDS	Water	07-mar-2007 06:00:00
2703080119	ART-9	CLO4 TDS	Water	07-mar-2007 05:30:00

Test Acronym Description

Test Acronym	Description
CLO4	Perchlorate
TDS	Total Dissolved Solid (TDS)



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 388 1100
Fax: 626 388 1101
1 800 566 LABS (1 800 566 5227)

Report
Comments
#198078

Client Specific Comments

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Client Signature: _____



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#198078

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
08-mar-2007 13:23:16

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2703080102	ART-2				
03/09/07	Perchlorate		98400		ug/l	40000
03/09/07	Total Dissolved Solid (TDS)		9500	500	mg/l	10
	2703080104	ART-3				
03/09/07	Perchlorate		396000		ug/l	40000
03/09/07	Total Dissolved Solid (TDS)		8540	500	mg/l	10
	2703080105	ART-4				
03/10/07	Perchlorate		334000		ug/l	40000
03/09/07	Total Dissolved Solid (TDS)		6230	500	mg/l	10
	2703080106	ART-6				
03/09/07	Perchlorate		306000		ug/l	20000
03/09/07	Total Dissolved Solid (TDS)		7520	500	mg/l	10
	2703080107	ART-7				
03/09/07	Perchlorate		130000		ug/l	20000
03/09/07	Total Dissolved Solid (TDS)		9520	500	mg/l	10
	2703080108	ART-8				
03/10/07	Perchlorate		289000		ug/l	40000
03/09/07	Total Dissolved Solid (TDS)		8620	500	mg/l	10
	2703080109	PC-99R2/R3				

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#198078

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
08-mar-2007 13:23:16

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2703080109	PC-99R2/R3				
03/09/07	Perchlorate		20000		ug/l	2000
03/09/07	Total Dissolved Solid (TDS)		4820	500	mg/l	10
	2703080110	PC-115R				
03/09/07	Perchlorate		16300		ug/l	2000
03/09/07	Total Dissolved Solid (TDS)		4700	500	mg/l	10
	2703080111	PC-116R				
03/09/07	Perchlorate		17600		ug/l	2000
03/09/07	Total Dissolved Solid (TDS)		4800	500	mg/l	10
	2703080112	SEEP SURFACE FLOW				
03/09/07	Perchlorate		2410		ug/l	400
03/09/07	Total Dissolved Solid (TDS)		3360	500	mg/l	10
	2703080113	SF-1				
03/09/07	Total Dissolved Solid (TDS)		6070	500	mg/l	10
	2703080114	PC-117				
03/09/07	Perchlorate		8230		ug/l	2000
03/09/07	Total Dissolved Solid (TDS)		4580	500	mg/l	10
	2703080115	PC-118				
03/09/07	Perchlorate		10900		ug/l	2000

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#198078

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
08-mar-2007 13:23:16

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2703080115	PC-118				
03/09/07	Total Dissolved Solid (TDS)		4160	500	mg/l	10
	2703080116	PC-120				
03/09/07	Perchlorate		2690		ug/l	400
03/09/07	Total Dissolved Solid (TDS)		3070	500	mg/l	10
	2703080117	PC-121				
03/10/07	Perchlorate		2030		ug/l	400
03/09/07	Total Dissolved Solid (TDS)		2820	500	mg/l	10
	2703080118	PC-133				
03/10/07	Perchlorate		8730		ug/l	400
03/09/07	Total Dissolved Solid (TDS)		4790	500	mg/l	10
	2703080119	ART-9				
03/10/07	Perchlorate		299000		ug/l	20000
03/09/07	Total Dissolved Solid (TDS)		7390	500	mg/l	10

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3829
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#198078

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
03/08/07

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
ART-2 (2703080102) Sampled on 03/06/07 05:30								
	03/09/07 00:00	356507	(EPA 314) Perchlorate	98400	ug/l	40000	10000
03/09/07	03/09/07 16:18	356665	(SM 2540C) Total Dissolved Solid (TDS)	9500	mg/l	10	1
ART-3 (2703080104) Sampled on 03/06/07 05:30								
	03/09/07 00:00	356507	(EPA 314) Perchlorate	396000	ug/l	40000	10000
03/09/07	03/09/07 16:18	356665	(SM 2540C) Total Dissolved Solid (TDS)	8540	mg/l	10	1
ART-4 (2703080105) Sampled on 03/06/07 05:30								
	03/10/07 00:00	356509	(EPA 314) Perchlorate	334000	ug/l	40000	10000
03/09/07	03/09/07 16:18	356665	(SM 2540C) Total Dissolved Solid (TDS)	6230	mg/l	10	1
ART-6 (2703080106) Sampled on 03/06/07 05:30								
	03/09/07 00:00	356507	(EPA 314) Perchlorate	306000	ug/l	20000	5000
03/09/07	03/09/07 16:18	356665	(SM 2540C) Total Dissolved Solid (TDS)	7520	mg/l	10	1
ART-7 (2703080107) Sampled on 03/06/07 05:30								
	03/09/07 00:00	356507	(EPA 314) Perchlorate	130000	ug/l	20000	5000
03/09/07	03/09/07 16:18	356665	(SM 2540C) Total Dissolved Solid (TDS)	9520	mg/l	10	1
ART-8 (2703080108) Sampled on 03/06/07 05:30								
	03/10/07 00:00	356509	(EPA 314) Perchlorate	289000	ug/l	40000	10000
03/09/07	03/09/07 16:18	356665	(SM 2540C) Total Dissolved Solid (TDS)	8620	mg/l	10	1
PC-99R2/R3 (2703080109) Sampled on 03/06/07 06:00								
	03/09/07 00:00	356507	(EPA 314) Perchlorate	20000	ug/l	2000	500
03/09/07	03/09/07 16:18	356665	(SM 2540C) Total Dissolved Solid (TDS)	4820	mg/l	10	1



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#198078

Tronox LLC - Henderson
(continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
PC-115R (2703080110)		Sampled on 03/06/07 06:00						
	03/09/07 00:00	356507	(EPA 314)	Perchlorate	16300	ug/l	2000	500
03/09/07	03/09/07 16:18	356665	(SM 2540C)	Total Dissolved Solid (TDS)	4700	mg/l	10	1
PC-116R (2703080111)		Sampled on 03/06/07 06:00						
	03/09/07 00:00	356507	(EPA 314)	Perchlorate	17600	ug/l	2000	500
03/09/07	03/09/07 16:18	356665	(SM 2540C)	Total Dissolved Solid (TDS)	4800	mg/l	10	1
SEEP SURFACE FLOW (2703080112)		Sampled on 03/06/07 06:00						
	03/09/07 00:00	356507	(EPA 314)	Perchlorate	2410	ug/l	400	100
03/09/07	03/09/07 16:18	356665	(SM 2540C)	Total Dissolved Solid (TDS)	3360	mg/l	10	1
SF-1 (2703080113)		Sampled on 03/07/07 06:00						
	03/09/07 00:00	356507	(EPA 314)	Perchlorate	ND	ug/l	10	5
03/09/07	03/09/07 16:18	356665	(SM 2540C)	Total Dissolved Solid (TDS)	6070	mg/l	10	1
PC-117 (2703080114)		Sampled on 03/07/07 06:00						
	03/09/07 00:00	356507	(EPA 314)	Perchlorate	8230	ug/l	2000	500
03/09/07	03/09/07 16:18	356665	(SM 2540C)	Total Dissolved Solid (TDS)	4580	mg/l	10	1
PC-118 (2703080115)		Sampled on 03/07/07 06:00						
	03/09/07 00:00	356507	(EPA 314)	Perchlorate	10900	ug/l	2000	500
03/09/07	03/09/07 16:18	356665	(SM 2540C)	Total Dissolved Solid (TDS)	4160	mg/l	10	1
PC-120 (2703080116)		Sampled on 03/07/07 06:00						
	03/09/07 00:00	356507	(EPA 314)	Perchlorate	2690	ug/l	400	100
03/09/07	03/09/07 16:18	356665	(SM 2540C)	Total Dissolved Solid (TDS)	3070	mg/l	10	1
PC-121 (2703080117)		Sampled on 03/07/07 06:00						
	03/10/07 00:00	356507	(EPA 314)	Perchlorate	2030	ug/l	400	100
03/09/07	03/09/07 16:18	356665	(SM 2540C)	Total Dissolved Solid (TDS)	2820	mg/l	10	1



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#198078

Tronox LLC - Henderson
(continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
PC-133 (2703080118)				Sampled on 03/07/07 06:00				
	03/10/07 00:00	356507	(EPA 314)	Perchlorate	8730	ug/l	400	100
03/09/07	03/09/07 16:18	356665	(SM 2540C)	Total Dissolved Solid (TDS)	4790	mg/l	10	1
ART-9 (2703080119)				Sampled on 03/07/07 05:30				
	03/10/07 00:00	356507	(EPA 314)	Perchlorate	299000	ug/l	20000	5000
03/09/07	03/09/07 16:18	356665	(SM 2540C)	Total Dissolved Solid (TDS)	7390	mg/l	10	1



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3625
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#198078

Tronox LLC - Henderson

QC Ref #356507 - Perchlorate

Analysis Date: 03/09/2007

2703080102	ART-2	Analyzed by: raja
2703080104	ART-3	Analyzed by: raja
2703080106	ART-6	Analyzed by: raja
2703080107	ART-7	Analyzed by: raja
2703080109	PC-99R2/R3	Analyzed by: raja
2703080110	PC-115R	Analyzed by: raja
2703080111	PC-116R	Analyzed by: raja
2703080112	SEEP SURFACE FLOW	Analyzed by: raja
2703080113	SF-1	Analyzed by: raja
2703080114	PC-117	Analyzed by: raja
2703080115	PC-118	Analyzed by: raja
2703080116	PC-120	Analyzed by: raja
2703080117	PC-121	Analyzed by: raja
2703080118	PC-133	Analyzed by: raja
2703080119	ART-9	Analyzed by: raja

QC Ref #356509 - Perchlorate

Analysis Date: 03/10/2007

2703080105	ART-4	Analyzed by: raja
2703080108	ART-8	Analyzed by: raja

QC Ref #356665 - Total Dissolved Solid (TDS)

Analysis Date: 03/09/2007

2703080102	ART-2	Analyzed by: anh
2703080104	ART-3	Analyzed by: anh
2703080105	ART-4	Analyzed by: anh
2703080106	ART-6	Analyzed by: anh
2703080107	ART-7	Analyzed by: anh
2703080108	ART-8	Analyzed by: anh
2703080109	PC-99R2/R3	Analyzed by: anh
2703080110	PC-115R	Analyzed by: anh
2703080111	PC-116R	Analyzed by: anh
2703080112	SEEP SURFACE FLOW	Analyzed by: anh
2703080113	SF-1	Analyzed by: anh
2703080114	PC-117	Analyzed by: anh
2703080115	PC-118	Analyzed by: anh
2703080116	PC-120	Analyzed by: anh
2703080117	PC-121	Analyzed by: anh
2703080118	PC-133	Analyzed by: anh
2703080119	ART-9	Analyzed by: anh



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3529
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#198078

Tronox LLC - Henderson

QC Ref #356507

Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	03070285	UGL		(0-0)	
LCS1	Perchlorate	25.0	22.8	UGL	91.2	(85-115)	
LCS2	Perchlorate	25.0	25.0	UGL	100.0	(85-115)	
LCS3	Perchlorate	4	3.46	UGL	86.5	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	23.9	UGL	95.6	(70-130)	
MSD	Perchlorate	25.0	23.8	UGL	95.2	(70-130)	
RPD_LCS	Perchlorate	91.200	100.000	UGL	9.2	(0-20)	
RPD_MS	Perchlorate	95.600	95.200	UGL	0.4	(0-20)	

QC Ref #356509

Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	03080321	UGL		(0-0)	
LCS1	Perchlorate	25.0	24.6	UGL	98.4	(85-115)	
LCS2	Perchlorate	25.0	23.8	UGL	95.2	(85-115)	
LCS3	Perchlorate	4	3.42	UGL	85.5	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	23.4	UGL	93.6	(70-130)	
MSD	Perchlorate	25.0	22.2	UGL	88.8	(70-130)	
RPD_LCS	Perchlorate	98.400	95.200	UGL	3.3	(0-20)	
RPD_MS	Perchlorate	93.600	88.800	UGL	5.3	(0-20)	

QC Ref #356665

Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	03080047	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	494	500	MGL		(0-10)	1.2
LCS1	Total Dissolved Solid (TDS)	175	164	MGL	93.7	(85-115)	
LCS2	Total Dissolved Solid (TDS)	700	676	MGL	96.6	(85-115)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3529
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#198078

Tronox LLC - Henderson
(continued)

MRL_CHK	Total Dissolved Solid (TDS)	10.0	7	MGL	70.0	(50-150)
RPD_LCS	Total Dissolved Solid (TDS)	93.714	96.571	MGL	3.0	(0-20)

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.