



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)


Laboratory Report

for

Tronox LLC - Henderson
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley
Fax: (405) 302-4607



ADE Andy Eaton
Project Manager



Report#: 178430
CLO4

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 5 page[s].



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

MVLABS USE ONLY:

750 Royal Oaks Drive, Suite 100, Monrovia, CA > 91016-3629
(626) 568-6400 (800) 566-5227

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: SH

SAMPLE TEMP, RECEIPT AT LAB: 20

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

178430

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME

KERRIMCGEE-MP

PROJECT JOB # / P.O.#

Weekly Permit: ClO₄ Compliance Samples

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES

(check for yes)

Wendy Prescott
Susan Crowley

Tronox LLC Henderson Plant
PO Box 55
Henderson, NV 89009
(702) 651-2234

IDENTIFIER, STATE ID#

MATRIX *

GRAB

COMP

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

TIME

DATE

LOCATION

EFFLUENT-COMP

RAW

RAW

CI04

SAMPLER COMMENTS

10:00am

7-2-06 to 7-8-06

RSW

X

X

SBO- 18882

10:00am

7-2-06 to 7-8-06

Influent-Comp

RSW

X

X

* MATRIX TYPES:

Reported by Volume:

CFW = Chlor(am)inated Finished Water

FW = Other Finished Water

Reported by Weight:

CWW = Chlorinated Waste Water

WW = Other Waste Water

SW = Storm Water

SO = Soil

SL = Sludge

SIGNATURE

RELINQUISHED BY: Wendy Prescott

PRINT NAME

Wendy Prescott

COMPANY/TITLE

Velox Water NA for Tronox LLC - Henderson

DATE

7/10/2006

TIME

12:00

RECEIVED BY:

12:00

RECEIVED BY:



MWH Laboratories, a Division of MWH Americas, Inc.
 750 Royal Oaks Avenue Suite 100
 Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

Bottle Order for Kerr McGee Chemical Company - Henderson Standing

Andrew Eaton..... Your MWL Project Manager
 (626) 386-1125..... Direct Phone/Voice Mail

Client Code KERRMCGEE-MP W Weekly
 Project Code CLO4 Week 1
 PO# / Job#
 Blanket PO

SO# 30811 18882

RS Sampler: Please Return this Paper with your samples

Created by 0 Ship Sample Kits to
 Order Date 06/26/06 Kerr McGee-Veolia Water
 Date Needed by Client 8000 West Lake Mead Drive
 Henderson, NV 89015
 Billing Address KMC, LLC
 attn: Contract 304280
 P.O. Box 3049
 Livonia, MI 48150

SHIP LOCATION
 Date Samples to Arrive at MWL

ATTN: Susan Crowley
 PHONE: 702-651-2234
 ATTN: Susan Crowley
 PHONE: 702-651-2234
 FAX: 702-651-2310

Quote#

of Samples Tests Bottles-Qty for each sample, type & preservative if any UN# Important Comments

# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
2	CLO4	1 125ml poly /no preservative AMBER IF WITH CLO3!		Weekly Composites at INFLUENT-COMP EFFLUENT-COMP
-	-	-	-	COC should be labeled with IDs as above.
-	-	-	-	These are in lieu of the former samples that were arriving once a month as a series of weekly composites.
-	-	-	-	adjusted to 2 samples 5/05

THIS MEMORANDUM is an acknowledgement that a Bill of Lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

SHIPPER'S NUMBER: 142066

RECEIVED subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading.

From: TRONOX LLC

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said Carrier (the word Carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another Carrier on the route to said destination. It is mutually agreed, as to each Carrier of all or any said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said Bill of Lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the Shipper and accepted for himself and his assigns.

CARRIER Federal Express		Date 07/10/06	FROM NO. STATION: STATE Henderson, NV 89015
MWH LABORATORIES 750 Royal Oaks Avenue, Suite #100 Monrovia, CA 91016-3629 Phone: 626-568-6400		Authorization S.CROWLEY	
FREIGHT CHARGES <input checked="" type="checkbox"/> Prepaid <input type="checkbox"/> Collect		FULL NAME OF SHIPPER TRONOX LLC	
N/AR		CUSTOMER PO OR REQ'N NO.	CODE NO. WCN IF 1321.10400 If it moves between two ports by water, the law requires that the Bill of Lading shall state whether it is Carrier's or Shippers weight.
SHIPPED FROM Henderson, NV	1321.10400 If it moves between two ports by water, the law requires that the Bill of Lading shall state whether it is Carrier's or Shippers weight.		
LINE NO.	DESCRIPTION AND CLASSIFICATION	STOCK NO.	TOTAL QUANTITY
	Ice Chest with water samples 2 bottles -- Influent, Effluent 1 Ice Chest @ 8 lbs Not Regulated		1 COOLER
TRUCK SHIPMENTS		FOR CHEMICAL EMERGENCY-SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC - DAY OR NIGHT 800-424-9300 483-7616 IN DISTRICT OF COLUMBIA 202-483-7616 FROM OUTSIDE THE CONTINENTAL US.	
PLACARDS OFFERED	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	PLACARDS ACCEPTED	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
NUMBER OF PACKAGES	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
1	8	0	8
NOTE: Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding		per	
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.			

TRONOX LLC
Shipper permanent post office address of shipper, PO Box 268857, Oklahoma City, OK 73126-8857

PER **Judi Durkin**

AGENT

PER

AUG 10 2006
 10:30 AM
 FEDERAL EXPRESS

From: Origin ID: (702)651-2220
KERR-MCGEE CHEMICAL
KERR-MCGEE CHEMICAL
8000 LAKE MEAD DRIVE
SHIPPING DEPARTMENT
HENDERSON, NV 89015



CLS652986/17/22


Ship Date: 10JUL06
ActWgt: 8 LB
System#: 2274147/INET2500
Account#: S *****

REF: MSO #142066 - 8 LBS



Delivery Address Bar Code

SHIP TO: (626)568-6400 **BILL SENDER**
ATTN: MONTGOMERY LABS RECEIVING
MONTGOMERY WATSON LABS
750 ROYAL OAKS AVENUE
#100
MONROVIA, CA 91016



PRIORITY OVERNIGHT

TUE

TRK# **7919 9191 7860**


FORM
0201

Deliver By:
11JUL06

BUR A2

91016 -CA-US

QZ WHPA



Shipping Label: Your shipment is complete

1. Use the 'Print' feature from your browser to send this page to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Report
Comments
#178430

Client Specific Comments

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Client Signature: _____

(QC Ref#: 2607110266)

Test: Perchlorate (EPA 314)

THE RESULT FOR THIS SAMPLE IS AN ESTIMATE ONLY, THE CONDUCTIVITY MEASURED AFTER A 1/5 DILUTION WAS SLIGHTLY ABOVE THE MCT.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3829
Tel: 626 386 1100
Fax: 626 385 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#178430

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
11-jul-2006 14:57:05

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2607110266	EFFLUENT-COMP				
07/25/06	Perchlorate		12		ug/l	10
	2607110267	INFLUENT-COMP				
07/25/06	Perchlorate		227000		ug/l	20000



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#178430

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
07/11/06

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
EFFLUENT-COMP (2607110266)				Sampled on 07/08/06 10:00				
	07/25/06 00:00	326884	(EPA 314) Perchlorate	12	ug/l	10	5
INFLUENT-COMP (2607110267)				Sampled on 07/08/06 10:00				
	07/25/06 00:00	326884	(EPA 314) Perchlorate	227000	ug/l	20000	5000



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#178430

Tronox LLC - Henderson

QC Ref #326884 - Perchlorate

Analysis Date: 07/25/2006

2607110266
2607110267

EFFLUENT-COMP
INFLUENT-COMP

Analyzed by: raja
Analyzed by: raja



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#178430

Tronox LLC - Henderson

QC Ref #326884

Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 26	07130351	UGL		(0-0)	
LCS1	Perchlorate	25.0	25.0	UGL	100.0	(85-115)	
LCS2	Perchlorate	25.0	25.8	UGL	103.2	(85-115)	
LCS3	Perchlorate	4	4.24	UGL	106.0	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	25.3	UGL	101.2	(70-130)	
MSD	Perchlorate	25.0	25.5	UGL	102.0	(70-130)	
RPD_LCS	Perchlorate	100.000	103.200	UGL	3.1	(0-20)	
RPD_MS	Perchlorate	101.200	102.000	UGL	0.8	(0-20)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.