



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)


Laboratory Report

for

Tronox LLC - Henderson
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley
Fax: (405) 302-4607



ADE Andy Eaton
Project Manager



Report#: 194719
Project: CLO4
PO#: Susan Crowle

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 5 page[s].

194719

CHAIN OF CUSTODY RECORD

MONTGOMERY WATSON LABORATORIES



MWLABS USE ONLY:

LOGIN COMMENTS: _____
SAMPLES CHECKED/LOGGED IN BY: _____
SAMPLE TEMP, RECEIPT AT LAB: _____
BLUE ICE: FROZEN _____ PARTIALLY FROZEN _____ THAWED _____ (check for yes)

750 Royal Oaks Drive, Suite 100, Monrovia, CA > 91016-3629
 (626) 568-6400 (800) 566-5227

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX	GRAB	COMP	ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)											SAMPLER COMMENTS				
10:00am	1-21-07 to 1-27-07		Effluent-Comp	RSW		X																SBO- 18882
10:00am	1-21-07 to 1-27-07		Influent-Comp	RSW		X																

TO BE COMPLETED BY SAMPLER:
 COMPANY / PROJECT NAME
 KERRIMCGEE-MP

PROJECT JOB # / P.O.#

Weekly Permit ClO₂ Compliance Samples

Tronox LLC Henderson Plant
 PO Box 55
 Henderson, NV 89009

Wendy Prescott
 (702) 651-2234
 Susan Crowley

*** MATRIX TYPES:**
 CFW = Chlor(am)inated Finished Water
 FW = Other Finished Water
 RGW = Raw Ground Water
 RSW = Raw Surface Water
 CWW = Chlorinated Waste Water
 WW = Other Waste Water
 SW = Storm Water

Reported by Volume:
 Reported by Weight:
 SO = Soil
 SL = Sludge

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
RECEIVED BY: <i>g. Johnson</i>	<i>Wendy Prescott</i>	Wendy Prescott	Veloia Water NA for Tronox LLC - Henderson	1/29/2007	12:00
RELINQUISHED BY:					
RECEIVED BY:					



MWH Laboratories, a Division of MWH Americas, Inc.
 750 Royal Oaks Avenue Suite 100
 Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

Bottle Order for Tronox LLC- Henderson Standing

Andrew Eaton Your MWL Project Manager
 (626) 386-1125 Direct Phone/Voice Mail

Client Code KERRMCGEE-MP
 Project Code CLO4
 PO# / Job#
 Blanket PO

W Weekly
 Week 1

SO# 34340 18882 RS

Sampler: Please Return this Paper with your samples

Created by 0
 Order Date 01/22/07
 Date Needed by Client
 SHIP LOCATION

Ship Sample Kits to
 Veolia Water-Tronox LLC
 Gate 1
 8000 West Lake Mead Drive
 Henderson, NV 89015

Send Report to
 Tronox LLC Henderson Plant
 P.O. Box 55
 Henderson, NV 89009

Billing Address
 Tronox LLC
 Attn: Accounts Payable
 P.O. Box 268859
 Oklahoma City, OK 73126-8859

ATTN: Susan Crowley
 PHONE: 702-651-2234

ATTN: Susan Crowley
 PHONE: 702-651-2234
 FAX: 702-651-2310

Quote#

of Samples Tests

Bottles-Qty for each sample, type & preservative if any

UN#

Important Comments

# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
2	CLO4	1 125ml poly /no preservative AMBER IF WITH CLO3!		Weekly Composites at INFLUENT-COMP EFFLUENT-COMP
-	-	-	-	COC should be labeled with IDs as above.
-	-	-	-	These are in lieu of the former samples that were arriving once a month as a series of weekly composites.
-	-	-	-	adjusted to 2 samples 5/05

Prepared By

Carrier

Qty of Coolers

Tracking Number

Date Shipped

Status

ActiveCode

THIS MEMORANDUM is an acknowledgement that a Bill of Lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

SHIPPER'S NUMBER: 142433

RECEIVED subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading.

From: TRONOX LLC

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said Carrier (the word Carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another Carrier on the route to said destination. It is mutually agreed, as to each Carrier of all or any said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said Bill of Lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the Shipper and accepted for himself and his assigns.

SCANNED

CARRIER Federal Express		Date 1/29/07	FROM NO. STATION: STATE Henderson, NV 89015
MWH LABORATORIES 750 Royal Oaks Avenue, Suite #100 Monrovia, CA 91016-3629 Phone: 626-568-6400		Authorization S. CROWLEY	
FREIGHT CHARGES <input checked="" type="checkbox"/> Prepaid <input type="checkbox"/> Collect		FULL NAME OF SHIPPER TRONOX LLC	
N/AR		CUSTOMER PO OR REQ'N NO.	CODE NO. WCN IS 1321.10400 If it moves between two ports by water, the law requires that the Bill of Lading shall state whether it is Carrier's or Shippers weight.
SHIPPED FROM Henderson, NV			
LINE NO.	DESCRIPTION AND CLASSIFICATION	STOCK NO.	TOTAL QUANTITY
	Ice Chest with water samples 2 bottles - Influent, Effluent 1 Ice Chest @ 10 lbs Not Regulated		1 COOLER
TRUCK SHIPMENTS PLACARDS OFFERED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO PLACARDS ACCEPTED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		FOR CHEMICAL EMERGENCY-SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC - DAY OR NIGHT 800-424-9300 483-7616 IN DISTRICT OF COLUMBIA 202-483-7616 FROM OUTSIDE THE CONTINENTAL US.	
NUMBER OF PACKAGES	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
1	10	0	10
NOTE: Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per _____		"Shippers imprint in lieu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission"	

THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

TRONOX LLC
Shipper permanent post office address of shipper, PO Box 268857, Oklahoma City, OK 73126-8857

PER

Judi Durkin

AGENT

PER

From: Origin ID: LASA (702)651-2230
TRONOX LLC
TRONOX LLC
8000 LAKE MEAD PARKWAY
SHIPPING DEPARTMENT
HENDERSON, NV 89015



Ship Date: 29JAN07
ActWgt: 10 LB
System#: 2274147/INET2600
Account#: S *****


Delivery Address Bar Code



Ref # MSO #142433 - 10 lbs.
Invoice #
PO #
Dept #

SHIP TO: (626)568-6400 **BILL SENDER**
ATTN: MONTGOMERY LABS RECEIVING
MONTGOMERY WATSON LABS
750 ROYAL OAKS DR # 100

MONROVIA, CA 910163629



PRIORITY OVERNIGHT

TUE

Deliver By:
30JAN07


TRK# 7912 2031 1739

FORM
0201

BUR A2

91016 -CA-US

QZ WHPA



SCANNED

Shipping Label: Your shipment is complete

1. Use the 'Print' feature from your browser to send this page to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

MWH Laboratories

750 Royal Oaks Drive, Monrovia, CA 91016
PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson
PO Box 55
Henderson, NV 89009
Attn: Susan Crowley
Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
PO#: Susan Crowley PO
Group#: 194719
Project#: CLO4
Proj Mgr: Andrew Eaton
Phone: (626) 386-1125

The following samples were received from you on 01/30/07. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2701300716	EFFLUENT-COMP	CLO4	Water	27-jan-2007 10:00:00
2701300717	INFLUENT-COMP	CLO4	Water	27-jan-2007 10:00:00

Test Acronym Description

Test Acronym	Description
CLO4	Perchlorate



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Report
Comments
#194719

Client Specific Comments

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Client Signature: _____



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#194719

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
30-jan-2007 18:56:12

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2701300716	EFFLUENT-COMP				
	2701300717	INFLUENT-COMP				
02/01/07	Perchlorate		210000		ug/l	20000

SUMMARY OF POSITIVE DATA ONLY.



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Data Report
 #194719

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 01/30/07

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
EFFLUENT-COMP (2701300716)				Sampled on	01/27/07 10:00			
	02/01/07 00:01	351054	(EPA 314) Perchlorate	ND	ug/l	10	5
INFLUENT-COMP (2701300717)				Sampled on	01/27/07 10:00			
	02/01/07 00:01	351054	(EPA 314) Perchlorate	210000	ug/l	20000	5000



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#194719

Tronox LLC - Henderson

QC Ref #351054 - Perchlorate

Analysis Date: 02/01/2007

2701300716
2701300717

EFFLUENT-COMP
INFLUENT-COMP

Analyzed by: raja
Analyzed by: raja



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel. 626 386 1100
 Fax. 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 QC Report
 #194719

Tronox LLC - Henderson

QC Ref #351054

Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	01300347	UGL		(0-0)	
LCS1	Perchlorate	25.0	23.7	UGL	94.8	(85-115)	
LCS2	Perchlorate	25.0	23.4	UGL	93.6	(85-115)	
LCS3	Perchlorate	4	3.75	UGL	93.8	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	24.0	UGL	96.0	(70-130)	
MSD	Perchlorate	25.0	23.6	UGL	94.4	(70-130)	
RPD_LCS	Perchlorate	94.800	93.600	UGL	1.3	(0-20)	
RPD_MS	Perchlorate	96.000	94.400	UGL	1.7	(0-20)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
 Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
 are advisory only, unless otherwise specified in the method.