



A Division of MWH Americas, Inc.

750 Poyal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)


Laboratory Report

for

Tronox LLC - Henderson
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley
Fax: (405) 302-4607



ADE Andy Eaton
Project Manager



Report#: 199439
Project: CL04
PO#: Susan Crowle

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 5 page[s].



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

199439

MWLABS USE ONLY:

750 Royal Oaks Drive, Suite 100, Monrovia, CA > 91016-3629
(626) 568-6400 (800) 566-5227

SAMPLES CHECKED/LOGGED IN BY: WLD

SAMPLE TEMP, RECEIPT AT LAB: 3c

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME

KERRMCGEE-MP

PROJECT JOB # / P.O.#

Weekly Permit ClO₂ Compliance Samples

Wendy Prescott

Wendy Prescott
Susan Crowley
Tronox LLC Henderson Plant
PO Box 55
Henderson, NV 89009
(702) 651-2234

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES

(check for yes)

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

SAMPLER COMMENTS

SBO- 18882

*Resubmissions
Re-composite*

* MATRIX TYPES:

Reported by Volume:

CFW = Chlor(am)inated Finished Water
FW = Other Finished Water

RGW = Raw Ground Water
RSW = Raw Surface Water

CWW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

Reported by Weight:

SO = Soil
SL = Sludge

SIGNATURE

Wendy Prescott

PRINT NAME

Wendy Prescott

COMPANY/TITLE

Veloia Water NA for Tronox LLC - Henderson

DATE

3/22/2007

TIME

12:00

RELINQUISHED BY:

RECEIVED BY:

RELINQUISHED BY:

RECEIVED BY:

C-O-C#

PAGE _____ OF _____

SCANNED



MWH Laboratories, a Division of MWH Americas, Inc.
 750 Royal Oaks Avenue Suite 100
 Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

Bottle Order for Ironox LLC- Henderson Standing

Andrew Eaton Your MWL Project Manager
 (626) 386-1125 Direct Phone/Voice Mail

Client Code KERRMCGEE-MP
 Project Code CLO4
 PO# / Job#
 Blanket PO

W Weekly
 Week 1

Period

SO# 35087 18882 RS **Sampler: Please Return this Paper with your samples**

Created by 0

Order Date 03/05/07

Date Needed by Client

Ship Sample Kits to
 Veolia Water-Tronox LLC
 Gate 1
 8000 West Lake Mead Drive
 Henderson, NV 89015

Send Report to

Ironox LLC Henderson Plant
 PO Box 55
 Henderson, NV 89009

Billing Address

Ironox LLC
 Attn: Accounts Payable
 PO BOX 268859
 Oklahoma City, OK 73126-8859

Date Samples to Arrive at MWL

ATTN: Susan Crowley
 PHONE: 702-651-2234

ATTN: Susan Crowley
 PHONE: 702-651-2234
 FAX: 702-651-2310

Quote#

SHIP LOCATION

of Samples Tests

Bottles-Qty for each sample, type & preservative if any

UN#

Important Comments

# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
2	CLO4	1 125ml poly /no preservative AMBER IF WITH CLO3!		Weekly Composites at INFLUENT-COMP EFFLUENT-COMP
-	-	-	-	COC should be labeled with IDs as above.
-	-	-	-	These are in lieu of the former samples that were arriving once a month as a series of weekly composites.
-	-	-	-	adjusted to 2 samples 5/05

ActiveCode Status Date Shipped Carrier Qty of Coolers Tracking Number Prepared By

SCANNED

THIS MEMORANDUM is an acknowledgement that a Bill of Lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

SHIPPER'S NUMBER: 142521

RECEIVED subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading.

From: TRONOX LLC

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said Carrier (the word Carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another Carrier on the route to said destination. It is mutually agreed, as to each Carrier of all or any said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said Bill of Lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the Shipper and accepted for himself and his assigns.

CARRIER Federal Express		Date 03/22/07	FROM NO. STATION: STATE Henderson, NV 89015	
MWH LABORATORIES 750 Royal Oaks Avenue, Suite #100 Monrovia, CA 91016-3629 Phone: 626-568-6400			Authorization S. CROWLEY	
FREIGHT CHARGES <input checked="" type="checkbox"/> Prepaid <input type="checkbox"/> Collect		FULL NAME OF SHIPPER TRONOX LLC		
N/AR		CUSTOMER PO OR REQ'N NO.	CODE NO. WCN IS 1321.10400 if it moves between two ports by water, the law requires that the Bill of Lading shall state whether it is Carrier's or Shippers weight.	
SHIPPED FROM Henderson, NV				
LINE NO.	DESCRIPTION AND CLASSIFICATION	STOCK NO.	TOTAL QUANTITY	
	Ice Chest with water samples 2 bottles – Influent, Effluent Not Regulated		1 COOLER	Subject to Section 7 of Conditions of applicable Bill of Lading, if this shipment is to be delivered to the Consignee without recourse on the Consignor, the Consignor shall sign the following statement: The Carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. TRONOX LLC
				The description and weight indicated on this Bill of Lading are correct. Subject to verification by the Governing Weighing and Inspection Bureau according to Agreement.
TRUCK SHIPMENTS				FOR CHEMICAL EMERGENCY-SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC – DAY OR NIGHT 800-424-9300 483-7616 IN DISTRICT OF COLUMBIA 202-483-7616 FROM OUTSIDE THE CONTINENTAL US.
PLACARDS OFFERED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		PLACARDS ACCEPTED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		
NUMBER OF PACKAGES	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT	
		0		
1	TOTAL GROSS WEIGHT 10	TOTAL TARE WEIGHT 0	10	
NOTE: Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per _____				"Shippers imprint in lieu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission"
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.				
TRONOX LLC Shipper permanent post office address of shipper, PO Box 268859, Oklahoma City, OK 73126-8859		PER Olga Maestas	AGENT	PER

From: Origin ID: LASA (702)651-2230
 TRONOX LLC
 TRONOX LLC
 8000 LAKE MEAD PARKWAY
 SHIPPING DEPARTMENT
 HENDERSON, NV 89015



CL982297/2125

Ship Date: 22MAR07
 ActWgt: 10 LB
 System#: 2274147/INET2600
 Account#: S *****

Delivery Address Bar Code




Ref # MSO #142521
 Invoice #
 PO #
 Dept #

SHIP TO: (626)568-6400 **BILL SENDER**

**ATTN: SAMPLE RECEIVING
 MONTGOMERY WATSON LABS
 750 ROYAL OAKS DR # 100**

MONROVIA, CA 910163629



PRIORITY OVERNIGHT

FRI

TRK# 7996 0881 5669


FORM
0201

Deliver By:
23MAR07

BUR A2

91016 -CA-US

QZ WHPA



Shipping Label: Your shipment is complete

1. Use the 'Print' feature from your browser to send this page to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

MWH Laboratories
750 Royal Oaks Drive, Monrovia, CA 91016
PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson
PO Box 55
Henderson, NV 89009
Attn: Susan Crowley
Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
PO#: Susan Crowley PO
Group#: 199439
Project#: CLO4
Proj Mgr: Andrew Eaton
Phone: (626) 386-1125

The following samples were received from you on 03/23/07. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2703230041	INFLUENT-COMP	CLO4	Water	03-mar-2007 10:00:00
Test Acronym Description				
Test Acronym	Description			
CLO4	Perchlorate			



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Report
Comments
#199439

Client Specific Comments

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Client Signature: _____



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Hits Report
 #199439

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 23-mar-2007 10:29:06

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2703230041	INFLUENT-COMP				
03/23/07	Perchlorate		217000		ug/l	20000

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#199439

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
03/23/07

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
INFLUENT-COMP (2703230041)				Sampled on 03/03/07 10:00				
03/23/07	00:00	358753	(EPA 314) Perchlorate	217000	ug/l	20000	5000



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#199439

Tronox LLC - Henderson

QC Ref #358753 - Perchlorate

Analysis Date: 03/23/2007

2703230041

INFLUENT-COMP

Analyzed by: raja



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#199439

Tronox LLC - Henderson

QC Ref #358753

Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	03160081	UGL		(0-0)	
LCS1	Perchlorate	25.0	25.7	UGL	102.8	(85-115)	
LCS2	Perchlorate	25.0	25.4	UGL	101.6	(85-115)	
LCS3	Perchlorate	4	4.08	UGL	102.0	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	24.4	UGL	97.6	(70-130)	
MSD	Perchlorate	25.0	24.4	UGL	97.6	(70-130)	
RPD_LCS	Perchlorate	102.800	101.600	UGL	1.2	(0-20)	
RPD_MS	Perchlorate	97.600	97.600	UGL	0.0	(0-20)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.