



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)


Laboratory Report

for

Tronox LLC - Henderson
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley
Fax: (405) 302-4607



ADE Andy Eaton
Project Manager



Report#: 221933
Project: CL04
PO#: Susan Crowle

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 19 page[s].



750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

January 3, 2008

Ms. Susan Crowley
Tronox
PO Box 55
Henderson, NV 89009

Subject: Case Narrative report 221933

Enclosed is MWH Laboratories Report 221933

Sample receipt: The samples arrived at MWH Laboratories, Monrovia, CA on November 09, 2007 with proper chain of custody. All containers were received without any visible signs of tampering or breakage at proper temperature. Samples are identified on the acknowledgement, which is part of the report package, along with the chain of custody.

Case Narrative:

For the MWH Laboratories data the following issues were observed:

Samples for hex chrome were received after the RCRA 24 hour holding time and are reported with an H3 flag

TDS was not consistent with historical data for sample M-102 and M-72. The samples were rerun past hold time and flagged.

Note:

Ion chromatography analyses do not show actual analysis time for samples with holding times of >72 hours. Instead they show the time of first injection on a batch or 00:00.

Sincerely,

Andrew Eaton, PhD
Project Manager



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

22,1933

750 Royal Oaks Ave, Suite 100, Monrovia, CA 91016

(626) 386-1100 (800) 566-5227

MWLABS USE ONLY:

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: [Signature]

SAMPLE TEMP, RECEIPT AT LAB: [Signature]

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME

PROJECT JOB # / P.O.#

Quarterly Groundwater Sampling

Schedule B

Sampler

Michele Brown

Tronox LLC - Henderson Plant

PO Box 55

Henderson, NV 89009

Susan Crowley (702) 651-2234

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES

(check for yes)

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX *	GRAB	COMP	ANALYSES REQUIRED							SAMPLER Comments	
							CR 6010	PH 9040	TDS	CLO4	CRVI 7196	CLO3 9056	NO3 9056		See Bottle Order
534	11-8-07		M-25	RGW	X		X	X	X	X	X	X	X	X	2 Bottles
645	11-8-07		M-87	RGW	X		X	X	X	X	X	X	X	X	2 Bottles
710	11-8-07		M-102	RGW	X		X	X	X	X	X	X	X	X	2 Bottles
—	11-8-07		M-101	RGW	X		X	X	X	X	X	X	X	X	2 Bottles
750	11-8-07		M-86	RGW	X		X	X	X	X	X	X	X	X	2 Bottles
800	11-8-07		M-85	RGW	X		X	X	X	X	X	X	X	X	2 Bottles
827	11-8-07		M-83	RGW	X		X	X	X	X	X	X	X	X	2 Bottles
842	11-8-07		M-70	RGW	X		X	X	X	X	X	X	X	X	2 Bottles
858	11-8-07		M-71	RGW	X		X	X	X	X	X	X	X	X	2 Bottles
919	11-8-07		M-72	RGW	X		X	X	X	X	X	X	X	X	2 Bottles
948	11-8-07		M-38	RGW	X		X	X	X	X	X	X	X	X	2 Bottles
1027	11-8-07		M-52	RGW	X		X	X	X	X	X	X	X	X	2 Bottles

* MATRIX TYPES:

CFW = Chlor(am)inated Finished Water

FW = Other Finished Water

RGW = Raw Ground Water

RSW = Raw Surface Water

CWW = Chlorinated Waste Water

OWW = Other Waste Water

SW = Storm Water

Reported by Weight:

SO = Soil

SL = Sludge

SIGNATURE

Michele Brown

PRINT NAME

Michele Brown

COMPANY/TITLE

Veolia Water NA for Tronox LLC - Henderson Plant

DATE

11-8-07

TIME

12:00PM

RELINQUISHED BY:

RECEIVED BY:

[Signature]

11/08/07

12:00

SCANNED



MW LABS USE ONLY:

750 Royal Oaks Ave, Suite 100, Monrovia, CA 91016
(626) 386-1100 (800) 566-5227

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: *[Signature]*

SAMPLE TEMP, RECEIPT AT LAB: *[Signature]*

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME: PROJECT JOB # / P.O.#
 Quaterly Groundwater Sampling
 Schedule B

KERRMCGEE-MP
 Sampler Michele Brown

Susan Crowley (702) 651-2234

Tronox LLC - Henderson Plant
 PO Box 55
 Henderson, NV 89009

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES (check for yes)

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX	GRAB	COMP	CR 6010	PH 9040	TDS	CL04	CRVI 7196	CL03 9056	NO3 9056	See Bottle Order	SAMPLER Comments
934	11-8-07		M-36	RGW	X		X	X	X	X	X				3 Bottles
952	11-8-07		M-84	RGW	X		X	X	X	X	X				3 Bottles
1012	11-8-07		M-100	RGW	X		X	X	X	X	X				3 Bottles
1050	11-8-07		M-37	RGW	X		X	X	X	X	X				3 Bottles
	11-8-07		MD-2	RGW	X		X	X	X	X	X				3 Bottles
				RGW	X		X	X	X	X	X				Bottles
				RGW	X		X	X	X	X	X				Bottles
				RGW	X		X	X	X	X	X				Bottles
				RGW	X		X	X	X	X	X				Bottles
				RGW	X		X	X	X	X	X				Bottles
				RGW	X		X	X	X	X	X				Bottles
				RGW	X		X	X	X	X	X				Bottles

* MATRIX TYPES: Reported by Volume: CFW = Chlor(am)inated Finished Water, FW = Other Finished Water
 Reported by Weight: SO = Soil, SL = Sludge

RGW = Raw Ground Water, CWW = Chlorinated Waste Water
 RSW = Raw Surface Water, WW = Other Waste Water
 SW = Storm Water

SIGNATURE: *Michele Brown* PRINT NAME: Michele Brown

COMPANY/TITLE: Veolia Water NA for Tronox LLC - Henderson Plant

DATE: 11-8-07 TIME: 12:00PM

RELINQUISHED BY: *[Signature]*

RECEIVED BY: *[Signature]*

RELINQUISHED BY: *[Signature]*

RECEIVED BY: *[Signature]*





MWH Laboratories, a Division of MWH Americas, Inc.
750 Royal Oaks Avenue Suite 100
Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

Bottle Order for Tronox LLC- Henderson

Andrew Eaton Your MWL Project Manager
(626) 386-1125 Direct Phone/Voice Mail

Client Code KERRMCGEE-MP
Project Code CLO4
PO# / Job#
Blanket PO

Q Quarterly
Week 1

SO# 38337 33899 RS

Sampler: Please Return this Paper with your samples

Ship Sample Kits to
Tronox LLC-Veolia Water
Gate 1
8000 West Lake Mead Drive
Henderson, NV 89015

Billing Address
Tronox LLC
P.O. Box 3049
Livonia, MI 48150

Send Report to
Tronox LLC-Henderson Plant
P.O. Box 55
Henderson, NV 89009

ATTN: Susan Crowley
PHONE: 702-651-2234
ATTN: Susan Crowley
PHONE: 702-651-2234
FAX: 702-651-2310

Quote#

Bottles-Qty for each sample, type & preservative if any

# of Samples	Tests	Carrier	Qty of Coolers	Tracking Number	UN#	Important Comments
101	CR6010					
101	CLO4, TDS, PH9040				UN 2031	QUARTERLY SAMPLING - PLEASE PUT LABELS ON BOTTLES; PLEASE PUT IN 4 COOLERS SINCE SAMPLING TAKES 3-4 DAYS
15	CRV17196					First, Third, and fourth quarters
						NOTIFY LAB AS SOON AS CR-VI COMES IN.- 24HR ht
						TDS count increased to 101 effective 6/16/06;; deleted EC as of 7-14-06

Created by
Order Date 09/17/07
Date Needed by Client
Date Samples to Arrive at MWL
SHIP LOCATION

SCANNED

activeCode Status Date Shipped Carrier Qty of Coolers Tracking Number Prepared By

MWH Laboratories
 750 Royal Oaks Drive, Monrovia, CA 91016
 PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 221933
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

The following samples were received from you on **11/09/07**. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2711090128	M-25	CLO4 CR6010	Water	08-nov-2007 05:37:00
2711090129	M-87	CLO4 CR6010	Water	08-nov-2007 06:45:00
2711090130	M-102	CLO4 CR6010	Water	08-nov-2007 07:10:00
2711090131	M-86	CLO4 CR6010	Water	08-nov-2007 07:50:00
2711090132	M-85	CLO4 CR6010	Water	08-nov-2007 08:00:00
2711090133	M-83	CLO4 CR6010	Water	08-nov-2007 08:27:00
2711090134	M-70	CLO4 CR6010	Water	08-nov-2007 08:42:00
2711090135	M-71	CLO4 CR6010	Water	08-nov-2007 08:58:00
2711090136	M-72	CLO4 CR6010	Water	08-nov-2007 09:19:00
2711090137	M-38	CLO4 CR6010	Water	08-nov-2007 09:48:00
2711090138	M-52	CLO4 CR6010	Water	08-nov-2007 06:27:00
2711090139	M-36	CLO4 CR6010	Water	08-nov-2007 09:36:00
2711090140	M-84	CLO4 CR6010	Water	08-nov-2007 09:52:00
2711090141	M-100	CLO4 CR6010	Water	08-nov-2007 10:12:00
2711090142	M-37	CLO4 CR6010	Water	08-nov-2007 10:50:00

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 221933
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2711090142	M-37 (con't)	TDS		
2711090143	MD-2	CLO4 CR6010 CRVI7196 P TDS	Water	08-nov-2007 00:00:00 PH9040 T

Test Acronym Description

Test Acronym	Description
CLO4	Perchlorate
CR6010	Chromium, Total, ICAP
CRVI7196	Hexavalent chromium (Cr VI)
P	Metals sample pH
PH9040	PH (H3=past HT, not compliant)
T	Metals Turbidity
TDS	Total Dissolved Solid (TDS)



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Report
Comments
#221933

Client Specific Comments

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Signature: _____

(QC Ref#: 2711090130)

Test: Total Dissolved Solid (TDS) (E160.1/SM2540C)

HA - Initial analysis within holding time. Reanalysis was past holding time.

(QC Ref#: 2711090136)

Test: Total Dissolved Solid (TDS) (E160.1/SM2540C)

HA - Initial analysis within holding time. Reanalysis was past holding time.

(QC Ref#: 2711090139)

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3 - Sample was received and analyzed past holding time.
Data not acceptable for regulatory compliance.

(QC Ref#: 2711090140)

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3 - Sample was received and analyzed past holding time.
Data not acceptable for regulatory compliance.

(QC Ref#: 2711090141)

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3 - Sample was received and analyzed past holding time.
Data not acceptable for regulatory compliance.

(QC Ref#: 2711090142)

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3 - Sample was received and analyzed past holding time.
Data not acceptable for regulatory compliance.

(QC Ref#: 2711090143)



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 600 566 5227)

Report
Comments
#221933

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3 - Sample was received and analyzed past holding time.
Data not acceptable for regulatory compliance.



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Hits Report
 #221933

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 09-nov-2007 15:20:01

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2711090128	M-25				
11/22/07	Chromium, Total, ICAP		13		mg/l	0.10
11/21/07	Metals digestion performed.		Y		Yes/No	
11/12/07	PH (H3=past HT, not compliant)		7.8		Units	0.0010
11/12/07	Perchlorate		432000		ug/l	40000
11/13/07	Total Dissolved Solid (TDS)		9460	500	mg/l	10
	2711090129	M-87				
11/22/07	Chromium, Total, ICAP		2.4		mg/l	0.010
11/21/07	Metals digestion performed.		Y		Yes/No	
11/12/07	PH (H3=past HT, not compliant)		7.9		Units	0.0010
11/12/07	Perchlorate		216000		ug/l	20000
11/13/07	Total Dissolved Solid (TDS)		2990	500	mg/l	10
	2711090130	M-102				
11/22/07	Chromium, Total, ICAP		3.4		mg/l	0.010
11/21/07	Metals digestion performed.		Y		Yes/No	
11/12/07	PH (H3=past HT, not compliant)		7.8		Units	0.0010
11/13/07	Perchlorate		346000		ug/l	40000
12/16/07	Total Dissolved Solid (TDS)		3420	500	mg/l	10
	2711090131	M-86				
11/22/07	Chromium, Total, ICAP		2.2		mg/l	0.010
11/21/07	Metals digestion performed.		Y		Yes/No	
11/12/07	PH (H3=past HT, not compliant)		7.8		Units	0.0010
11/12/07	Perchlorate		521000		ug/l	40000
11/13/07	Total Dissolved Solid (TDS)		4530	500	mg/l	10

SUMMARY OF POSITIVE DATA ONLY.



750 Royal Oaks Drive, Suite 100
 Montrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Hits Report
 #221933

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 09-nov-2007 15:20:01

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2711090132	M-85				
	2711090132	M-85				
11/22/07	Chromium, Total, ICAP		0.091		mg/l	0.010
11/21/07	Metals digestion performed.		Y		Yes/No	
11/12/07	PH (H3=past HT, not compliant)		8.1		Units	0.0010
11/12/07	Perchlorate		26600		ug/l	2000
11/13/07	Total Dissolved Solid (TDS)		1060	500	mg/l	10
	2711090133	M-83				
11/22/07	Chromium, Total, ICAP		0.084		mg/l	0.010
11/21/07	Metals digestion performed.		Y		Yes/No	
11/12/07	PH (H3=past HT, not compliant)		8.0		Units	0.0010
11/13/07	Perchlorate		9140		ug/l	2000
11/13/07	Total Dissolved Solid (TDS)		1160	500	mg/l	10
	2711090134	M-70				
11/22/07	Chromium, Total, ICAP		8.1		mg/l	0.010
11/21/07	Metals digestion performed.		Y		Yes/No	
11/12/07	PH (H3=past HT, not compliant)		7.7		Units	0.0010
11/12/07	Perchlorate		902000		ug/l	100000
11/13/07	Total Dissolved Solid (TDS)		9400	500	mg/l	10
	2711090135	M-71				
11/22/07	Chromium, Total, ICAP		6.2		mg/l	0.010
11/21/07	Metals digestion performed.		Y		Yes/No	
11/12/07	PH (H3=past HT, not compliant)		7.7		Units	0.0010

SUMMARY OF POSITIVE DATA ONLY.



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Hits Report
 #221933

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 09-nov-2007 15:20:01

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2711090135	M-71				
11/12/07	Perchlorate		742000		ug/l	100000
11/13/07	Total Dissolved Solid (TDS)		7750	500	mg/l	10
	2711090136	M-72				
11/22/07	Chromium, Total, ICAP		4.0		mg/l	0.010
11/21/07	Metals digestion performed.		Y		Yes/No	
11/12/07	PH (H3=past HT, not compliant)		7.7		Units	0.0010
11/12/07	Perchlorate		815000		ug/l	100000
12/28/07	Total Dissolved Solid (TDS)		8460	500	mg/l	10
	2711090137	M-38				
11/22/07	Chromium, Total, ICAP		27		mg/l	0.10
11/21/07	Metals digestion performed.		Y		Yes/No	
11/12/07	PH (H3=past HT, not compliant)		7.6		Units	0.0010
11/12/07	Perchlorate		909000		ug/l	100000
11/13/07	Total Dissolved Solid (TDS)		15400	500	mg/l	10
	2711090138	M-52				
11/22/07	Chromium, Total, ICAP		7.6		mg/l	0.010
11/21/07	Metals digestion performed.		Y		Yes/No	
11/12/07	PH (H3=past HT, not compliant)		7.8		Units	0.0010
11/12/07	Perchlorate		905000		ug/l	100000
11/13/07	Total Dissolved Solid (TDS)		7360	500	mg/l	10
	2711090139	M-36				
11/22/07	Chromium, Total, ICAP		35		mg/l	0.10

SUMMARY OF POSITIVE DATA ONLY.



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Hits Report
 #221933

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 09-nov-2007 15:20:01

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2711090139	M-36				
11/09/07			Hexavalent chromium (Cr VI)	34	mg/l	0.0050
11/21/07			Metals digestion performed.	Y	Yes/No	
11/12/07			PH (H3=past HT, not compliant)	7.6	Units	0.0010
11/12/07			Perchlorate	1650000	ug/l	200000
11/13/07			Total Dissolved Solid (TDS)	13400	500 mg/l	10
	2711090140	M-84				
11/22/07			Chromium, Total, ICAP	0.140	mg/l	0.010
11/09/07			Hexavalent chromium (Cr VI)	0.1	mg/l	0.0050
11/21/07			Metals digestion performed.	Y	Yes/No	
11/12/07			PH (H3=past HT, not compliant)	8.1	Units	0.0010
11/13/07			Perchlorate	18700	ug/l	2000
11/13/07			Total Dissolved Solid (TDS)	1020	500 mg/l	10
	2711090141	M-100				
11/22/07			Chromium, Total, ICAP	0.240	mg/l	0.010
11/09/07			Hexavalent chromium (Cr VI)	0.22	mg/l	0.0050
11/21/07			Metals digestion performed.	Y	Yes/No	
11/12/07			PH (H3=past HT, not compliant)	8.0	Units	0.0010
11/13/07			Perchlorate	39700	ug/l	4000
11/13/07			Total Dissolved Solid (TDS)	1480	500 mg/l	10
	2711090142	M-37				
11/22/07			Chromium, Total, ICAP	0.120	mg/l	0.010
11/21/07			Metals digestion performed.	Y	Yes/No	
11/12/07			PH (H3=past HT, not compliant)	7.6	Units	0.0010
11/13/07			Perchlorate	2470000	ug/l	200000

SUMMARY OF POSITIVE DATA ONLY.



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Hits Report
 #221933

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 09-nov-2007 15:20:01

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2711090142	M-37				
11/13/07	Total Dissolved Solid (TDS)		5760	500	mg/l	10
	2711090143	MD-2				
11/22/07	Chromium, Total, ICAP		0.099		mg/l	0.010
11/09/07	Hexavalent chromium (Cr VI)		0.01		mg/l	0.0050
11/21/07	Metals digestion performed.		Y		Yes/No	
11/12/07	PH (H3=past HT, not compliant)		7.6		Units	0.0010
11/13/07	Perchlorate		2520000		ug/l	200000
11/13/07	Total Dissolved Solid (TDS)		6050	500	mg/l	10

SUMMARY OF POSITIVE DATA ONLY.



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 366 1100
 Fax: 626 366 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Data Report
 #221933

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 11/09/07

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-25 (2711090128) Sampled on 11/08/07 05:37								
	11/12/07 11:34	396849	(EPA 314)	Perchlorate	432000	ug/l	40000	10000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	13	mg/l	0.10	10
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 15:27	397105	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.8	Units	0.0010	1
11/13/07	11/13/07 12:01	398050	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	9460	mg/l	10	1
M-87 (2711090129) Sampled on 11/08/07 06:45								
	11/12/07 11:34	396849	(EPA 314)	Perchlorate	216000	ug/l	20000	5000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	2.4	mg/l	0.010	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 15:27	397105	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.9	Units	0.0010	1
11/13/07	11/13/07 12:01	398050	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	2990	mg/l	10	1
M-102 (2711090130) Sampled on 11/08/07 07:10								
	11/13/07 10:43	397146	(EPA 314)	Perchlorate	346000	ug/l	40000	10000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	3.4	mg/l	0.010	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 15:27	397105	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.8	Units	0.0010	1
12/16/07	12/16/07 14:00	403490	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	3420 (HA)	mg/l	10	1
M-86 (2711090131) Sampled on 11/08/07 07:50								
	11/12/07 11:34	396849	(EPA 314)	Perchlorate	521000	ug/l	40000	10000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	2.2	mg/l	0.010	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 15:27	397105	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.8	Units	0.0010	1
11/13/07	11/13/07 12:01	398050	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	4530	mg/l	10	1



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#221933

Tronox LLC - Henderson
(continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-85 (2711090132) Sampled on 11/08/07 08:00								
	11/12/07 11:34	396849	(EPA 314)	Perchlorate	26600	ug/l	2000	500
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	0.091	mg/l	0.010	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 15:27	397105	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	8.1	Units	0.0010	1
11/13/07	11/13/07 12:01	398050	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	1060	mg/l	10	1
M-83 (2711090133) Sampled on 11/08/07 08:27								
	11/13/07 10:43	397146	(EPA 314)	Perchlorate	9140	ug/l	2000	500
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	0.084	mg/l	0.010	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 15:27	397105	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	8.0	Units	0.0010	1
11/13/07	11/13/07 12:01	398050	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	1160	mg/l	10	1
M-70 (2711090134) Sampled on 11/08/07 08:42								
	11/12/07 11:34	396849	(EPA 314)	Perchlorate	902000	ug/l	100000	25000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	8.1	mg/l	0.010	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 15:27	397105	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.7	Units	0.0010	1
11/13/07	11/13/07 12:01	398050	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	9400	mg/l	10	1
M-71 (2711090135) Sampled on 11/08/07 08:58								
	11/12/07 11:34	396849	(EPA 314)	Perchlorate	742000	ug/l	100000	25000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	6.2	mg/l	0.010	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 15:27	397105	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.7	Units	0.0010	1
11/13/07	11/13/07 12:01	398050	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	7750	mg/l	10	1
M-72 (2711090136) Sampled on 11/08/07 09:19								
	11/12/07 11:34	396849	(EPA 314)	Perchlorate	815000	ug/l	100000	25000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	4.0	mg/l	0.010	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 16:19	397106	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.7	Units	0.0010	1
12/28/07	12/28/07 13:45	404504	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	8460 (HA)	mg/l	10	1



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LARS (1 800 566 5227)

Laboratory
Data Report
#221933

Tronox LLC - Henderson
(continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-38 (2711090137)		Sampled on 11/08/07 09:48						
	11/12/07 11:34	396849	(EPA 314)	Perchlorate	909000	ug/l	100000	25000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	27	mg/l	0.10	10
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 16:19	397106	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.6	Units	0.0010	1
11/13/07	11/13/07 07:00	398053	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	15400	mg/l	10	1
M-52 (2711090138)		Sampled on 11/08/07 06:27						
	11/12/07 11:34	396849	(EPA 314)	Perchlorate	905000	ug/l	100000	25000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	7.6	mg/l	0.010	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 16:19	397106	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.8	Units	0.0010	1
11/13/07	11/13/07 07:00	398053	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	7360	mg/l	10	1
M-36 (2711090139)		Sampled on 11/08/07 09:36						
	11/12/07 11:34	396849	(EPA 314)	Perchlorate	1650000	ug/l	200000	50000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	35	mg/l	0.10	10
	11/09/07 14:58	396554	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	34(H3)	mg/l	0.0050	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 16:19	397106	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.6	Units	0.0010	1
11/13/07	11/13/07 07:00	398053	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	13400	mg/l	10	1
M-84 (2711090140)		Sampled on 11/08/07 09:52						
	11/13/07 10:43	397146	(EPA 314)	Perchlorate	18700	ug/l	2000	500
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	0.140	mg/l	0.010	1
	11/09/07 14:58	396554	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	0.1(H3)	mg/l	0.0050	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 16:19	397106	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	8.1	Units	0.0010	1
11/13/07	11/13/07 07:00	398053	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	1020	mg/l	10	1



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 556 LABS (1 800 556 5227)

Laboratory
 Data Report
 #221933

Tronox LLC - Henderson
 (continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-100 (2711090141)		Sampled on 11/08/07 10:12						
	11/13/07 00:15	396853	(EPA 314)	Perchlorate	39700	ug/l	4000	1000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	0.240	mg/l	0.010	1
	11/09/07 14:58	396554	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	0.22(H3)	mg/l	0.0050	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 16:19	397106	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	8.0	Units	0.0010	1
11/13/07	11/13/07 07:00	398053	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	1480	mg/l	10	1
M-37 (2711090142)		Sampled on 11/08/07 10:50						
	11/13/07 00:15	396853	(EPA 314)	Perchlorate	2470000	ug/l	200000	50000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	0.120	mg/l	0.010	1
	11/09/07 14:58	396554	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	ND(H3)	mg/l	0.0050	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 16:19	397106	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.6	Units	0.0010	1
11/13/07	11/13/07 07:00	398053	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	5760	mg/l	10	1
MD-2 (2711090143)		Sampled on 11/08/07 00:00						
	11/13/07 10:43	397146	(EPA 314)	Perchlorate	2520000	ug/l	200000	50000
11/21/07	11/22/07 00:00	398853	(ML/EPA 6010B)	Chromium, Total, ICAP	0.099	mg/l	0.010	1
	11/09/07 14:58	396554	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	0.01(H3)	mg/l	0.0050	1
	11/21/07 14:09		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	11/12/07 16:19	397106	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.6	Units	0.0010	1
11/13/07	11/13/07 07:00	398053	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	6050	mg/l	10	1



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 QC Summary
 #221933

Tronox LLC - Henderson

QC Ref #0	- Metals Turbidity	Analysis Date: 11/13/2007
2711090128	M-25	Analyzed by: jrf
2711090128	M-25	Analyzed by: jrf
2711090129	M-87	Analyzed by: jrf
2711090129	M-87	Analyzed by: jrf
2711090130	M-102	Analyzed by: jrf
2711090130	M-102	Analyzed by: jrf
2711090131	M-86	Analyzed by: jrf
2711090131	M-86	Analyzed by: jrf
2711090132	M-85	Analyzed by: jrf
2711090132	M-85	Analyzed by: jrf
2711090133	M-83	Analyzed by: jrf
2711090133	M-83	Analyzed by: jrf
2711090134	M-70	Analyzed by: jrf
2711090134	M-70	Analyzed by: jrf
2711090135	M-71	Analyzed by: jrf
2711090135	M-71	Analyzed by: jrf
2711090136	M-72	Analyzed by: jrf
2711090136	M-72	Analyzed by: jrf
2711090137	M-38	Analyzed by: jrf
2711090137	M-38	Analyzed by: jrf
2711090138	M-52	Analyzed by: jrf
2711090138	M-52	Analyzed by: jrf
2711090139	M-36	Analyzed by: jrf
2711090139	M-36	Analyzed by: jrf
2711090140	M-84	Analyzed by: jrf
2711090140	M-84	Analyzed by: jrf
2711090141	M-100	Analyzed by: jrf
2711090141	M-100	Analyzed by: jrf
2711090142	M-37	Analyzed by: jrf
2711090142	M-37	Analyzed by: jrf
2711090143	MD-2	Analyzed by: jrf
2711090143	MD-2	Analyzed by: jrf

QC Ref #396554	- Hexavalent chromium (Cr VI)	Analysis Date: 11/09/2007
2711090139	M-36	Analyzed by: wbh
2711090140	M-84	Analyzed by: wbh
2711090141	M-100	Analyzed by: wbh
2711090142	M-37	Analyzed by: wbh
2711090143	MD-2	Analyzed by: wbh



750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#221933

Tronox LLC - Henderson
(continued)

QC Ref #396849 - Perchlorate

Analysis Date: 11/12/2007

2711090128	M-25	Analyzed by: clv
2711090129	M-87	Analyzed by: clv
2711090131	M-86	Analyzed by: clv
2711090132	M-85	Analyzed by: clv
2711090134	M-70	Analyzed by: clv
2711090135	M-71	Analyzed by: clv
2711090136	M-72	Analyzed by: clv
2711090137	M-38	Analyzed by: clv
2711090138	M-52	Analyzed by: clv
2711090139	M-36	Analyzed by: clv

QC Ref #396853 - Perchlorate

Analysis Date: 11/13/2007

2711090141	M-100	Analyzed by: clv
2711090142	M-37	Analyzed by: clv

QC Ref #397105 - PH (H3=past HT, not compliant) Analysis Date: 11/12/2007

2711090128	M-25	Analyzed by: yvette
2711090129	M-87	Analyzed by: yvette
2711090130	M-102	Analyzed by: yvette
2711090131	M-86	Analyzed by: yvette
2711090132	M-85	Analyzed by: yvette
2711090133	M-83	Analyzed by: yvette
2711090134	M-70	Analyzed by: yvette
2711090135	M-71	Analyzed by: yvette

QC Ref #397106 - PH (H3=past HT, not compliant) Analysis Date: 11/12/2007

2711090136	M-72	Analyzed by: yvette
2711090137	M-38	Analyzed by: yvette
2711090138	M-52	Analyzed by: yvette
2711090139	M-36	Analyzed by: yvette
2711090140	M-84	Analyzed by: yvette
2711090141	M-100	Analyzed by: yvette
2711090142	M-37	Analyzed by: yvette
2711090143	MD-2	Analyzed by: yvette



750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#221933

Tronox LLC - Henderson
(continued)

QC Ref #397146 - Perchlorate

Analysis Date: 11/13/2007

2711090130	M-102	Analyzed by: clv
2711090133	M-83	Analyzed by: clv
2711090140	M-84	Analyzed by: clv
2711090143	MD-2	Analyzed by: clv

QC Ref #398050 - Total Dissolved Solid (TDS)

Analysis Date: 11/13/2007

2711090128	M-25	Analyzed by: axa
2711090129	M-87	Analyzed by: axa
2711090131	M-86	Analyzed by: axa
2711090132	M-85	Analyzed by: axa
2711090133	M-83	Analyzed by: axa
2711090134	M-70	Analyzed by: axa
2711090135	M-71	Analyzed by: axa

QC Ref #398053 - Total Dissolved Solid (TDS)

Analysis Date: 11/13/2007

2711090137	M-38	Analyzed by: axa
2711090138	M-52	Analyzed by: axa
2711090139	M-36	Analyzed by: axa
2711090140	M-84	Analyzed by: axa
2711090141	M-100	Analyzed by: axa
2711090142	M-37	Analyzed by: axa
2711090143	MD-2	Analyzed by: axa

QC Ref #398853 - Chromium, Total, ICAP

Analysis Date: 11/22/2007

2711090128	M-25	Analyzed by: ste
2711090129	M-87	Analyzed by: ste
2711090130	M-102	Analyzed by: ste
2711090131	M-86	Analyzed by: ste
2711090132	M-85	Analyzed by: ste
2711090133	M-83	Analyzed by: ste
2711090134	M-70	Analyzed by: ste
2711090135	M-71	Analyzed by: ste
2711090136	M-72	Analyzed by: ste
2711090137	M-38	Analyzed by: ste



A Division of MWH Americas, Inc.
750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 366 1100
Fax: 626 366 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#221933

Tronox LLC - Henderson
(continued)

2711090138	M-52	Analyzed by: ste
2711090139	M-36	Analyzed by: ste
2711090140	M-84	Analyzed by: ste
2711090141	M-100	Analyzed by: ste
2711090142	M-37	Analyzed by: ste
2711090143	MD-2	Analyzed by: ste

QC Ref #403490 - Total Dissolved Solid (TDS) Analysis Date: 12/16/2007

2711090130 M-102 Analyzed by: axa

QC Ref #404504 - Total Dissolved Solid (TDS) Analysis Date: 12/28/2007

2711090136 M-72 Analyzed by: axa



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1161
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#221933

Tronox LLC - Henderson

QC Ref #396554 Hexavalent chromium (Cr VI)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	11090143	MGL		(0-0)	
LCS1	Hexavalent chromium (Cr VI)	0.050	0.051	MGL	102.0	(85-115)	
LCS2	Hexavalent chromium (Cr VI)	0.050	0.051	MGL	102.0	(85-115)	
MBLK	Hexavalent chromium (Cr VI)	ND	<0.0050	MGL			
MRL_CHK	Hexavalent chromium (Cr VI)	0.005	0.005	MGL	100.0	(50-150)	
MS	Hexavalent chromium (Cr VI)	0.05	0.049	MGL	98.0	(70-130)	
MSD	Hexavalent chromium (Cr VI)	0.05	0.046	MGL	92.0	(70-130)	

QC Ref #396849 Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	11070182	UGL		(0-0)	
LCS1	Perchlorate	25.0	27.1	UGL	108.4	(85-115)	
LCS2	Perchlorate	25.0	26.9	UGL	107.6	(85-115)	
LCS3	Perchlorate	4	4.11	UGL	102.8	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	24.5	UGL	98.0	(80-120)	
MSD	Perchlorate	25.0	24.0	UGL	96.0	(80-120)	
RPD_LCS	Perchlorate	108.400	107.600	UGL	0.7	(0-15)	
RPD_MS	Perchlorate	98.000	96.000	UGL	1.0	(0-15)	

QC Ref #396853 Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	11090457	UGL		(0-0)	
LCS1	Perchlorate	25.0	25.8	UGL	103.2	(85-115)	
LCS2	Perchlorate	25.0	26.7	UGL	106.8	(85-115)	
LCS3	Perchlorate	4	4.72	UGL	118.0	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	23.0	UGL	92.0	(80-120)	
MSD	Perchlorate	25.0	23.0	UGL	92.0	(80-120)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#221933

Tronox LLC - Henderson
(continued)

RPD_LCS	Perchlorate	103.200	106.800	UGL	3.4	(0-15)
RPD_MS	Perchlorate	92.000	92.000	UGL	1.0	(0-15)

QC Ref #397105 PH (H3=past HT, not compliant)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
DUP	PH (H3=past HT, not compliant)	7.67	7.68	UNIT		(0-20)	0.1

QC Ref #397106 PH (H3=past HT, not compliant)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
DUP	PH (H3=past HT, not compliant)	7.79	7.77	UNIT		(0-20)	0.3

QC Ref #397146 Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	11080021	UGL		(0-0)	
LCS1	Perchlorate	25.0	27.3	UGL	109.2	(85-115)	
LCS2	Perchlorate	25.0	26.9	UGL	107.6	(85-115)	
LCS3	Perchlorate	4	4.11	UGL	102.8	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	24.8	UGL	99.2	(80-120)	
MSD	Perchlorate	25.0	25.1	UGL	100.4	(80-120)	
RPD_LCS	Perchlorate	109.200	107.600	UGL	1.5	(0-15)	
RPD_MS	Perchlorate	99.200	100.400	UGL	1.0	(0-15)	

QC Ref #398050 Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	11080275	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	60	59	MGL		(0-10)	1.7
LCS1	Total Dissolved Solid (TDS)	175	194	MGL	110.9	(80-114)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

Tronox LLC - Henderson
(continued)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
LCS2	Total Dissolved Solid (TDS)	700	698	MGL	99.7	(80-114)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	7	MGL	70.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	110.857	99.714	MGL	10.6	(0-20)	

QC Ref #398053 Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	11090137	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	15300	15350	MGL		(0-10)	0.3
LCS1	Total Dissolved Solid (TDS)	175	186	MGL	106.3	(80-114)	
LCS2	Total Dissolved Solid (TDS)	700	696	MGL	99.4	(80-114)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	8	MGL	80.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	106.286	99.429	MGL	6.7	(0-20)	

QC Ref #398853 Chromium, Total, ICAP

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
LCS1	Chromium, Total, ICAP	1.00	0.942	MGL	94.2	(85-115)	
LCS2	Chromium, Total, ICAP	1.00	0.954	MGL	95.4	(85-115)	
MBLK	Chromium, Total, ICAP	ND	<0.010	MGL			
MRL_CHK	Chromium, Total, ICAP	0.010	0.0102	MGL	102.0	(50-150)	
MS	Chromium, Total, ICAP	1.00	0.994	MGL	99.4	(70-130)	
MS2	Chromium, Total, ICAP	1.00	0.935	MGL	93.5	(70-130)	
MSD	Chromium, Total, ICAP	1.00	0.985	MGL	98.5	(70-130)	
MSD2	Chromium, Total, ICAP	1.00	0.966	MGL	96.6	(70-130)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.

Tronox LLC - Henderson
 (continued)

QC Ref #403490 Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	11090130	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	3420	3420	MGL		(0-10)	0.0
LCS1	Total Dissolved Solid (TDS)	175	178	MGL	101.7	(80-114)	
LCS2	Total Dissolved Solid (TDS)	700	710	MGL	101.4	(80-114)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	12	MGL	120.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	101.714	101.429	MGL	0.3	(0-20)	

QC Ref #404504 Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	12100193	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	396	404	MGL		(0-10)	2.0
LCS1	Total Dissolved Solid (TDS)	175	164	MGL	93.7	(80-114)	
LCS2	Total Dissolved Solid (TDS)	700	698	MGL	99.7	(80-114)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	10	MGL	100.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	93.714	99.714	MGL	6.2	(0-20)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
 Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
 are advisory only, unless otherwise specified in the method.