

TABLES

TABLE 1
INTERCEPTOR WELL DISCHARGE RATES (GPM)
 Tronox LLC
 Henderson, Nevada

WELL #	June 2003 (GPM)	June 2004 (GPM)	June 2005 (GPM)	June 2006 (GPM)	June 2007 (GPM)	June 2008 (GPM)	Well Screened In
I-AR	1.1	1.2	0.5	0.07	1.2	1.2	
I-B	1.2	1.1	1.4	1.2	1.3	1.4	Qal/MCf1
I-C	2.8	4.2	4.1	1.9	4.2	3.4	Qal/MCf1
I-D	2.3	1.4	2.2	5.2	1.6	0.4	Qal/MCf1
I-E	1.6	1.6	1.8	1.6	1.8	1.3	Qal/MCf1
I-F	3.8	3.8	2.8	4.3	3.9	5.0	Qal/MCf1
I-G	0.2	OFF	OFF	OFF	OFF	OFF	Qal/MCf1
I-H	1.4	0.9	1.8	1.3	0.9	0.7	Qal/MCf1
I-I	4.5	4.5	2.4	4.2	5.2	5.1	Qal/MCf1
I-J	4.8	4.6	5.7	5.6	7.5	7.9	Qal/MCf1
I-K	3.7	3	5.4	4.6	2.7	3.8	Qal/MCf1
I-L	1.5	1.8	1.1	1	1.4	1.6	Qal/MCf1
I-M	3.4	3.3	3.8	3.6	5.1	3.0	Qal/MCf1
I-N	3.5	3.5	3.8	2.1	2.1	3.7	Qal/MCf1
I-O	2.7	2.8	3.7	3.2	2.7	1.6	Qal/MCf1
I-P	3.7	3.8	4.4	4.3	3.5	2.3	Qal/MCf1
I-Q	0.9	0.8	1.2	1	0.9	0.3	Qal/MCf1
I-R	1.6	1.8	1.6	1.9	1.8	2.5	Qal/MCf1
I-S	3.8	3.4	3.5	1.9	4.5	3.6	Qal/MCf1
I-T	0.6	0.5	0.3	0.2	0.5	0.3	Qal/MCf1
I-U	0.9	0.5	0.5	1.1	1.1	0.7	Qal/MCf1
I-V	3.7	3.9	3.9	3.7	3.8	4.8	Qal/MCf1
I-Z	NO	6	8.8	8	6.5	6.5	Qal/MCf1
TOTAL	53.7	58.4	64.7	61.9	64.2	61.1	

NOTES:

GPM = gallons per minute

OFF = well was turned off

Qal = Quaternary alluvium

MCf1 = Muddy Creek Fm. first fine-grained unit

TABLE 2
ATHENS ROAD WELL DISCHARGE RATES (GPM)
 Tronox LLC
 Henderson, Nevada

Well #	June 2003 (GPM)	June 2004 (GPM)	June 2005 (GPM)	June 2006 (GPM)	June 2007 (GPM)	June 2008 (GPM)	Well Screened In
ART-1	36.3	12.9	14.6	13.8	OFF	OFF	Qal
ART-2	42.7	68.6	69.7	77.0	78.1	78.1	Qal
ART-3	36.3	30.7	26.4	34.6	39.0	39.0	Qal
ART-4	3.9	14.0	13.8	14.9	11.3	2.0	Qal
ART-6	12.2	13.1	15.4	11.2	NO*	NO*	Qal
ART-7	33.8	30.0	27.4	30.5	31.1	31.2	Qal
ART-8	81.9	67.4	70.2	62.2	62.5	78.1	Qal
ART-9	NO	NO	NO	NO	36.5	43.0	Qal
TOTAL	247.1	236.7	237.5	244.1	258.5	271.4	

NOTES:

GPM = gallons per minute

NO = not operational (* ART-6 is the "Buddy Well" for ART-9. The electrical and plumbing system from ART-6A was removed and is being used in ART-9)

ART-1, 2, 3, 4, 7 and 8 have adjacent recovery wells - "Buddy Wells" - designated by the letter "A"

Pumping Wells on 6/23/07: ART-2, 3A, 4A, 7, 8 and 9

Qal= Quaternary Alluvium

TABLE 3
SEEP WELL FIELD DISCHARGE RATES (GPM)
 Tronox LLC
 Henderson, Nevada

Well #	June 2003 (GPM)	June 2004 (GPM)	June 2005 (GPM)	June 2006 (GPM)	June 2007 (GPM)	June 2008 (GPM)	Well Screened In
PC-99R2/R3	146.1	150.1	155.7	144.7	125	114.7	Qal
PC-115R	46.8	48.1	48.3	61.9	88.4	84.1	Qal
PC-116R	165.3	142.1	155	176.5	185.7	187.3	Qal
PC-117	67.9	65.8	91.9	91.6	89.2	93.7	Qal
PC-118	123.4	101.5	88	78	82.1	62.5	Qal
PC-119	103.2	100.8	72.1	62.2	0.1	64.1	Qal
PC-120	115.1	93.5	53.2	41.5	89.8	8.9	Qal
PC-121	17	7.3	39.3	6.9	0.1	13.1	Qal
PC-133	NO	NO	NO	6.6	13.4	2.1	Qal
TOTAL	784.7	709.2	703.4	669.8	673.7	630.5	

NOTES:

GPM = gallons per minute
 OFF = Well was turned off
 NO = not operational
 Qal = Quaternay Alluvium

TABLE 4
GROUNDWATER CHROMIUM TREATMENT DATA JULY 2007 TO JUNE 2008
 Tronox LLC
 Henderson, Nevada

Month	Average. Flow To Cr Treatment (MM Gals)	Average. Total Cr Inflow (mg/L)	Average. Cr VI Treated Outflow* (mg/L)	Average. Total Cr Treated Outflow* (mg/L)
July	2.85	13.8	0.115	1.363
August	2.73	13.5	0.007	1.008
September	2.56	13.3	0.002	1.083
October	2.65	13.0	0.006	0.845
November	2.47	14.0	0.005	0.870
December	2.47	14.2	0.002	0.875
January	2.52	14.1	0.005	0.994
February	2.47	14.7	0.010	0.940
March	2.75	13.8	0.029	1.238
April	2.67	13.7	0.009	1.608
May	2.71	13.5	0.006	1.164
June	2.64	13.4	0.006	0.790

* Treated Outflow is directed to two 150,000 gallon tanks (BT-40 and BT-45) for equalization before being fed to the Fluidized Bed Reactors (FBRs).

mg/L = milligrams per liter

MM gals = million gallons

TABLE 5
JULY 2007 TO JUNE 2008 WEEKLY CHROMIUM (mg/L) IN FBR
INFLUENT AND EFFLUENT
Tronox LLC
Henderson, Nevada

Sample Date	Influent/ Effluent	Total Chromium mg/L EPA 200.7	Total Chromium MRL mg/L	Hexavalent Chromium mg/L EPA 218.6	Hexavalent Chromium MRL mg/L
7/2/2007	INFLUENT	<0.01	0.01	0.0086	0.0001
7/2/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
7/10/2007	INFLUENT	0.053	0.01	0.048	0.0001
7/10/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
7/16/2007	INFLUENT	0.033	0.01	0.014	0.0001
7/16/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
7/23/2007	INFLUENT	0.14	0.01	0.118	0.0001
7/23/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
7/30/2007	INFLUENT	0.14	0.01	0.124	0.0001
7/30/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
8/6/2007	INFLUENT	0.047	0.01	0.022	0.0001
8/6/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
8/13/2007	INFLUENT	0.27	0.01	0.227	0.0001
8/13/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
8/20/2007	INFLUENT	0.11	0.01	0.066	0.0001
8/20/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
8/27/2007	INFLUENT	0.041	0.01	0.00098	0.0001
8/27/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
9/4/2007	INFLUENT	0.28	0.01	0.00068	0.0001
9/4/2007	EFFLUENT	0.1	0.01	0.00089	0.0001
9/10/2007	INFLUENT	0.11	0.01	0.0022	0.0001
9/10/2007	EFFLUENT	0.018	0.01	<0.0001	0.0001
9/17/2007	INFLUENT	0.015	0.01	0.00097	0.0001
9/17/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
9/24/2007	INFLUENT	0.017	0.01	0.0023	0.0001
9/24/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
10/1/2007	INFLUENT	<0.01	0.01	0.0053	0.0001
10/1/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
10/8/2007	INFLUENT	0.019	0.01	0.0095	0.0001
10/8/2007	EFFLUENT	0.027	0.01	<0.0001	0.0001
10/15/2007	INFLUENT	<0.01	0.01	0.01	0.0001
10/15/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
10/22/2007	INFLUENT	0.03	0.01	0.0072	0.0001
10/22/2007	EFFLUENT	0.015	0.01	<0.0001	0.0001
10/29/2007	INFLUENT	<0.01	0.01	0.0013	0.0001
10/29/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
11/12/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
11/19/2007	INFLUENT	<0.01	0.01	0.012	0.0001
11/19/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
11/26/2007	INFLUENT	<0.01	0.01	0.0038	0.0001
11/26/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
12/4/2007	INFLUENT	0.04	0.01	0.0025	0.0001
12/4/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
12/10/2007	INFLUENT	0.044	0.01	0.0042	0.0001
12/10/2007	EFFLUENT	<0.01	0.01	<0.0001	0.0001
12/17/2007	INFLUENT	0.36	0.01	0.687	0.0001

TABLE 5 (Continued)
JULY 2007 TO JUNE 2008 WEEKLY CHROMIUM (mg/L) IN FBR
INFLUENT AND EFFLUENT
Tronox LLC
Henderson, Nevada

Sample Date	Influent/ Effluent	Total Chromium mg/L EPA 200.7	Total Chromium MRL mg/L	Hexavalent Chromium mg/L EPA 218.6	Hexavalent Chromium MRL mg/L
1/2/2008	INFLUENT	0.45	0.01	0.235	0.0001
1/2/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
1/7/2008	INFLUENT	0.023	0.01	0.0027	0.0001
1/7/2008	EFFLUENT	0.035	0.01	<0.0001	0.0001
1/14/2008	INFLUENT	0.034	0.01	0.005	0.0001
1/14/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
1/21/2008	INFLUENT	0.021	0.01	0.0057	0.0001
1/21/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
1/28/2008	INFLUENT	0.037	0.01	0.01	0.0001
1/28/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
2/4/2008	INFLUENT	0.041	0.01	0.021	0.0001
2/4/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
2/11/2008	INFLUENT	0.37	0.01	0.0019	0.0001
2/11/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
2/18/2008	INFLUENT	0.048	0.01	0.0046	0.0001
2/18/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
2/25/2008	INFLUENT	0.1	0.01	0.075	0.0001
2/25/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
3/3/2008	INFLUENT	0.079	0.01	0.01	0.0001
3/3/2008	EFFLUENT	0.025	0.01	<0.0001	0.0001
3/10/2008	INFLUENT	0.44	0.01	0.046	0.0001
3/10/2008	EFFLUENT	0.017	0.01	<0.0001	0.0001
3/17/2008	INFLUENT	0.15	0.01	0.016	0.0001
3/17/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
3/24/2008	INFLUENT	0.067	0.01	0.018	0.0001
3/24/2008	EFFLUENT	0.021	0.01	<0.0001	0.0001
3/31/2008	INFLUENT	0.18	0.01	0.162	0.0001
3/31/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
4/7/2008	INFLUENT	0.038	0.01	0.012	0.0001
4/7/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
4/14/2008	INFLUENT	<0.01	0.01	0.016	0.0001
4/14/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
4/21/2008	INFLUENT	0.57	0.01	0.043	0.0001
4/21/2008	EFFLUENT	0.021	0.01	<0.0001	0.0001
4/28/2008	INFLUENT	0.09	0.01	0.052	0.0001
4/28/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
5/5/2008	INFLUENT	0.084	0.01	0.041	0.0001
5/5/2008	EFFLUENT	0.043	0.01	<0.0001	0.0001
5/12/2008	INFLUENT	0.18	0.01	0.113	0.0001
5/12/2008	EFFLUENT	0.039	0.01	<0.0001	0.0001
5/19/2008	INFLUENT	0.22	0.01	0.187	0.0001
5/19/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
5/27/2008	INFLUENT	0.14	0.01	0.042	0.0001
5/27/2008	EFFLUENT	0.071	0.01	<0.0001	0.0001
6/2/2008	INFLUENT	0.062	0.01	0.02	0.0001

TABLE 5 (Continued)
JULY 2007 TO JUNE 2008 WEEKLY CHROMIUM (mg/L) IN FBR
INFLUENT AND EFFLUENT
 Tronox LLC
 Henderson, Nevada

Sample Date	Influent/ Effluent	Total Chromium mg/L EPA 200.7	Total Chromium MRL mg/L	Hexavalent Chromium mg/L EPA 218.6	Hexavalent Chromium MRL mg/L
6/16/2008	INFLUENT	0.069	0.001	0.008.3	0.0001
6/16/2008	EFFLUENT	0.011	0.01	<0.0001	0.0001
6/23/2008	INFLUENT	0.022	0.01	0.018	0.0001
6/23/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001
6/30/2008	INFLUENT	<0.01	0.01	0.0029	0.0001
6/30/2008	EFFLUENT	<0.01	0.01	<0.0001	0.0001

FBR = Fluidized Bed Reactor
 MRL = Method Reporting Limit

TABLE 6
PERCHLORATE REMOVED FROM THE ENVIRONMENT
Tronox LLC
Henderson, Nevada

Date	Seep Wells and Seep (lbs/day)	Athens Rd Well Field (lbs/day)	Interceptor Well Field (lbs/day)	Total (lbs/day)	Total Tons Removed (per month)
OCT 2002*	495	331	1402	2228	34.5
NOV 2002	422	1001	1146	2569	38.5
DEC 2002	208	1164	1292	2664	41.3
JAN 2003	335	1074	1467	2876	44.6
FEB 2003	570	783	1060	2413	33.8
MAR 2003**	485	806	1067	2358	36.5
APR 2003	713	713	1033	2460	36.9
MAY 2003	703	729	1148	2581	40.0
JUN 2003	686	907	1098	2691	40.4
JUL 2003	594	755	1034	2383	36.9
AUG 2003	452	741	999	2192	34.0
SEP 2003	417	770	937	2124	31.9
OCT 2003	370	769	1003	2142	33.2
NOV 2003	337	713	949	1999	30.0
DEC 2003	321	751	932	2005	31.1
JAN 2004	305	689	953	1947	30.2
FEB 2004	311	630	895	1836	26.6
MAR 2004	221	743	931	1895	29.4
APR 2004	151	733	849	1733	26.0
MAY 2004	126	765	904	1795	26.9
JUN 2004	157	754	994	1905	28.6
JUL 2004	195	757	968	1920	29.8
AUG 2004	201	805	914	1920	29.8
SEP 2004	169	835	981	1985	29.8
OCT 2004	262	799	1020	2081	31.2
NOV 2004	168	814	1032	2014	30.2
DEC 2004	122	816	1002	1940	30.1
JAN 2005	122	811	1008	1941	30.1
FEB 2005	157	859	991	2007	28.1
MAR 2005	158	781	980	1919	29.7
APR 2005	145	787	987	1919	28.8
MAY 2005	153	759	982	1894	29.4
JUN 2005***	150	794	985	1929	29.9
JUL 2005	154	770	1077	2001	31.0
AUG 2005	135	800	1109	2044	31.7
SEP 2005	84	821	1140	2045	31.7
OCT 2005	99	797	1077	1973	30.6
NOV 2005	111	773	1103	1987	30.8
DEC 2005	121	726	1141	1988	30.8

TABLE 6 (continued)
PERCHLORATE REMOVED FROM THE ENVIRONMENT
Tronox LLC
Henderson, Nevada

Date	Seep Wells and Seep (lbs/day)	Athens Rd Well Field (lbs/day)	Interceptor Well Field (lbs/day)	Total (lbs/day)	Total Tons Removed (per month)
JAN 2006	141	750	999	1890	29.3
FEB 2006	136	752	993	1881	29.2
MAR 2006	107	736	983	1826	28.3
APR 2006	129	755	1027	1911	29.6
MAY 2006	131	712	960	1803	27.9
JUN 2006	135	753	887	1775	27.5
JUL 2006	123	647	935	1705	26.4
AUG 2006	141	652	932	1725	26.7
SEP 2006****	142	762	1062	1966	30.5
OCT 2006	134	778	1034	1946	30.2
NOV 2006	101	714	881	1696	26.3
DEC 2006	121	745	884	1750	27.1
JAN 2007	100	804	963	1867	28.9
FEB 2007	89	716	884	1689	26.2
MAR 2007	88	689	930	1707	26.5
APR 2007	89	689	911	1689	25.3
MAY 2007	102	699	904	1705	26.4
JUN 2007	91	642	846	1579	23.7
JUL 2007	67	659	927	1653	25.6
AUG 2007	55	632	853	1540	23.9
SEP 2007	53	631	856	1540	23.9
OCT 2007	53	686	854	1593	24.7
NOV 2007	55	674	775	1504	23.3
Dec 2007	60	656	820	1536	23.8
JAN 2008	58	633	888	1579	24.5
FEB 2008	61	633	844	1537	23.8
MAR 2008	60	666	879	1605	24.9
APR 2008	54	656	865	1575	24.4
MAY 2008	46	627	732	1405	21.8
JUN 2008#	44	637	737	1418	22.0

* Athens Rd recovery wells begin full time operation on 10/22/02
** Five new Seep Area recovery wells began operation on 3/24/03
*** One new Seep Area recovery well began operation on 6/21/05
**** One new Athens Rd recovery well began full time operation on 9/8/06
Estimated

TABLE 7
JULY 2007 TO JUNE 2008 WEEKLY PERCHLORATE IN FBR
INFLUENT AND EFFLUENT
Tronox LLC
Henderson, Nevada

Sample Date	Sample Type	Perchlorate mg/l EPA 314	Perchlorate MRL mg/l
7/7/2007	INFLUENT-COMP	230	0.004
7/7/2007	EFFLUENT-COMP	0.024	0.004
7/14/2007	INFLUENT-COMP	213	0.004
7/14/2007	EFFLUENT-COMP	0.106	0.004
7/21/2007	INFLUENT-COMP	197	0.004
7/21/2007	EFFLUENT-COMP	<0.004	0.004
7/28/2007	INFLUENT-COMP	220	0.004
7/28/2007	EFFLUENT-COMP	<0.004	0.004
8/4/2007	INFLUENT-COMP	219	0.004
8/4/2007	EFFLUENT-COMP	<0.004	0.004
8/11/2007	INFLUENT-COMP	242	0.004
8/11/2007	EFFLUENT-COMP	<0.004	0.004
8/18/2007	INFLUENT-COMP	230	0.004
8/18/2007	EFFLUENT-COMP	<0.004	0.004
8/25/2007	INFLUENT-COMP	239	0.004
8/25/2007	EFFLUENT-COMP	<0.004	0.004
9/1/2007	INFLUENT-COMP	252	0.004
9/1/2007	EFFLUENT-COMP	<0.004	0.004
9/10/2007	INFLUENT-COMP	248	0.004
9/10/2007	EFFLUENT-COMP	<0.004	0.004
9/15/2007	INFLUENT-COMP	252	0.004
9/15/2007	EFFLUENT-COMP	<0.004	0.004
9/22/2007	INFLUENT-COMP	238	0.004
9/22/2007	EFFLUENT-COMP	0.014	0.004
9/29/2007	INFLUENT-COMP	227	0.004
9/29/2007	EFFLUENT-COMP	<0.004	0.004
10/6/2007	INFLUENT-COMP	240	0.004
10/6/2007	EFFLUENT-COMP	<0.004	0.004
10/13/2007	INFLUENT-COMP	230	0.004
10/13/2007	EFFLUENT-COMP	<0.004	0.004
10/20/2007	INFLUENT-COMP	255	0.004
10/20/2007	EFFLUENT-COMP	<0.004	0.004
10/27/2007	INFLUENT-COMP	250	0.004
10/27/2007	EFFLUENT-COMP	<0.004	0.004
11/3/2007	INFLUENT-COMP	253	0.004
11/3/2007	EFFLUENT-COMP	<0.004	0.004
11/10/2007	INFLUENT-COMP	228	0.004
11/10/2007	EFFLUENT-COMP	<0.004	0.004
11/17/2007	INFLUENT-COMP	236	0.004
11/17/2007	EFFLUENT-COMP	<0.004	0.004

TABLE 7 (Continued)
JULY 2007 TO JUNE 2008 WEEKLY PERCHLORATE IN FBR
INFLUENT AND EFFLUENT
Tronox LLC
Henderson, Nevada

Sample Date	Sample Type	Perchlorate mg/l EPA 314	Perchlorate MRL mg/l
11/24/2007	INFLUENT-COMP	231	0.004
11/24/2007	EFFLUENT-COMP	<0.004	0.004
12/1/2007	INFLUENT-COMP	268	0.004
12/1/2007	EFFLUENT-COMP	<0.004	0.004
12/8/2007	INFLUENT-COMP	215	0.004
12/8/2007	EFFLUENT-COMP	<0.004	0.004
12/15/2007	INFLUENT-COMP	296	0.004
12/15/2007	EFFLUENT-COMP	<0.004	0.004
12/22/2007	INFLUENT-COMP	280	0.004
12/22/2007	EFFLUENT-COMP	<0.004	0.004
12/29/2007	INFLUENT-COMP	236	0.004
12/29/2007	EFFLUENT-COMP	<0.004	0.004
1/5/2008	INFLUENT-COMP	229	0.004
1/5/2008	EFFLUENT-COMP	0.026	0.004
1/12/2008	INFLUENT-COMP	257	0.004
1/12/2008	EFFLUENT-COMP	0.029	0.004
1/19/2008	INFLUENT-COMP	250	0.004
1/19/2008	EFFLUENT-COMP	<0.004	0.004
1/26/2008	INFLUENT-COMP	262	0.004
1/26/2008	EFFLUENT-COMP	<0.004	0.004
2/2/2008	INFLUENT-COMP	249	0.004
2/2/2008	EFFLUENT-COMP	<0.004	0.004
2/9/2008	INFLUENT-COMP	258	0.004
2/9/2008	EFFLUENT-COMP	<0.004	0.004
2/16/2008	INFLUENT-COMP	242	0.004
2/16/2008	EFFLUENT-COMP	<0.004	0.004
2/23/2008	INFLUENT-COMP	233	0.004
2/23/2008	EFFLUENT-COMP	<0.004	0.004
3/1/2008	INFLUENT-COMP	257	0.004
3/1/2008	EFFLUENT-COMP	<0.004	0.004
3/8/2008	INFLUENT-COMP	261	0.004
3/8/2008	EFFLUENT-COMP	<0.004	0.004
3/15/2008	INFLUENT-COMP	253	0.004
3/15/2008	EFFLUENT-COMP	<0.004	0.004
3/22/2008	INFLUENT-COMP	250	0.004
3/22/2008	EFFLUENT-COMP	<0.004	0.004
3/29/2008	INFLUENT-COMP	250	0.004
3/29/2008	EFFLUENT-COMP	<0.004	0.004
4/5/2008	INFLUENT-COMP	246	0.004
4/5/2008	EFFLUENT-COMP	<0.004	0.004