

Laboratory Data Consultants, Inc.

7750 El Camino Real, Ste. 2L Carlsbad, CA 92009

Phone 760.634.0437

Web www.lab-data.com

Fax 760.634.0439

Northgate Environmental Management, Inc.

January 24, 2011

1100 Quail Street Ste. 102 Newport Beach, CA 92660 ATTN: Ms. Cindy Arnold

SUBJECT: Tronox LLC Facility, PCS Additional Sampling, Henderson, Nevada,

Data Validation

Dear Ms. Arnold,

Enclosed is the revised data validation report for the fraction listed below. Please replace the previously submitted report with the enclosed revised report.

LDC Project # 24450:

SDG#

Fraction

280-7662-1/ITI2149

Wet Chemistry

Please feel free to contact us if you have any questions.

Sincerely,

Erlinda T. Rauto

Operations Manager/Senior Chemist

LDC Report# 24450G6

Laboratory Data Consultants, Inc. Data Validation Report

Project/Site Name: Tronox LLC Facility, PCS Additional Sampling,

Henderson, Nevada

Collection Date: September 22, 2010

LDC Report Date: January 24, 2011

Matrix: Soil

Parameters: Wet Chemistry

Validation Level: Stage 2B & 4

Laboratory: TestAmerica, Inc.

*Sample Delivery Group (SDG): 280-7662-1/ITI2149

Sample Identification

SB01-25.0_01_BPC SB02-28.5_01_BPC** SB02-28.5_01_BPC_FD SB03-28.5_01_BPC SB01-25.0_01_BPCMS SB01-25.0_01_BPCMSD SB01-25.0_01_BPCDUP

^{**}Indicates sample underwent Stage 4 review

^{*}Added SDG # ITI2149 and Hexavalent Chromium.

*Introduction

This data review covers 7 soil samples listed on the cover sheet. The analyses were per EPA Method 350.1 for Ammonia as Nitrogen, EPA SW 846 Method 9056 for Chloride, EPA SW 846 Method 9056A for Chlorate, EPA Method 314.0 for Perchlorate, and EPA SW 846 Method 7199 for Hexavalent Chromium.

This review follows the Standard Operating Procedures (SOP) 40, Data Review/Validation (BRC 2009), the Quality Assurance Project Plan Tronox LLC Facility, Henderson, Nevada (June 2009), NDEP guidance (May 2006), and a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (October 2004).

A qualification summary table is provided at the end of this report if data has been qualified. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Samples indicated by a double asterisk on the front cover underwent a Stage 4 review. A Stage 2B review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Stage 2B criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- J+ Data are qualified as estimated, with a high bias likely to occur. False positives or false negatives are unlikely to have been reported.
- J-Data are qualified as estimated, with a low bias likely to occur. False positives or false negatives are unlikely to have been reported.
- J Data are qualified as estimated; it is not possible to assess the direction of the potential bias. False positives or false negatives are unlikely to have been reported.
- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- R Data are qualified as rejected. There is a significant potential for the reporting of false negatives or false positives.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- В The analytical result may be a false positive totally attributable to blank contamination. This qualifier is applicable to radiochemistry analysis only.
- JB The analytical result may be biased high and partially attributable to blank contamination. This qualifier is applicable to radiochemistry analysis only.
- JK The analytical result is an estimated maximum possible concentration (EMPC).
- Χ The analytical result is not used for reporting because a more accurate and precise result is reported in its place.
- J-TDS The analytical result is estimated based on failure of the Total Dissolved Solids (TDS) correctness check performed in accordance with the Standard Method 1030E.
- J-CAB The analytical result is estimated based on failure of the cation-anion balance correctness check performed in accordance with Standard Method 1030E.
- J-TDS & CAB The analytical result is unreliable based on the failure of the cation-anion balance and TDS correctness check performed in accordance with standard Method 1030E.
- Α Indicates the finding is based upon technical validation criteria.
- Р Indicates the finding is related to a protocol/contractual deviation.
- Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

II. Calibration

a. Initial Calibration

All criteria for the initial calibration were met.

b. Calibration Verification

Calibration verification frequency and analysis criteria were met.

III. Blanks

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the initial, continuing and preparation blanks.

No field blanks were identified in this SDG.

IV. Matrix Spike/Matrix Spike Duplicates

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

V. Duplicates

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

VI. Laboratory Control Samples

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

VII. Sample Result Verification and Project Quantitation Limit

All sample result verifications were acceptable for samples on which a Stage 4 review was performed.

All analytes reported below the PQL were qualified as follows:

Sample	Finding	Flag	A or P
All samples in SDG 280-7662-1/ITI2149	All analytes reported below the PQL.	J (all detects)	Α

Raw data were not evaluated for the samples reviewed by Stage 2B criteria.

VIII. Overall Assessment

Data flags are summarized at the end of this report if data has been qualified.

IX. Field Duplicates

Samples SB02-28.5_01_BPC** and SB02-28.5_01_BPC_FD were identified as field duplicates. No contaminant concentrations were detected in any of the samples with the following exceptions:

	Concentra	ition (mg/Kg)				
Analyte	SB02-28.5_01_BPC**	SB02-28.5_01_BPC_FD	RPD (Limits)	Difference (Limits)	Flags	A or P
Chloride	1100	720	42 (≤50)	-	-	•
Ammonia as N	4.1	3,3	-	0.8 (≤3.1)	- '	•
Chlorate	3600	7100	65 (≤50)	-	J (all detects)	A
Perchlorate -	370	720	64 (≤50)	-	J (all detects)	Α
Hexavalent chromium	16	25	44 (≤50)	-	-	-

Tronox LLC Facility, PCS Additional Sampling, Henderson, Nevada Wet Chemistry - Data Qualification Summary - SDG 280-7662-1/ITI2149

SDG	Sample	Analyte	Flag	A or P	Reason (Code)
280-7662-1/ ITI2149	SB01-25.0_01_BPC SB02-28.5_01_BPC** SB02-28.5_01_BPC_FD SB03-28.5_01_BPC	All analytes reported below the PQL.	J (all detects)	A	Sample result verification (sp)
280-7662-1/ ITI2149	SB02-28.5_01_BPC** SB02-28.5_01_BPC_FD	Chlorate Perchlorate	J (all detects) J (all detects)	A	Field duplicates (RPD) (fd)

Tronox LLC Facility, PCS Additional Sampling, Henderson, Nevada Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 280-7662-1/ITI2149

No Sample Data Qualified in this SDG

Tronox LLC Facility, PCS Additional Sampling, Henderson, Nevada Wet Chemistry - Equipment Blank Data Qualification Summary - SDG 280-7662-1/ITI2149


No Sample Data Qualified in this SDG

LDC#	#:_ 24450G6		LIDATIO	nox No N COMI			derson WORKSHE	ĒΤ	Date:12-2-1
SDG :	#: 280-7662-1 /ITI	271	19	S	Stage 2	2B/4			Page: \of \ Reviewer: \of \(\)
Labor	atory: <u>Test America</u>	_	•		•				
	•								2nd Reviewer:
90 <u>56</u> A	A), Perchlorate (EPA Me	thod	314.0) , H	exaval	ent (1199)		rate (EPA SW846 Method
	amples listed below were tion findings worksheets		ewed for ea	ch of the	tollowin	ig valida	tion areas. Valid	ation findi	ngs are noted in attached
	Validation	Area					Cor	nments	
l	Technical holding times			A	Sampl	ing dates:	9/22/1	<u> </u>	
Ila.	Initial calibration			A				 	
llb.	Calibration verification			A					
111.	Blanks			A		1			
IV	Matrix Spike/Matrix Spike D	uplical	tes	A	ms	<u>n</u>			
V	Duplicates			A	07	۶,			
VI.	Laboratory control samples			A	LC	7D_			
VII.	Sample result verification			A	Not re	viewed fo	r Stage 2B validation	l .	
VIII.	Overall assessment of data			A	1				
IX.	Fleid duplicates			SW	165	<u>.3.)</u>			
х	Field blanks			<u> </u>	<u> </u>				
Vote:	A = Acceptable N = Not provided/applicable SW = See worksheet ed Samples: ** Indicates sam		R = Rir FB = Fi	ield blank		ted	D = Duplicate TB = Trip blank EB = Equipment	olank	
ranaa.	So:1	1	16		·· ·			1	
 	SB01-25.0_01_BPC	11	<i>60</i> 2			21		31	
2	SB02-28.5_01_BPC**	12			<u> :</u>	22		32	
3	SB02-28.5_01_BPC-FO	13				23		33	
4	SB03-28.5_01_BPC	14				24	<u> </u>	34	
3 4 5	\$B01-25.0_01_BPCM\$	15				25		35	
-	SB01-25.0_01_BPCMSD	16				26		36	
7	SB01-25.0_01_BPCDUP	17				27	· · ·	37	
8	 -	18				28		38	
9		19				29		39	
10		20	1		1	30		40	

Notes:__

Method: Inorganics (EPA Method See Cover)

ivietnod:inorganics (EPA Method See Cover)	·			
Validation Area	Yes	No	NA	Findings/Comments
i. Technical holding times				
All technical holding times were met.				
Cooler temperature criteria was met.	_			
II. Calibration				
Were all instruments calibrated daily, each set-up time?		,		
Were the proper number of standards used?		·		
Were all initial calibration correlation coefficients > 0.995?				
Were all initial and continuing calibration verification %Rs within the 90-110% QC limits?				·
Were titrant checks performed as required? (Level IV only)				
Were balance checks performed as required? (Level IV only)				
III. Blanks				
Was a method blank associated with every sample in this SDG?				•
Was there contamination in the method blanks? If yes, please see the Blanks validation completeness worksheet.				
IV. Matrix spike/Matrix spike duplicates and Duplicates				
Were a matrix spike (MS) and duplicate (DUP) analyzed for each matrix in this SDG? If no, indicate which matrix does not have an associated MS/MSD or MS/DUP. Soil / Water.		^		
Were the MS/MSD percent recoveries (%R) and the relative percent differences (RPD) within the 75-125 QC limits? If the sample concentration exceeded the spike concentration by a factor of 4 or more, no action was taken.				
Were the MS/MSD or duplicate relative percent differences (RPD) ≤ 20% for waters and ≤ 35% for soil samples? A control limit of ≤ CRDL(≤ 2X CRDL for soil) was used for samples that were ≤ 5X the CRDL, including when only one of the duplicate sample values were < 5X the CRDL.				
V. Laboratory control samples				
Was an LCS anaylzed for this SDG?				
Was an LCS analyzed per extraction batch?				
Were the LCS percent recoveries (%R) and relative percent difference (RPD) within the 80-120% (85-115% for Method 300.0) QC limits?	1			
VI. Regional Quality Assurance and Quality Control				
Were performance evaluation (PE) samples performed?		/		
Were the performance evaluation (PE) samples within the acceptance limits?			./	



VALIDATION FINDINGS CHECKLIST

Page: 2 of Reviewer: 2 2nd Reviewer: 2

Validation Area	Yes	Νo	NA	FindIngs/Comments
VII. Sample Result Verification				
Were RLs adjusted to reflect all sample dilutions and dry weight factors applicable to level IV validation?		-		
Were detection limits < RL?				
VIII. Overali assessment of data			-	
Overall assessment of data was found to be acceptable.		-		
IX. Field duplicates				
Field duplicate pairs were identified in this SDG.				
Target analytes were detected in the field duplicates.				
X. Field blanks				
Field blanks were identified in this SDG.				
Target analytes were detected in the field blanks.				

LDC#24450G6

VALIDATION FINDINGS WORKSHEET Sample Specific Analysis Reference

Page: of Reviewer: 2

All circled methods are applicable to each sample.

ample ID	<u>Matrix</u>	Parameter
1-4		pH TDS(C) F NO3 NO2 SO4 PO4 ALK CN (NH3) TKN TOC (CRESTOR) CIO3
'`		pH TDS CI F NO, NO, SO, PO, ALK CN NH, TKN TOC CR6+ CIO,
(:5		pH TDS (C) F NO, NO, SO, PO, ALK CN (NA, TKN TOO CRET (CO) (CO)
6		PH TDS (C) F NO, NO, SO, PO, ALK CN (NH) TKN TOC (CR CO) (CLO3)
\ <u>7</u>		PH TDS (CI) F NO, NO, SO, PO, ALK CN (NH3) TKN TOC CR8+ (CIO, CIO3)
<u> </u>		pH TDS CI F NO, NO, SO, PO, ALK CN NH, TKN TOC CR6+ CIO,
		pH TDS CI F NO3 NO, SO4 PO4 ALK CN NH3 TKN TOC CR6+ CIO4
		ph TDS CI F NO, NO, SO, PO, ALK CN' NH, TKN TOC CR6+ CIO,
		pH TD\$ CI F NO3 NO, SO4 PO4 ALK CN NH3 TKN TOC CR6+ CIO4
		PH TDS CI F NO, NO, SO, PO, ALK CN' NH, TKN TOC CR6+ CIO,
		PH TDS CLF NO, NO, SO, PO, ALK CN NH, TKN TOC CR6+ CIO,
	,	PH TDS CI F NO, NO, SO, PO, ALK CN NH, TKN TOC CR CIO,
		PH TDS CI F NO3 NO, SO4 PO4 ALK CN' NH3 TKN TOC CR5+ CIO4
		pH TDS CI F NO, NO, SO, PO, ALK CN NH, TKN TOC CR8+ CIO,
		PH TDS CLF NO3 NO2 SO4 PO4 ALK CN' NH3 TKN TOC CR6+ ClO4
		PH TOS CLF NO3 NO2 SO4 PO4 ALK CN NH3 TKN TOC CR8+ CIO4
		ph TDS CI F NO3 NO2 SO4 PO4 ALK CN NH3 TKN TOC CR6+ CIO4
		PH TDS CI F NO3 NO2 SO4 PO4 ALK CN' NH3 TKN TOC CR8+ CIO4
		PH TDS CI F NO, NO, SO, PO, ALK CN' NH, TKN TOC CR6+ CIO,
		PH TDS CLF NO3 NO2 SO4 PO4 ALK CN NH3 TKN TOC CR6 CIO4
		PH TDS CLF NO3 NO2 SO4 PO4 ALK CN NH3 TKN TOC CR5+ ClO4
		PH TDS CLF NO3 NO2 SO4 PO4 ALK CN NH3 TKN TOC CR6+ ClO4
		PH TDS CI F NO, NO, SO, PO, ALK CN NH, TKN TOC CR6+ CIO,
		pH TDS CI F NO3 NO2 SO4 PO4 ALK CN NH3 TKN TOC CR6+ CIO4
		PH TDS CI F NO, NO, SO, PO, ALK CN NH, TKN TOC CR6+ CIO,
		pH TDS CI F NO ₃ NO ₂ SO ₄ PO ₄ ALK CN NH ₃ TKN TOC CR ⁵⁺ CIO ₄
		ph tos ci f No3 No, so4 Po4 Alk CN NH3 TKN TOC CR6+ CiO4
		ph TDS CI F NO3 NO, SO4 PO4 ALK CN NH3 TKN TOC CR6+ CIO4
	<u> </u>	ph TDS CLE NO, NO, SO, PO, ALK CN' NH, TKN TOC CRS+ CIO,

Comments:	

I DC#	244500	36
LD V17.	2-7-100	

VALIDATION FINDINGS WORKSHEET

Field Duplicates

Pagelo	<u> </u>
Reviewer:(
2nd Reviewer:	

Inorganics, Method See Cover

Were field duplicate pairs identified in this SDG? Were target analytes detected in the field duplicate pairs?

	Concentrat	lon (mg/Kg)				D
Analyte	2	3	RPD (≤50)	Difference	Limits	Qualification (Parent only)
Chloride	1100	720	42			
Ammonia as N	4.1	3,3		0,8	(±3,1)	·
Chiorate	3600	7100	65			Jdet/A (fd)
Perchlorate	370	720	64			Jdet/A (fd)

V:\FIELD DUPLICATES\FD_inorganic\24450G6.wpd

9905hn2 "pan

Validatin Findings Worksheet Initial and Continuing Calibration Calculation Verification

Page: of Reviewer: CZ

Method: Inorganics, Method

Do See coll

The correlation coefficient (r) for the calibration of MH3 was recalculated.Calibration date:_

An initial or continuing calibration verification percent recovery (%R) was recalculated for each type of analysis using the following formula:

%R = Found X 100

Where, Fo

Found = concentration of each analyte measured in the analysis of the ICV or CCV solution

True = concentration of each analyte in the ICV or CCV source

					Recalculated	Reported	Acceptable
Type of analysis	Analyte	Standard	Conc. (ug/l)	Height	r or r²	r or r²	(Y/N)
Initial calibration		s1	0	1889,036377			
		\$2	50	7849,749023	0.999991	0.999994	
	•	s3	100	15848.21777			,
	NHZ	s4	500	92378.80469)~
)	SS	1000	196938.80469			-
-		se	2000	988992.81250			-
		57	10000	1969529.00000			
Calibration verification	Clay	CCV	30	190'CE	101	ſ	
Calibration verification	[C]		78.57	72 Pel 25,561 MG	201	· ·	
Calibration verification	Clos	-	رح الر-	T 1978'h	41	\	8

Comments: Refer to Calibration Verification findings worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results._

VALIDATION FINDINGS WORKSHEET Level IV Recalculation Worksheet

Reviewer: (Page: 2nd Reviewer:

METHOD: Inorganics, Method SRC COVER

Percent recoveries (%R) for a laboratory control sample and a matrix spike sample were recalculated using the following formula:

%R = Found x 100

Where

Found = concentration of each analyte <u>measured</u> in the analysis of the sample. For the matrix spike calculation,
Found = SSR (spiked sample result) - SR (sample result).
True = concentration of each analyte in the source.

A sample and duplicate relative percent difference (RPD) was recalculated using the following formula:

Where, RPD = <u>IS-DL</u> x 100 (S+D)/2

S 0

Original sample concentration Duplicate sample concentration

					Recalculated	Reported	
Sample ID	Type of Analysis	Element	Found / S K	True (D		%R/RPD	Acceptable
CS	Laboratory control sample	Cloy	1300			87)~
<u>.</u>	Matrix spike sample	NH3-N	(SSR-SR)	LOI	28	[\$0	
7	Duplicate sample	づ	390	385			}

Comments: Refer to appropriate worksheet for list of qualifications and associated samples when reported results do not agree within 10.0% of the recalculated results.

LDC#: ZULSOLD

VALIDATION FINDINGS WORKSHEET Sample Calculation Verification

Page: _of Reviewer: CC 2nd reviewer:_

X N V	I/A Have results beenI/A Are results within	r all questions answered "N". Not an reported and calculated correctly the calibrated range of the instruminits below the CRQL?	? ents?	re identified as "Ni orted with a positi	
Concento	ation =	Recalculation:			
=0.Œ	J3K -6,0003		0.09810)+0.00 6.003 (6.889)10	<u>20</u> 10	868,9
#	Sample ID	Analyte	Reported Concentration (MG/IS)	Calculated Concentration	Acceptable (Y/N)
	2	Cloy	310	370	<i>V</i> .
		NH3-N	4,1	4.1	
		<u>Cl</u>	1100	1100	
		C103	3600	3600	
		(6,			
		, , , , , , , , , , , , , , , , , , ,			
					···
		· · · · · · · · · · · · · · · · · · ·			
-					
-					