



117 W. Bellevue Drive
Pasadena, CA 91105

NARRATIVE

July 8, 2010

Derrick Willis
Tronox LLC-Henderson
560 West Lake Mead
Henderson, NV 89015

SDG/EMS# 139931
Project: 2027.01, Tronox LLC Henderson,
560 West Lake Mead Drive, Henderson, NV
Client COC ID: 02027.01.2154

REFERENCE:	DAS Case No. 0769F	TDD No.: 07-10-0012
	Task No. 0361	P. O. No.: 0063941
	Tronox Project# 2027.01	NGE Tracking# 03
	AUI Task# 6	

EMS REPORT NO.: 139931

When the samples are analyzed in the TEM the recorded data includes the dimensions of the respirable fibers of the regulated asbestos types, namely, chrysotile, Amosite (cummingtonite/grunerite), tremolite, actinolite, crocidolite, and anthophyllite. The fibers of importance are those included in the protocol fiber classification. The width of the protocol fibers is $<0.4 \mu\text{m}$ and the length is divided into two groups, 5 to 10 μm and long fibers $>10 \mu\text{m}$. The 95% Poisson Confidence interval for the observed concentration of fibers is also calculated. Other asbestos fibers and non-asbestos fibers with protocol dimensions are noted in the counting sheet. The problem regarding the loss of particles on polycarbonate filters has been eliminated except for very alkaline particles. There is no evidence that asbestos fibers are lost.



EMS Laboratories Inc.
 117 West Bellevue Drive, Pasadena, CA 91105
 Phone: 626-568-4065 Fax: 626-796-5282
 Email: akolk@emslabs.com

Attn: Derrick Wills
 Tronox-LLC-Henderson
 PO Box 55
 Henderson, NV 89009

Phone: (947) 375-7004

Project: Tronox LLX Henderson, 560 W. Lake Mead Dr.,
 Henderson, NV/2027.001

Customer ID: TRNX26
 Customer PO: 2027.001
 Received: 8/27/2010 11:10AM
 EMS LAB No: 139931
 Date Prepared: 9/1/2010 3:05PM
 Analysis Date: 9/2/2010 10AM

Report Date: September 27, 2010

Date Sampled: 8/20/2010 11:57

NIOSH 7402/ISO

DRAFT, MODIFIED ELUTRIATOR METHOD FOR THE DETERMINATION OF ASBESTOS IN SOILS AND BULK MATERIAL METHOD

EMS Laboratory Number: 139931	Mass of Respirable Dust on Filter: 164	µg
Customer Sample Number: SSAQ6-01-0.00BPC	Area of collection filter: 385	mm ²
Minimum Level of Analysis (chrysotile): CD	Grid openings area: 0.0094	mm ²
Minimum Level of Analysis (amphibole): ADX	Grid Openings Analyzed: 93	
Magnification used for fiber counting: 9,200 x	Min. Str. Length/Max Str. Diameter: >5/<0.4	microns
Aspect ratio for fiber definition: 3:1	Analyst(s): Radha Singh	
Dust Generator - Total Dried Sample Weight-76.4g	Soil % Moisture	8.5 %
Not Used	Air Flow Rate Through ME Opening of Dust Generator:	1370
Used in Tumbler	Air Flow Rate Through IST Opening of Dust Generator:	100
	Estimate Total Air Flow Through Elutriator:	1470

Analytical Sensitivity: 2.69E+06 Structure /g PM 10 Limit of Detection: 8.04E+06 Structure /g PM 10

Test For Uniformity (Chi-Square results)

Structure Class	Min ID Level Required	Counts		Poisson 95% Confidence Interval			
		Primary Str.	Total Str.	Density Str/mm ²	Conc. Str/g PM10	Lower Limit Str/g PM10	Upper Limit Str/g PM10
Asbestos Structures >5um, ≤10um	ADX/CD	1	1	1.14	2.69E+06	6.8E+04	1.50E+07
Asbestos Structures >5um, ≤10um (Chrys)	CD	1	1	1.14	2.69E+06	6.8E+04	1.50E+07
Asbestos Structures >5um, ≤10um (Amph)	ADX	0	0	0	0	0	8.04E+06
Asbestos Structure >10um (Long)	ADX/CD	0	0	0	0	0	8.04E+06
Asbestos Structure >10um (Chrys)	CD	0	0	0	0	0	8.04E+06
Asbestos Structure >10um (Amph)	ADX	0	0	0	0	0	8.04E+06
Total Protocol Asbestos Structures	ADX/CD	1	1	1.14	2.69E+06	6.8E+04	1.50E+07
Protocol Asbestos Structures (Chrys)	CD	1	1	1.14	2.69E+06	6.8E+04	1.50E+07
Protocol Asbestos Structures (Amph)	ADX	0	0	0	0	0	8.04E+06
Total Protocol Non Asbestos Structures	NAM	1	1	1.14	2.69E+06	6.8E+04	1.50E+07


 Approved by Technical Director

#137865
#137491

MOISTURE CONTENT

8-27-10

#137865 - SSAL6-01-0.33 BPC

dish wt: 31.47g
 sample + dish 131.72 - 31.47 = 100.25g (initial wt.)
 9:15 - 10:15 126.45 - 31.47 = 94.98g
 11:00 - 12:00 126.44 - 31.47 = 94.97 (Final wt.)

$$\% \text{ moisture} = 100 \times \frac{100.25 - 94.97}{94.97} = 5.56\%$$

#137491 - RSAM7-1.00 BPC

dish wt. C - 31.45g
 sample + dish - 131.85 - 31.45 = 100.41g (initial wt.)
 9:15 - 10:15 - 129.08 - 31.45 = 97.63g
 11:00 - 12:00 - 129.04 - 31.45 = 97.59 (Final wt.)

$$\% \text{ moisture} = 100 \times \frac{100.41 - 97.59}{97.59} = 2.9\%$$

9-1-10

BP

#139930
#SSAM7-08-0.00 BPC

#139930
#SSAQ5-07-0.00 BPC

dish wt. 19.24g
 dish + samp. 119.18 (initial wt. 99.94)
 6:50 - 7:50 118.28 (99.04g)
 10 - 11 118.24 (99.00g - final wt.)
 $100 \times \frac{99.94 - 99.00}{99.00} = 0.95\%$

dish wt. 31.47
 dish + samp. 131.22 (init. wt. 99.75)
 124.34 (92.87)
 124.31 (92.84)
 $100 \times \frac{99.75 - 92.84}{92.84} = 7.44\%$

#139931 - #SSAQ6-01-0.00 BPC

#139931 - #SSAL5-07-0.00 BPC

dish wt. 31.44
 dish + samp. 131.98 (initial wt. 100.54)
 6:50 - 7:50 125.14 (93.7)
 10 - 11 124.11 (92.67 - Final)

35.11
 135.72 (100.61)
 128.38 (93.27)
 128.35 (93.24)

$$100 \times \frac{100.54 - 92.67}{92.67} = 8.49\%$$

$$100 \times \frac{100.61 - 93.24}{93.24} = 7.90\%$$

Elutriator Data

Date: 9/1/10-2

Client: Northgate

Lab # 139931

Sample ID: SSA06-01-0.00PPe Sample weight (g): 76.4

Time air flow started: 12:00 PM

Tumbler rpm: 30

IST Flowmeter (mL/min): 100

ME Flowmeter (mL/min): 1370

Filter No.	Start Time	Tested flow rate (mL/min)	Final Filter Wt (mg)	Initial Filter Wt (mg)	Dust Weight (mg)	Time Value (min)	Avg. rate of deposition (ug/mln)	Optimal time (mln)
1	14:00	19/5	0.02343	0.02435	1.08	30		
2	14:30		0.02805	0.02425	3.80	15		
3	14:45		0.02921	0.02427	4.94	20		
4	15:05		0.03034	0.02433	6.01	25		
5	15:30		0.03012	0.02424	5.88	25		
6	15:55			0.02423				
7								
8								
S/Time	End Time						Dep. Rate	Estimate
1	14:53		4.509	4.345	0.164	12		
2	15:14		4.592	4.394	0.198	14		
3	15:38		4.521	4.332	0.189	13		
4								
5								
6								
7								
8								

1
2
3
4
5
6
7
8

loss 95%
loss 25%
OK
loss 10%
OK

8590

copy

Count (Page of) NIOSH 7402/ISO

Prep Time: 100-1230

Report number: 139931

Sample number: SSA06-01-0.00 BPC

File name: Northgate

Sample Description: 164 mg

Filter Type: PC 385 mm2

Date Sample was Run: 9/1/10-2

Magnification: 9,200 X

Preparation date: 9/2/10

By JAP

Analysis date: 9/2/10

By

Grid opening dimension: 0.0094 mm²

Level of Analysis: (C): CD, CDX

(A): ADX, ADQ

Grid loading Moderate

Condition of Grid good

Grid	Grid Opening	Number of structures Primary	Number of structures Total	Class	Type of Structure	Width mm	Length mm	Comments
IA	C2-3				F	1.5	62	Non ash
	C2-6				MDII	110	155	FDI chryso.
	E2-3				MF	0.5	81	
	E2-6							
	F2-3							
	F2-6							
	C3-1					5		
	C3-4							
	E3-1							
	E3-4				MDII	60	170	Non ash
	F3-1				MF	1.5	170	
	F3-4							
	E3-3							
	E3-6							
	F3-3							
	E4-1							
	E4-4							
	E4-1				F	5	170	Non ash
	F4-1							
IB	C2-3							
	C2-6							
	E2-3							
	E2-6							
	C3-1							
	C3-4							
	E3-1							
	E3-4							

TEM Asbestos Structure Count (Page of)

Report number: 139931

SAMPLE NO: SSAGG-01-0.00 BPC X9,200

Grid	Grid Opening	Number of structures primary	Number of structures Total	Class	Type of Structure	Width Mm	Length Mm	Comments
	G3-3							
	G3-6							
	H3-3							
	H3-6							
	EU-1							
	EU4							
	EU-1							
	EU-1							
	GU-3							
	GU-4							
	GU-1							
	GU-4							
	H3-3							
	H3-4							
	ICG-6							
	F2-3							
	E3-6							
	F2-3							
	F2-6							
	F3							
	F3-4							
	F3-1							
	F3-4							
	L3-3							
	L3-6							
	EU-1							
	EU-3							
	CU-6							
	EU-3							
	EU-4							
	CS-1							
	CS-1							
	E5-3							
	E5-6							
1D	C3-1							


TEM Asbestos Structure Count (Page of)

Report number: 139931 SAMPLE NO: SSAGG-01-0.00 BPC X 9,200

Grid	Grid Opening	Number of structures primary	Number of structures Total	Class	Type of Structure	Width Mm	Length Mm	Comments
	C3-4							
	F3-1							
	F3-4							
	L2-1							
	L2-4							
	H3-3							
	H3-6							
	E4-1							
	E4-4							
	E4-7							
	E4-8							
	G4-3							
	G4-6							
	E5-1							
	E5-4							
	E5-3							
	E5-6							
	E6-1							
	E6-4							
E	C3-3					10	120 ^N	Non arch double
	L3-6							
	E3-3							
	E3-6							
	L2-6							
	E2-3							
	E2-6							
	C4-1							
	C4-4							
	B4-6							
	C5-1							
	C5-4							
	E5-1							
	E5-4							

Full scale counts: 204

139931-SSAQ6-01-000BPC-A-C2-6



Thu Sep 02 13:38:00 2010

Gaussian Fit With Standards Chi Squared:2.344

Correction Method: Cliff-Lorimer (MBTS) w/o Absorbance

Live Time: 42.5 sec.

Acc. Voltage: 100.0 kV

Take Off Angle: 35.0 deg.

Detector: Det B- Quantum

Quantitative Results 139931-SSAQ6-01-000BPC-A-C2-6

Element Line	Net Counts	Weight %	Weight % Error	Atom %	Atom % Error
Mg K	667	47.73	--	51.34	+/- 2.08
Si K	1315	52.27	--	48.66	+/- 1.41
Total		100.00		100.00	



EMS Laboratories Inc.
 117 West Bellevue Drive, Pasadena, CA 91105
 Phone: 626-568-4065 Fax: 626-796-5282
 Email: akolk@emslabs.com

Attn: Derrick Wills
 Tronox-LLC-Henderson
 PO Box 55
 Henderson, NV 89009

Phone: (947) 375-7004

Project: Tronox LLX Henderson, 560 W. Lake Mead Dr.,
 Henderson, NV/2027.001

Customer ID: TRNX26
 Customer PO: 2027.001
 Received: 8/27/2010 11:10AM
 EMS LAB No: 139931
 Date Prepared: 9/2/2010 10:58AM
 Analysis Date: 9/14/2010 10AM

Report Date: September 20, 2010

Date Sampled: 8/25/2010 11:02AM

NIOSH 7402/ISO

DRAFT, MODIFIED ELUTRIATOR METHOD FOR THE DETERMINATION OF ASBESTOS IN SOILS AND BULK MATERIAL METHOD

EMS Laboratory Number: 139931	Mass of Respirable Dust on Filter: 157	µg
Customer Sample Number: SSAL5-07-0.00BPC	Area of collection filter: 385	mm ²
Minimum Level of Analysis (chrysotile): CD	Grid openings area: 0.0094	mm ²
Minimum Level of Analysis (amphibole): ADX	Grid Openings Analyzed: 100	
Magnification used for fiber counting: 9,200 x	Min. Str. Length/Max Str. Diameter: >5/<0.4	microns
Aspect ratio for fiber definition: 3:1	Analyst(s): Radha Singh	
Dust Generator - Total Dried Sample Weight-76.9g	Soil % Moisture	7.9 %
Not Used	Air Flow Rate Through ME Opening of Dust Generator:	1370
Used in Tumbler	Air Flow Rate Through IST Opening of Dust Generator:	100
	Estimate Total Air Flow Through Elutriator:	1470

Analytical Sensitivity: 2.61E+06 Structure /g PM 10 Limit of Detection: 7.81E+06 Structure /g PM 10

Test For Uniformity (Chi-Square results)

Structure Class	Min ID Level Required	Counts		Poisson 95% Confidence Interval			
		Primary Str.	Total Str.	Density Str/mm ²	Conc. Str/g PM10	Lower Limit Str/g PM10	Upper Limit Str/g PM10
Asbestos Structures >5um, ≤10um	ADX/CD	0	0	0	0	0	7.81E+06
Asbestos Structures >5um, ≤10um (Chrys)	CD	0	0	0	0	0	7.81E+06
Asbestos Structures >5um, ≤10um (Amph)	ADX	0	0	0	0	0	7.81E+06
Asbestos Structure >10um (Long)	ADX/CD	1	1	1.06	2.61E+06	6.6E+04	1.45E+07
Asbestos Structure >10um (Chrys)	CD	1	1	1.06	2.61E+06	6.6E+04	1.45E+07
Asbestos Structure >10um (Amph)	ADX	0	0	0	0	0	7.81E+06
Total Protocol Asbestos Structures	ADX/CD	1	1	1.06	2.61E+06	6.6E+04	1.45E+07
Protocol Asbestos Structures (Chrys)	CD	1	1	1.06	2.61E+06	6.6E+04	1.45E+07
Protocol Asbestos Structures (Amph)	ADX	0	0	0	0	0	7.81E+06
Total Protocol Non Asbestos Structures	NAM	0	0	0	0	0	7.81E+06

[Signature]
 Approved by Technical Director

Count (Page of) NIOSH 7402/ISO

Prep Time: 8⁰⁰-1030

Report number: 139931
 Sample number: SSALS-07-0.00 BPC
 File name: Northgate
 Sample Description: 157 mg

Filter Type: PC 385 mm²
 Date Sample was Run: 9/2/10
 Magnification: 9,200 X

Preparation date: 9/8/10 By JAP
 Analysis date: 9-14-10 By RJ
 (A): ADX, ADQ
 Grid loading moderate Condition of Grid good

Grid opening dimension: 0.0094 mm²
 Level of Analysis: (C): CD, CDX

Grid	Grid Opening	Number of structures Primary	Number of structures Total	Class	Type of Structure	Width mm	Length mm	Comments
IA	C2-3							
	C2-6							
	C3-1							
	C3-4							
	F3-1							
	F3-4							
	G3-3							
	G3-6							
	H3-3							
	H3-3							
	F4-1							
	F4-4							
	F4-1							
	F4-4							
	G4-3							
	G4-6							
	C5-1		1		MD11	120	330	chryso. BR
	C5-4				MF	1	295	
	F5-3							
	F5-6							
	F6-1							
IB	C3-1							
	C3-4							
	F3-1							
	F3-4							
	F2-3							
	F2-6				F	8	65	Non ash.
	G3-3				F	125	60	" "

TEM Asbestos Structure Count (Page of)

Report number: 139931

SAMPLE NO: SSAL5-07-0.00BPC X 9,200


Grid	Grid Opening	Number of structures primary	Number of structures Total	Class	Type of Structure	Width Mm	Length Mm	Comments
1B	h3-6							
	H3-3							
	C4-1							
	C4-4							
	E4-1							
	E4-4							
	F4-1							
	G4-3							
	E5-1							
	F5-4							
	F5-3							
	F5-6							
	C6-1							
	C6-4							
	E6-1							
1C	C2-3							
	C2-6							
	E2-3							
	E2-6							
	C3-1							
	C3-6							
	E3-1							
	E3-4							
	F3-1							
	F3-4							
	G3-3							
	G3-6							
	E4-1							
	E4-4							
	F4-1							
F4-4								
G5-1								
G5-4								
F5-3								
F5-6								

Report number: 139931

SAMPLE NO: SSAL5-07-0.00BPC X 9,200

Grid	Grid Opening	Number of structures primary	Number of structures Total	Class	Type of Structure	Width Mm	Length Mm	Comments
D	C31							
	C3-4							
	F3-1							
	F3-4							
	F2-3							
	F2-6							
	G2-3							
	G2-6							
	G3-3							
	H3-6							
	H3-3							
	I3-6							
	F4-1							
	F4-4							
	G4-3							
	H4-6							
	H4-1							
oo H5-4								
E	E2-3							
	F2-6							
	F2-3							
	G3-1							
	G3-4							
	F3-1							
	G3-4							
	F3-1							
	G2-3							
	H3-6							
	I3-3							
	E3-1							
	F4-4							
	F4-1							
	G5-1							
G1-4								
F5-1								
F5-4								

19 F5-1



Live Time:91.4 sec.

Quantitative Results 139931 SSAL5-05-000BPC-A-C5-1

Element Line	Net Counts	Weight %	Atom %	Formula	Compnd %
Mg K	8099	48.54	53.12	Mg	48.54
Si K	11185	47.49	44.98	Si	47.49
Fe K	859	3.98	1.89	Fe	3.98
Total		100.00	100.00		100.00

#137865
#137491

MOISTURE CONTENT

8-27-10

#137865 - SSAL6-01-0.33 BPC

dish wt:	31.47g	
sample + dish	131.72	- 31.47 = 100.25g (initial wt.)
9:15 - 10:15	126.45	- 31.47 = 94.98g
11:00 - 12:00	126.44	- 31.47 = 94.97 (Final wt.)

$$\% \text{ Moisture} = 100 \times \frac{100.25 - 94.97}{94.97} = 5.56\%$$

#137491 - PSAM7-1.00 BPC

dish wt. C -	31.45g	
Sample + dish	131.86	- 31.45 = 100.41g (initial wt.)
9:15 - 10:15	129.08	- 31.45 = 97.63g
11:00 - 12:00	129.04	- 31.45 = 97.59 (Final wt.)

$$\% \text{ Moisture} = 100 \times \frac{100.41 - 97.59}{97.59} = 2.9\%$$

9-1-10

BT

#139930
#SSAM7-08-0.00 BPC

#139930
#SSAQ5-07-0.00 BPC

dish wt.	19.24g	
dish + samp.	119.18	(initial wt. 99.94)
6:50 - 7:50	118.28	(99.04g)
10 - 11	118.24	(99.00 Final wt)
$100 \times \frac{99.94 - 99.00}{99.00} = 0.95\%$		

dish wt.	31.47	
dish + samp.	131.22	(init. wt. 99.75)
	124.34	(92.87)
	124.31	(92.84)
$100 \times \frac{99.75 - 92.84}{92.84} = 7.44\%$		

#139931 - #SSAQ6-01-0.00 BPC	
dish wt.	31.44
dish + samp.	131.98 (initial wt. 100.54)
6:50 - 7:50	125.24 (93.7)
10 - 11	124.11 (92.67 Final)

#139931 - #SSAL5-07-0.00 BPC	
dish wt.	35.11
dish + samp.	135.72 (100.61)
	128.38 (93.27)
	128.35 (93.24)

$$100 \times \frac{100.54 - 92.67}{92.67} = 8.49\%$$

$$100 \times \frac{100.61 - 93.24}{93.24} = 7.90\%$$

Elutriator Data

Date: 9/2/10

Client: Northgate

Lab #: 139931

Sample ID: SSALS-07-0-009PCS Sample weight (g): 76.9

Time air flow started: 8:20

Tumbler rpm: 30

IST Flowmeter (mL/min): 100

ME Flowmeter (mL/min): 1370

Filter No.	Start Time	Tested flow rate (mL/min)	Final Filter Wt (mg)	Initial Filter Wt (mg)	Dust Weight (mg)	Time Value (min)	Avg. rate of deposition (ug/min)	Optimal time (min)
1	10:20	180	0.03449	0.02437	10.12	30		
2	10:50		0.03180	0.02428	7.52	15		
3	10:45		0.02754	0.02449	3.05	30		
4	11:15		0.02882	0.02415	4.47	20		
5	11:35		0.02631	0.02428	2.03	20		
6	11:55		0.02843	0.02430	4.13	25		
7	12:20							
8								
S. Time	End Time						Dep. Rate	Estimate
1	10:50		4.578	4.421	0.157	8		
2	11:06		4.444	4.328	0.116	8 1/2		
3	11:22		4.417	4.315	0.099	10 3/4		
4	11:40		4.463	4.328	0.135	20		
5								
6								
7								
8								

loss 3%
OK
loss 75%
OK
loss 75%
loss 5%



TEM ASBESTOS ANALYSIS

Client Sand blank
 Sample No. 8/25/10

EMS Lab No. _____ of _____
 Page _____ of _____

RECEIVING

TYPE OF SAMPLE
 Air Water
 Soil Bulk
 Other _____

LENGTHS (EPA)
 All Sizes (EPA)
 (µm) ≥ 0.5
 ≥ 1.0
 ≥ 5.0
 ≥ 10.0
 PCM Range*
 * ≥ 0.25 µm width
 ≥ 5.0 µm length

FILTER TYPE / AREA (mm²)
 MCE 365
 PC 34
 MCN 107
 Other _____

PORE SIZE
 0.45 µm 0.8 µm
 0.1 µm 0.22 µm
 Other _____

METHOD OF ANALYSIS
 EPA 600/4-83-013 ISO
LEVEL OF ANALYSIS
 Chrysotile CD-CDQ
 Amphibole ADX-ADY

ASPECT RATIO
 3:1 5:1
 EPA/600/R-94/134 100.1 100.2

G.O. Area (mm²) 0.094
 No. of G.O. to Analyze 200

PREP

DIRECT PREP
INDIRECT PREP

Volume _____ liters
 Working Volume _____ ml
 Weight _____ grams
 Ashed Area _____ %

Prepared By JRP.
 Date 8/26/10

ANALYSIS

MICROSCOPE
ENERGY DISPERSIVE X-RAY SYSTEM

KeveX - Model No. 3200-0106-0365
 KeveX - Model No. 3600-0206-0146
 Quantum System

Grid Address: 8/10 X
 Screen Magnification: 24x
 Camera Constant: _____
 Accelerating Voltage: 100KV
 Beam Current: 10 µA
 K-Factor: _____
 Analyst: 266 Date 8/26/10

Grid Opening	Structure Number	Structure	Dimensions (mm)		Fiber Classification								EDS Analysis				Comments								
			Width	Length	NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ		ADQ	AZQ	AZZ	Na	Mg	Si	Ca	Fe
E3		N29																							
E26																									
E23																									
E28																									
E23																									
E28																									
N23																									
N26																									
H25																									
H16																									
G1																									
G4																									
E34																									
E34																									
E34																									

OBSERVATIONS:

Clean Debris: Gypsum:
 Very Light Very Light Good
 Light Light Scrappy
 Moderate Moderate Undissolved Filter
 Heavy Heavy Folded
 Very Heavy Very Heavy

TEM ASBESTOS ANALYSIS

Client Sand blank EMS Lab No. _____
 Sample No. 8/25/10 Page 2 of _____

RECEIVING

ANALYSIS

MICROSCOPE

- H600A - Serial No. 542-36-01
 - H600B - Serial No. 542-05-06
 - H600C - Serial No. 542-24-03
- ENERGY DISPERSIVE X-RAY SYSTEM
- Keve - Model No. 3200-0106-0365
 - Keve - Model No. 3600-0206-0146 Quantum System

Grid Address: _____
 Screen Magnification: 910X
 Camera Constant: 282
 Accelerating Voltage: 100KV
 Beam Current: 10 μ A
 K-Factor: 1.4
 Analyst: Pelle Date: 8/28

TEM - 1B (1-08)

Grid Opening	Structure Number	Structure	Dimensions (mm)		Fiber Classification										EDS Analysis					Comments					
			Width	Length	NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	ADQ	AZQ	AZZ		Na	Mg	Si	Ca	Fe
E3-4		N7																							
U3-7																									
U3-4																									
U3-1																									
U3-4																									
U3-1																									
U3-6																									
E3-2																									
E3-6																									
F3-3																									
U3-6																									
U3-3																									
U3-8																									
U3-3																									

OBSERVATIONS:

- Clean
 Debris:
 Gypsum:
 Condition of the Grid:
- Very Light
 Very Light
 Good
- Light
 Light
 Scrappy
- Moderate
 Moderate
 Undissolved Filter
- Heavy
 Heavy
 Folded
- Very Heavy
 Very Heavy

TEM ASBESTOS ANALYSIS

Client Sand blank
 Sample No. 8/25/10

EMS Lab No. 3 of

RECEIVING

ANALYSIS

Grid Address:
 Screen Magnification: 900X
 Camera Constant: 28.2
 Accelerating Voltage: 100KV
 Beam Current: 10 μ A
 K-Factor: 1.4
 Analyst: Rede Date: 8/26/10

- MICROSCOPE**
- H600A - Serial No. 542-36-01
 - H600B - Serial No. 542-05-06
 - H600C - Serial No. 542-24-03
- ENERGY DISPERSIVE X-RAY SYSTEM**
- Kevex - Model No. 3200-0106-0365
 - Kevex - Model No. 3600-0206-0146
Quantum System

TEM - 1B (1-08)

Grid Opening	Structure Number	Structure	Dimensions (mm)		Fiber Classification										EDS Analysis					Comments				
			Width	Length	NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	ADQ	AZQ	AZZ		Na	Mg	Si	Ca
B3-6		WS9																						
K3-3																								
C1-1																								
C1-4																								
E1-1																								
E1-4																								
F1-1																								
E1-1																								
G1-1																								
M1-4																								
P1-4																								
U1-3																								
Q1-8																								
E1-3																								
E1-8																								

OBSERVATIONS:

- Clean
 Debris:
 Gypsum:
 Condition of the Grid:
- Very Light
 Light
 Good
- Scrappy
 Undissolved Filter
- Moderate
 Moderate
- Very Heavy
 Heavy
 Heavy
 Very Heavy
 Folded

TEM ASBESTOS ANALYSIS

Client Sand blank
 Sample No. 8/25-110

EMS Lab No. _____ of _____
 Page 1

MICROSCOPE

H600A - Serial No. 542-36-01

H600B - Serial No. 542-05-06

H600C - Serial No. 542-24-03

ENERGY DISPERSIVE X-RAY SYSTEM

Kevea - Model No. 3200-0106-0365

Kevea - Model No. 3600-0206-0146

Quantum System

RECEIVING

ANALYSIS

Grid Address: B
 Screen Magnification: 9100 X
 Camera Constant: 2852
 Accelerating Voltage: 10 100KV
 Beam Current: 1.4 µA
 K-Factor: _____
 Analyst: Recher Date: 8/25/10

TEM - 1B (1-08)

Grid Opening	Structure Number	Structure
G		N-39
B3-4		
B3-1		
B3-4		
B3-1		
B3-4		
B3-1		
B3-4		
B3-1		
B3-4		
B3-1		
B3-4		
B3-1		

Dimensions (mm)	
Width	Length

Fiber Classification														
NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	ADQ	AZQ	AZZ

EDS Analysis				
Na	Mg	Si	Ca	Fe

Comments _____

OBSERVATIONS:

Clean Very Light Light Moderate Heavy Very Heavy
 Debris Very Light Light Moderate Heavy Very Heavy
 Gypsum Good Scrappy Undissolved Filler Heavy Very Heavy
 Condition of the Grid:

TEM ASBESTOS ANALYSIS

Client Sand blank EMS Lab No. 2 of
 Sample No. 8/25110 Page

RECEIVING

ANALYSIS

Grid Address: B 1C1 X
 Screen Magnification: 2k x
 Camera Constant: 70
 Accelerating Voltage: 100KV
 Beam Current: 70 μ A
 K-Factor: 1.4
 Analyst: Paul
 Date: 8/20

MICROSCOPE
 H600A - Serial No. 542-36-01
 H600B - Serial No. 542-05-06
 H600C - Serial No. 542-24-03

ENERGY DISPERSIVE X-RAY SYSTEM
 KeveX - Model No. 3200-0106-0365
 KeveX - Model No. 3600-0206-0146
 Quantum System

TEM - 1B (1-08)

Grid Opening	Structure Number	Structure	Dimensions (mm)		Fiber Classification								EDS Analysis					Comments								
			Width	Length	NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	ADQ		AZQ	AZZ	Na	Mg	Si	Ca	Fe	
Eg-3		N57																								
Eg-6																										
W-3																										
W-7																										
H-3																										
H-6																										
B-1																										
B-4																										
B-5																										
B-9																										
W-7																										
H-1																										
H-4																										
H-7																										
H-9																										

OBSERVATIONS:

Clean Debris: Gypsum:
 Very Light Very Light Good
 Light Light Scrapy
 Moderate Moderate Undissolved Filter
 Heavy Heavy Folded
 Very Heavy Very Heavy

TEM ASBESTOS ANALYSIS

Client Sand blank EMS Lab No. 3 of 3
 Sample No. 8/26/10 Page 3

MICROSCOPE

H600A - Serial No. 542-36-01

H600B - Serial No. 542-05-06

H600C - Serial No. 542-24-03

ENERGY DISPENSIVE X-RAY SYSTEM

Kevea - Model No. 3200-0106-0365

Kevea - Model No. 3600-0206-0146

Quantum System

Grid Address: B
 Screen Magnification: 9100 X
 Camera Constant: 285
 Accelerating Voltage: 100KV
 Beam Current: 10 μ A
 K-Factor: 1.4
 Analyst: Paul

Date 8/26/10

RECEIVING

ANALYSIS

TEM - 1B (1-08)

Grid Opening	Structure Number	Structure	Dimensions (mm)		Fiber Classification										EDS Analysis					Comments						
			Width	Length	NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	ADQ	AZQ	AZZ		Na	Mg	Si	Ca	Fe	
<u>C57</u>		<u>N79</u>																								
<u>E53</u>																										
<u>E56</u>																										
<u>153</u>																										
<u>158</u>																										
<u>M3</u>																										
<u>M36</u>																										
<u>155</u>																										
<u>161</u>																										
<u>164</u>																										
<u>E67</u>																										
<u>E69</u>																										
<u>267</u>																										
<u>269</u>																										
<u>M67</u>																										

OBSERVATIONS:

- Clean
 Debris:
 Gypsum:
 Condition of the Grid:
- Very Light
 Very Light
 Good
- Light
 Light
 Scrappy
- Moderate
 Moderate
 Undissolved Filter
- Heavy
 Heavy
 Folded
- Very Heavy
 Very Heavy

TEM ASBESTOS ANALYSIS

Client Sand blank
 Sample No. 8/25/10

EMS Lab No. _____
 Page 1 of _____

RECEIVING

ANALYSIS

MICROSCOPE

- H600A - Serial No. 542-36-01
- H600B - Serial No. 542-05-06
- H600C - Serial No. 542-24-03
- ENERGY DISPERSIVE X-RAY SYSTEM
- Kevex - Model No. 3200-0106-0365
- Kevex - Model No. 3600-0206-0146
- Quantum System

Grid Address: C
 Screen Magnification: 9,800X
 Camera Constant: 28.2
 Accelerating Voltage: 100KV
 Beam Current: 10 uA
 K-Factor: 1.14
 Analyst: Park

Date 8/26/10

TEM - 1B (1-08)

Grid Opening	Structure Number	Structure	Dimensions (mm)		Fiber Classification										EDS Analysis					Comments							
			Width	Length	NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	ADQ	AZQ	AZZ		Na	Mg	Si	Ca	Fe		
L2-3		N/A																									
L26																											
L23																											
L28																											
L23																											
L26																											
L23																											
L20																											
L23																											
B34																											
C34																											
B34																											
B34																											
B34																											
B34																											

OBSERVATIONS:
 Clean
 Debris:
 Gypsum:
 Condition of the Grid:

Very Light
 Very Light
 Good

Light
 Light
 Scrappy

Moderate
 Moderate
 Undissolved Filter

Heavy
 Heavy
 Folded

Very Heavy
 Very Heavy

TEM ASBESTOS ANALYSIS

Client Sand blank EMS Lab No. _____ of _____
 Sample No. 8125110 Page 2

MICROSCOPE

- H600A - Serial No. 542-36-01
- H600B - Serial No. 542-05-06
- H600C - Serial No. 542-24-03

ENERGY DISPERSIVE X-RAY SYSTEM

- KeveX - Model No. 3200-A106-0365
 - KeveX - Model No. 3600-0206-0146
- Quantum System

RECEIVING

ANALYSIS

Grid Address: 9120X
 Screen Magnification: 28x
 Camera Constant: _____
 Accelerating Voltage: 10 100KV
 Beam Current: _____ μ A
 K-Factor: 1.14
 Analyst: Parker

Date: 8/25/80

TEM - 1B (1-08)

Grid Opening	Structure Number	Structure	Dimensions (mm)		Fiber Classification										EDS Analysis					Comments					
			Width	Length	NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	ADQ	AZQ	AZZ		Na	Mg	Si	Ca	Fe
<u>B36</u>		<u>N37</u>																							
<u>C33</u>																									
<u>F33</u>																									
<u>E36</u>																									
<u>B33</u>																									
<u>F36</u>																									
<u>B33</u>																									
<u>B36</u>																									
<u>B33</u>																									
<u>B36</u>																									
<u>A-1</u>																									
<u>A-4</u>																									
<u>E-1</u>																									
<u>E-4</u>																									

OBSERVATIONS:

- Condition of the Grid:
- Clean
 - Debris:
 - Gypsum:
 - Very Light
 - Good
 - Light
 - Light
 - Scrapy
 - Undissolved Filter
 - Moderate
 - Moderate
 - Heavy
 - Heavy
 - Folded
 - Very Heavy
 - Very Heavy

TEM ASBESTOS ANALYSIS

Client Sand blank
 Sample No. 8/25/10

EMS Lab No. _____
 Page 2 of _____

RECEIVING

ANALYSIS

MICROSCOPE

- H600A - Serial No. 542-36-01
- H600B - Serial No. 542-05-06
- H600C - Serial No. 542-24-03

ENERGY DISPERSIVE X-RAY SYSTEM

- Keve - Model No. 3200-0106-0365
- Keve - Model No. 3600-0206-0146
Quantum System

Grid Address: _____
 Screen Magnification: 9.10x
 Camera Constant: 28.2
 Accelerating Voltage: 100KV
 Beam Current: 10 uA
 K-Factor: 1.04
 Analyst: Balle

Date 8/26/10

Grid Opening	Structure Number	Structure	Dimensions (mm)		Fiber Classification										EDS Analysis					Comments					
			Width	Length	NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	ADQ	AZQ	AZZ		Na	Mg	Si	Ca	Fe
64-4		NAD																							
64-1																									
64-2																									
64-3																									
64-4																									
64-5																									
64-6																									
64-7																									
64-8																									
64-9																									
64-10																									
64-11																									

OBSERVATIONS:

- Clean
 Debris
 Gypsum
 Condition of the Grid:

 Very Light
 Very Light
 Good
 Light
 Light
 Scrappy
 Moderate
 Moderate
 Undissolved Filter
 Heavy
 Heavy
 Folded
 Very Heavy
 Very Heavy

TEM ASBESTOS ANALYSIS

Client Sand Blink EMS Lab No. 2 of
 Sample No. 8-25-10 Page

RECEIVING

ANALYSIS

Grid Address: D
 Screen Magnification: 9,400 X
 Camera Constant: 28.2
 Accelerating Voltage: 100KV
 Beam Current: 10 μ A
 K-Factor: 1.4
 Analyst: Boyd Date: 8/26/10

- MICROSCOPE
- H600A - Serial No. 542-36-01
 - H600B - Serial No. 542-05-06
 - H600C - Serial No. 542-24-03
- ENERGY DISPERSIVE X-RAY SYSTEM
- Kevex - Model No. 3200-0106-0365
 - Kevex - Model No. 3600-0206-0146
Quantum System

TEM - 1B (1-08)

Grid Opening	Structure Number	Structure	Dimensions (mm)		Fiber Classification										EDS Analysis					Comments						
			Width	Length	NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	AZQ	AZZ	Na		Mg	Si	Ca	Fe		
E40		N29																								
S44																										
U40																										
H47																										
H40																										
C57																										
C54																										
B57																										
E54																										
C54																										
S57																										
S54																										
H57																										
H54																										

OBSERVATIONS:

- Clean Very Light Light Moderate Heavy Very Heavy
 Debris Very Light Light Moderate Heavy Very Heavy
 Gypsum Good Scrappy Undissolved Filler Folded

Condition of the Grid:

TEM ASBESTOS ANALYSIS

Client Sand blank
 Sample No. 8-25-10

EMS Lab No. _____ of _____
 Page _____

RECEIVING

ANALYSIS

Grid Address: D
 Screen Magnification: 9100X
 Camera Constant: 28.2
 Accelerating Voltage: 100KV
 Beam Current: 10 μA
 K-Factor: 1.4
 Analyst: Lodha

MICROSCOPE

H600A - Serial No. 542-36-01
 H600B - Serial No. 542-05-06
 H600C - Serial No. 542-24-03

ENERGY DISPERSIVE X-RAY SYSTEM

Kevex - Model No. 3200-0106-0365
 Kevex - Model No. 3600-0206-0146
 Quantum System

Date 8/26/10

TEM - 1B (1-08)

Grid Opening	Structure Number	Structure	Dimensions (mm)		Fiber Classification										EDS Analysis					Comments						
			Width	Length	NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	ADQ	AZQ	AZZ		Na	Mg	Si	Ca	Fe	
B3-4		N39																								
E3-1																										
E3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										
B3-4																										

OBSERVATIONS:

- Clean
- Debris:
- Gypsum:
- Condition of the Grid:
- Very Light
- Light
- Undissolved Filter
- Good
- Light
- Heavy
- Very Heavy
- Very Light
- Light
- Very Heavy
- Good
- Light
- Very Heavy
- Undissolved Filter
- Heavy
- Very Heavy
- Folded

TEM ASBESTOS ANALYSIS

Client Sand Blnk
 Sample No. 8-25-10

EMS Lab No. 3 of
 Page 3

MICROSCOPE

- H600A - Serial No. 542-36-01
- H600B - Serial No. 542-05-06
- H600C - Serial No. 542-24-03

- ENERGY DISPERSIVE X-RAY SYSTEM
 Kevex - Model No. 3200-0106-0365
- Kevex - Model No. 3600-0206-0146
 Quantum System

RECEIVING

ANALYSIS

Grid Address: D
 Screen Magnification: 9100X
 Camera Constant: 2532
 Accelerating Voltage: 10 100KV
 Beam Current: 10 μA
 K-Factor: 119
 Analyst: 129/18 Date: 8/26/10

TEM - 1B (1-08)

Grid Opening	Structure Number	Structure	Dimensions (mm)		Fiber Classification											EDS Analysis					Comments					
			Width	Length	NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	ADQ	AZQ	AZZ	Na		Mg	Si	Ca	Fe	
C5-3		N39																								
C5-6																										
E5-3																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										
E5-6																										

OBSERVATIONS:

- Clean Debris:
- Very Light Gypsum:
- Light Very Light
- Good Scrap/DV
- Moderate Moderate
- Undissolved Filler Heavy Very Heavy
- Heavy Heavy Very Heavy
- Folded Very Heavy

TEM ASBESTOS ANALYSIS

Client Sand blank
 Sample No. 8-25-10

EMS Lab No. _____
 Page 1 of _____

RECEIVING

ANALYSIS

MICROSCOPE

- H600A - Serial No. 542-36-01
- H600B - Serial No. 542-05-06
- H600C - Serial No. 542-24-03
- ENERGY DISPERSIVE X-RAY SYSTEM
- Kevex - Model No. 3200-0106-0365
- Kevex - Model No. 3600-0206-0146
- Quantum System

Grid Address: E
 Screen Magnification: 9100 X
 Camera Constant: 267
 Accelerating Voltage: 100KV
 Beam Current: 10 μ A
 K-Factor: 1.29
 Analyst: Pade Date: 8/26/10

Grid Opening	Structure Number	Structure	Dimensions (mm)		Fiber Classification													EDS Analysis					Comments							
			Width	Length	NAM	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	ADQ	AZQ	AZZ	Na	Mg	Si		Ca	Fe					
C2-3		Np9																												
C2-6																														
E23																														
E26																														
E23																														
E28																														
h22																														
h26																														
B44																														
C3-1																														
C3-4																														
E31																														
E34																														
E39																														
E31																														
E30																														

OBSERVATIONS:

- Clean
- Debris:
- Gypsum:
- Condition of the Grid:
- Very Light
- Light
- Scrappy
- Moderate
- Heavy
- Very Heavy
- Undissolved Fiber
- Enriched

TEM ASBESTOS ANALYSIS

Client Sand blank EMS Lab No. _____
 Sample No. 8-25-10 Page 2 of _____

MICROSCOPE

H600A - Serial No. 542-36-01

H600B - Serial No. 542-05-06

H600C - Serial No. 542-24-03

ENERGY DISPERSIVE X-RAY SYSTEM

Kevex - Model No. 3200-0106-0365

Kevex - Model No. 3600-0206-0146

Quantum System

RECEIVING

ANALYSIS

Grid Address: 1E

Screen Magnification: 9100 X

Camera Constant: 282

Accelerating Voltage: 100KV

Beam Current: 10 µA

K-Factor: 174

Analyst: Pentle

Date: 8/26/10

TEM - 1B (1-08)

Grid Opening	Structure Number	Structure
<u>L44</u>		<u>N29</u>
<u>L47</u>		
<u>L51</u>		
<u>L61</u>		

Dimensions (mm)	
Width	Length

NAM	Fiber Classification													
	TM	CM	CD	CQ	CMQ	CDQ	UF	AD	AX	ADX	AQ	ADQ	AZQ	AZZ

EDS Analysis				
Na	Mg	Si	Ca	Fe

Comments

OBSERVATIONS:

Clean
 Debris:
 Gypsum:
 Very Light
 Very Light
 Good
 Light
 Light
 Scrappy
 Moderate
 Moderate
 Undissolved Fiber
 Heavy
 Heavy
 Fringed
 Very Heavy
 Very Heavy

Condition of the Grid:

Spot Size Measurements

Scope: #60B
Date: May 2010
Name: R

Conditions of Measurements

High Voltage: 100K
Beam Current: 10 μ A
Magnification: 19,200
Condenser Aperture Size: #2


Measurements from a photo 8.5

Shortest diameter: 8.5 mm
Longest diameter: 9 mm
Average: 8.75 mm

Spot Size Calculation

Spot size in μ m = $\frac{(\text{average spot size in mm}) \times 1000 \mu\text{m} \times 0.4125}{\text{Magnification}}$ 18.8

Note: 1.65/4 = 0.4125 (see the Hitachi Fax)



TEM CAMERA CONSTANT DETERMINATION

TEM H600B

Measured and Calculated by LS Date May 2010

$$\text{Camera Constant (mm A)} = D \text{ (mm)} \times 1/2 \times d \text{ (A)}$$

where D (mm) is the diameter of a gold ring and

d (A) is the d-spacing in Angstroms for a particular reflection

$$\text{CC (1*)} = (24.1 \text{ mm}) \times 1/2 \times 2.355 = 28.34$$

$$\text{CC (2*)} = (27.8 \text{ mm}) \times 1/2 \times 2.039 = 28.34$$

$$\text{CC (3*)} = (39.3 \text{ mm}) \times 1/2 \times 1.442 = 28.34$$

$$\text{CC (4*)} = (45.9 \text{ mm}) \times 1/2 \times 1.230 = 28.3$$


$$\text{Average Camera Constant} = \sqrt{28.3}$$

* 1 is the first largest diameter ring. 2 the second, etc.

$$\text{Average Camera Constant} = (\text{CC} \langle 1 \rangle + \dots + \text{CC} \langle n \rangle) \times 1/n$$

For gold:

d(A)	nk1
2.355	(111)
2.039	(200)
1.442	(220)
1.230	(311)
1.1774	(222)



08/07/01
csl

DATE: May 2010
 WEEKLY CALIBRATION 3m
 MONTHLY CALIBRATION 3mch
 AFTER SERVICE CALIBRATION _____


A-600/B-600/C-600

BY: R

Measurement	Number of Spacing Flourescent Screen Magnification	Distance (mm)	Number of Spacing Film Magnification
1	25,000x 33.5/6 - 19,260	12,000x 51/12 - 9,180	
2	33.5/6 - 19,260	51.5/12 - 9,270	
3	33/6 - 19,080	51.5/12 - 9,270	
4	53/6 - 19,180	51/12 - 9,180	
5	33.5/6 - 19,260	51/12 - 9,180	
6		51/12 - 9,180	
7	ave 19,100		
8		ave 9,200	
9			
10			
AVERAGE:			

OPERATING VOLTAGE 100 KV

- 54, 864 lines/inch or 2,160 lines/mm or 0.463µm/line
- 28, 800 lines/inch or 1,134 lines/mm or 0.882µm/line
- 15, 240 lines/inch or 600 lines/mm or 1.67µm/line
- 16.94 µm for one bar and one opening for Ni screen on



SCOPE B

$$K = \frac{[Cn/C(Si)]}{[In/(Si)]}$$

18.74

n	Cn	RUN 1		RUN 2		RUN 3		RUN 4		RUN 5		RUN 6	
		I(Si)=	In	I(Si)=	In	I(Si)=	In	I(Si)=	In	I(Si)=	In	I(Si)=	In
Na	1.81	1694	1.3034	1095	1.0674	986	1.5627	1133	1.4112	1004	1.5587	395	1.8251
Mg	7.57	6992	1.3207	3738	1.3077	4447	1.4491	4902	1.3641	4714	1.3885	1983	1.5205
Al	6.54	7768	1.027	4152	1.0171	5455	1.0206	5761	1.0028	5708	0.9906	2576	1.0112
Si	18.74	22860	1	12101	1	15953	1	16554	1	16203	1	7464	1
K	0.97	1453	0.8144	827	0.7574	1311	0.6299	1333	0.6428	1195	0.7018	584	0.6615
Ca	8.26	6570	1.5336	3406	1.566	5845	1.203	5222	1.3973	4998	1.4289	2852	1.1535
Ti	3.02	2235	1.6483	1170	1.6668	1821	1.4118	1867	1.4289	1753	1.4895	928	1.2962
Mn	0.14	10	17.078	22	4.1092	12	9.9316	29	4.2645	2	60.523	22	2.5346
Fe	9.51	5898	1.9669	2935	2.0923	4934	1.6408	4856	1.73	4473	1.8383	2351	1.6111
O	43.83			7849	3.6059	7051	5.2917	10526	3.6783	9433	4.0174	3333	5.2377

**** NVLAP REQUIREMENTS ****

- 1.0 < K(Na) wrt Si < 4.0
- 1.0 < K(Mg) & K(Fe) wrt Si < 2.0
- 1.0 < K(Al) & K(Ca) wrt Si < 1.75


$$K(Mg)/K(Fe) < 1.5$$

- stdev < 10% for Mg, Al, Si, Fe
- stdev < 20% for Na
- wrt mean value of k-factor wrt Si

SCOPE B

RUN 7 I(Si)= In	12627	RUN 8 I(Si)= In	4491	RUN 9 I(Si)= In	15830	RUN 10 I(Si)= In	14684	RUN 11 I(Si)= In	25368	RUN 12 I(Si)= In	25374	RUN 13 I(Si)= In	4628	Kn
849	1.4365	1.4365	1.4365	1.4365	1.6094	1.6094	1.4442	1.5879	1.5893	1.542	1.5893	1.5893	1.5893	1.5893
3523	1.4478	1.332	1.362	4331	1.4765	4325	1.3715	7480	1.3705	7479	1.3705	1213	15412	1.3705
4458	0.9885	1569	0.9989	5717	0.9863	5043	1.0162	9260	0.9561	9260	0.9563	1556	1.038	0.9563
12627	1	4491	1	15830	1	14684	1	25368	1	25374	1	4628	1	1
1099	0.5947	415	0.5601	1505	0.5444	1185	0.6414	2315	0.5672	2318	0.5666	363	0.6599	0.5666
4553	1.2224	1818	1.0888	6257	1.1151	4602	1.4064	9813	1.1394	9832	1.1375	1754	1.163	1.1375
1480	1.3749	563	1.2855	1994	1.2794	1703	1.3895	3188	1.2823	3196	1.2794	510	1.4624	1.2794
4	23.583	13	2.5808	7	16.894	16.894	1.7048	25	7.5806	8884	1.4494	6	5.7624	7.5806
3889	1.6477	1422	1.6027	5899	1.3618	4371	1.7048	8840	1.4563	8884	1.4494	1497	1.5689	1.4563
6102	4.8998	1894	5.5458	5950	6.2225	9471	3.6262	35609	1.6662	13315	4.4571	2045	5.293	1.6662

Full scale counts: 303 EDX RESOLUTION FOR HK600B-5.19-10-RS(1) Cursor: 5.888 keV 213 Counts



Auto Manual FWHM FeS Bench Test

Elements

Atomic Symbol: Line:

Atomic Symbol: Line:

Ratio Peaks

Additional Measurements

Measure Zero Peak Measure FWHM Measure RMS

Acquisition Criteria

Count Rate (cps):


Peak Count:

Time Constant: (Slow)

Line #	Min (keV)	Max (keV)	FWHM (eV)	Area (Counts)
1	5.895	5.895	146.79	3991
2	5.895	5.895	155.00	3930
3	5.894	5.894	155.83	3178
4	5.892	5.892	149.17	3379
5	5.891	5.891	155.40	3438
	5.883	5.883	152.04	3683
	0.002	0.002	3.51	368
	0.0%	0.0%	10.0%	2.3%

Min Kαs

Min Kβs



Auto | Manual | FWHM | Fe55 Bench Test

Elements

Atomic Symbol: Mn Line: K

Atomic Symbol: Mn Line: K

Ratio Peaks

Additional Measurements

Measure Zero Peak Measure FWHM and FWTM

Acquisition Criteria

Livetime [s] Max Time: 50

Peak Count No. Trials: 5

Time Constant: 50 (Slow)

Trial #	Mn Centroid ...	Net Counts	FWHM (eV)	Avg. FWHM ...
1	5.896	1277	126.16	126.16
2	5.900	5295	151.73	138.95
3	5.897	6460	146.02	141.30
4	5.898	5560	146.26	142.54
5	5.899	5291	133.62	140.76
Avg:		4776	140.76	---
Sigma:		2014	10.52	---
RMS:		42.2%	7.5%	---

139931



Laboratory Submittal Form


Date: _____ Time: _____ Relinquished by: _____
 Client: Northgate Environmental Mgmt, Inc. Date of Shipment: _____
 Address: 24411 Ridge Route Drive, Suite 130 Shipped from: _____ Carrier: _____
 Laguna Hills, CA 92653 Client P.O. No: _____
 Telephone: 949-375-7004 Client Project ID: TRONOX LLC Henderson
 Contact: Cindy Arnold *C.O.C. # 02027.01.2154*
 Results via: Fax No: _____ Email address: _____ Verbal

(Complete written reports will follow all analyses, in addition to any prior verbal, fax, or email results)

Turnaround Time: _____ Other: _____ Sample Preservatives: _____
 Number of Samples: *24 (including Dup)* Sampler's Name: _____
 Date & Time of Sample Collection: _____ Holding Times: _____ Signature: _____
 Type: Water Waste Water Soil Filter Impinger Sorbent Tube Other

EMS Only	Client Sample No.	Description/Location	Analysis	Volume/Weight
1	SSAQ6-01-0.00BPC		TEM	
2	SSAQ6-01-0.33BPC	SEE ATTACHMENT	HOLD	
3	<i>SSAL5-07-0.00BPC</i>	<i>} Per Cindy Put under as ONE COC.</i>	TEM	
4	<i>SSAL5-07-0.33BPC</i>		TEM-HOLD	
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				

For EMS Only 139931

Laboratory Number: _____ Received by:  Time: 11:10
 Date of Package Delivery: 8/27/2010 Shipping Bill Retained? NONE
 Condition of Package on Receipt: OK Condition of Custody Seal: NONE
 Number of Samples: *24* Chain of Custody Signature: _____
 Disposition of Samples: EMS LABS Misc. Info: SF 7/06



Required Project Information: Site ID #: TRONOX LLC, HENDERSON Project #: 2027.01		Required Invoice Information: Send Invoice to: PO Box 55 Address: Henderson, NV 89009 Phone #: (949) 260-9283		Total # of Samples: 2		Event Complete?				
Required Ship to Lab: Lab Name: EMS Laboratories, Inc. Address: 117 W Bellevue Dr City: Pasadena, CA 91105 State: CA Zip: 91105		Site Address: 580 W Lake Mead Pkwy City: Henderson State: NV Zip: 89015		Send EDD to: Frank.Hagar@ngem.com CC Hardcopy report to: PDF Electronic Version Only - FTP Upload CC Hardcopy report to:		Regular <input type="checkbox"/> Rush <input type="checkbox"/> Mark One				
Lab P/N: Tony Kouk Phone/Fax: 626-566-4065 Lab P/N email: atol@emslabs.com Applicable Lab Quote #:		Site PM Name: Derrick Willis Phone/Fax: (949) 375-7004 Site PM Email: derrick.willis@ngem.com		Analytical Method: UNPRES PhB-Asbestos: X H:		Sample Receipt Conditions Temp in OC: 8-25-10 Samples on Ice? Y/N Sample Intact? Y/N Trip Blank? Y/N				
#		SAMPLE ID	SAMPLE LOCATION	MATRIX CODE	G-RAB C-COMP	SAMPLE TYPE	SAMPLE DATE	SAMPLE TIME	# OF CONTAINERS	Comments/Lab Sample I.D.
		SSAQ6-01-0.00BPC	SSAQ6-01	SO	C	N	08/20/2010	11:57	3	
		SSAQ6-01-0.38BPC	SSAQ6-01	SO	C	N	08/20/2010	12:08	3	

Additional Comments/Special Instructions:
 Patrick Ferringer, NGEM
 Signature of Sampler: *[Signature]*
 Date Signed: **8-25-10**
 Time: **11:59**