

# TECHNICAL MEMORANDUM

---

**To:** Nevada Environmental Response Trust

**Cc:** Nevada Division of Environmental Protection  
United States Environmental Protection Agency

**From:** Dana Grady

**Date:** December 23, 2020

**Subject:** Las Vegas Wash Bioremediation Pilot Study Monthly Progress Report

---

At the direction of the Nevada Environmental Response Trust (NERT or Trust), Tetra Tech, Inc. (Tetra Tech) has prepared this memorandum which summarizes Tetra Tech's progress during November 2020 toward successfully implementing the Las Vegas Wash Bioremediation Pilot Study.

## Task Progress Update: November 2020

### Task M19 – Las Vegas Wash Pilot Study

- Current Status
  - Field Activities
    - Baseline groundwater sampling of all Phase 1 monitoring wells and all newly installed Phase 2 injection, extraction, and monitoring wells began on September 28, 2020 and was completed on October 9, 2020. A layout map and construction details of all injection, monitoring, and extraction wells are provided as Figures 1 through 4 and Table 1. Groundwater analytical results from the baseline sampling event are provided in Table 2.
    - Surface water sampling was performed on October 16, 2020 and October 29, 2020. Surface water samples from downgradient of the Las Vegas Wash Pilot Study area will continue to be collected on a monthly basis in coordination with the long-term monthly surface water sampling program. Noteworthy results related to the pilot study will be summarized in future monthly progress reports as warranted.
    - Aquifer testing (both slug testing and borehole dilution testing) on Phase 2 extraction and monitoring wells was performed in June and October 2020. Table 3 presents a summary of the aquifer testing results and includes both the average and range of the groundwater flow velocity and hydraulic conductivity values for each pilot study zone and associated lithology.
    - Mobilization and set-up activities associated with the first injection event began on November 30, 2020. Injections will be performed throughout December 2020. Photo logs

will be periodically submitted during the injection process to document site activities. Future monthly progress reports will summarize this injection event.

- Access and Permitting
  - All access agreements and permits are now in place for all projected pilot study activities.
- Schedule and Progress Updates
  - Activities associated with the first injection event began on November 30, 2020 and are expected be completed by the end of December 2020.
- Health and Safety
  - There were no safety incidents related to Task M19 during November 2020.
  - Safety measures continue to be implemented to minimize potential exposure to COVID-19, including the use of face coverings, gloves, and hand sanitizer, as well as protocols for monitoring temperatures, minimizing the number of people on site at one time, and evaluating tasks to increase physical distance between personnel.

## CERTIFICATION

### Las Vegas Wash Bioremediation Pilot Study Monthly Progress Report


#### Nevada Environmental Response Trust Site (Former Tronox LLC Site) Henderson, Nevada

##### Nevada Environmental Response Trust (NERT) Representative Certification

I certify that this document and all attachments submitted to the Division were prepared at the request of, or under the direction or supervision of NERT. Based on my own involvement and/or my inquiry of the person or persons who manage the system(s) or those directly responsible for gathering the information or preparing the document, or the immediate supervisor of such person(s), the information submitted and provided herein is, to the best of my knowledge and belief, true, accurate, and complete in all material respects.

Office of the Nevada Environmental Response Trust

Le Petomane XXVII, not individually, but solely in its representative capacity as the Nevada Environmental Response Trust Trustee

**Signature:**  Not Individually, but Solely  
as President of the Trustee, not individually,  
but solely in his representative capacity as President of the Nevada Environmental Response Trust Trustee

**Name:** Jay A. Steinberg, not individually, but solely in his representative capacity as President of the Nevada Environmental Response Trust Trustee

**Title:** Solely as President and not individually

**Company:** Le Petomane XXVII, Inc., not individually, but solely in its representative capacity as the Nevada Environmental Response Trust Trustee

**Date:** 12/23/2020

## CERTIFICATION

---

I hereby certify that I am responsible for the services described in this document and for the preparation of this document. The services described in this document have been prepared in a manner consistent with the current standards of the profession, and to the best of my knowledge, comply with all applicable federal, state, and local statutes, regulations, and ordinances. I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

**Description of Services Provided:** Las Vegas Wash Bioremediation Pilot Study Monthly Progress Report, Nevada Environmental Response Trust Site, Henderson, Nevada.



**Kyle Hansen, CEM**  
Field Operations Manager/Geologist  
Tetra Tech, Inc.

December 23, 2020


Date


Nevada CEM Certificate Number: 2167  
Nevada CEM Expiration Date: September 18, 2022


# Figures


## Notes:

1. Monitoring and injection well names are shown without prefix LVWPS.
  2. For information on injection well labels see Zone 1-3 figures.









## Tables

**Table 1**  
**Phase 2 Well Construction Details**  
Las Vegas Wash Bioremediation Pilot Study

Well ID	Screened Lithology	Northing	Easting	Ground Surface Elevation	Top of Casing Elevation	Depth to Water <sup>1</sup>	Construction Type	Construction Material	Slot Size	Filter Pack Gradation	Borehole Diameter	Borehole Total Depth	Well Diameter	Nominal Screen Length	Well Total Depth	Bottom of Screen	Top of Screen
				feet amsl	feet amsl	feet bTOC					inches	inches	feet bgs	inches	feet	feet bgs	feet bgs
<b>Zone 1 Study Area</b>																	
LVWPS-A1-DR01	Alluvium	26735024.80	838207.19	1524.18	1523.98	29.38	Single	Schedule 40 PVC	0.020	#3	6	83.5	2	20	83	82.5	62.8
LVWPS-A1-DR02	Alluvium	26734983.35	838236.38	1524.57	1524.20	29.54	Single	Schedule 40 PVC	0.020	#3	6	79.0	2	20	78.5	78	58.3
LVWPS-A1-MW04	Alluvium	26735022.91	838259.32	1529.32	1529.30	34.87	Single	Schedule 40 PVC	0.020	#3	6	92.5	2	20	89.5	89	69.3
LVWPS-A1-MW05	Alluvium	26734946.32	838312.17	1530.88	1530.55	36.10	Single	Schedule 40 PVC	0.020	#3	6	95.0	2	20	89.5	89	69.3
LVWPS-A1-MW06	Alluvium	26734994.26	838149.70	1523.90	1523.76	28.80	Single	Schedule 40 PVC	0.020	#3	6	85.0	2	20	79.5	79	59.3
LVWPS-A1-MW07	Alluvium	26734911.17	838213.86	1525.06	1524.99	30.15	Single	Schedule 40 PVC	0.020	#3	6	80.0	2	20	78.5	78	58.3
LVWPS-A1-MW09	Alluvium	26735029.71	838317.19	1529.61	1529.43	35.62	Single	Schedule 40 PVC	0.020	#3	6	107.0	2	20	106	105.5	85.8
LVWPS-A1-MW10	Alluvium	26735080.18	838337.96	1527.26	1527.07	33.55	Single	Schedule 40 PVC	0.020	#3	6	91.5	2	20	91	90.5	70.8
LVWPS-U1-DR01A	UMCf	26735027.64	838205.37	1524.09	1524.00	29.15	Single	Schedule 40 PVC	0.010	#2/16	6	116.5	2	25	115.5	115	90.3
LVWPS-U1-DR01B	UMCf	26735030.53	838203.16	1524.07	1523.94	28.89	Single	Schedule 80 PVC	0.010	#2/16	6	152.5	2	30	151.5	151	121.3
LVWPS-U1-DR02A	UMCf	26734986.83	838234.68	1524.02	1523.92	29.15	Single	Schedule 40 PVC	0.010	#2/16	6	117.5	2	30	117	116.5	86.8
LVWPS-U1-DR02B	UMCf	26734991.38	838232.08	1523.92	1523.71	28.63	Single	Schedule 80 PVC	0.010	#2/16	6	153.5	2	30	153	152.5	122.8
LVWPS-U1-IW01A	UMCf	26735044.59	838183.29	1523.67	1523.72	28.91	Dual-Nested	Schedule 40 PVC	0.010	#2/16	10	155.0	2	25	114	113.5	88.8
LVWPS-U1-IW01B	UMCf	26735044.44	838182.98	1523.67	1523.65	28.76		Schedule 40 PVC	0.010	#2/16			2	25	145.5	145	120.3
LVWPS-U1-IW02A	UMCf	26735024.11	838198.37	1524.46	1524.39	29.41	Dual-Nested	Schedule 40 PVC	0.010	#2/16	10	155.0	2	25	115.5	115	90.3
LVWPS-U1-IW02B	UMCf	26735023.96	838198.03	1524.46	1524.43	29.42		Schedule 40 PVC	0.010	#2/16			2	30	151.5	151	121.3
LVWPS-U1-IW03A	UMCf	26735004.66	838213.18	1523.88	1523.55	28.59	Dual-Nested	Schedule 40 PVC	0.010	#2/16	10	155.0	2	25	119	118.5	93.8
LVWPS-U1-IW03B	UMCf	26735004.34	838213.12	1523.88	1523.53	28.40		Schedule 40 PVC	0.010	#2/16			2	25	150.5	150	125.3
LVWPS-U1-IW04A	UMCf	26734984.96	838228.48	1523.90	1523.65	28.89	Dual-Nested	Schedule 40 PVC	0.010	#2/16	10	155.0	2	30	117	116.5	86.8
LVWPS-U1-IW04B	UMCf	26734984.86	838228.18	1523.90	1523.59	28.49		Schedule 40 PVC	0.010	#2/16			2	30	153	152.5	122.8
LVWPS-U1-IW05A	UMCf	26734965.08	838243.71	1524.36	1524.25	29.45	Dual-Nested	Schedule 40 PVC	0.010	#2/16	10	155.0	2	25	114	113.5	88.8
LVWPS-U1-IW05B	UMCf	26734965.09	838243.38	1524.36	1524.23	29.21		Schedule 40 PVC	0.010	#2/16			2	25	145.5	145	120.3
LVWPS-U1-IW06A	UMCf	26734945.21	838258.76	1524.91	1525.12	30.40	Dual-Nested	Schedule 40 PVC	0.010	#2/16	10	157.5	2	25	113	112.5	87.8
LVWPS-U1-IW06B	UMCf	26734945.02	838258.36	1524.91	1525.07	30.06		Schedule 40 PVC	0.010	#2/16			2	30	149.5	149	119.3
LVWPS-U1-IW07A	UMCf	26734925.20	838273.28	1529.08	1528.30	33.50	Dual-Nested	Schedule 40 PVC	0.010	#2/16	10	160.0	2	25	121	120.5	95.8
LVWPS-U1-IW07B	UMCf	26734925.28	838272.95	1529.08	1528.66	33.46		Schedule 40 PVC	0.010	#2/16			2	25	152.5	152	127.3
LVWPS-U1-IW08A	UMCf	26734905.81	838289.00	1529.69	1530.71	35.85	Dual-Nested	Schedule 40 PVC	0.010	#2/16	10	170.0	2	30	125.5	125	95.3
LVWPS-U1-IW08B	UMCf	26734905.38	838288.84	1529.69	1530.83	35.70		Schedule 40 PVC	0.010	#2/16			2	25	157	156.5	131.8
LVWPS-U1-MW01A	UMCf	26735054.25	838206.27	1526.30	1526.15	31.60	Single	Schedule 40 PVC	0.010	#2/16	6	116.0	2	25	115.5	115	90.3
LVWPS-U1-MW01B	UMCf	26735052.48	838200.84	1525.78	1525.85	30.95	Single	Schedule 80 PVC	0.010	#2/16	8	157.5	4	20	153.5	153	133.5
LVWPS-U1-MW02A	UMCf	26734972.90	838277.36	1529.90	1529.61	35.00	Single	Schedule 40 PVC	0.010	#2/16	6	120.0	2	25	119.5	119	94.3
LVWPS-U1-MW02B	UMCf	26734976.53	838276.51	1529.75	1529.63	34.81	Single	Schedule 80 PVC	0.010	#2/16	8	165.0	4	25	162	161.5	136.9
LVWPS-U1-MW03B	UMCf	26735108.31	838199.29	1527.13	1527.06	32.32	Single	Schedule 80 PVC	0.010	#2/16	8	165.0	4	20	154.5	154	134.5
LVWPS-U1-MW04A	UMCf	26735021.39	838264.46	1529.55	1529.35	34.82	Single	Schedule 40 PVC	0.010	#2/16	6	126.5	2	25	124.5	124	99.3
LVWPS-U1-MW04B	UMCf	26735026.82	838262.94	1529.47	1529.33	34.59	Single	Schedule 80 PVC	0.010	#2/16	8	175.0	4	25	165		

**Table 1**  
**Phase 2 Well Construction Details**  
Las Vegas Wash Bioremediation Pilot Study

Well ID	Screened Lithology	Northing	Easting	Ground Surface Elevation	Top of Casing Elevation	Depth to Water <sup>1</sup>	Construction Type	Construction Material	Slot Size	Filter Pack Gradation	Borehole Diameter	Borehole Total Depth	Well Diameter	Nominal Screen Length	Well Total Depth	Bottom of Screen	Top of Screen
				feet amsl	feet amsl	feet bTOC					inches	inches	feet bgs	inches	feet	feet bgs	feet bgs
<b>Zone 2 Study Area</b>																	
LVWPS-A2-DR01A	Alluvium	26734896.39	838889.65	1524.78	1524.77	31.90	Single	Schedule 40 PVC	0.020	#3	6	72.0	2	35	71.5	71	36.3
LVWPS-A2-DR01B	Alluvium	26734896.42	838884.23	1524.80	1524.57	31.75	Single	Schedule 40 PVC	0.020	#3	6	113.0	2	35	112.5	112	77.3
LVWPS-A2-DR02A	Alluvium	26734894.17	838964.08	1524.91	1524.65	32.00	Single	Schedule 40 PVC	0.020	#3	6	52.5	2	15	52	51.5	36.8
LVWPS-A2-DR02B	Alluvium	26734896.56	838956.61	1524.91	1524.90	32.09	Single	Schedule 40 PVC	0.020	#3	6	78.5	2	20	78	77.5	57.8
LVWPS-A2-IW01A	Alluvium	26734887.97	838782.98	1530.17	1529.79	36.44	Dual-Nested	Schedule 40 PVC	0.020	#3	10	105.0	2	25	66.5	66	41.3
LVWPS-A2-IW01B	Alluvium	26734888.00	838782.65	1530.17	1529.78	36.64		Schedule 40 PVC	0.020	#3			2	25	98	97.5	72.8
LVWPS-A2-IW02A	Alluvium	26734888.97	838815.84	1529.49	1529.01	35.88	Dual-Nested	Schedule 40 PVC	0.020	#3	10	110.0	2	30	69	68.5	38.8
LVWPS-A2-IW02B	Alluvium	26734889.05	838815.49	1529.49	1529.03	36.22		Schedule 40 PVC	0.020	#3			2	25	100.5	100	75.3
LVWPS-A2-IW03A	Alluvium	26734888.88	838851.00	1527.28	1526.93	33.94	Dual-Nested	Schedule 40 PVC	0.020	#3	10	115.0	2	30	67.5	67	37.3
LVWPS-A2-IW03B	Alluvium	26734889.18	838850.83	1527.28	1526.93	33.94		Schedule 40 PVC	0.020	#3			2	30	104	103.5	73.8
LVWPS-A2-IW04A	Alluvium	26734889.81	838887.08	1524.70	1524.57	31.70	Dual-Nested	Schedule 40 PVC	0.020	#3	10	115.0	2	35	71.5	71	36.3
LVWPS-A2-IW04B	Alluvium	26734890.02	838886.74	1524.70	1524.61	31.80		Schedule 40 PVC	0.020	#3			2	35	112.5	112	77.3
LVWPS-A2-IW05A	Alluvium	26734889.15	838921.04	1524.89	1524.86	32.05	Dual-Nested	Schedule 40 PVC	0.020	#3	10	105.0	2	25	63	62.5	37.8
LVWPS-A2-IW05B	Alluvium	26734889.30	838920.74	1524.89	1524.83	31.94		Schedule 40 PVC	0.020	#3			2	25	94	93.5	68.8
LVWPS-A2-IW06A	Alluvium	26734888.81	838957.92	1524.94	1524.91	32.20	Dual-Nested	Schedule 40 PVC	0.020	#3	10	80.0	2	15	52	51.5	36.8
LVWPS-A2-IW06B	Alluvium	26734888.84	838957.55	1524.94	1524.89	32.10		Schedule 40 PVC	0.020	#3			2	20	78	77.5	57.8
LVWPS-A2-IW07A	Alluvium	26734889.27	838991.11	1524.39	1524.31	31.57	Dual-Nested	Schedule 40 PVC	0.020	#3	10	85.0	2	15	50.5	50	35.3
LVWPS-A2-IW07B	Alluvium	26734889.32	838990.81	1524.39	1524.34	31.57		Schedule 40 PVC	0.020	#3			2	20	76.5	76	56.3
LVWPS-A2-IW08A	Alluvium	26734889.80	839026.35	1524.85	1524.74	32.10	Dual-Nested	Schedule 40 PVC	0.020	#3	10	90.0	2	20	56	55.5	35.8
LVWPS-A2-IW08B	Alluvium	26734889.91	839026.04	1524.85	1524.80	32.15		Schedule 40 PVC	0.020	#3			2	20	82	81.5	61.8
LVWPS-A2-IW09A	Alluvium	26734889.16	839061.18	1525.33	1525.37	32.68	Dual-Nested	Schedule 40 PVC	0.020	#3	10	85.0	2	15	52	51.5	36.8
LVWPS-A2-IW09B	Alluvium	26734889.14	839060.89	1525.33	1525.37	32.69		Schedule 40 PVC	0.020	#3			2	15	74	73.5	58.8
LVWPS-A2-MW01A	Alluvium	26734838.04	838817.08	1526.61	1526.29	33.07	Single	Schedule 40 PVC	0.020	#3	6	61	2	20	60.5	60	40.3
LVWPS-A2-MW01B	Alluvium	26734837.91	838821.64	1526.61	1526.16	33.09	Single	Schedule 40 PVC	0.020	#3	6	91	2	20	90.5	90	70.3
LVWPS-A2-MW02A	Alluvium	26734839.33	838936.61	1527.83	1527.49	34.66	Single	Schedule 40 PVC	0.020	#3	6	61	2	20	60.5	60	40.3
LVWPS-A2-MW02B	Alluvium	26734839.33	838940.48	1527.88	1527.62	34.55	Single	Schedule 40 PVC	0.020	#3	6	91	2	20	90.5	90	70.3
LVWPS-A2-MW03A	Alluvium	26734839.87	839041.77	1528.00	1527.72	34.95	Single	Schedule 40 PVC	0.020	#3	6	60	2	20	58.5	58	38.3
LVWPS-A2-MW03B	Alluvium	26734839.96	839046.05	1528.02	1527.68	34.90	Single	Schedule 40 PVC	0.020	#3	6	85	2	20	84.5	84	64.3
LVWPS-A2-MW04A	Alluvium	26734900.17	838770.49	1527.54	1527.55	34.24	Single	Schedule 40 PVC	0.020	#3	6	64.5	2	20	64	63.5	43.8
LVWPS-A2-MW04B	Alluvium	26734901.60	838772.88	1528.17	1527.86	34.91	Single	Schedule 40 PVC	0.020	#3	6	96.0	2	20	95.5	95	75.3
LVWPS-A2-MW05A	Alluvium	26734901.04	839073.31	1524.49	1524.18	31.50	Single	Schedule 40 PVC	0.020	#3	6	53.0	2	15	52	51.5	36.8
LVWPS-A2-MW05B	Alluvium	26734903.12	839070.97	1524.49	1524.29	31.68	Single	Schedule 40 PVC	0.020	#3	6	75.0	2	15	74	73.5	58.8
LVWPS-A2-MW08A	Alluvium	26734933.48	838815.75	1529.44	1529.35	36.36	Single	Schedule 40 PVC	0.020	#3	6	56.0	2	15	55.5	55	40.3
LVWPS-A2-MW08B	Alluvium	26734937.17	838818.51	1529.20	1528.84	35.90	Single	Schedule 40 PVC	0.020	#3	6	81.3	2	20	80	79.5	59.8
LVWPS-A2-MW08C	Alluvium	26734938.06	838813.32	1529.24	1528.93	36.25	Single	Schedule 40 PVC	0.020	#3	6	110.0	2	20	106.5	106	86.3
LVWPS-A2-MW09A	Alluvium	26734942.12	839052.25	1523.77	1523.56	30.91	Single	Schedule 40 PVC	0.020	#3	6	56.0					

**Table 1**  
**Phase 2 Well Construction Details**  
Las Vegas Wash Bioremediation Pilot Study

Well ID	Screened Lithology	Northing	Easting	Ground Surface Elevation	Top of Casing Elevation	Depth to Water <sup>1</sup>	Construction Type	Construction Material	Slot Size	Filter Pack Gradation	Borehole Diameter	Borehole Total Depth	Well Diameter	Nominal Screen Length	Well Total Depth	Bottom of Screen	Top of Screen
				feet amsl	feet amsl	feet bTOC					inches	inches	feet bgs	inches	feet	feet bgs	feet bgs
LVWPS-A2-MW09B	Alluvium	26734943.95	839045.22	1523.85	1523.67	31.31	Single	Schedule 40 PVC	0.020	#3	6	85.0	2	20	79	78.5	58.8
LVWPS-A2-MW11A	Alluvium	26734984.76	838791.31	1528.05	1528.00	35.10	Single	Schedule 40 PVC	0.020	#3	6	61.5	2	20	60.5	60	40.3
LVWPS-A2-MW11B	Alluvium	26734986.77	838787.83	1528.01	1527.79	35.06	Single	Schedule 40 PVC	0.020	#3	6	86.0	2	20	85.5	85	65.3
LVWPS-A2-MW11C	Alluvium	26734987.49	838793.00	1528.09	1527.81	35.36	Single	Schedule 40 PVC	0.020	#3	6	114.0	2	20	110.5	110	90.3
LVWPS-A2-MW12A	Alluvium	26734988.20	838951.66	1523.08	1522.85	30.24	Single	Schedule 40 PVC	0.020	#3	6	46.0	2	10	45	44.5	34.9
LVWPS-A2-MW12B	Alluvium	26734989.46	838955.96	1523.15	1522.94	30.48	Single	Schedule 40 PVC	0.020	#3	6	75.0	2	20	69.5	69	49.3
LVWPS-A2-MW13A	Alluvium	26734986.06	839098.37	1523.62	1523.23	31.00	Single	Schedule 40 PVC	0.020	#3	6	62.0	2	20	61.5	61	41.3
LVWPS-A2-MW13B	Alluvium	26734989.09	839099.95	1523.60	1523.40	31.44	Single	Schedule 40 PVC	0.020	#3	6	90.0	2	20	86.6	86.1	66.4
LVWPS-A2-MW14A	Alluvium	26734938.41	838942.48	1524.15	1523.84	31.16	Single	Schedule 40 PVC	0.020	#3	6	51.5	2	15	51	50.5	35.8
LVWPS-A2-MW14B	Alluvium	26734938.74	838946.20	1524.51	1524.32	31.70	Single	Schedule 40 PVC	0.020	#3	6	80.0	2	20	75	74.5	54.8
LVWPS-A2-MW15A	Alluvium	26735094.04	838828.85	1521.20	1520.95	28.70	Single	Schedule 40 PVC	0.020	#3	6	61.0	2	20	60	59.5	39.8
LVWPS-A2-MW15B	Alluvium	26735101.30	838829.49	1521.68	1521.37	29.34	Single	Schedule 40 PVC	0.020	#3	6	110.0	2	20	90.5	90	70.3
LVWPS-A2-MW16A	Alluvium	26735252.27	838928.69	1520.47	1520.73	29.34	Single	Schedule 40 PVC	0.020	#3	6	56.0	2	20	56	55.5	35.8
LVWPS-A2-MW16B	Alluvium	26735258.00	838931.03	1520.25	1520.51	29.21	Single	Schedule 40 PVC	0.020	#3	6	90.0	2	20	80.5	80	60.3
LVWPS-A2-MW17A	Alluvium	26734983.57	838866.47	1526.43	1526.35	33.65	Single	Schedule 40 PVC	0.020	#3	6	61.5	2	20	60.5	60	40.3
LVWPS-A2-MW17B	Alluvium	26734985.17	838863.03	1526.25	1526.26	33.65	Single	Schedule 40 PVC	0.020	#3	6	86.0	2	20	85.5	85	65.3
LVWPS-A2-MW17C	Alluvium	26734989.37	838862.92	1526.03	1525.81	33.86	Single	Schedule 40 PVC	0.020	#3	6	115.5	2	20	110.5	110	90.3
LVWPS-U2-DR01	UMCf	26734896.14	838880.43	1524.84	1524.74	32.06	Single	Schedule 40 PVC	0.010	#2/16	6	142.0	2	20	141.5	141	121.3
LVWPS-U2-DR02	UMCf	26734896.48	838953.23	1524.85	1524.76	32.25	Single	Schedule 40 PVC	0.010	#2/16	6	109.5	2	25	109	108.5	83.8
LVWPS-U2-IW01	UMCf	26734889.36	838880.42	1524.71	1524.63	32.09	Single	Schedule 40 PVC	0.010	#2/16	6	155.0	2	20	141.5	141	121.2
LVWPS-U2-IW02	UMCf	26734889.50	838905.01	1525.09	1525.07	32.55	Single	Schedule 40 PVC	0.010	#2/16	6	145.0	2	25	141.5	141	116.2
LVWPS-U2-IW03	UMCf	26734889.40	838930.38	1524.99	1524.91	32.25	Single	Schedule 40 PVC	0.010	#2/16	6	125.0	2	25	124.5	124	99.2
LVWPS-U2-IW04	UMCf	26734888.87	838954.79	1524.89	1524.84	32.10	Single	Schedule 40 PVC	0.010	#2/16	6	145.0	2	25	109	108.5	83.7
LVWPS-U2-IW05	UMCf	26734889.80	838980.34	1524.54	1524.54	32.80	Single	Schedule 40 PVC	0.010	#2/16	6	120.0	2	30	118	117.5	87.7
LVWPS-U2-IW06	UMCf	26734889.08	839005.30	1524.82	1524.70	32.52	Single	Schedule 40 PVC	0.010	#2/16	6	115.0	2	15	104.5	104	89.2
LVWPS-U2-IW07	UMCf	26734889.76	839029.85	1524.95	1524.98	32.40	Single	Schedule 40 PVC	0.010	#2/16	6	115.0	2	15	106.5	106	91.2
LVWPS-U2-IW08	UMCf	26734889.41	839055.50	1525.34	1525.29	32.72	Single	Schedule 40 PVC	0.010	#2/16	6	115.0	2	25	109	108.5	83.7
LVWPS-U2-IW09	UMCf	26734886.72	838779.73	1529.53	1529.26	36.22	Single	Schedule 40 PVC	0.010	#2/16	6	130.0	2	25	128.5	128	103.2
LVWPS-U2-IW10	UMCf	26734887.07	838805.16	1529.51	1529.59	36.72	Single	Schedule 40 PVC	0.010	#2/16	6	135.0	2	20	129.5	129	109.3
LVWPS-U2-IW11	UMCf	26734886.91	838830.51	1528.30	1528.02	35.26	Single	Schedule 40 PVC	0.010	#2/16	6	135.0	2	25	134.2	133.7	108.9
LVWPS-U2-IW12	UMCf	26734889.28	838856.13	1526.66	1526.14	33.53	Single	Schedule 40 PVC	0.010	#2/16	6	139.0	2	25	138	137.5	112.8
LVWPS-U2-MW01	UMCf	26734837.77	838825.83	1526.69	1526.40	33.42	Single	Schedule 40 PVC	0.010	#2/16	6	125	2	20	117.5	117	97.3
LVWPS-U2-MW02	UMCf	26734839.36	838945.11	1527.94	1527.68	35.20	Single	Schedule 40 PVC	0.010	#2/16	6	126	2	25	125.5	125	100.3
LVWPS-U2-MW03	UMCf	26734839.69	839050.30	1527.99	1527.66	34.91	Single	Schedule 40 PVC	0.010	#2/16	6	115	2	20	110.5	110	90.3
LVWPS-U2-MW04	UMCf	26734895.79	838771.90	1528.66	1528.35	35.35	Single	Schedule 40 PVC	0.010	#2/16	6	130.0	2	25	128.5	128	103.2
LVWPS-U2-MW05	UMCf	26734897.24	839064.72	1524.94	1524.76	32.20	Single	Schedule 40 PVC	0.010	#2/16	6	110.0	2	25	108.5	108	83.2
LVWPS-U2-MW06	UMCf	26734914.99	838875.13	1525.48	1524.89	32.40	Single	Schedule 40 PVC	0.010	#2/16	6	142.5	2	20	142	141.5	121.8
LVWPS-U2-MW07	UMCf	26734914.74	839095.07	1524.53	1524.37	31.82	Single	Schedule 40 PVC	0.010	#2/16	6	120.0	2	20	108.5</td		

**Table 1**  
**Phase 2 Well Construction Details**  
Las Vegas Wash Bioremediation Pilot Study

Well ID	Screened Lithology	Northing	Easting	Ground Surface Elevation	Top of Casing Elevation	Depth to Water <sup>1</sup>	Construction Type	Construction Material	Slot Size	Filter Pack Gradation	Borehole Diameter	Borehole Total Depth	Well Diameter	Nominal Screen Length	Well Total Depth	Bottom of Screen	Top of Screen
				feet amsl	feet amsl	feet bTOC					inches	inches	feet bgs	inches	feet	feet bgs	feet bgs
LVWPS-BH01	---	26734872.28	838780.13	1530.46	---	---	Soil Boring	---	---	---	6	105.0	---	---	---	---	---
<b>Zone 3 Study Area</b>																	
LVWPS-A3-DR01	Alluvium	26734911.52	839503.33	1522.87	1522.71	30.41	Single	Schedule 40 PVC	0.020	#3	6	76.5	2	20	76	75.5	55.8
LVWPS-A3-MW02	Alluvium	26734944.12	839475.20	1522.61	1522.39	30.30	Single	Schedule 40 PVC	0.020	#3	6	85.0	2	20	73	72.5	52.8
LVWPS-A3-MW06	Alluvium	26734960.45	839530.77	1522.32	1521.99	30.03	Single	Schedule 40 PVC	0.020	#3	6	76.0	2	20	75.5	75	55.3
LVWPS-A3-MW07	Alluvium	26734843.39	839449.63	1525.17	1525.06	32.48	Single	Schedule 40 PVC	0.020	#3	6	75	2	20	75	74.5	54.8
LVWPS-A3-MW08	Alluvium	26734864.46	839588.62	1525.58	1525.30	32.90	Single	Schedule 40 PVC	0.020	#3	6	110	2	20	105	104.5	84.8
LVWPS-A3-MW10	Alluvium	26734994.40	839445.10	1521.78	1521.72	30.06	Single	Schedule 40 PVC	0.020	#3	6	77.0	2	20	76.5	76	56.3
LVWPS-A3-MW11	Alluvium	26735007.80	839556.93	1521.33	1521.36	29.41	Single	Schedule 40 PVC	0.020	#3	6	80.0	2	20	74	73.5	53.8
LVWPS-A3-MW12	Alluvium	26735042.88	839483.87	1520.86	1520.75	29.13	Single	Schedule 40 PVC	0.020	#3	6	80.0	2	20	79.5	79	59.3
LVWPS-U3-DR01A	UMCf-cg	26734912.10	839506.61	1522.95	1522.72	30.55	Single	Schedule 40 PVC	0.010	#2/16	6	124.5	2	30	123.5	123	93.3
LVWPS-U3-DR01B	UMCf-cg	26734912.55	839510.18	1522.84	1522.69	30.71	Single	Schedule 80 PVC	0.010	#2/16	6	160.0	2	30	159.5	159	129.3
LVWPS-U3-DR02A	UMCf-cg	26734924.88	839575.78	1523.27	1523.13	30.96	Single	Schedule 40 PVC	0.010	#2/16	6	112.5	2	25	111.5	111	86.3
LVWPS-U3-DR02B	UMCf-cg	26734925.39	839579.10	1523.15	1522.98	31.05	Single	Schedule 40 PVC	0.010	#2/16	6	144.0	2	25	143	142.5	117.8
LVWPS-U3-DR02C	UMCf-cg	26734925.79	839582.56	1523.10	1522.90	31.03	Single	Schedule 80 PVC	0.010	#2/16	6	175.0	2	25	174.5	174	149.3
LVWPS-U3-IW01	UMCf-cg	26734893.19	839433.14	1522.95	1525.61	34.12	Single	Schedule 40 PVC	0.010	#2/16	10	118.0	2	35	115.5	115	80.2
LVWPS-U3-IW02A	UMCf-cg	26734896.96	839458.60	1522.81	1524.20	33.32	Dual-Nested	Schedule 40 PVC	0.010	#2/16	10	128.0	2	20	99.5	99	79.3
LVWPS-U3-IW02B	UMCf-cg	26734896.77	839458.31	1522.81	1524.22	32.78		Schedule 40 PVC	0.010	#2/16			2	20	125	124.5	104.8
LVWPS-U3-IW03A	UMCf-cg	26734901.01	839482.33	1522.92	1524.25	32.31	Dual-Nested	Schedule 40 PVC	0.010	#2/16	10	144.0	2	25	103	102.5	77.8
LVWPS-U3-IW03B	UMCf-cg	26734901.38	839482.28	1522.92	1524.33	32.61		Schedule 40 PVC	0.010	#2/16			2	30	139.5	139	109.3
LVWPS-U3-IW04A	UMCf-cg	26734905.65	839507.50	1523.09	1522.80	30.46	Dual-Nested	Schedule 40 PVC	0.010	#2/16	10	160.0	2	30	123.5	123	93.3
LVWPS-U3-IW04B	UMCf-cg	26734905.89	839507.21	1523.09	1522.81	30.87		Schedule 40 PVC	0.010	#2/16			2	30	159.5	159	129.3
LVWPS-U3-IW05A	UMCf-cg	26734909.80	839531.81	1522.62	1522.80	31.46	Dual-Nested	Schedule 40 PVC	0.010	#2/16	10	175.0	2	35	126.5	126	91.3
LVWPS-U3-IW05B	UMCf-cg	26734909.78	839531.47	1522.62	1522.80	30.58		Schedule 40 PVC	0.010	#2/16			2	35	168	167.5	132.8
LVWPS-U3-IW06A	UMCf-cg	26734914.65	839556.40	1522.79	1522.83	30.52	Triple-Nested	Schedule 40 PVC	0.010	#2/16	10	175.0	2	25	111.5	111	86.3
LVWPS-U3-IW06B	UMCf-cg	26734914.56	839556.00	1522.79	1522.89	30.68		Schedule 40 PVC	0.010	#2/16			2	25	143	142.5	117.8
LVWPS-U3-IW06C	UMCf-cg	26734914.32	839556.27	1522.79	1522.85	31.02		Schedule 40 PVC	0.010	#2/16			2	25	174.5	174	149.3
LVWPS-U3-IW07A	UMCf-cg	26734918.75	839580.97	1523.32	1523.03	30.80	Triple-Nested	Schedule 40 PVC	0.010	#2/16	10	175.0	2	25	111.5	111	86.3
LVWPS-U3-IW07B	UMCf-cg	26734918.38	839580.95	1523.32	1523.03	31.02		Schedule 40 PVC	0.010	#2/16			2	25	143	142.5	117.8
LVWPS-U3-IW07C	UMCf-cg	26734918.60	839580.61	1523.32	1523.03	31.02		Schedule 40 PVC	0.010	#2/16			2	25	174.5	174	149.3
LVWPS-U3-IW08A	UMCf-cg	26734923.35	839605.13	1523.23	1523.11	30.87	Triple-Nested	Schedule 40 PVC	0.010	#2/16	10	175.0	2	25	111.5	111	86.3
LVWPS-U3-IW08B	UMCf-cg	26734923.06	839605.34	1523.23	1523.09	31.08		Schedule 40 PVC	0.010	#2/16			2	25	143	142.5	117.8
LVWPS-U3-IW08C	UMCf-cg	26734923.00	839604.97	1523.23	1523.10	31.05		Schedule 40 PVC	0.010	#2/16			2	25	174.5	174	149.3
LVWPS-U3-MW01B	UMCf-cg	26734942.69	839376.18	1522.54	1522.41	30.90	Single	Schedule 80 PVC	0.010	#2/16	8	107.5	4	20	103.8	103.3	83.8
LVWPS-U3-MW02A	UMCf-cg	26734948.75	839479.60	1522.40	1522.13	30.42	Single	Schedule 40 PVC	0.010	#2/16	6	98.5	2	15	97.5	97	82.3
LVWPS-U3-MW02B	UMCf-cg	26734943.22	839481.31	1522.50	1522.21	30.76	Single	Schedule 80 PVC	0.010	#2/16	8	130.0	4	20	123	122.5	103
LVWPS-U3-MW03A	UMCf-cg	2673															

**Table 1**  
**Phase 2 Well Construction Details**  
Las Vegas Wash Bioremediation Pilot Study

Well ID	Screened Lithology	Northing	Easting	Ground Surface Elevation	Top of Casing Elevation	Depth to Water <sup>1</sup>	Construction Type	Construction Material	Slot Size	Filter Pack Gradation	Borehole Diameter	Borehole Total Depth	Well Diameter	Nominal Screen Length	Well Total Depth	Bottom of Screen	Top of Screen
				feet amsl	feet amsl	feet bTOC					inches	inches	feet bgs	inches	feet	feet bgs	feet bgs
LVWPS-U3-MW10A	UMCf-cg	26734997.78	839440.95	1521.78	1521.47	30.09	Single	Schedule 40 PVC	0.010	#2/16	6	97.0	2	10	95.5	95	85.3
LVWPS-U3-MW10B	UMCf-cg	26734999.52	839447.11	1521.68	1521.55	30.14	Single	Schedule 40 PVC	0.010	#2/16	6	130.0	2	20	121.5	121	101.3
LVWPS-U3-MW11A	UMCf-cg	26735013.48	839552.91	1521.42	1521.39	29.79	Single	Schedule 40 PVC	0.010	#2/16	6	107.5	2	20	106.5	106	86.3
LVWPS-U3-MW11B	UMCf-cg	26735014.90	839559.83	1521.28	1521.35	29.91	Single	Schedule 40 PVC	0.010	#2/16	6	138.0	2	25	137.5	137	112.3
LVWPS-U3-MW11C	UMCf-cg	26735017.93	839555.86	1521.33	1521.20	29.83	Single	Schedule 80 PVC	0.010	#2/16	6	170.0	2	20	163.4	163	143.3
LVWPS-U3-MW12A	UMCf-cg	26735045.73	839479.41	1521.01	1520.83	29.40	Single	Schedule 40 PVC	0.010	#2/16	6	109.5	2	20	108.5	108	88.3
LVWPS-U3-MW12B	UMCf-cg	26735047.74	839484.29	1520.91	1520.74	29.36	Single	Schedule 40 PVC	0.010	#2/16	6	140.0	2	25	138.5	138	113.3
LVWPS-U3-MW13A	UMCf-cg	26734933.25	839516.75	1522.40	1522.24	30.21	Single	Schedule 40 PVC	0.010	#2/16	6	122.5	2	25	121.5	121	96.3
LVWPS-U3-MW13B	UMCf-cg	26734934.09	839522.37	1522.01	1521.91	30.00	Single	Schedule 40 PVC	0.010	#2/16	6	155.0	2	15	148	147.5	132.8
<b>Extraction Wells</b>																	
LVWPS-EW01	Alluvium	26734957.94	838426.21	1530.03	1529.74	35.74	Single	Schedule 40 PVC with Stainless Steel Wire Wrap Screen	0.020	12-20	10	95.0	6	40	85	84.5	44.8
LVWPS-EW02	Alluvium	26734885.98	838507.29	1523.66	1523.25	29.20	Single	Schedule 40 PVC with Stainless Steel Wire Wrap Screen	0.020	12-20	10	61.0	6	30	58.5	58	28.3
LVWPS-EW03	Alluvium	26734886.94	838621.90	1523.14	1522.70	28.95	Single	Schedule 40 PVC with Stainless Steel Wire Wrap Screen	0.020	12-20	10	81.0	6	30	70.5	70	40.3
LVWPS-EW04	Alluvium	26734947.54	838573.33	1522.40	1521.92	28.20	Single	Schedule 40 PVC with Stainless Steel Wire Wrap Screen	0.020	12-20	10	47.0	6	20	46.5	46	26.3
LVWPS-EW05	Alluvium	26734978.54	838497.51	1529.76	1529.42	35.60	Single	Schedule 40 PVC with Stainless Steel Wire Wrap Screen	0.020	12-20	10	81.0	6	30	80.5	80	50.3

## Notes

amsl - above mean sea level

bgs - below ground surface

bTOC - below top of casing

PVC - polyvinyl chloride

UMCf - Upper Muddy Creek formation

UMCf-cg - Upper Muddy Creek formation - coarse grained facies

UMCf/Horse Springs- Alternating layers of UMCf, semi-consolidated UMCf, and reworked Horse Springs formation.

UMCf (Semi-Cons) - Semi-consolidated Upper Muddy Creek formation

--- Not Applicable

1. Depth to water measurements collected in October 2020.

2. Well names including IW indicate an injection well. Well names including DR indicate a dose response well. Well names including MW indicate a monitoring well. Well names including EW indicate an extraction well.

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	EPA 314.0 Perchlorate	EPA 300.1B Chlorate	Anions by EPA 300.0 Nitrate (as N)	Anions by EPA 300.0 Nitrite (as N)	Anions by EPA 300.0 Sulfate	SM5310B Total Organic Carbon	FIELD TESTS Conductivity	FIELD TESTS Dissolved Oxygen
						µg/L	µg/L	mg/L	mg/L	mg/L	mg/L	mS/cm	mg/L
Extraction	LVWPS-EW01	9/29/2020	N	Qal	44.8 - 84.5	2,900	13,000	23	----	2,200	1.6	6.283	2.76
Extraction	LVWPS-EW02	9/29/2020	N	Qal	28.3 - 58.0	2,900	5,500	20	----	2,100	1.9	5.614	4.29
Extraction	LVWPS-EW03	9/30/2020	N	Qal	40.3 - 70.0	3,100	5,000	18	----	2,100	1.7	4.379	4.09
Extraction	LVWPS-EW04	9/30/2020	N	Qal	26.3 - 46.0	2,800	5,200	20	----	2,100	2.0	4.449	4.35
Extraction	LVWPS-EW05	9/29/2020	N	Qal	50.3 - 80.0	2,800	11,000	23	----	2,100	1.8	5.964	2.32
Extraction	LVWPS-EW05	9/29/2020	FD	Qal	50.3 - 80.0	2,800	11,000	23	----	2,100	1.7	----	----
Extraction	LVWPS-MW206A	9/30/2020	N	Qal	39.8 - 59.5	3,400 J-	8,500	23	----	2,100	4.892	3.77	4.892
Extraction	LVWPS-MW206B	9/30/2020	N	Qal	69.9 - 89.5	2,800	16,000	10	----	2,100	5.314	1.84	5.314
Extraction	LVWPS-MW206C	9/30/2020	N	UMCf	100.3 - 120.0	4,900 J-	6,000	3.4	----	2,100	4.959	2.70	4.959
Extraction	LVWPS-MW206D	10/6/2020	N	UMCf	125.3 - 145.0	9.5	<10	<0.014	----	2,100	6.841	2.08	6.841
Extraction	LVWPS-MW206E	10/5/2020	N	UMCf (Semi-Cons)	195.5 - 205.0	39	<100	<0.014	----	2,100	13.150	2.11	13.150
General Vicinity	LVWPS-MW201A	9/28/2020	N	Qal	28.2 - 47.8	1,800	11,000	13	----	2,100	4.033	0.59	4.033
General Vicinity	LVWPS-MW201B	9/28/2020	N	UMCf	60.1 - 79.8	610	560	0.55	----	2,100	15.874	1.13	15.874
General Vicinity	LVWPS-MW202	9/29/2020	N	Qal	41.8 - 61.5	1,100	6,000	12	----	2,100	3.702	0.80	3.702
General Vicinity	LVWPS-MW203A	9/30/2020	N	Qal	34.8 - 54.5	120	<40	9.3	----	2,100	2.200	0.74	2.200
General Vicinity	LVWPS-MW203A	9/30/2020	FD	Qal	34.8 - 54.5	120	<40	9.3	----	2,100	----	----	----
General Vicinity	LVWPS-MW203B	9/30/2020	N	UMCf	75.1 - 94.7	2.6 J-	<40	<0.014	----	2,100	19.019	0.88	19.019
General Vicinity	LVWPS-MW203C	9/30/2020	N	UMCf (Semi-Cons)	100.3 - 120.0	<0.31	<20	<0.014	----	2,100	40.583	0.65	40.583
General Vicinity	LVWPS-MW204	9/28/2020	N	Qal	50.3 - 70.0	1,600	10,000	14	----	1,300	4.252	1.84	4.252
General Vicinity	LVWPS-MW204	9/28/2020	FD	Qal	50.3 - 70.0	1,600	10,000	14	----	1,300	----	----	----
General Vicinity	LVWPS-MW204B	9/28/2020	N	UMCf	101.5 - 121.2	12,000	22,000	15	----	1,800	0.75	6.199	2.92
General Vicinity	LVWPS-MW204C	10/7/2020	N	UMCf (Semi-Cons)	150.5 - 170.0	46	<100	<0.028	----	2,100	39.994	2.40	39.994
General Vicinity	LVWPS-MW205B	9/28/2020	N	Qal	64.9 - 84.6	1,300	6,300	12	----	2,100	2.971	0.50	2.971
General Vicinity	LVWPS-MW205C	9/29/2020	N	Qal	100.3 - 120.0	790	2,700	11	----	2,100	2.597	0.87	2.597
General Vicinity	LVWPS-MW207	9/28/2020	N	Qal	68.1 - 87.8	2,200	14,000	18	----	1,800	5.342	1.55	5.342
General Vicinity	LVWPS-MW209	10/6/2020	N	Qal	71.3 - 91.0	2,700	8,500	22	----	2,200	4.681	4.40	4.681
General Vicinity	LVWPS-MW209	10/6/2020	FD	Qal	71.3 - 91.0	2,800	9,000	22	----	2,200	----	----	----
General Vicinity	LVWPS-MW209A	10/6/2020	N	Qal	35.3 - 55.0	2,800	6,800	21	----	2,200	1.7	4.903	4.72
General Vicinity	LVWPS-MW209B	10/6/2020	N	UMCf-cg	110.3 - 130.0	2,700	8,300	21	----	2,100	4.983	4.30	4.983
General Vicinity	LVWPS-MW209C	10/7/2020	N	UMCf-cg	151.0 - 170.5	8,500	12,000	14	----	2,100	6.291	2.44	6.291
General Vicinity	LVWPS-MW210A	10/6/2020	N	Qal	35.3 - 55.0	2,600	12,000	20	----	1,800	4.962	2.44	4.962
General Vicinity	LVWPS-MW210B	10/6/2020	N	Qal	70.1 - 89.8	2,800	9,700	22	----	2,100	5.219	3.60	5.219
General Vicinity	LVWPS-MW210C	10/1/2020	N	UMCf-cg	100.3 - 120.0	10,000 J-	17,000	15	----	2,100	6.168	2.59	6.168
General Vicinity	LVWPS-MW210D	10/7/2020	N	UMCf-cg	130.4 - 140.0	8,500	10,000	3.8	----	2,100	6.960	3.24	6.960
General Vicinity	LVWPS-MW210E	10/7/2020	N	UMCf-cg	145.5 - 165.0	4,400	7,100	2.2	----	2,100	6.935	2.19	6.935
General Vicinity	LVWPS-MW211	9/30/2020	N	Qal	50.0 - 69.7	2,000	3,200	14	----	2,100	4.694	6.33	4.694
General Vicinity	LVWPS-MW213	10/1/2020	N	Qal	40.1 - 59.8	170	260	3.2	----	2,100	3.862	4.96	3.862
General Vicinity	LVWPS-MW213	10/1/2020	FD	Qal	40.1 - 59.8	140	270	3.2	----	2,100	----	----	----
General Vicinity	LVWPS-MW214	10/7/2020	N	Qal	34.4 - 44.0	2,500	3,700	14	----	2,100	4.478	5.16	4.478
General Vicinity	LVWPS-MW215A	10/8/2020	N	Qal	13.5 - 33.2	2,600 J-	9,700	17	----	2,100	3.937	1.26	3.937
General Vicinity	LVWPS-MW215B	10/9/2020	N	Horse Springs	40.7 - 45.3	2,600	6,700	11	----	2,100	3.347	1.46	3.347

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	EPA 314.0 Perchlorate	EPA 300.1B Chlorate	Anions by EPA 300.0 Nitrate (as N)	Anions by EPA 300.0 Nitrite (as N)	Anions by EPA 300.0 Sulfate	SM5310B Total Organic Carbon	FIELD TESTS Conductivity	FIELD TESTS Dissolved Oxygen
						µg/L	µg/L	mg/L	mg/L	mg/L	mg/L	mS/cm	mg/L
General Vicinity	LVWPS-MW216	10/7/2020	N	Qal	10.4 - 20.0	1,100	930	4.0	----	----	----	5.497	0.66
General Vicinity	LVWPS-MW216	10/7/2020	FD	Qal	10.4 - 20.0	1,100	940	4.1	----	----	----	----	----
General Vicinity	LVWPS-MW218A	10/5/2020	N	Qal	35.3 - 55.0	5,100	14,000	20	----	1,900	1.4	4.754	4.72
General Vicinity	LVWPS-MW218B	10/2/2020	N	UMCf/UMCf-cg	100.3 - 120.0	8,400	13,000	16	----	----	----	4.439	5.83
General Vicinity	LVWPS-MW218C	10/2/2020	N	UMCf/UMCf-cg	136.0 - 155.5	5,300	7,200	4.3	----	----	----	5.971	1.78
General Vicinity	LVWPS-MW219A	10/9/2020	N	Qal	35.1 - 49.8	3,500	8,500	19	----	----	----	4.466	5.78
General Vicinity	LVWPS-MW219B	10/9/2020	N	UMCf/Horse Springs	75.3 - 95.0	2.2	<100	<0.014	----	----	----	4.815	3.23
General Vicinity	LVWPS-MW219C	10/9/2020	N	UMCf/Horse Springs	115.5 - 135.0	53	<10	0.045 J	----	----	----	5.550	2.43
General Vicinity	LVWPS-MW220A	10/5/2020	N	Qal	60.3 - 80.0	3,100	9,400	21	----	2,100	1.6	4.524	3.77
General Vicinity	LVWPS-MW220B	10/7/2020	N	UMCf-cg	134.5 - 154.0	4,200	10,000	12	----	----	----	5.186	2.66
General Vicinity	LVWPS-MW225A	10/7/2020	N	Qal	49.3 - 69.0	2,300	5,200	22	----	----	----	3.771	4.35
General Vicinity	LVWPS-MW225A	10/7/2020	FD	Qal	49.3 - 69.0	2,300	5,200	22	----	----	----	----	----
General Vicinity	LVWPS-MW225B	10/7/2020	N	UMCf	90.5 - 110.0	4,000	5,100	3.3	----	----	----	4.183	1.92
General Vicinity	LVWPS-MW226A	10/1/2020	N	Qal	40.3 - 55.0	2,800	5,100	19	----	----	----	4.800	3.71
General Vicinity	LVWPS-MW226A	10/1/2020	FD	Qal	40.3 - 55.0	2,300	4,900	19	----	----	----	----	----
General Vicinity	LVWPS-MW226B	10/1/2020	N	UMCf (Semi-Cons)	77.5 - 97.0	37	<100	<0.014	----	----	----	49.862	0.79
Zone 1	LVWPS-A1-MW04	9/30/2020	N	Qal	69.3 - 89.0	2,000	12,000	15	<0.021	1,600	1.5	4.851	2.26
Zone 1	LVWPS-A1-MW05	9/30/2020	N	Qal	69.3 - 89.0	2,900	16,000	19	----	2,000	1.6	5.120	2.90
Zone 1	LVWPS-A1-MW06	9/29/2020	N	Qal	59.3 - 79.0	1,900	9,000	13	<0.021	1,300	1.4	3.260	1.16
Zone 1	LVWPS-A1-MW07	9/30/2020	N	Qal	58.3 - 78.0	2,900	16,000	19	----	1,900	1.6	4.712	1.43
Zone 1	LVWPS-A1-MW09	9/30/2020	N	Qal	85.8 - 105.5	2,700	15,000	16	----	1,600	1.6	4.172	1.17
Zone 1	LVWPS-A1-MW10	10/1/2020	N	Qal	70.8 - 90.5	4,400 J-	14,000	16	<0.021	1,600	1.4	4.756	1.13
Zone 1	LVWPS-A1-MW10	10/1/2020	FD	Qal	70.8 - 90.5	3,700	14,000	16	<0.021	1,700	1.5	----	----
Zone 1	LVWPS-MW217A	9/30/2020	N	Qal	51.3 - 71.0	2,200	11,000	15	----	1,500	1.4	4.360	2.60
Zone 1	LVWPS-MW217B	9/30/2020	N	UMCf	100.3 - 120.0	7,300	14,000	15	----	1,600	1.0	4.950	2.53
Zone 1	LVWPS-MW217C	10/5/2020	N	UMCf	155.5 - 175.0	6,200	10,000	12	----	1,600	1.5	4.093	2.53
Zone 1	LVWPS-U1-IW01A	9/29/2020	N	UMCf	88.8 - 113.5	9,700	18,000	14	----	----	----	7.007	0.86
Zone 1	LVWPS-U1-IW01B	9/29/2020	N	UMCf	120.3 - 145.0	7,800	13,000	13	----	----	----	7.263	0.80
Zone 1	LVWPS-U1-IW02A	9/30/2020	N	UMCf	90.3 - 115.0	2,200	5,000	11	----	----	----	6.458	0.68
Zone 1	LVWPS-U1-IW02B	9/30/2020	N	UMCf	121.3 - 151.0	3,400	6,900	9.8	----	----	----	7.424	1.82
Zone 1	LVWPS-U1-IW03A	9/30/2020	N	UMCf	93.8 - 118.5	2,500	5,200	13	----	----	----	6.678	0.68
Zone 1	LVWPS-U1-IW03B	9/30/2020	N	UMCf	125.3 - 150.0	1,400	3,900	10	----	----	----	6.482	2.18
Zone 1	LVWPS-U1-IW04A	9/28/2020	N	UMCf	86.8 - 116.5	3,500	6,600	12	----	----	----	4.616	0.53
Zone 1	LVWPS-U1-IW04A	9/28/2020	FD	UMCf	86.8 - 116.5	3,500	6,600	12	----	----	----	----	----
Zone 1	LVWPS-U1-IW04B	9/28/2020	N	UMCf	122.8 - 152.5	3,400	4,800	11	----	----	----	5.000	2.37
Zone 1	LVWPS-U1-IW05A	9/29/2020	N	UMCf	88.8 - 113.5	2,100	4,300	10	----	----	----	5.363	0.51
Zone 1	LVWPS-U1-IW05B	9/29/2020	N	UMCf	120.3 - 145.0	2,500	5,100	11	----	----	----	6.379	1.34
Zone 1	LVWPS-U1-IW06A	9/30/2020	N	UMCf	87.8 - 112.5	2,400	3,600	8.5	----	----	----	8.435	1.60
Zone 1	LVWPS-U1-IW06B	9/30/2020	N	UMCf	119.3 - 149.0	2,500	3,900	10	----	----	----	8.593	2.07
Zone 1	LVWPS-U1-IW07A	10/1/2020	N	UMCf	95.8 - 120.5	3,100	4,500	9.5	----	----	----	7.374	3.39
Zone 1	LVWPS-U1-IW07B	10/1/2020	N	UMCf	127.3 - 152.0	4,300	4,900	9.5	----	----	----	7.542	2.21

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	EPA 314.0 Perchlorate	EPA 300.1B Chlorate	Anions by EPA 300.0 Nitrate (as N)	Anions by EPA 300.0 Nitrite (as N)	Anions by EPA 300.0 Sulfate	SM5310B Total Organic Carbon	FIELD TESTS Conductivity	FIELD TESTS Dissolved Oxygen
						µg/L	µg/L	mg/L	mg/L	mg/L	mg/L	mS/cm	mg/L
Zone 1	LVWPS-U1-IW08A	10/1/2020	N	UMCf	95.3 - 125.0	4,000	7,500	9.7	----	----	----	8.983	1.60
Zone 1	LVWPS-U1-IW08B	10/1/2020	N	UMCf	131.8 - 156.5	4,900	6,700	11	----	----	----	8.889	1.92
Zone 1	LVWPS-U1-MW01A	9/28/2020	N	UMCf	90.3 - 115.0	6,100	11,000	14	----	1,600	1.0	4.948	1.98
Zone 1	LVWPS-U1-MW01B	9/28/2020	N	UMCf	133.5 - 153.0	7,100	12,000	13	----	1,800	1.2 J-	6.232	1.72
Zone 1	LVWPS-U1-MW02A	9/29/2020	N	UMCf	94.3 - 119.0	4,200	7,600	12	----	1,600	1.2	4.803	4.60
Zone 1	LVWPS-U1-MW02B	10/7/2020	N	UMCf	136.9 - 161.5	2,400	4,100	11	----	8,300	1.1	4.302	2.35
Zone 1	LVWPS-U1-MW03B	9/29/2020	N	UMCf	134.5 - 154.0	4,300	7,800	14	----	1,400	1.5	3.241	6.71
Zone 1	LVWPS-U1-MW04A	9/30/2020	N	UMCf	99.3 - 124.0	4,500	9,100	13	<0.021	1,600	1.0	4.988	0.84
Zone 1	LVWPS-U1-MW04B	10/1/2020	N	UMCf	139.9 - 164.5	4,200	9,200	13	0.096	1,700	2.1	5.503	1.75
Zone 1	LVWPS-U1-MW05A	9/29/2020	N	UMCf	95.8 - 120.5	10,000	15,000	14	----	1,900	1.0	5.810	2.23
Zone 1	LVWPS-U1-MW05B	9/29/2020	N	UMCf	136.9 - 161.5	5,100	8,800	13	----	1,800	1.2	5.892	1.71
Zone 1	LVWPS-U1-MW06A	9/29/2020	N	UMCf	85.3 - 105.0	1,100	3,300	11	<0.021	970	1.5	1.969	0.98
Zone 1	LVWPS-U1-MW06B	9/29/2020	N	UMCf	109.3 - 134.0	1,700	3,800	11	0.11	1,000	1.7	2.372	1.03
Zone 1	LVWPS-U1-MW07	9/30/2020	N	UMCf	86.3 - 111.0	4,100	7,700	5.6	----	2,000	0.84	5.197	3.78
Zone 1	LVWPS-U1-MW08A	9/30/2020	N	UMCf	93.8 - 118.5	4,700	7,300	13	----	1,500	1.7	4.328	2.21
Zone 1	LVWPS-U1-MW08B	9/30/2020	N	UMCf	125.3 - 150.0	2,800	5,500	10	----	1,400	1.3	4.432	3.10
Zone 1	LVWPS-U1-MW09A	9/30/2020	N	UMCf	115.3 - 125.0	7,500	12,000	13	----	1,900	1.8	5.080	1.62
Zone 1	LVWPS-U1-MW09B	9/30/2020	N	UMCf	130.3 - 155.0	6,400	11,000	9.6	----	1,900	0.89	5.384	1.80
Zone 1	LVWPS-U1-MW10A	10/2/2020	N	UMCf	99.3 - 124.0	9,200	16,000	9.9	<0.021	2,000	0.55	5.262	3.77
Zone 1	LVWPS-U1-MW10B	10/2/2020	N	UMCf	130.3 - 155.0	4,600	5,100	3.8	<0.021	1,800	0.53	4.870	1.68
Zone 2	LVWPS-A2-IW01A	10/1/2020	N	Qal	41.3 - 66.0	3,300	5,100	19	----	----	----	8.703	4.10
Zone 2	LVWPS-A2-IW01A	10/1/2020	FD	Qal	41.3 - 66.0	3,300	5,000	19	----	----	----	----	----
Zone 2	LVWPS-A2-IW01B	10/1/2020	N	Qal	72.8 - 97.5	2,300	5,400	20	----	----	----	8.826	4.23
Zone 2	LVWPS-A2-IW02A	10/1/2020	N	Qal	38.8 - 68.5	2,900	5,200	18	----	----	----	9.188	4.29
Zone 2	LVWPS-A2-IW02B	10/2/2020	N	Qal	75.3 - 100.0	3,800	6,100	20	----	----	----	5.360	4.44
Zone 2	LVWPS-A2-IW03A	10/2/2020	N	Qal	37.3 - 67.0	3,300	5,400	20	----	----	----	5.657	4.44
Zone 2	LVWPS-A2-IW03B	10/2/2020	N	Qal	73.8 - 103.5	3,400	5,500	18	----	----	----	5.550	4.30
Zone 2	LVWPS-A2-IW03B	10/2/2020	FD	Qal	73.8 - 103.5	2,700	5,400	18	----	----	----	----	----
Zone 2	LVWPS-A2-IW04A	10/2/2020	N	Qal	36.3 - 71.0	2,700	5,600	20	----	----	----	5.890	4.43
Zone 2	LVWPS-A2-IW04B	10/2/2020	N	Qal	77.3 - 112.0	3,200	5,000	18	----	----	----	6.099	5.05
Zone 2	LVWPS-A2-IW05A	10/2/2020	N	Qal	37.8 - 62.5	4,800	6,200	19	----	----	----	6.098	4.44
Zone 2	LVWPS-A2-IW05B	10/2/2020	N	Qal	68.8 - 93.5	4,400	5,300	19	----	----	----	6.213	4.47
Zone 2	LVWPS-A2-IW06A	10/5/2020	N	Qal	36.8 - 51.5	3,700	5,900	18	----	----	----	9.035	5.36
Zone 2	LVWPS-A2-IW06B	10/5/2020	N	Qal	57.8 - 77.5	4,600	4,900	18	----	----	----	9.564	4.75
Zone 2	LVWPS-A2-IW07A	10/5/2020	N	Qal	35.3 - 50.0	3,100	5,500	21	----	----	----	9.716	4.76
Zone 2	LVWPS-A2-IW07A	10/5/2020	FD	Qal	35.3 - 50.0	2,800	5,600	20	----	----	----	----	----
Zone 2	LVWPS-A2-IW07B	10/5/2020	N	Qal	56.3 - 76.0	2,700	4,500	16	----	----	----	8.838	5.14
Zone 2	LVWPS-A2-IW08A	10/5/2020	N	Qal	35.8 - 55.5	3,500	4,800	20	----	----	----	9.800	4.79
Zone 2	LVWPS-A2-IW08B	10/5/2020	N	Qal	61.8 - 81.5	2,100	3,600	13	----	----	----	8.207	5.54
Zone 2	LVWPS-A2-IW09A	10/5/2020	N	Qal	36.8 - 51.5	2,000	3,000	13	----	----	----	8.047	5.36
Zone 2	LVWPS-A2-IW09B	10/6/2020	N	Qal	58.8 - 73.5	1,500	2,300	9.1	----	----	----	3.804	6.22

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	EPA 314.0 Perchlorate	EPA 300.1B Chlorate	Anions by EPA 300.0 Nitrate (as N)	Anions by EPA 300.0 Nitrite (as N)	Anions by EPA 300.0 Sulfate	SM5310B Total Organic Carbon	FIELD TESTS Conductivity	FIELD TESTS Dissolved Oxygen
						µg/L	µg/L	mg/L	mg/L	mg/L	mg/L	mS/cm	mg/L
Zone 2	LVWPS-A2-MW01A	10/8/2020	N	Qal	40.3 - 60.0	2,900	5,500	20	----	2,200	1.8	4.469	4.48
Zone 2	LVWPS-A2-MW01A	10/8/2020	FD	Qal	40.3 - 60.0	2,900	5,600	19	----	2,200	1.8	----	----
Zone 2	LVWPS-A2-MW01B	10/8/2020	N	Qal	70.3 - 90.0	3,100	5,200	18	----	2,100	1.7	4.749	4.49
Zone 2	LVWPS-A2-MW02A	10/8/2020	N	Qal	40.3 - 60.0	3,700	6,500	18	<0.021	2,600	1.3	5.325	4.19
Zone 2	LVWPS-A2-MW02A	10/8/2020	FD	Qal	40.3 - 60.0	3,800	6,600	18	<0.021	2,600	1.3	----	----
Zone 2	LVWPS-A2-MW02B	10/8/2020	N	Qal	70.3 - 90.0	2,300	3,900	14	<0.021	2,100	1.2	4.228	5.81
Zone 2	LVWPS-A2-MW03A	10/9/2020	N	Qal	38.3 - 58.0	1,300	2,000	9.2	----	1,800	0.63	3.170	6.82
Zone 2	LVWPS-A2-MW03A	10/9/2020	FD	Qal	38.3 - 58.0	1,300	2,000	9.1	----	1,800	0.70	----	----
Zone 2	LVWPS-A2-MW03B	10/9/2020	N	Qal	64.3 - 84.0	2,000	3,700	12	----	2,000	0.92	3.931	6.21
Zone 2	LVWPS-A2-MW04A	10/2/2020	N	Qal	43.8 - 63.5	4,100 J	5,300	19	----	2,100	1.7	5.152	5.60
Zone 2	LVWPS-A2-MW04A	10/2/2020	FD	Qal	43.8 - 63.5	2,900 J	5,200	19	----	2,100	1.7	----	----
Zone 2	LVWPS-A2-MW04B	10/2/2020	N	Qal	75.3 - 95.0	3,400	7,300	22	----	2,200	1.7	5.255	3.65
Zone 2	LVWPS-A2-MW05A	10/5/2020	N	Qal	36.8 - 51.5	2,400	3,900	14	----	2,200	1.1	4.201	6.22
Zone 2	LVWPS-A2-MW05B	10/5/2020	N	Qal	58.8 - 73.5	1,900	2,300	8.7	----	2,000	0.66	3.450	7.24
Zone 2	LVWPS-A2-MW08A	9/30/2020	N	Qal	40.3 - 55.0	2,700	2,100	20	----	2,100	1.9 J+	5.016	5.27
Zone 2	LVWPS-A2-MW08B	10/1/2020	N	Qal	59.8 - 79.5	3,800	6,000	21	----	2,000	1.8	4.848	5.25
Zone 2	LVWPS-A2-MW08C	10/1/2020	N	Qal	86.3 - 106.0	4,100	7,200	21	----	2,200	1.7	5.087	4.92
Zone 2	LVWPS-A2-MW09A	10/9/2020	N	Qal	34.8 - 54.5	3,400	5,500	17	----	2,500	1.4	5.583	5.63
Zone 2	LVWPS-A2-MW09B	10/9/2020	N	Qal	58.8 - 78.5	1,600	2,100	8.8	----	2,000	0.60	3.723	7.44
Zone 2	LVWPS-A2-MW11A	10/2/2020	N	Qal	40.3 - 60.0	3,100	5,300	19	----	2,100	1.7	4.703	4.72
Zone 2	LVWPS-A2-MW11A	10/2/2020	FD	Qal	40.3 - 60.0	3,100	5,100	19	----	2,100	1.7	----	----
Zone 2	LVWPS-A2-MW11B	10/2/2020	N	Qal	65.3 - 85.0	2,900	7,200	21	----	2,100	1.7	4.935	4.18
Zone 2	LVWPS-A2-MW11C	10/2/2020	N	Qal	90.3 - 110.0	3,500	11,000	23	----	2,100	1.6	5.308	3.91
Zone 2	LVWPS-A2-MW12A	10/6/2020	N	Qal	34.9 - 44.5	4,400	5,300	18	<0.021	2,100	1.7	4.970	4.83
Zone 2	LVWPS-A2-MW12B	10/7/2020	N	Qal	49.3 - 69.0	4,000	5,600	19	<0.021	2,300	1.6	4.931	4.82
Zone 2	LVWPS-A2-MW13A	10/1/2020	N	Qal	41.3 - 61.0	1,200	2,100	10	----	1,800	0.76	3.986	6.60
Zone 2	LVWPS-A2-MW13B	10/1/2020	N	Qal	66.4 - 86.1	2,200	4,300	15	----	2,200	1.2	5.033	5.76
Zone 2	LVWPS-A2-MW14A	10/6/2020	N	Qal	35.8 - 50.5	2,600	5,400	19	----	2,200	1.7	5.545	5.77
Zone 2	LVWPS-A2-MW14A	10/6/2020	FD	Qal	35.8 - 50.5	2,700	5,100	19	----	2,200	1.7	----	----
Zone 2	LVWPS-A2-MW14B	10/6/2020	N	Qal	54.8 - 74.5	2,800	5,400	18	----	2,300	1.6	5.793	5.42
Zone 2	LVWPS-A2-MW15A	10/7/2020	N	Qal	39.8 - 59.5	3,400	5,100	20	----	2,100	1.7	4.002	4.55
Zone 2	LVWPS-A2-MW15B	10/8/2020	N	Qal	70.3 - 90.0	3,200	9,000	22	----	2,300	1.7	4.319	3.90
Zone 2	LVWPS-A2-MW16A	10/9/2020	N	Qal	35.8 - 55.5	3,500	5,800	22	----	2,100	1.6	4.001	5.17
Zone 2	LVWPS-A2-MW16B	10/9/2020	N	Qal	60.3 - 80.0	3,600	9,000	22	----	2,200	1.5	4.222	4.45
Zone 2	LVWPS-A2-MW16B	10/9/2020	FD	Qal	60.3 - 80.0	3,400	9,100	22	----	2,200	1.6	----	----
Zone 2	LVWPS-A2-MW17A	10/1/2020	N	Qal	40.3 - 60.0	2,500	5,300	19	----	2,100	1.7	4.686	4.90
Zone 2	LVWPS-A2-MW17B	10/1/2020	N	Qal	65.3 - 85.0	2,700	5,700	21	----	2,100	1.7	4.769	4.83
Zone 2	LVWPS-A2-MW17C	10/1/2020	N	Qal	90.3 - 110.0	2,200	3,700	14	----	2,100	1.1	4.629	5.67
Zone 2	LVWPS-MW208A	10/9/2020	N	Qal	39.9 - 59.5	1,900	2,900	12	----	2,100	0.93	3.947	5.77
Zone 2	LVWPS-MW208B	10/9/2020	N	Qal	65.3 - 85.0	2,100	3,200	12	----	2,000	1.0	3.976	5.90
Zone 2	LVWPS-MW221A	10/6/2020	N	Qal	50.3 - 70.0	990 J-	710	8.4	----	1,500 J+	0.51 J-	3.535	7.60

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	EPA 314.0 Perchlorate	EPA 300.1B Chlorate	Anions by EPA 300.0 Nitrate (as N)	Anions by EPA 300.0 Nitrite (as N)	Anions by EPA 300.0 Sulfate	SM5310B Total Organic Carbon	FIELD TESTS Conductivity	FIELD TESTS Dissolved Oxygen
						µg/L	µg/L	mg/L	mg/L	mg/L	mg/L	mS/cm	mg/L
Zone 2	LVWPS-MW221B	10/6/2020	N	UMCf/UMCf-cg	83.7 - 103.2	6,600	11,000	5.8	----	1,500 J+	0.54	5.182	3.09
Zone 2	LVWPS-MW223A	10/6/2020	N	Qal	45.3 - 65.0	3,300	5,900	17	<0.021	2,400	1.4	5.295	4.57
Zone 2	LVWPS-MW223A	10/6/2020	FD	Qal	45.3 - 65.0	3,900	5,800	17	<0.021	2,400	1.4	----	----
Zone 2	LVWPS-MW223B	10/6/2020	N	Qal	70.3 - 90.0	3,300	6,100	20	<0.021	2,100	1.8	4.778	4.26
Zone 2	LVWPS-MW223C	10/7/2020	N	UMCf	95.5 - 110.0	5,700	7,700	14	<0.021	2,100	1.1	4.803	2.77
Zone 2	LVWPS-MW224A	10/7/2020	N	Qal	55.3 - 75.0	2,300	2,900	11	----	2,000	0.90	3.299	6.09
Zone 2	LVWPS-MW224B	10/7/2020	N	UMCf	106.8 - 126.5	200	220	0.63	----	----	----	5.849	1.48
Zone 2	LVWPS-MW224C	10/8/2020	N	UMCf (Semi-Cons)	174.5 - 194.0	30	<100	0.068	----	----	----	18.062	2.10
Zone 2	LVWPS-U2-IW01	10/8/2020	N	UMCf	121.2 - 141.0	8,100	12,000	9.0	----	----	----	4.695	3.48
Zone 2	LVWPS-U2-IW01	10/8/2020	FD	UMCf	121.2 - 141.0	6,900	11,000	8.6	----	----	----	----	----
Zone 2	LVWPS-U2-IW02	10/8/2020	N	UMCf	116.2 - 141.0	8,100	12,000	8.7	----	----	----	5.424	3.80
Zone 2	LVWPS-U2-IW03	10/8/2020	N	UMCf	99.2 - 124.0	7,100	11,000	12	----	----	----	5.108	2.66
Zone 2	LVWPS-U2-IW04	10/8/2020	N	UMCf	83.7 - 108.5	3,900	6,500	19	----	----	----	5.367	4.10
Zone 2	LVWPS-U2-IW05	10/8/2020	N	UMCf	87.7 - 117.5	8,500	14,000	12	----	----	----	5.187	4.95
Zone 2	LVWPS-U2-IW06	10/8/2020	N	UMCf	89.2 - 104.0	10,000	17,000	14	----	----	----	5.492	3.46
Zone 2	LVWPS-U2-IW07	10/6/2020	N	UMCf	91.2 - 106.0	6,000	8,700	5.7	----	----	----	4.761	1.85
Zone 2	LVWPS-U2-IW08	10/6/2020	N	UMCf	83.7 - 108.5	12,000	20,000	17	----	----	----	6.115	5.08
Zone 2	LVWPS-U2-IW09	10/6/2020	N	UMCf	103.2 - 128.0	35	63 J	0.11	----	----	----	7.394	2.85
Zone 2	LVWPS-U2-IW10	10/6/2020	N	UMCf	109.3 - 129.0	400	150	<0.014	----	----	----	5.918	3.48
Zone 2	LVWPS-U2-IW11	10/6/2020	N	UMCf	108.9 - 133.7	1,400	2,400	2.6	----	----	----	5.793	3.31
Zone 2	LVWPS-U2-IW12	10/8/2020	N	UMCf	112.8 - 137.5	5,900	8,300	11	----	----	----	5.302	4.65
Zone 2	LVWPS-U2-MW01	10/8/2020	N	UMCf	97.3 - 117.0	360	450	0.89	----	2,500	0.36 J	4.752	1.63
Zone 2	LVWPS-U2-MW02	10/8/2020	N	UMCf	100.3 - 125.0	5,200	8,300	6.2	0.12	1,800	0.64	4.995	8.10
Zone 2	LVWPS-U2-MW03	10/9/2020	N	UMCf	90.3 - 110.0	2,100	3,400	11	----	2,000	0.98	3.820	3.53
Zone 2	LVWPS-U2-MW04	10/6/2020	N	UMCf	103.2 - 128.0	160	260	0.27	----	3,000	0.27 J	7.432	0.93
Zone 2	LVWPS-U2-MW05	10/5/2020	N	UMCf	83.2 - 108.0	9,300	15,000	8.4	----	1,300	0.41 J	4.528	4.35
Zone 2	LVWPS-U2-MW06	10/1/2020	N	UMCf	121.8 - 141.5	4,100	7,300	9.5	----	1,900	0.94	5.692	2.79
Zone 2	LVWPS-U2-MW07	10/2/2020	N	UMCf	88.2 - 108.0	1,600	2,600	10	----	1,900	0.74	3.989	5.79
Zone 2	LVWPS-U2-MW08	10/1/2020	N	UMCf	113.2 - 133.0	4,600	8,100	17	----	2,100	1.5	5.401	2.63
Zone 2	LVWPS-U2-MW09	10/9/2020	N	UMCf	84.9 - 104.7	12,000	18,000	17	----	2,200	1.1	6.265	2.06
Zone 2	LVWPS-U2-MW10	10/2/2020	N	UMCf	90.2 - 110.0	6,000	8,900	15	----	2,200	1.1	5.642	4.16
Zone 2	LVWPS-U2-MW12	10/7/2020	N	UMCf	83.2 - 108.0	8,800	12,000	18	<0.021	2,000	1.1	5.251	4.13
Zone 2	LVWPS-U2-MW13	10/2/2020	N	UMCf	94.7 - 109.5	5,400	11,000	17	----	2,100	1.2	5.413	3.58
Zone 2	LVWPS-U2-MW13	10/2/2020	FD	UMCf	94.7 - 109.5	5,800	11,000	17	----	2,300	1.4	----	----
Zone 2	LVWPS-U2-MW14	10/6/2020	N	UMCf	83.2 - 108.0	11,000	360	17	----	2,000	0.78	6.259	5.18
Zone 2	LVWPS-U2-MW17	10/1/2020	N	UMCf	117.0 - 136.5	4,500	10,000	11	----	1,700	0.66	6.093	2.28
Zone 2	LVWPS-U2-MW18	10/5/2020	N	UMCf	88.3 - 113.0	8,400	10,000	18	----	2,200	1.3	5.360	4.49
Zone 2	LVWPS-U2-MW19	10/2/2020	N	UMCf	91.2 - 111.0	12,000	14,000	14	----	2,100	1.0	5.846	3.29
Zone 2	LVWPS-U2-MW20	10/2/2020	N	UMCf	88.2 - 108.0	6,000	13,000	12	----	2,200	1.5	6.043	1.38
Zone 3	LVWPS-A3-MW02	10/5/2020	N	Qal	52.8 - 72.5	100	150	7.0	<0.021	900	0.29 J	2.396	6.42
Zone 3	LVWPS-A3-MW06	10/5/2020	N	Qal	55.3 - 75.0	110	150	9.0	----	1,300	0.45 J	3.200	7.24

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	EPA 314.0 Perchlorate	EPA 300.1B Chlorate	Anions by EPA 300.0 Nitrate (as N)	Anions by EPA 300.0 Nitrite (as N)	Anions by EPA 300.0 Sulfate	SM5310B Total Organic Carbon	FIELD TESTS Conductivity	FIELD TESTS Dissolved Oxygen
						µg/L	µg/L	mg/L	mg/L	mg/L	mg/L	mS/cm	mg/L
Zone 3	LVWPS-A3-MW07	10/8/2020	N	Qal	54.8 - 74.5	100	210	6.4	<0.021	1,100	0.45 J	2.637	6.98
Zone 3	LVWPS-A3-MW08	10/8/2020	N	Qal	84.8 - 104.5	120	180	8.5	----	1,600	0.81	3.675	4.73
Zone 3	LVWPS-A3-MW10	10/5/2020	N	Qal	56.3 - 76.0	200	200	7.5	----	870	0.26 J	2.356	7.31
Zone 3	LVWPS-A3-MW11	10/7/2020	N	Qal	53.8 - 73.5	78	160	9.2	----	1,600	0.96	3.326	8.50
Zone 3	LVWPS-A3-MW12	10/5/2020	N	Qal	59.3 - 79.0	200	270	7.2	<0.021	1,200	0.40 J	2.915	6.48
Zone 3	LVWPS-MW212A	10/5/2020	N	Qal	34.3 - 54.0	390	460	8.5	----	1,200	0.47 J	2.523	6.73
Zone 3	LVWPS-MW212B	10/5/2020	N	Qal	59.8 - 79.5	170	200	7.7	----	980	0.32 J	2.313	6.48
Zone 3	LVWPS-MW212C	10/5/2020	N	UMCf-cg	100.3 - 120.0	7,800	11,000	8.4	----	----	----	5.619	4.32
Zone 3	LVWPS-MW212D	10/8/2020	N	UMCf-cg	125.5 - 145.0	6,800	11,000	10	----	----	----	5.650	5.60
Zone 3	LVWPS-MW222A	10/2/2020	N	UMCf/UMCf-cg	80.3 - 100.0	2,900	3,800	4.1	----	----	----	4.379	2.97
Zone 3	LVWPS-MW222B	10/7/2020	N	UMCf-cg	150.3 - 170.0	1,500	1,200	1.6	----	----	----	3.538	3.10
Zone 3	LVWPS-MW222C	10/2/2020	N	UMCf-cg	214.0 - 233.5	1,500	1,300	2.4	----	----	----	3.990	2.25
Zone 3	LVWPS-U3-IW01	10/9/2020	N	UMCf-cg	80.2 - 115.0	3,100	4,900	8.3	----	----	----	4.023	5.57
Zone 3	LVWPS-U3-IW02A	10/6/2020	N	UMCf-cg	79.3 - 99.0	10,000	15,000	14	----	----	----	6.091	4.02
Zone 3	LVWPS-U3-IW02B	10/6/2020	N	UMCf-cg	104.8 - 124.5	5,200	9,700	9.4	----	----	----	5.331	3.61
Zone 3	LVWPS-U3-IW03A	10/6/2020	N	UMCf-cg	77.8 - 102.5	1,800	3,500	8.3	----	----	----	4.178	3.56
Zone 3	LVWPS-U3-IW03B	10/6/2020	N	UMCf-cg	109.3 - 139.0	1,600	3,200	7.9	----	----	----	4.317	4.91
Zone 3	LVWPS-U3-IW04A	10/7/2020	N	UMCf-cg	93.3 - 123.0	210	390	7.7	----	----	----	3.518	5.74
Zone 3	LVWPS-U3-IW04B	10/7/2020	N	UMCf-cg	129.3 - 159.0	680	1,100	5.8	----	----	----	3.843	3.71
Zone 3	LVWPS-U3-IW05A	10/7/2020	N	UMCf-cg	91.3 - 126.0	230	380	7.8	----	----	----	3.620	5.74
Zone 3	LVWPS-U3-IW05B	10/7/2020	N	UMCf-cg	132.8 - 167.5	530	870	7.4	----	----	----	3.954	5.83
Zone 3	LVWPS-U3-IW06A	10/7/2020	N	UMCf-cg	86.3 - 111.0	340	540	7.6	----	----	----	3.705	5.89
Zone 3	LVWPS-U3-IW06B	10/8/2020	N	UMCf-cg	117.8 - 142.5	5,700	1,800	7.6	----	----	----	3.874	4.72
Zone 3	LVWPS-U3-IW06C	10/8/2020	N	UMCf-cg	149.3 - 174.0	3,800	4,100	8.1	----	----	----	4.467	5.71
Zone 3	LVWPS-U3-IW07A	10/8/2020	N	UMCf-cg	86.3 - 111.0	1,400	2,000	7.1	----	----	----	4.340	3.57
Zone 3	LVWPS-U3-IW07B	10/8/2020	N	UMCf-cg	117.8 - 142.5	9,400	15,000	9.0	----	----	----	6.659	0.80
Zone 3	LVWPS-U3-IW07C	10/9/2020	N	UMCf-cg	149.3 - 174.0	7,300	14,000	8.0	----	----	----	5.967	0.73
Zone 3	LVWPS-U3-IW08A	10/8/2020	N	UMCf-cg	86.3 - 111.0	1,900	2,600	5.8	----	----	----	5.047	0.79
Zone 3	LVWPS-U3-IW08A	10/8/2020	FD	UMCf-cg	86.3 - 111.0	1,900	2,600	5.5	----	----	----	----	----
Zone 3	LVWPS-U3-IW08B	10/8/2020	N	UMCf-cg	117.8 - 142.5	15,000	21,000	12	----	----	----	8.238	0.94
Zone 3	LVWPS-U3-IW08C	10/9/2020	N	UMCf-cg	149.3 - 174.0	2,400	3,500	2.3	----	----	----	4.139	0.66
Zone 3	LVWPS-U3-MW01B	10/5/2020	N	UMCf-cg	83.8 - 103.3	2,000	1,800	0.24	----	1,700	6.3	4.344	2.06
Zone 3	LVWPS-U3-MW02A	10/5/2020	N	UMCf-cg	82.3 - 97.0	3,000	770	5.7	<0.021	1,400	0.54	3.727	2.01
Zone 3	LVWPS-U3-MW02B	10/5/2020	N	UMCf-cg	103.0 - 122.5	8,400	12,000	10	0.075	2,000	2.1	5.818	1.70
Zone 3	LVWPS-U3-MW03A	10/2/2020	N	UMCf-cg	86.3 - 111.0	3,300	4,500	7.5	----	2,800	0.57 J-	6.305	6.40
Zone 3	LVWPS-U3-MW03A	10/2/2020	FD	UMCf-cg	86.3 - 111.0	3,500	4,500	7.5	----	2,800	0.62 J-	----	----
Zone 3	LVWPS-U3-MW03B	10/2/2020	N	UMCf-cg	151.1 - 175.7	3,800	13,000	9.1	----	1,900	0.41 J	6.173	3.23
Zone 3	LVWPS-U3-MW03C	10/1/2020	N	UMCf-cg	117.8 - 142.5	4,900	12,000	7.7	----	1,900	0.32 J	6.312	2.96
Zone 3	LVWPS-U3-MW04B	10/2/2020	N	UMCf-cg	78.2 - 97.7	120	67 J	<0.014	----	1,600	6.8	3.934	2.03
Zone 3	LVWPS-U3-MW05B	10/2/2020	N	UMCf-cg	85.2 - 104.7	9.4	<10	<0.014	----	1,900	8.4	4.669	2.07
Zone 3	LVWPS-U3-MW06A	10/5/2020	N	UMCf-cg	90.3 - 115.0	9,900	15,000	13	----	1,700	0.48 J	4.882	5.05

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	EPA 314.0 Perchlorate	EPA 300.1B Chlorate	Anions by EPA 300.0 Nitrate (as N)	Anions by EPA 300.0 Nitrite (as N)	Anions by EPA 300.0 Sulfate	SM5310B Total Organic Carbon	FIELD TESTS Conductivity	FIELD TESTS Dissolved Oxygen
						µg/L	µg/L	mg/L	mg/L	mg/L	mg/L	mS/cm	mg/L
Zone 3	LVWPS-U3-MW06B	10/7/2020	N	UMCf-cg	125.3 - 149.9	630	1,200	6.6	----	1,500	0.43 J	3.778	4.23
Zone 3	LVWPS-U3-MW07A	10/9/2020	N	UMCf-cg	82.8 - 97.5	250	540	5.9	<0.021	1,200	0.39 J	2.450	5.45
Zone 3	LVWPS-U3-MW07B	10/9/2020	N	UMCf-cg	104.8 - 124.5	4,800	8,500	9.2	<0.021	2,100	0.41 J	4.227	6.07
Zone 3	LVWPS-U3-MW08A	10/8/2020	N	UMCf-cg	117.8 - 142.5	15,000	22,000	14	----	2,300	0.47 J	9.500	5.05
Zone 3	LVWPS-U3-MW08B	10/8/2020	N	UMCf-cg	149.3 - 174.0	6,100	8,100	4.9	----	2,200	2.6	5.507	2.46
Zone 3	LVWPS-U3-MW09	10/7/2020	N	UMCf-cg	82.8 - 107.5	3,500	6,100	4.8	----	1,300	<0.26	3.846	4.35
Zone 3	LVWPS-U3-MW10A	10/5/2020	N	UMCf-cg	85.3 - 95.0	2,600	3,200	3.0	----	1,800	0.77	5.467	0.99
Zone 3	LVWPS-U3-MW10B	10/5/2020	N	UMCf-cg	101.3 - 121.0	3,200	4,200	6.5	----	1,600	0.32 J	4.783	6.76
Zone 3	LVWPS-U3-MW11A	10/7/2020	N	UMCf-cg	86.3 - 106.0	10,000	16,000	9.8	----	2,000	0.42 J	5.843	2.55
Zone 3	LVWPS-U3-MW11B	10/7/2020	N	UMCf-cg	112.3 - 137.0	4,100	9,600	5.2	----	1,900	0.33 J	4.103	1.23
Zone 3	LVWPS-U3-MW11C	10/8/2020	N	UMCf-cg	143.3 - 163.0	5,300	7,100	8.5	----	2,000	0.46 J	4.649	4.73
Zone 3	LVWPS-U3-MW12A	10/6/2020	N	UMCf-cg	88.3 - 108.0	2,700	4,200	5.1	<0.021	1,800	0.38 J	4.480	2.67
Zone 3	LVWPS-U3-MW12B	10/6/2020	N	UMCf-cg	113.3 - 138.0	6,000	4,900	6.6	<0.021	1,700	0.27 J	4.385	5.94
Zone 3	LVWPS-U3-MW13A	10/7/2020	N	UMCf-cg	96.3 - 121.0	3,900	7,200	11	----	2,000	0.45 J	4.774	5.44
Zone 3	LVWPS-U3-MW13B	10/7/2020	N	UMCf-cg	132.8 - 147.5	350	550	6.8	----	1,500	0.45 J	3.677	5.92

Notes:

FD - Field duplicate

concentration of the analyte in the sample.

J- - The result is an estimated quantity, but the result may be biased low.

J+ - The result is an estimated quantity, but the result may be biased high.

mg/L - milligrams per liter

µg/L - micrograms per liter

mS/cm - millSiemens per centimeter

mV - millivolts

N - Normal field sample

NTU - Nephelometric Turbidity Unit

SU - Standard Units

approximate and may be inaccurate or imprecise.

UMCf - Upper Muddy Creek formation

< - The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit.

---- Not tested.

## DRAFT

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	FIELD TESTS Ferrous Iron mg/L	FIELD TESTS Oxidation-Reduction Potential mV	FIELD TESTS pH SU	FIELD TESTS Sulfide mg/L	FIELD TESTS Temperature C	FIELD TESTS Turbidity NTU	Dissolved Gases by RSK-175 Methane µg/L	Dissolved Metals by SW6010B Calcium mg/L
Extraction	LVWPS-EW01	9/29/2020	N	Qal	44.8 - 84.5	----	-23.4	7.17	----	26.2	-6.0	----	----
Extraction	LVWPS-EW02	9/29/2020	N	Qal	28.3 - 58.0	----	-11.3	7.24	----	25.6	86.7	----	----
Extraction	LVWPS-EW03	9/30/2020	N	Qal	40.3 - 70.0	----	-34.5	7.34	----	22.0	9.8	----	----
Extraction	LVWPS-EW04	9/30/2020	N	Qal	26.3 - 46.0	----	-36.2	7.31	----	22.5	62.3	----	----
Extraction	LVWPS-EW05	9/29/2020	N	Qal	50.3 - 80.0	----	-11.7	7.11	----	25.4	84.2	----	----
Extraction	LVWPS-EW05	9/29/2020	FD	Qal	50.3 - 80.0	----	----	----	----	----	----	----	----
Extraction	LVWPS-MW206A	9/30/2020	N	Qal	39.8 - 59.5	----	-37.6	7.32	----	24.9	2.8	----	----
Extraction	LVWPS-MW206B	9/30/2020	N	Qal	69.9 - 89.5	----	-69.7	7.23	----	27.2	0.0	----	----
Extraction	LVWPS-MW206C	9/30/2020	N	UMCf	100.3 - 120.0	----	-86.3	7.50	----	29.7	54.9	----	----
Extraction	LVWPS-MW206D	10/6/2020	N	UMCf	125.3 - 145.0	----	-285.6	7.39	----	27.4	181.2	----	----
Extraction	LVWPS-MW206E	10/5/2020	N	UMCf (Semi-Cons)	195.5 - 205.0	----	-198.0	7.35	----	24.8	1.6	----	----
General Vicinity	LVWPS-MW201A	9/28/2020	N	Qal	28.2 - 47.8	----	199.0	7.17	----	24.6	0.6	----	----
General Vicinity	LVWPS-MW201B	9/28/2020	N	UMCf	60.1 - 79.8	----	83.7	7.62	----	26.4	116.5	----	----
General Vicinity	LVWPS-MW202	9/29/2020	N	Qal	41.8 - 61.5	----	-96.0	7.36	----	24.5	-6.2	----	----
General Vicinity	LVWPS-MW203A	9/30/2020	N	Qal	34.8 - 54.5	----	215.1	7.34	----	24.0	2.4	----	----
General Vicinity	LVWPS-MW203A	9/30/2020	FD	Qal	34.8 - 54.5	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW203B	9/30/2020	N	UMCf	75.1 - 94.7	----	-27.1	7.53	----	23.8	17.9	----	----
General Vicinity	LVWPS-MW203C	9/30/2020	N	UMCf (Semi-Cons)	100.3 - 120.0	----	-130.9	7.76	----	24.3	210.6	----	----
General Vicinity	LVWPS-MW204	9/28/2020	N	Qal	50.3 - 70.0	----	69.1	7.06	----	24.1	-1.4	----	----
General Vicinity	LVWPS-MW204	9/28/2020	FD	Qal	50.3 - 70.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW204B	9/28/2020	N	UMCf	101.5 - 121.2	----	-81.5	7.22	----	28.1	139.7	----	----
General Vicinity	LVWPS-MW204C	10/7/2020	N	UMCf (Semi-Cons)	150.5 - 170.0	----	-219.6	9.35	----	21.3	7.8	----	----
General Vicinity	LVWPS-MW205B	9/28/2020	N	Qal	64.9 - 84.6	----	192.1	7.20	----	24.5	0.8	----	----
General Vicinity	LVWPS-MW205C	9/29/2020	N	Qal	100.3 - 120.0	----	206.6	7.29	----	22.2	1.3	----	----
General Vicinity	LVWPS-MW207	9/28/2020	N	Qal	68.1 - 87.8	----	216.3	6.97	----	26.3	-6.9	----	----
General Vicinity	LVWPS-MW209	10/6/2020	N	Qal	71.3 - 91.0	----	193.8	7.09	----	20.8	6.9	----	----
General Vicinity	LVWPS-MW209	10/6/2020	FD	Qal	71.3 - 91.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW209A	10/6/2020	N	Qal	35.3 - 55.0	----	168.5	7.08	----	22.3	76.8	----	----
General Vicinity	LVWPS-MW209B	10/6/2020	N	UMCf-cg	110.3 - 130.0	----	200.3	7.07	----	22.9	66.7	----	----
General Vicinity	LVWPS-MW209C	10/7/2020	N	UMCf-cg	151.0 - 170.5	----	-122.4	7.02	----	25.4	8.4	----	----
General Vicinity	LVWPS-MW210A	10/6/2020	N	Qal	35.3 - 55.0	----	174.6	7.03	----	24.6	3.3	----	----
General Vicinity	LVWPS-MW210B	10/6/2020	N	Qal	70.1 - 89.8	----	104.0	7.04	----	24.4	7.7	----	----
General Vicinity	LVWPS-MW210C	10/1/2020	N	UMCf-cg	100.3 - 120.0	----	-80.5	7.06	----	26.9	72.1	----	----
General Vicinity	LVWPS-MW210D	10/7/2020	N	UMCf-cg	130.4 - 140.0	----	-96.4	7.00	----	31.6	453.0	----	----
General Vicinity	LVWPS-MW210E	10/7/2020	N	UMCf-cg	145.5 - 165.0	----	-163.3	6.90	----	28.2	9.3	----	----
General Vicinity	LVWPS-MW211	9/30/2020	N	Qal	50.0 - 69.7	----	-115.6	7.08	----	26.2	1.9	----	----
General Vicinity	LVWPS-MW213	10/1/2020	N	Qal	40.1 - 59.8	----	-19.4	7.33	----	28.6	7.4	----	----
General Vicinity	LVWPS-MW213	10/1/2020	FD	Qal	40.1 - 59.8	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW214	10/7/2020	N	Qal	34.4 - 44.0	----	235.5	7.23	----	25.5	2.4	----	----
General Vicinity	LVWPS-MW215A	10/8/2020	N	Qal	13.5 - 33.2	----	216.6	7.12	----	25.9	3.9	----	----
General Vicinity	LVWPS-MW215B	10/9/2020	N	Horse Springs	40.7 - 45.3	----	231.0	7.17	----	22.5	38.9	----	----

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	FIELD TESTS Ferrous Iron mg/L	FIELD TESTS Oxidation-Reduction Potential mV	FIELD TESTS pH SU	FIELD TESTS Sulfide mg/L	FIELD TESTS Temperature C	FIELD TESTS Turbidity NTU	Dissolved Gases by RSK-175 Methane µg/L	Dissolved Metals by SW6010B Calcium mg/L
General Vicinity	LWPS-MW216	10/7/2020	N	Qal	10.4 - 20.0	----	88.5	7.07	----	26.1	656.1	----	----
General Vicinity	LWPS-MW216	10/7/2020	FD	Qal	10.4 - 20.0	----	----	----	----	----	----	----	----
General Vicinity	LWPS-MW218A	10/5/2020	N	Qal	35.3 - 55.0	----	-68.2	7.04	----	25.4	22.3	----	----
General Vicinity	LWPS-MW218B	10/2/2020	N	UMCf/UMCf-cg	100.3 - 120.0	----	261.8	7.05	----	22.7	74.1	----	----
General Vicinity	LWPS-MW218C	10/2/2020	N	UMCf/UMCf-cg	136.0 - 155.5	----	76.9	7.22	----	23.2	16.0	----	----
General Vicinity	LWPS-MW219A	10/9/2020	N	Qal	35.1 - 49.8	----	140.4	7.32	----	25.4	3.4	----	----
General Vicinity	LWPS-MW219B	10/9/2020	N	UMCf/Horse Springs	75.3 - 95.0	----	-17.6	7.08	----	27.8	1907.8	----	----
General Vicinity	LWPS-MW219C	10/9/2020	N	UMCf/Horse Springs	115.5 - 135.0	----	-157.4	6.84	----	27.5	31.6	----	----
General Vicinity	LWPS-MW220A	10/5/2020	N	Qal	60.3 - 80.0	----	60.0	7.15	----	23.2	2.4	----	----
General Vicinity	LWPS-MW220B	10/7/2020	N	UMCf-cg	134.5 - 154.0	----	-116.6	7.02	----	26.4	7.6	----	----
General Vicinity	LWPS-MW225A	10/7/2020	N	Qal	49.3 - 69.0	----	-19.1	7.14	----	22.2	7.0	----	----
General Vicinity	LWPS-MW225A	10/7/2020	FD	Qal	49.3 - 69.0	----	----	----	----	----	----	----	----
General Vicinity	LWPS-MW225B	10/7/2020	N	UMCf	90.5 - 110.0	----	-91.2	7.44	----	23.1	5.4	----	----
General Vicinity	LWPS-MW226A	10/1/2020	N	Qal	40.3 - 55.0	----	221.4	7.22	----	23.3	3.5	----	----
General Vicinity	LWPS-MW226A	10/1/2020	FD	Qal	40.3 - 55.0	----	----	----	----	----	----	----	----
General Vicinity	LWPS-MW226B	10/1/2020	N	UMCf (Semi-Cons)	77.5 - 97.0	----	-94.2	7.44	----	23.5	5.6	----	----
Zone 1	LWPS-A1-MW04	9/30/2020	N	Qal	69.3 - 89.0	0.0 U	169.8	7.10	0.0 U	25.3	13.4	<0.63	410
Zone 1	LWPS-A1-MW05	9/30/2020	N	Qal	69.3 - 89.0	----	-165.2	6.86	----	22.7	-0.7	----	----
Zone 1	LWPS-A1-MW06	9/29/2020	N	Qal	59.3 - 79.0	0.0 U	219.8	7.11	0.0 U	25.2	0.1	<0.63	340
Zone 1	LWPS-A1-MW07	9/30/2020	N	Qal	58.3 - 78.0	----	89.7	7.05	----	25.3	3.0	----	----
Zone 1	LWPS-A1-MW09	9/30/2020	N	Qal	85.8 - 105.5	----	111.1	7.08	----	24.2	21.7	----	----
Zone 1	LWPS-A1-MW10	10/1/2020	N	Qal	70.8 - 90.5	0.0 U	120.7	7.04	0.0 U	25.3	0.2	<0.63	430
Zone 1	LWPS-A1-MW10	10/1/2020	FD	Qal	70.8 - 90.5	----	----	----	----	----	----	<0.63	470
Zone 1	LWPS-MW217A	9/30/2020	N	Qal	51.3 - 71.0	----	-213.2	6.89	----	24.3	1.0	----	----
Zone 1	LWPS-MW217B	9/30/2020	N	UMCf	100.3 - 120.0	----	-235.7	7.04	----	25.4	100.2	----	----
Zone 1	LWPS-MW217C	10/5/2020	N	UMCf	155.5 - 175.0	----	-124.5	7.21	----	21.5	10.6	----	----
Zone 1	LWPS-U1-IW01A	9/29/2020	N	UMCf	88.8 - 113.5	----	378.5	7.18	----	24.4	261.4	----	----
Zone 1	LWPS-U1-IW01B	9/29/2020	N	UMCf	120.3 - 145.0	----	340.7	7.20	----	26.5	36.0	----	----
Zone 1	LWPS-U1-IW02A	9/30/2020	N	UMCf	90.3 - 115.0	----	295.0	7.20	----	22.8	21.0	----	----
Zone 1	LWPS-U1-IW02B	9/30/2020	N	UMCf	121.3 - 151.0	----	326.5	7.16	----	24.2	73.3	----	----
Zone 1	LWPS-U1-IW03A	9/30/2020	N	UMCf	93.8 - 118.5	----	173.4	7.24	----	24.6	38.5	----	----
Zone 1	LWPS-U1-IW03B	9/30/2020	N	UMCf	125.3 - 150.0	----	295.6	7.19	----	28.8	25.8	----	----
Zone 1	LWPS-U1-IW04A	9/28/2020	N	UMCf	86.8 - 116.5	----	352.6	7.26	----	26.1	60.1	----	----
Zone 1	LWPS-U1-IW04A	9/28/2020	FD	UMCf	86.8 - 116.5	----	----	----	----	----	----	----	----
Zone 1	LWPS-U1-IW04B	9/28/2020	N	UMCf	122.8 - 152.5	----	354.1	7.27	----	30.9	4.8	----	----
Zone 1	LWPS-U1-IW05A	9/29/2020	N	UMCf	88.8 - 113.5	----	322.3	7.24	----	23.2	69.5	----	----
Zone 1	LWPS-U1-IW05B	9/29/2020	N	UMCf	120.3 - 145.0	----	369.3	7.23	----	27.1	48.4	----	----
Zone 1	LWPS-U1-IW06A	9/30/2020	N	UMCf	87.8 - 112.5	----	62.9	7.20	----	29.4	165.2	----	----
Zone 1	LWPS-U1-IW06B	9/30/2020	N	UMCf	119.3 - 149.0	----	279.5	7.23	----	29.1	89.4	----	----
Zone 1	LWPS-U1-IW07A	10/1/2020	N	UMCf	95.8 - 120.5	----	303.7	7.17	----	22.6	1516.2	----	----
Zone 1	LWPS-U1-IW07B	10/1/2020	N	UMCf	127.3 - 152.0	----	322.3	7.20	----	23.5	63.0	----	----

## DRAFT

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	FIELD TESTS Ferrous Iron mg/L	FIELD TESTS Oxidation-Reduction Potential mV	FIELD TESTS pH SU	FIELD TESTS Sulfide mg/L	FIELD TESTS Temperature C	FIELD TESTS Turbidity NTU	Dissolved Gases by RSK-175 Methane µg/L	Dissolved Metals by SW6010B Calcium mg/L
Zone 1	LVWPS-U1-IW08A	10/1/2020	N	UMCf	95.3 - 125.0	----	209.8	7.14	----	27.9	180.0	----	----
Zone 1	LVWPS-U1-IW08B	10/1/2020	N	UMCf	131.8 - 156.5	----	346.3	7.11	----	29.5	311.9	----	----
Zone 1	LVWPS-U1-MW01A	9/28/2020	N	UMCf	90.3 - 115.0	----	83.5	7.12	----	26.4	172.6	----	----
Zone 1	LVWPS-U1-MW01B	9/28/2020	N	UMCf	133.5 - 153.0	----	75.6	7.13	----	32.1	3.6	----	----
Zone 1	LVWPS-U1-MW02A	9/29/2020	N	UMCf	94.3 - 119.0	----	103.8	7.17	----	25.6	112.9	----	----
Zone 1	LVWPS-U1-MW02B	10/7/2020	N	UMCf	136.9 - 161.5	----	-109.5	7.14	----	22.7	5.1	----	----
Zone 1	LVWPS-U1-MW03B	9/29/2020	N	UMCf	134.5 - 154.0	----	89.5	7.38	----	34.9	10.8	----	----
Zone 1	LVWPS-U1-MW04A	9/30/2020	N	UMCf	99.3 - 124.0	0.0 U	174.2	7.24	0.0 U	25.0	15.4	<0.63	390
Zone 1	LVWPS-U1-MW04B	10/1/2020	N	UMCf	139.9 - 164.5	0.0 U	182.8	7.26	0.0 U	31.5	6.1	<0.63	400
Zone 1	LVWPS-U1-MW05A	9/29/2020	N	UMCf	95.8 - 120.5	----	-167.5	7.17	----	26.8	28.7	----	----
Zone 1	LVWPS-U1-MW05B	9/29/2020	N	UMCf	136.9 - 161.5	----	-187.0	7.26	----	31.8	82.3	----	----
Zone 1	LVWPS-U1-MW06A	9/29/2020	N	UMCf	85.3 - 105.0	0.0 U	190.4	7.24	0.0 U	24.5	49.7	<0.63	230
Zone 1	LVWPS-U1-MW06B	9/29/2020	N	UMCf	109.3 - 134.0	0.0 U	198.0	7.32	0.0 U	28.0	130.9	<0.63	250
Zone 1	LVWPS-U1-MW07	9/30/2020	N	UMCf	86.3 - 111.0	----	93.3	7.36	----	29.3	1033.7	----	----
Zone 1	LVWPS-U1-MW08A	9/30/2020	N	UMCf	93.8 - 118.5	----	-222.4	7.13	----	24.0	120.3	----	----
Zone 1	LVWPS-U1-MW08B	9/30/2020	N	UMCf	125.3 - 150.0	----	-172.1	7.08	----	27.1	109.6	----	----
Zone 1	LVWPS-U1-MW09A	9/30/2020	N	UMCf	115.3 - 125.0	----	93.9	7.17	----	28.4	60.2	----	----
Zone 1	LVWPS-U1-MW09B	9/30/2020	N	UMCf	130.3 - 155.0	----	84.8	7.25	----	30.6	154.2	----	----
Zone 1	LVWPS-U1-MW10A	10/2/2020	N	UMCf	99.3 - 124.0	0.0 U	192.1	7.23	0.0 U	24.6	142.1	<0.63	500
Zone 1	LVWPS-U1-MW10B	10/2/2020	N	UMCf	130.3 - 155.0	0.0 U	202.8	7.29	0.0 U	25.8	136.8	<0.63	460
Zone 2	LVWPS-A2-IW01A	10/1/2020	N	Qal	41.3 - 66.0	----	382.2	7.07	----	24.4	18.0	----	----
Zone 2	LVWPS-A2-IW01A	10/1/2020	FD	Qal	41.3 - 66.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW01B	10/1/2020	N	Qal	72.8 - 97.5	----	383.7	7.06	----	25.0	7.9	----	----
Zone 2	LVWPS-A2-IW02A	10/1/2020	N	Qal	38.8 - 68.5	----	376.1	7.06	----	26.2	7.9	----	----
Zone 2	LVWPS-A2-IW02B	10/2/2020	N	Qal	75.3 - 100.0	----	342.0	6.85	----	22.6	18.0	----	----
Zone 2	LVWPS-A2-IW03A	10/2/2020	N	Qal	37.3 - 67.0	----	379.0	6.85	----	23.6	102.5	----	----
Zone 2	LVWPS-A2-IW03B	10/2/2020	N	Qal	73.8 - 103.5	----	397.6	6.85	----	23.5	9.3	----	----
Zone 2	LVWPS-A2-IW03B	10/2/2020	FD	Qal	73.8 - 103.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW04A	10/2/2020	N	Qal	36.3 - 71.0	----	410.0	6.81	----	24.2	8.7	----	----
Zone 2	LVWPS-A2-IW04B	10/2/2020	N	Qal	77.3 - 112.0	----	406.2	6.87	----	25.7	7.5	----	----
Zone 2	LVWPS-A2-IW05A	10/2/2020	N	Qal	37.8 - 62.5	----	416.6	6.81	----	25.3	50.2	----	----
Zone 2	LVWPS-A2-IW05B	10/2/2020	N	Qal	68.8 - 93.5	----	418.0	6.87	----	25.8	464.5	----	----
Zone 2	LVWPS-A2-IW06A	10/5/2020	N	Qal	36.8 - 51.5	----	333.7	6.71	----	22.0	32.7	----	----
Zone 2	LVWPS-A2-IW06B	10/5/2020	N	Qal	57.8 - 77.5	----	373.3	6.84	----	24.2	6.3	----	----
Zone 2	LVWPS-A2-IW07A	10/5/2020	N	Qal	35.3 - 50.0	----	397.5	6.79	----	24.4	410.3	----	----
Zone 2	LVWPS-A2-IW07A	10/5/2020	FD	Qal	35.3 - 50.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW07B	10/5/2020	N	Qal	56.3 - 76.0	----	401.2	6.88	----	24.4	6.6	----	----
Zone 2	LVWPS-A2-IW08A	10/5/2020	N	Qal	35.8 - 55.5	----	409.1	6.78	----	25.7	11.2	----	----
Zone 2	LVWPS-A2-IW08B	10/5/2020	N	Qal	61.8 - 81.5	----	399.0	6.95	----	25.6	6.5	----	----
Zone 2	LVWPS-A2-IW09A	10/5/2020	N	Qal	36.8 - 51.5	----	416.0	6.83	----	25.1	6.8	----	----
Zone 2	LVWPS-A2-IW09B	10/6/2020	N	Qal	58.8 - 73.5	----	319.1	7.04	----	23.4	3.0	----	----

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	FIELD TESTS Ferrous Iron mg/L	FIELD TESTS Oxidation-Reduction Potential mV	FIELD TESTS pH SU	FIELD TESTS Sulfide mg/L	FIELD TESTS Temperature C	FIELD TESTS Turbidity NTU	Dissolved Gases by RSK-175 Methane µg/L	Dissolved Metals by SW6010B Calcium mg/L
Zone 2	LVWPS-A2-MW01A	10/8/2020	N	Qal	40.3 - 60.0	----	189.3	7.31	----	23.1	16.1	----	----
Zone 2	LVWPS-A2-MW01A	10/8/2020	FD	Qal	40.3 - 60.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW01B	10/8/2020	N	Qal	70.3 - 90.0	----	157.5	7.29	----	24.2	11.7	----	----
Zone 2	LVWPS-A2-MW02A	10/8/2020	N	Qal	40.3 - 60.0	0.0 U	259.1	7.16	0.0 U	23.6	7.1	<0.63	550
Zone 2	LVWPS-A2-MW02A	10/8/2020	FD	Qal	40.3 - 60.0	----	----	----	----	----	----	<0.63	550
Zone 2	LVWPS-A2-MW02B	10/8/2020	N	Qal	70.3 - 90.0	0.0 U	271.6	7.28	0.0 U	24.3	3.3	<0.63	450
Zone 2	LVWPS-A2-MW03A	10/9/2020	N	Qal	38.3 - 58.0	----	20.7	7.67	----	23.4	5.5	----	----
Zone 2	LVWPS-A2-MW03A	10/9/2020	FD	Qal	38.3 - 58.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW03B	10/9/2020	N	Qal	64.3 - 84.0	----	0.4	7.62	----	24.0	11.1	----	----
Zone 2	LVWPS-A2-MW04A	10/2/2020	N	Qal	43.8 - 63.5	----	133.5	7.23	----	25.6	8.8	----	----
Zone 2	LVWPS-A2-MW04A	10/2/2020	FD	Qal	43.8 - 63.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW04B	10/2/2020	N	Qal	75.3 - 95.0	----	128.7	7.18	----	25.1	1585.2	----	----
Zone 2	LVWPS-A2-MW05A	10/5/2020	N	Qal	36.8 - 51.5	----	-68.0	7.14	----	24.0	10.9	----	----
Zone 2	LVWPS-A2-MW05B	10/5/2020	N	Qal	58.8 - 73.5	----	-56.4	7.37	----	24.9	2.4	----	----
Zone 2	LVWPS-A2-MW08A	9/30/2020	N	Qal	40.3 - 55.0	----	-137.7	6.99	----	24.2	82.6	----	----
Zone 2	LVWPS-A2-MW08B	10/1/2020	N	Qal	59.8 - 79.5	----	-132.9	7.22	----	22.6	139.5	----	----
Zone 2	LVWPS-A2-MW08C	10/1/2020	N	Qal	86.3 - 106.0	----	-134.0	7.19	----	23.5	171.6	----	----
Zone 2	LVWPS-A2-MW09A	10/9/2020	N	Qal	34.8 - 54.5	----	12.9	6.99	----	24.8	0.1	----	----
Zone 2	LVWPS-A2-MW09B	10/9/2020	N	Qal	58.8 - 78.5	----	10.6	7.34	----	25.5	2.2	----	----
Zone 2	LVWPS-A2-MW11A	10/2/2020	N	Qal	40.3 - 60.0	----	138.8	7.21	----	22.3	1.8	----	----
Zone 2	LVWPS-A2-MW11A	10/2/2020	FD	Qal	40.3 - 60.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW11B	10/2/2020	N	Qal	65.3 - 85.0	----	135.2	7.18	----	22.6	6.5	----	----
Zone 2	LVWPS-A2-MW11C	10/2/2020	N	Qal	90.3 - 110.0	----	138.5	7.14	----	24.1	412.2	----	----
Zone 2	LVWPS-A2-MW12A	10/6/2020	N	Qal	34.9 - 44.5	0.0 U	196.2	7.14	0.0 U	24.5	219.8	<0.63	480
Zone 2	LVWPS-A2-MW12B	10/7/2020	N	Qal	49.3 - 69.0	0.0 U	281.2	7.18	0.0 U	22.8	129.7	<0.63	520
Zone 2	LVWPS-A2-MW13A	10/1/2020	N	Qal	41.3 - 61.0	----	112.6	7.31	----	26.2	39.8	----	----
Zone 2	LVWPS-A2-MW13B	10/1/2020	N	Qal	66.4 - 86.1	----	112.3	7.25	----	26.7	36.4	----	----
Zone 2	LVWPS-A2-MW14A	10/6/2020	N	Qal	35.8 - 50.5	----	-8.4	7.08	----	22.1	-0.2	----	----
Zone 2	LVWPS-A2-MW14A	10/6/2020	FD	Qal	35.8 - 50.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW14B	10/6/2020	N	Qal	54.8 - 74.5	----	-24.3	7.10	----	22.6	90.5	----	----
Zone 2	LVWPS-A2-MW15A	10/7/2020	N	Qal	39.8 - 59.5	----	-32.6	7.19	----	25.4	27.2	----	----
Zone 2	LVWPS-A2-MW15B	10/8/2020	N	Qal	70.3 - 90.0	----	19.4	7.33	----	22.0	1.0	----	----
Zone 2	LVWPS-A2-MW16A	10/9/2020	N	Qal	35.8 - 55.5	----	127.7	7.27	----	22.1	3.1	----	----
Zone 2	LVWPS-A2-MW16B	10/9/2020	N	Qal	60.3 - 80.0	----	142.0	7.27	----	22.3	3.1	----	----
Zone 2	LVWPS-A2-MW16B	10/9/2020	FD	Qal	60.3 - 80.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW17A	10/1/2020	N	Qal	40.3 - 60.0	----	147.1	7.19	----	22.7	11.6	----	----
Zone 2	LVWPS-A2-MW17B	10/1/2020	N	Qal	65.3 - 85.0	----	126.1	7.21	----	23.6	146.1	----	----
Zone 2	LVWPS-A2-MW17C	10/1/2020	N	Qal	90.3 - 110.0	----	113.5	7.30	----	26.4	26.0	----	----
Zone 2	LVWPS-MW208A	10/9/2020	N	Qal	39.9 - 59.5	----	0.7	7.39	----	25.0	2.1	----	----
Zone 2	LVWPS-MW208B	10/9/2020	N	Qal	65.3 - 85.0	----	-9.9	7.50	----	26.3	6.6	----	----
Zone 2	LVWPS-MW221A	10/6/2020	N	Qal	50.3 - 70.0	----	-33.2	7.32	----	25.1	8.1	----	----

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	FIELD TESTS Ferrous Iron mg/L	FIELD TESTS Oxidation-Reduction Potential mV	FIELD TESTS pH SU	FIELD TESTS Sulfide mg/L	FIELD TESTS Temperature C	FIELD TESTS Turbidity NTU	Dissolved Gases by RSK-175 Methane µg/L	Dissolved Metals by SW6010B Calcium mg/L
Zone 2	LVWPS-MW221B	10/6/2020	N	UMCf/UMCf-cg	83.7 - 103.2	----	-112.8	7.80	----	26.9	6.0	----	----
Zone 2	LVWPS-MW223A	10/6/2020	N	Qal	45.3 - 65.0	0.0 U	203.2	7.10	0.0 U	22.9	5.9	<0.63	540
Zone 2	LVWPS-MW223A	10/6/2020	FD	Qal	45.3 - 65.0	----	----	----	----	----	----	<0.63	540
Zone 2	LVWPS-MW223B	10/6/2020	N	Qal	70.3 - 90.0	0.0 U	199.1	7.15	0.0 U	23.8	65.6	<0.63	500
Zone 2	LVWPS-MW223C	10/7/2020	N	UMCf	95.5 - 110.0	0.0 U	269.1	7.28	0.0 U	23.7	5.7	<0.63	480
Zone 2	LVWPS-MW224A	10/7/2020	N	Qal	55.3 - 75.0	----	-27.6	7.40	----	24.4	697.4	----	----
Zone 2	LVWPS-MW224B	10/7/2020	N	UMCf	106.8 - 126.5	----	-158.5	7.51	----	26.3	93.7	----	----
Zone 2	LVWPS-MW224C	10/8/2020	N	UMCf (Semi-Cons)	174.5 - 194.0	----	-233.7	8.25	----	26.4	1.6	----	----
Zone 2	LVWPS-U2-IW01	10/8/2020	N	UMCf	121.2 - 141.0	----	-16.3	7.73	----	21.8	120.0	----	----
Zone 2	LVWPS-U2-IW01	10/8/2020	FD	UMCf	121.2 - 141.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW02	10/8/2020	N	UMCf	116.2 - 141.0	----	-51.1	7.73	----	23.6	70.2	----	----
Zone 2	LVWPS-U2-IW03	10/8/2020	N	UMCf	99.2 - 124.0	----	-59.5	7.68	----	25.3	224.4	----	----
Zone 2	LVWPS-U2-IW04	10/8/2020	N	UMCf	83.7 - 108.5	----	-63.0	7.68	----	27.9	149.4	----	----
Zone 2	LVWPS-U2-IW05	10/8/2020	N	UMCf	87.7 - 117.5	----	-39.1	7.59	----	28.9	238.4	----	----
Zone 2	LVWPS-U2-IW06	10/8/2020	N	UMCf	89.2 - 104.0	----	-59.6	7.67	----	29.6	256.3	----	----
Zone 2	LVWPS-U2-IW07	10/6/2020	N	UMCf	91.2 - 106.0	----	31.4	7.48	----	22.9	215.6	----	----
Zone 2	LVWPS-U2-IW08	10/6/2020	N	UMCf	83.7 - 108.5	----	-14.3	7.50	----	24.1	117.6	----	----
Zone 2	LVWPS-U2-IW09	10/6/2020	N	UMCf	103.2 - 128.0	----	-60.9	7.62	----	29.3	54.4	----	----
Zone 2	LVWPS-U2-IW10	10/6/2020	N	UMCf	109.3 - 129.0	----	-144.9	7.45	----	27.8	126.8	----	----
Zone 2	LVWPS-U2-IW11	10/6/2020	N	UMCf	108.9 - 133.7	----	-97.5	7.57	----	30.4	62.8	----	----
Zone 2	LVWPS-U2-IW12	10/8/2020	N	UMCf	112.8 - 137.5	----	-30.6	7.22	----	23.8	58.0	----	----
Zone 2	LVWPS-U2-MW01	10/8/2020	N	UMCf	97.3 - 117.0	----	96.6	7.86	----	22.6	47.0	----	----
Zone 2	LVWPS-U2-MW02	10/8/2020	N	UMCf	100.3 - 125.0	0.0 U	263.0	7.64	0.0 U	25.6	350.0	<0.63	430
Zone 2	LVWPS-U2-MW03	10/9/2020	N	UMCf	90.3 - 110.0	----	-43.5	7.80	----	24.4	85.2	----	----
Zone 2	LVWPS-U2-MW04	10/6/2020	N	UMCf	103.2 - 128.0	----	27.7	7.65	----	26.3	160.3	----	----
Zone 2	LVWPS-U2-MW05	10/5/2020	N	UMCf	83.2 - 108.0	----	-103.8	7.68	----	28.6	174.5	----	----
Zone 2	LVWPS-U2-MW06	10/1/2020	N	UMCf	121.8 - 141.5	----	-186.0	7.44	----	27.9	100.1	----	----
Zone 2	LVWPS-U2-MW07	10/2/2020	N	UMCf	88.2 - 108.0	----	-33.4	7.71	----	25.5	49.3	----	----
Zone 2	LVWPS-U2-MW08	10/1/2020	N	UMCf	113.2 - 133.0	----	-188.7	7.38	----	26.8	73.3	----	----
Zone 2	LVWPS-U2-MW09	10/9/2020	N	UMCf	84.9 - 104.7	----	397.4	7.28	----	25.2	23.9	----	----
Zone 2	LVWPS-U2-MW10	10/2/2020	N	UMCf	90.2 - 110.0	----	-43.8	7.49	----	27.3	175.9	----	----
Zone 2	LVWPS-U2-MW12	10/7/2020	N	UMCf	83.2 - 108.0	0.0 U	272.0	7.28	0.0 U	23.1	112.6	<0.63	460
Zone 2	LVWPS-U2-MW13	10/2/2020	N	UMCf	94.7 - 109.5	----	-27.2	7.67	----	23.3	366.4	----	----
Zone 2	LVWPS-U2-MW13	10/2/2020	FD	UMCf	94.7 - 109.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW14	10/6/2020	N	UMCf	83.2 - 108.0	----	-43.9	7.24	----	23.2	12.8	----	----
Zone 2	LVWPS-U2-MW17	10/1/2020	N	UMCf	117.0 - 136.5	----	86.6	7.29	----	30.0	37.5	----	----
Zone 2	LVWPS-U2-MW18	10/5/2020	N	UMCf	88.3 - 113.0	----	-88.0	7.26	----	25.6	246.1	----	----
Zone 2	LVWPS-U2-MW19	10/2/2020	N	UMCf	91.2 - 111.0	----	-57.0	7.67	----	26.3	138.1	----	----
Zone 2	LVWPS-U2-MW20	10/2/2020	N	UMCf	88.2 - 108.0	----	-94.1	7.49	----	27.4	150.7	----	----
Zone 3	LVWPS-A3-MW02	10/5/2020	N	Qal	52.8 - 72.5	0.0 U	271.8	7.56	0.0 U	25.1	7.7	<0.63	200
Zone 3	LVWPS-A3-MW06	10/5/2020	N	Qal	55.3 - 75.0	----	111.1	7.53	----	24.1	8.3	----	----

**DRAFT**

**Table 2**  
**Baseline Groundwater Analytical Results**  
 Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QCType	Screened Lithology (TT)	Screened Interval (ft bgs)	FIELD TESTS Ferrous Iron mg/L	FIELD TESTS Oxidation-Reduction Potential mV	FIELD TESTS pH SU	FIELD TESTS Sulfide mg/L	FIELD TESTS Temperature C	FIELD TESTS Turbidity NTU	Dissolved Gases by RSK-175 Methane µg/L	Dissolved Metals by SW6010B Calcium mg/L
Zone 3	LVWPS-A3-MW07	10/8/2020	N	Qal	54.8 - 74.5	0.0 U	260.6	7.71	0.0 U	26.2	656.0	<0.63	200
Zone 3	LVWPS-A3-MW08	10/8/2020	N	Qal	84.8 - 104.5	----	109.9	8.22	----	28.5	133.5	----	----
Zone 3	LVWPS-A3-MW10	10/5/2020	N	Qal	56.3 - 76.0	----	184.8	7.61	----	25.3	8.3	----	----
Zone 3	LVWPS-A3-MW11	10/7/2020	N	Qal	53.8 - 73.5	----	110.7	7.58	----	23.5	44.6	----	----
Zone 3	LVWPS-A3-MW12	10/5/2020	N	Qal	59.3 - 79.0	0.0 U	238.1	7.52	0.0 U	23.7	4.4	<0.63	230
Zone 3	LVWPS-MW212A	10/5/2020	N	Qal	34.3 - 54.0	----	5.0	7.60	----	25.0	5.8	----	----
Zone 3	LVWPS-MW212B	10/5/2020	N	Qal	59.8 - 79.5	----	-10.4	7.65	----	26.8	68.2	----	----
Zone 3	LVWPS-MW212C	10/5/2020	N	UMCf-cg	100.3 - 120.0	----	-45.3	7.36	----	26.8	32.3	----	----
Zone 3	LVWPS-MW212D	10/8/2020	N	UMCf-cg	125.5 - 145.0	----	-0.2	7.25	----	21.6	5.3	----	----
Zone 3	LVWPS-MW222A	10/2/2020	N	UMCf/UMCf-cg	80.3 - 100.0	----	-37.8	7.74	----	22.9	70.9	----	----
Zone 3	LVWPS-MW222B	10/7/2020	N	UMCf-cg	150.3 - 170.0	----	-107.3	7.52	----	25.8	65.6	----	----
Zone 3	LVWPS-MW222C	10/2/2020	N	UMCf-cg	214.0 - 233.5	----	-232.0	7.68	----	30.0	1.0	----	----
Zone 3	LVWPS-U3-IW01	10/9/2020	N	UMCf-cg	80.2 - 115.0	----	382.0	7.41	----	25.8	176.9	----	----
Zone 3	LVWPS-U3-IW02A	10/6/2020	N	UMCf-cg	79.3 - 99.0	----	390.0	6.92	----	24.9	37.3	----	----
Zone 3	LVWPS-U3-IW02B	10/6/2020	N	UMCf-cg	104.8 - 124.5	----	394.0	6.93	----	26.0	52.9	----	----
Zone 3	LVWPS-U3-IW03A	10/6/2020	N	UMCf-cg	77.8 - 102.5	----	368.4	7.08	----	26.8	122.0	----	----
Zone 3	LVWPS-U3-IW03B	10/6/2020	N	UMCf-cg	109.3 - 139.0	----	389.4	7.10	----	29.0	68.3	----	----
Zone 3	LVWPS-U3-IW04A	10/7/2020	N	UMCf-cg	93.3 - 123.0	----	332.8	7.27	----	24.4	22.9	----	----
Zone 3	LVWPS-U3-IW04B	10/7/2020	N	UMCf-cg	129.3 - 159.0	----	334.7	7.25	----	27.0	918.9	----	----
Zone 3	LVWPS-U3-IW05A	10/7/2020	N	UMCf-cg	91.3 - 126.0	----	376.6	7.27	----	25.2	71.5	----	----
Zone 3	LVWPS-U3-IW05B	10/7/2020	N	UMCf-cg	132.8 - 167.5	----	385.5	7.28	----	29.3	204.0	----	----
Zone 3	LVWPS-U3-IW06A	10/7/2020	N	UMCf-cg	86.3 - 111.0	----	379.3	7.30	----	25.8	158.3	----	----
Zone 3	LVWPS-U3-IW06B	10/8/2020	N	UMCf-cg	117.8 - 142.5	----	329.6	7.36	----	24.1	58.9	----	----
Zone 3	LVWPS-U3-IW06C	10/8/2020	N	UMCf-cg	149.3 - 174.0	----	-25.5	7.38	----	26.9	4.8	----	----
Zone 3	LVWPS-U3-IW07A	10/8/2020	N	UMCf-cg	86.3 - 111.0	----	379.9	7.37	----	24.8	87.1	----	----
Zone 3	LVWPS-U3-IW07B	10/8/2020	N	UMCf-cg	117.8 - 142.5	----	263.4	7.40	----	25.7	192.0	----	----
Zone 3	LVWPS-U3-IW07C	10/9/2020	N	UMCf-cg	149.3 - 174.0	----	98.4	8.49	----	24.2	314.0	----	----
Zone 3	LVWPS-U3-IW08A	10/8/2020	N	UMCf-cg	86.3 - 111.0	----	337.4	7.33	----	25.5	102.9	----	----
Zone 3	LVWPS-U3-IW08A	10/8/2020	FD	UMCf-cg	86.3 - 111.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW08B	10/8/2020	N	UMCf-cg	117.8 - 142.5	----	389.6	7.31	----	26.6	73.3	----	----
Zone 3	LVWPS-U3-IW08C	10/9/2020	N	UMCf-cg	149.3 - 174.0	----	277.2	7.60	----	24.7	163.9	----	----
Zone 3	LVWPS-U3-MW01B	10/5/2020	N	UMCf-cg	83.8 - 103.3	----	-190.2	7.39	----	27.4	10.1	----	----
Zone 3	LVWPS-U3-MW02A	10/5/2020	N	UMCf-cg	82.3 - 97.0	0.0 U	265.9	7.42	0.0 U	26.0	93.7	<0.63	300
Zone 3	LVWPS-U3-MW02B	10/5/2020	N	UMCf-cg	103.0 - 122.5	0.0 U	223.8	7.30	0.0 U	29.8	6.4	<0.63	610
Zone 3	LVWPS-U3-MW03A	10/2/2020	N	UMCf-cg	86.3 - 111.0	----	-119.2	7.46	----	27.1	766.8	----	----
Zone 3	LVWPS-U3-MW03A	10/2/2020	FD	UMCf-cg	86.3 - 111.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW03B	10/2/2020	N	UMCf-cg	151.1 - 175.7	----	-154.9	7.54	----	24.1	-0.2	----	----
Zone 3	LVWPS-U3-MW03C	10/1/2020	N	UMCf-cg	117.8 - 142.5	----	-182.3	7.48	----	29.4	78.7	----	----
Zone 3	LVWPS-U3-MW04B	10/2/2020	N	UMCf-cg	78.2 - 97.7	----	-278.9	7.87	----	26.0	17.3	----	----
Zone 3	LVWPS-U3-MW05B	10/2/2020	N	UMCf-cg	85.2 - 104.7	----	-285.9	7.83	----	28.6	15.5	----	----
Zone 3	LVWPS-U3-MW06A	10/5/2020	N	UMCf-cg	90.3 - 115.0	----	125.0	7.56	----	22.1	89.0	----	----

**DRAFT**

**Table 3**  
**Summary of Aquifer Test Results**  
Las Vegas Wash Bioremediation Pilot Study

Location	Lithology	Average Flow Velocity (ft/day)	Velocity Range (ft/day)	Average Hydraulic Conductivity (ft/day)	Slug Test Range (ft/day)
Zone 1	Alluvium	20	10 - 30	157	20 - 240
	UMCf	0.19	0.04 - 0.28	1.2	0.17 - 2.7
Zone 2	Alluvium	35	4 - 122	134	14 - 352
	UMCf	0.21	0.08 - 0.56	0.97	0.03 - 5.3
Zone 3	Alluvium	22	22	63	14 - 96
	UMCf-cg	0.15	0.02 - 0.66	2.62	0.14 - 17

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	FIELD TESTS Ferrous Iron mg/L	FIELD TESTS Oxidation-Reduction Potential mV	FIELD TESTS pH SU	FIELD TESTS Sulfide mg/L	FIELD TESTS Temperature C	FIELD TESTS Turbidity NTU	Dissolved Gases by RSK-175 Methane µg/L	Dissolved Metals by SW6010B Calcium mg/L
Zone 3	LVWPS-U3-MW06B	10/7/2020	N	UMCf-cg	125.3 - 149.9	----	-85.6	7.37	----	28.1	11.1	----	----
Zone 3	LVWPS-U3-MW07A	10/9/2020	N	UMCf-cg	82.8 - 97.5	0.0 U	252.5	7.72	0.0 U	24.5	91.4	<0.63	180
Zone 3	LVWPS-U3-MW07B	10/9/2020	N	UMCf-cg	104.8 - 124.5	0.0 U	250.6	7.55	0.0 U	25.1	557.2	<0.63	440
Zone 3	LVWPS-U3-MW08A	10/8/2020	N	UMCf-cg	117.8 - 142.5	----	137.9	7.72	----	33.1	424.2	----	----
Zone 3	LVWPS-U3-MW08B	10/8/2020	N	UMCf-cg	149.3 - 174.0	----	-104.9	7.64	----	26.9	246.0	----	----
Zone 3	LVWPS-U3-MW09	10/7/2020	N	UMCf-cg	82.8 - 107.5	----	157.1	7.62	----	27.3	53.0	----	----
Zone 3	LVWPS-U3-MW10A	10/5/2020	N	UMCf-cg	85.3 - 95.0	----	161.8	7.48	----	29.2	57.2	----	----
Zone 3	LVWPS-U3-MW10B	10/5/2020	N	UMCf-cg	101.3 - 121.0	----	147.8	7.45	----	30.3	113.7	----	----
Zone 3	LVWPS-U3-MW11A	10/7/2020	N	UMCf-cg	86.3 - 106.0	----	115.2	7.91	----	23.3	317.9	----	----
Zone 3	LVWPS-U3-MW11B	10/7/2020	N	UMCf-cg	112.3 - 137.0	----	116.3	7.80	----	23.9	44.1	----	----
Zone 3	LVWPS-U3-MW11C	10/8/2020	N	UMCf-cg	143.3 - 163.0	----	-23.7	7.41	----	22.6	235.7	----	----
Zone 3	LVWPS-U3-MW12A	10/6/2020	N	UMCf-cg	88.3 - 108.0	0.0 U	217.2	7.45	0.0 U	25.1	95.0	<0.63	370
Zone 3	LVWPS-U3-MW12B	10/6/2020	N	UMCf-cg	113.3 - 138.0	0.0 U	263.6	7.46	0.0 U	26.1	103.6	<0.63	340
Zone 3	LVWPS-U3-MW13A	10/7/2020	N	UMCf-cg	96.3 - 121.0	----	173.7	7.56	----	28.2	261.2	----	----
Zone 3	LVWPS-U3-MW13B	10/7/2020	N	UMCf-cg	132.8 - 147.5	----	156.2	7.79	----	31.7	19.9	----	----

Notes:

FD - Field duplicate

concentration of the analyte in the sample.

J- - The result is an estimated quantity, but the result may be biased low.

J+ - The result is an estimated quantity, but the result may be biased high.

mg/L - milligrams per liter

µg/L - micrograms per liter

mS/cm - millSiemens per centimeter

mV - milliVolts

N - Normal field sample

NTU - Nephelometric Turbidity Unit

SU - Standard Units

approximate and may be inaccurate or imprecise.

UMCf - Upper Muddy Creek formation

< - The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit.

---- Not tested.

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	Dissolved Metals by SW6010B Chromium mg/L	SW7199 Chromium, Hexavalent µg/L	Dissolved Metals by SW6010B Iron mg/L	Dissolved Metals by SW6010B Manganese mg/L	EPA 351.2 Total Kjeldahl Nitrogen (TKN) mg/L	EPA 365.3 Phosphorus mg/L	NTOTAL Nitrogen, Total mg/L	SM2320B Alkalinity as CaCO3 mg/L
Extraction	LVWPS-EW01	9/29/2020	N	Qal	44.8 - 84.5	----	----	----	----	----	----	----	----
Extraction	LVWPS-EW02	9/29/2020	N	Qal	28.3 - 58.0	----	----	----	----	----	----	----	----
Extraction	LVWPS-EW03	9/30/2020	N	Qal	40.3 - 70.0	----	----	----	----	----	----	----	----
Extraction	LVWPS-EW04	9/30/2020	N	Qal	26.3 - 46.0	----	----	----	----	----	----	----	----
Extraction	LVWPS-EW05	9/29/2020	N	Qal	50.3 - 80.0	----	----	----	----	----	----	----	----
Extraction	LVWPS-EW05	9/29/2020	FD	Qal	50.3 - 80.0	----	----	----	----	----	----	----	----
Extraction	LVWPS-MW206A	9/30/2020	N	Qal	39.8 - 59.5	----	----	----	----	----	----	----	----
Extraction	LVWPS-MW206B	9/30/2020	N	Qal	69.9 - 89.5	----	----	----	----	----	----	----	----
Extraction	LVWPS-MW206C	9/30/2020	N	UMCf	100.3 - 120.0	----	----	----	----	----	----	----	----
Extraction	LVWPS-MW206D	10/6/2020	N	UMCf	125.3 - 145.0	----	----	----	----	----	----	----	----
Extraction	LVWPS-MW206E	10/5/2020	N	UMCf (Semi-Cons)	195.5 - 205.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW201A	9/28/2020	N	Qal	28.2 - 47.8	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW201B	9/28/2020	N	UMCf	60.1 - 79.8	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW202	9/29/2020	N	Qal	41.8 - 61.5	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW203A	9/30/2020	N	Qal	34.8 - 54.5	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW203A	9/30/2020	FD	Qal	34.8 - 54.5	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW203B	9/30/2020	N	UMCf	75.1 - 94.7	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW203C	9/30/2020	N	UMCf (Semi-Cons)	100.3 - 120.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW204	9/28/2020	N	Qal	50.3 - 70.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW204	9/28/2020	FD	Qal	50.3 - 70.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW204B	9/28/2020	N	UMCf	101.5 - 121.2	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW204C	10/7/2020	N	UMCf (Semi-Cons)	150.5 - 170.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW205B	9/28/2020	N	Qal	64.9 - 84.6	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW205C	9/29/2020	N	Qal	100.3 - 120.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW207	9/28/2020	N	Qal	68.1 - 87.8	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW209	10/6/2020	N	Qal	71.3 - 91.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW209	10/6/2020	FD	Qal	71.3 - 91.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW209A	10/6/2020	N	Qal	35.3 - 55.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW209B	10/6/2020	N	UMCf-cg	110.3 - 130.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW209C	10/7/2020	N	UMCf-cg	151.0 - 170.5	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW210A	10/6/2020	N	Qal	35.3 - 55.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW210B	10/6/2020	N	Qal	70.1 - 89.8	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW210C	10/1/2020	N	UMCf-cg	100.3 - 120.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW210D	10/7/2020	N	UMCf-cg	130.4 - 140.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW210E	10/7/2020	N	UMCf-cg	145.5 - 165.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW211	9/30/2020	N	Qal	50.0 - 69.7	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW213	10/1/2020	N	Qal	40.1 - 59.8	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW213	10/1/2020	FD	Qal	40.1 - 59.8	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW214	10/7/2020	N	Qal	34.4 - 44.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW215A	10/8/2020	N	Qal	13.5 - 33.2	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW215B	10/9/2020	N	Horse Springs	40.7 - 45.3	----	----	----	----	----	----	----	----

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	Dissolved Metals by SW6010B Chromium mg/L	SW7199 Chromium, Hexavalent µg/L	Dissolved Metals by SW6010B Iron mg/L	Dissolved Metals by SW6010B Manganese mg/L	EPA 351.2 Total Kjeldahl Nitrogen (TKN) mg/L	EPA 365.3 Phosphorus mg/L	NTOTAL Nitrogen, Total mg/L	SM2320B Alkalinity as CaCO3 mg/L
General Vicinity	LVWPS-MW216	10/7/2020	N	Qal	10.4 - 20.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW216	10/7/2020	FD	Qal	10.4 - 20.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW218A	10/5/2020	N	Qal	35.3 - 55.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW218B	10/2/2020	N	UMCf/UMCf-cg	100.3 - 120.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW218C	10/2/2020	N	UMCf/UMCf-cg	136.0 - 155.5	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW219A	10/9/2020	N	Qal	35.1 - 49.8	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW219B	10/9/2020	N	UMCf/Horse Springs	75.3 - 95.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW219C	10/9/2020	N	UMCf/Horse Springs	115.5 - 135.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW220A	10/5/2020	N	Qal	60.3 - 80.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW220B	10/7/2020	N	UMCf-cg	134.5 - 154.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW225A	10/7/2020	N	Qal	49.3 - 69.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW225A	10/7/2020	FD	Qal	49.3 - 69.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW225B	10/7/2020	N	UMCf	90.5 - 110.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW226A	10/1/2020	N	Qal	40.3 - 55.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW226A	10/1/2020	FD	Qal	40.3 - 55.0	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW226B	10/1/2020	N	UMCf (Semi-Cons)	77.5 - 97.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-A1-MW04	9/30/2020	N	Qal	69.3 - 89.0	0.017	18.2	0.052 J	<0.010	1.3 J+	<0.025	16	150
Zone 1	LVWPS-A1-MW05	9/30/2020	N	Qal	69.3 - 89.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-A1-MW06	9/29/2020	N	Qal	59.3 - 79.0	0.012	12.3	<0.030	<0.010	1.5 J+	<0.025	15	150
Zone 1	LVWPS-A1-MW07	9/30/2020	N	Qal	58.3 - 78.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-A1-MW09	9/30/2020	N	Qal	85.8 - 105.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-A1-MW10	10/1/2020	N	Qal	70.8 - 90.5	0.019	21.9	<0.030	<0.010	1.5	<0.025	18	140
Zone 1	LVWPS-A1-MW10	10/1/2020	FD	Qal	70.8 - 90.5	0.020	21.9	<0.030	<0.010	1.5	<0.025	18	140
Zone 1	LVWPS-MW217A	9/30/2020	N	Qal	51.3 - 71.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-MW217B	9/30/2020	N	UMCf	100.3 - 120.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-MW217C	10/5/2020	N	UMCf	155.5 - 175.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW01A	9/29/2020	N	UMCf	88.8 - 113.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW01B	9/29/2020	N	UMCf	120.3 - 145.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW02A	9/30/2020	N	UMCf	90.3 - 115.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW02B	9/30/2020	N	UMCf	121.3 - 151.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW03A	9/30/2020	N	UMCf	93.8 - 118.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW03B	9/30/2020	N	UMCf	125.3 - 150.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW04A	9/28/2020	N	UMCf	86.8 - 116.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW04A	9/28/2020	FD	UMCf	86.8 - 116.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW04B	9/28/2020	N	UMCf	122.8 - 152.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW05A	9/29/2020	N	UMCf	88.8 - 113.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW05B	9/29/2020	N	UMCf	120.3 - 145.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW06A	9/30/2020	N	UMCf	87.8 - 112.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW06B	9/30/2020	N	UMCf	119.3 - 149.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW07A	10/1/2020	N	UMCf	95.8 - 120.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW07B	10/1/2020	N	UMCf	127.3 - 152.0	----	----	----	----	----	----	----	----

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	Dissolved Metals by SW6010B Chromium mg/L	SW7199 Chromium, Hexavalent µg/L	Dissolved Metals by SW6010B Iron mg/L	Dissolved Metals by SW6010B Manganese mg/L	EPA 351.2 Total Kjeldahl Nitrogen (TKN) mg/L	EPA 365.3 Phosphorus mg/L	NTOTAL Nitrogen, Total mg/L	SM2320B Alkalinity as CaCO3 mg/L
Zone 1	LVWPS-U1-IW08A	10/1/2020	N	UMCf	95.3 - 125.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW08B	10/1/2020	N	UMCf	131.8 - 156.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW01A	9/28/2020	N	UMCf	90.3 - 115.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW01B	9/28/2020	N	UMCf	133.5 - 153.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW02A	9/29/2020	N	UMCf	94.3 - 119.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW02B	10/7/2020	N	UMCf	136.9 - 161.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW03B	9/29/2020	N	UMCf	134.5 - 154.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW04A	9/30/2020	N	UMCf	99.3 - 124.0	0.024	23.3	0.088 J	0.057	1.4	0.028 J	14	120
Zone 1	LVWPS-U1-MW04B	10/1/2020	N	UMCf	139.9 - 164.5	0.023	23.9	<0.030	0.052	1.3	0.025 J	14	120
Zone 1	LVWPS-U1-MW05A	9/29/2020	N	UMCf	95.8 - 120.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW05B	9/29/2020	N	UMCf	136.9 - 161.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW06A	9/29/2020	N	UMCf	85.3 - 105.0	0.0060	2.31	<0.030	0.025	1.8	0.092	13	140
Zone 1	LVWPS-U1-MW06B	9/29/2020	N	UMCf	109.3 - 134.0	0.0030 J	1.61	0.64	0.10	1.5 J+	0.66	13	140
Zone 1	LVWPS-U1-MW07	9/30/2020	N	UMCf	86.3 - 111.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW08A	9/30/2020	N	UMCf	93.8 - 118.5	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW08B	9/30/2020	N	UMCf	125.3 - 150.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW09A	9/30/2020	N	UMCf	115.3 - 125.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW09B	9/30/2020	N	UMCf	130.3 - 155.0	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW10A	10/2/2020	N	UMCf	99.3 - 124.0	0.066	63.1	<0.030	<0.010	0.89	0.17	11	96
Zone 1	LVWPS-U1-MW10B	10/2/2020	N	UMCf	130.3 - 155.0	0.015	10.2	0.036 J	0.076	0.79	0.15	4.6	110
Zone 2	LVWPS-A2-IW01A	10/1/2020	N	Qal	41.3 - 66.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW01A	10/1/2020	FD	Qal	41.3 - 66.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW01B	10/1/2020	N	Qal	72.8 - 97.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW02A	10/1/2020	N	Qal	38.8 - 68.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW02B	10/2/2020	N	Qal	75.3 - 100.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW03A	10/2/2020	N	Qal	37.3 - 67.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW03B	10/2/2020	N	Qal	73.8 - 103.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW03B	10/2/2020	FD	Qal	73.8 - 103.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW04A	10/2/2020	N	Qal	36.3 - 71.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW04B	10/2/2020	N	Qal	77.3 - 112.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW05A	10/2/2020	N	Qal	37.8 - 62.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW05B	10/2/2020	N	Qal	68.8 - 93.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW06A	10/5/2020	N	Qal	36.8 - 51.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW06B	10/5/2020	N	Qal	57.8 - 77.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW07A	10/5/2020	N	Qal	35.3 - 50.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW07A	10/5/2020	FD	Qal	35.3 - 50.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW07B	10/5/2020	N	Qal	56.3 - 76.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW08A	10/5/2020	N	Qal	35.8 - 55.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW08B	10/5/2020	N	Qal	61.8 - 81.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW09A	10/5/2020	N	Qal	36.8 - 51.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW09B	10/6/2020	N	Qal	58.8 - 73.5	----	----	----	----	----	----	----	----

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	Dissolved Metals by SW6010B Chromium mg/L	SW7199 Chromium, Hexavalent µg/L	Dissolved Metals by SW6010B Iron mg/L	Dissolved Metals by SW6010B Manganese mg/L	EPA 351.2 Total Kjeldahl Nitrogen (TKN) mg/L	EPA 365.3 Phosphorus mg/L	NTOTAL Nitrogen, Total mg/L	SM2320B Alkalinity as CaCO3 mg/L
Zone 2	LVWPS-A2-MW01A	10/8/2020	N	Qal	40.3 - 60.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW01A	10/8/2020	FD	Qal	40.3 - 60.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW01B	10/8/2020	N	Qal	70.3 - 90.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW02A	10/8/2020	N	Qal	40.3 - 60.0	0.016	16.4	0.031 J	0.013 J	0.82 J+	<0.025 UJ	19	180 J
Zone 2	LVWPS-A2-MW02A	10/8/2020	FD	Qal	40.3 - 60.0	0.016	16.4	<0.030	0.012 J	1.1 J+	0.16 J	19	110 J
Zone 2	LVWPS-A2-MW02B	10/8/2020	N	Qal	70.3 - 90.0	0.011	11.5	0.071 J	<0.010	1.5 J+	<0.025	16	91
Zone 2	LVWPS-A2-MW03A	10/9/2020	N	Qal	38.3 - 58.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW03A	10/9/2020	FD	Qal	38.3 - 58.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW03B	10/9/2020	N	Qal	64.3 - 84.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW04A	10/2/2020	N	Qal	43.8 - 63.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW04A	10/2/2020	FD	Qal	43.8 - 63.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW04B	10/2/2020	N	Qal	75.3 - 95.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW05A	10/5/2020	N	Qal	36.8 - 51.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW05B	10/5/2020	N	Qal	58.8 - 73.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW08A	9/30/2020	N	Qal	40.3 - 55.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW08B	10/1/2020	N	Qal	59.8 - 79.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW08C	10/1/2020	N	Qal	86.3 - 106.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW09A	10/9/2020	N	Qal	34.8 - 54.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW09B	10/9/2020	N	Qal	58.8 - 78.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW11A	10/2/2020	N	Qal	40.3 - 60.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW11A	10/2/2020	FD	Qal	40.3 - 60.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW11B	10/2/2020	N	Qal	65.3 - 85.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW11C	10/2/2020	N	Qal	90.3 - 110.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW12A	10/6/2020	N	Qal	34.9 - 44.5	0.017	16.8	0.032 J	<0.010	1.8	0.095	20	110
Zone 2	LVWPS-A2-MW12B	10/7/2020	N	Qal	49.3 - 69.0	0.014	15.0	<0.030	<0.010	3.7 J+	0.22	23	110
Zone 2	LVWPS-A2-MW13A	10/1/2020	N	Qal	41.3 - 61.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW13B	10/1/2020	N	Qal	66.4 - 86.1	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW14A	10/6/2020	N	Qal	35.8 - 50.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW14A	10/6/2020	FD	Qal	35.8 - 50.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW14B	10/6/2020	N	Qal	54.8 - 74.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW15A	10/7/2020	N	Qal	39.8 - 59.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW15B	10/8/2020	N	Qal	70.3 - 90.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW16A	10/9/2020	N	Qal	35.8 - 55.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW16B	10/9/2020	N	Qal	60.3 - 80.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW16B	10/9/2020	FD	Qal	60.3 - 80.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW17A	10/1/2020	N	Qal	40.3 - 60.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW17B	10/1/2020	N	Qal	65.3 - 85.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-MW17C	10/1/2020	N	Qal	90.3 - 110.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-MW208A	10/9/2020	N	Qal	39.9 - 59.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-MW208B	10/9/2020	N	Qal	65.3 - 85.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-MW221A	10/6/2020	N	Qal	50.3 - 70.0	----	----	----	----	----	----	----	----

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	Dissolved Metals by SW6010B Chromium mg/L	SW7199 Chromium, Hexavalent µg/L	Dissolved Metals by SW6010B Iron mg/L	Dissolved Metals by SW6010B Manganese mg/L	EPA 351.2 Total Kjeldahl Nitrogen (TKN) mg/L	EPA 365.3 Phosphorus mg/L	NTOTAL Nitrogen, Total mg/L	SM2320B Alkalinity as CaCO3 mg/L
Zone 2	LVWPS-MW221B	10/6/2020	N	UMCf/UMCf-cg	83.7 - 103.2	----	----	----	----	----	----	----	----
Zone 2	LVWPS-MW223A	10/6/2020	N	Qal	45.3 - 65.0	0.015	16.1	<0.030	<0.010	0.90	<0.025	18	120
Zone 2	LVWPS-MW223A	10/6/2020	FD	Qal	45.3 - 65.0	0.015	15.9	<0.030	<0.010	0.70	<0.025	18	120
Zone 2	LVWPS-MW223B	10/6/2020	N	Qal	70.3 - 90.0	0.018	19.0	<0.030	<0.010	0.67	0.12	21	110
Zone 2	LVWPS-MW223C	10/7/2020	N	UMCf	95.5 - 110.0	0.016	17.2	<0.030	<0.010	0.93 J+	0.053	15	100
Zone 2	LVWPS-MW224A	10/7/2020	N	Qal	55.3 - 75.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-MW224B	10/7/2020	N	UMCf	106.8 - 126.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-MW224C	10/8/2020	N	UMCf (Semi-Cons)	174.5 - 194.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW01	10/8/2020	N	UMCf	121.2 - 141.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW01	10/8/2020	FD	UMCf	121.2 - 141.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW02	10/8/2020	N	UMCf	116.2 - 141.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW03	10/8/2020	N	UMCf	99.2 - 124.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW04	10/8/2020	N	UMCf	83.7 - 108.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW05	10/8/2020	N	UMCf	87.7 - 117.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW06	10/8/2020	N	UMCf	89.2 - 104.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW07	10/6/2020	N	UMCf	91.2 - 106.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW08	10/6/2020	N	UMCf	83.7 - 108.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW09	10/6/2020	N	UMCf	103.2 - 128.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW10	10/6/2020	N	UMCf	109.3 - 129.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW11	10/6/2020	N	UMCf	108.9 - 133.7	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW12	10/8/2020	N	UMCf	112.8 - 137.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW01	10/8/2020	N	UMCf	97.3 - 117.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW02	10/8/2020	N	UMCf	100.3 - 125.0	0.0059	6.98	<0.030	0.65	1.2 J+	0.19	7.5	75
Zone 2	LVWPS-U2-MW03	10/9/2020	N	UMCf	90.3 - 110.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW04	10/6/2020	N	UMCf	103.2 - 128.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW05	10/5/2020	N	UMCf	83.2 - 108.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW06	10/1/2020	N	UMCf	121.8 - 141.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW07	10/2/2020	N	UMCf	88.2 - 108.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW08	10/1/2020	N	UMCf	113.2 - 133.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW09	10/9/2020	N	UMCf	84.9 - 104.7	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW10	10/2/2020	N	UMCf	90.2 - 110.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW12	10/7/2020	N	UMCf	83.2 - 108.0	0.046	45.4	<0.030	<0.010	0.59 J+	0.16	19	91
Zone 2	LVWPS-U2-MW13	10/2/2020	N	UMCf	94.7 - 109.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW13	10/2/2020	FD	UMCf	94.7 - 109.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW14	10/6/2020	N	UMCf	83.2 - 108.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW17	10/1/2020	N	UMCf	117.0 - 136.5	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW18	10/5/2020	N	UMCf	88.3 - 113.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW19	10/2/2020	N	UMCf	91.2 - 111.0	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW20	10/2/2020	N	UMCf	88.2 - 108.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-A3-MW02	10/5/2020	N	Qal	52.8 - 72.5	0.021	21.1	<0.030	<0.010	1.3	0.038 J	8.3	79
Zone 3	LVWPS-A3-MW06	10/5/2020	N	Qal	55.3 - 75.0	----	----	----	----	----	----	----	----

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	Dissolved Metals by SW6010B Chromium mg/L	SW7199 Chromium, Hexavalent µg/L	Dissolved Metals by SW6010B Iron mg/L	Dissolved Metals by SW6010B Manganese mg/L	EPA 351.2 Total Kjeldahl Nitrogen (TKN) mg/L	EPA 365.3 Phosphorus mg/L	NTOTAL Nitrogen, Total mg/L	SM2320B Alkalinity as CaCO3 mg/L
Zone 3	LVWPS-A3-MW07	10/8/2020	N	Qal	54.8 - 74.5	0.020	19.6	0.19 J	0.025	1.3 J+	0.088 J-	7.7	81
Zone 3	LVWPS-A3-MW08	10/8/2020	N	Qal	84.8 - 104.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-A3-MW10	10/5/2020	N	Qal	56.3 - 76.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-A3-MW11	10/7/2020	N	Qal	53.8 - 73.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-A3-MW12	10/5/2020	N	Qal	59.3 - 79.0	0.022	21.9	<0.030	<0.010	0.91 J+	<0.025	8.1	84
Zone 3	LVWPS-MW212A	10/5/2020	N	Qal	34.3 - 54.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-MW212B	10/5/2020	N	Qal	59.8 - 79.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-MW212C	10/5/2020	N	UMCf-cg	100.3 - 120.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-MW212D	10/8/2020	N	UMCf-cg	125.5 - 145.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-MW222A	10/2/2020	N	UMCf/UMCf-cg	80.3 - 100.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-MW222B	10/7/2020	N	UMCf-cg	150.3 - 170.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-MW222C	10/2/2020	N	UMCf-cg	214.0 - 233.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW01	10/9/2020	N	UMCf-cg	80.2 - 115.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW02A	10/6/2020	N	UMCf-cg	79.3 - 99.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW02B	10/6/2020	N	UMCf-cg	104.8 - 124.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW03A	10/6/2020	N	UMCf-cg	77.8 - 102.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW03B	10/6/2020	N	UMCf-cg	109.3 - 139.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW04A	10/7/2020	N	UMCf-cg	93.3 - 123.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW04B	10/7/2020	N	UMCf-cg	129.3 - 159.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW05A	10/7/2020	N	UMCf-cg	91.3 - 126.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW05B	10/7/2020	N	UMCf-cg	132.8 - 167.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW06A	10/7/2020	N	UMCf-cg	86.3 - 111.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW06B	10/8/2020	N	UMCf-cg	117.8 - 142.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW06C	10/8/2020	N	UMCf-cg	149.3 - 174.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW07A	10/8/2020	N	UMCf-cg	86.3 - 111.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW07B	10/8/2020	N	UMCf-cg	117.8 - 142.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW07C	10/9/2020	N	UMCf-cg	149.3 - 174.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW08A	10/8/2020	N	UMCf-cg	86.3 - 111.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW08A	10/8/2020	FD	UMCf-cg	86.3 - 111.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW08B	10/8/2020	N	UMCf-cg	117.8 - 142.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-IW08C	10/9/2020	N	UMCf-cg	149.3 - 174.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW01B	10/5/2020	N	UMCf-cg	83.8 - 103.3	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW02A	10/5/2020	N	UMCf-cg	82.3 - 97.0	0.015	15.8	0.044 J	0.027	1.3	0.22	7.0	84
Zone 3	LVWPS-U3-MW02B	10/5/2020	N	UMCf-cg	103.0 - 122.5	0.023	22.6	0.034 J	0.23	1.9 J+	0.063	12	54
Zone 3	LVWPS-U3-MW03A	10/2/2020	N	UMCf-cg	86.3 - 111.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW03A	10/2/2020	FD	UMCf-cg	86.3 - 111.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW03B	10/2/2020	N	UMCf-cg	151.1 - 175.7	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW03C	10/1/2020	N	UMCf-cg	117.8 - 142.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW04B	10/2/2020	N	UMCf-cg	78.2 - 97.7	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW05B	10/2/2020	N	UMCf-cg	85.2 - 104.7	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW06A	10/5/2020	N	UMCf-cg	90.3 - 115.0	----	----	----	----	----	----	----	----

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	Dissolved Metals by SW6010B Chromium mg/L	SW7199 Chromium, Hexavalent µg/L	Dissolved Metals by SW6010B Iron mg/L	Dissolved Metals by SW6010B Manganese mg/L	EPA 351.2 Total Kjeldahl Nitrogen (TKN) mg/L	EPA 365.3 Phosphorus mg/L	NTOTAL Nitrogen, Total mg/L	SM2320B Alkalinity as CaCO <sub>3</sub> mg/L
Zone 3	LVWPS-U3-MW06B	10/7/2020	N	UMCf-cg	125.3 - 149.9	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW07A	10/9/2020	N	UMCf-cg	82.8 - 97.5	0.019	19.1	0.045 J	0.15	1.3	0.20	7.2	94
Zone 3	LVWPS-U3-MW07B	10/9/2020	N	UMCf-cg	104.8 - 124.5	0.032	31.5 J-	<0.030	0.074	1.2	0.51	10	67
Zone 3	LVWPS-U3-MW08A	10/8/2020	N	UMCf-cg	117.8 - 142.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW08B	10/8/2020	N	UMCf-cg	149.3 - 174.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW09	10/7/2020	N	UMCf-cg	82.8 - 107.5	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW10A	10/5/2020	N	UMCf-cg	85.3 - 95.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW10B	10/5/2020	N	UMCf-cg	101.3 - 121.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW11A	10/7/2020	N	UMCf-cg	86.3 - 106.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW11B	10/7/2020	N	UMCf-cg	112.3 - 137.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW11C	10/8/2020	N	UMCf-cg	143.3 - 163.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW12A	10/6/2020	N	UMCf-cg	88.3 - 108.0	0.015	15.3	0.035 J	0.10	0.75	0.16	5.8	77
Zone 3	LVWPS-U3-MW12B	10/6/2020	N	UMCf-cg	113.3 - 138.0	0.028	27.7	<0.030	<0.010	0.77	0.11	7.4	72
Zone 3	LVWPS-U3-MW13A	10/7/2020	N	UMCf-cg	96.3 - 121.0	----	----	----	----	----	----	----	----
Zone 3	LVWPS-U3-MW13B	10/7/2020	N	UMCf-cg	132.8 - 147.5	----	----	----	----	----	----	----	----

Notes:

FD - Field duplicate

concentration of the analyte in the sample.

J- - The result is an estimated quantity, but the result may be biased low.

J+ - The result is an estimated quantity, but the result may be biased high.

mg/L - milligrams per liter

µg/L - micrograms per liter

mS/cm - millisiemens per centimeter

mV - millivolts

N - Normal field sample

NTU - Nephelometric Turbidity Unit

SU - Standard Units

approximate and may be inaccurate or imprecise.

UMCf - Upper Muddy Creek formation

< - The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit.

---- Not tested.

## DRAFT

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QCType	Screened Lithology (TT)	Screened Interval (ft bgs)	SM2320B Bicarbonate ion as HCO <sub>3</sub> mg/L	SM2320B Carbonate (as CO <sub>3</sub> ) mg/L	SM2320B Hydroxide as OH mg/L	SM2540C Total Dissolved Solids mg/L	SW6020B Arsenic µg/L	VFA Acetic Acid mg/L	VFA Butyric Acid mg/L	VFA Formic Acid mg/L	VFA Lactic Acid mg/L	VFA Propionic Acid mg/L	VFA Pyruvic Acid mg/L
Extraction	LVWPS-EW01	9/29/2020	N	Qal	44.8 - 84.5	----	----	----	----	----	----	----	----	----	----	
Extraction	LVWPS-EW02	9/29/2020	N	Qal	28.3 - 58.0	----	----	----	----	----	----	----	----	----	----	
Extraction	LVWPS-EW03	9/30/2020	N	Qal	40.3 - 70.0	----	----	----	----	----	----	----	----	----	----	
Extraction	LVWPS-EW04	9/30/2020	N	Qal	26.3 - 46.0	----	----	----	----	----	----	----	----	----	----	
Extraction	LVWPS-EW05	9/29/2020	N	Qal	50.3 - 80.0	----	----	----	----	----	----	----	----	----	----	
Extraction	LVWPS-EW05	9/29/2020	FD	Qal	50.3 - 80.0	----	----	----	----	----	----	----	----	----	----	
Extraction	LVWPS-MW206A	9/30/2020	N	Qal	39.8 - 59.5	----	----	----	----	----	----	----	----	----	----	
Extraction	LVWPS-MW206B	9/30/2020	N	Qal	69.9 - 89.5	----	----	----	----	----	----	----	----	----	----	
Extraction	LVWPS-MW206C	9/30/2020	N	UMCf	100.3 - 120.0	----	----	----	----	----	----	----	----	----	----	
Extraction	LVWPS-MW206D	10/6/2020	N	UMCf	125.3 - 145.0	----	----	----	----	----	----	----	----	----	----	
Extraction	LVWPS-MW206E	10/5/2020	N	UMCf (Semi-Cons)	195.5 - 205.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW201A	9/28/2020	N	Qal	28.2 - 47.8	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW201B	9/28/2020	N	UMCf	60.1 - 79.8	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW202	9/29/2020	N	Qal	41.8 - 61.5	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW203A	9/30/2020	N	Qal	34.8 - 54.5	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW203A	9/30/2020	FD	Qal	34.8 - 54.5	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW203B	9/30/2020	N	UMCf	75.1 - 94.7	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW203C	9/30/2020	N	UMCf (Semi-Cons)	100.3 - 120.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW204	9/28/2020	N	Qal	50.3 - 70.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW204	9/28/2020	FD	Qal	50.3 - 70.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW204B	9/28/2020	N	UMCf	101.5 - 121.2	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW204C	10/7/2020	N	UMCf (Semi-Cons)	150.5 - 170.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW205B	9/28/2020	N	Qal	64.9 - 84.6	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW205C	9/29/2020	N	Qal	100.3 - 120.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW207	9/28/2020	N	Qal	68.1 - 87.8	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW209	10/6/2020	N	Qal	71.3 - 91.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW209	10/6/2020	FD	Qal	71.3 - 91.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW209A	10/6/2020	N	Qal	35.3 - 55.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW209B	10/6/2020	N	UMCf-cg	110.3 - 130.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW209C	10/7/2020	N	UMCf-cg	151.0 - 170.5	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW210A	10/6/2020	N	Qal	35.3 - 55.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW210B	10/6/2020	N	Qal	70.1 - 89.8	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW210C	10/1/2020	N	UMCf-cg	100.3 - 120.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW210D	10/7/2020	N	UMCf-cg	130.4 - 140.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW210E	10/7/2020	N	UMCf-cg	145.5 - 165.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW211	9/30/2020	N	Qal	50.0 - 69.7	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW213	10/1/2020	N	Qal	40.1 - 59.8	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW213	10/1/2020	FD	Qal	40.1 - 59.8	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW214	10/7/2020	N	Qal	34.4 - 44.0	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW215A	10/8/2020	N	Qal	13.5 - 33.2	----	----	----	----	----	----	----	----	----	----	
General Vicinity	LVWPS-MW215B	10/9/2020	N	Horse Springs	40.7 - 45.3	----	----	----	----	----	----	----	----	----	----	

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QCType	Screened Lithology (TT)	Screened Interval (ft bgs)	SM2320B Bicarbonate ion as HCO <sub>3</sub> mg/L	SM2320B Carbonate (as CO <sub>3</sub> ) mg/L	SM2320B Hydroxide as OH mg/L	SM2540C Total Dissolved Solids mg/L	SW6020B Arsenic µg/L	VFA Acetic Acid mg/L	VFA Butyric Acid mg/L	VFA Formic Acid mg/L	VFA Lactic Acid mg/L	VFA Propionic Acid mg/L	VFA Pyruvic Acid mg/L
General Vicinity	LVWPS-MW216	10/7/2020	N	Qal	10.4 - 20.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW216	10/7/2020	FD	Qal	10.4 - 20.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW218A	10/5/2020	N	Qal	35.3 - 55.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW218B	10/2/2020	N	UMCf/UMCf-cg	100.3 - 120.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW218C	10/2/2020	N	UMCf/UMCf-cg	136.0 - 155.5	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW219A	10/9/2020	N	Qal	35.1 - 49.8	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW219B	10/9/2020	N	UMCf/Horse Springs	75.3 - 95.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW219C	10/9/2020	N	UMCf/Horse Springs	115.5 - 135.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW220A	10/5/2020	N	Qal	60.3 - 80.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW220B	10/7/2020	N	UMCf-cg	134.5 - 154.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW225A	10/7/2020	N	Qal	49.3 - 69.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW225A	10/7/2020	FD	Qal	49.3 - 69.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW225B	10/7/2020	N	UMCf	90.5 - 110.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW226A	10/1/2020	N	Qal	40.3 - 55.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW226A	10/1/2020	FD	Qal	40.3 - 55.0	----	----	----	----	----	----	----	----	----	----	----
General Vicinity	LVWPS-MW226B	10/1/2020	N	UMCf (Semi-Cons)	77.5 - 97.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-A1-MW04	9/30/2020	N	Qal	69.3 - 89.0	180	<0	<0	3,700	37	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 1	LVWPS-A1-MW05	9/30/2020	N	Qal	69.3 - 89.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-A1-MW06	9/29/2020	N	Qal	59.3 - 79.0	190	<0	<0	2,900	32	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 1	LVWPS-A1-MW07	9/30/2020	N	Qal	58.3 - 78.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-A1-MW09	9/30/2020	N	Qal	85.8 - 105.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-A1-MW10	10/1/2020	N	Qal	70.8 - 90.5	170	<0	<0	3,900	38	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 1	LVWPS-A1-MW10	10/1/2020	FD	Qal	70.8 - 90.5	180	<0	<0	3,600	40	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 1	LVWPS-MW217A	9/30/2020	N	Qal	51.3 - 71.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-MW217B	9/30/2020	N	UMCf	100.3 - 120.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-MW217C	10/5/2020	N	UMCf	155.5 - 175.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW01A	9/29/2020	N	UMCf	88.8 - 113.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW01B	9/29/2020	N	UMCf	120.3 - 145.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW02A	9/30/2020	N	UMCf	90.3 - 115.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW02B	9/30/2020	N	UMCf	121.3 - 151.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW03A	9/30/2020	N	UMCf	93.8 - 118.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW03B	9/30/2020	N	UMCf	125.3 - 150.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW04A	9/28/2020	N	UMCf	86.8 - 116.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW04A	9/28/2020	FD	UMCf	86.8 - 116.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW04B	9/28/2020	N	UMCf	122.8 - 152.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW05A	9/29/2020	N	UMCf	88.8 - 113.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW05B	9/29/2020	N	UMCf	120.3 - 145.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW06A	9/30/2020	N	UMCf	87.8 - 112.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW06B	9/30/2020	N	UMCf	119.3 - 149.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW07A	10/1/2020	N	UMCf	95.8 - 120.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW07B	10/1/2020	N	UMCf	127.3 - 152.0	----	----	----	----	----	----	----	----	----	----	----

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	SM2320B Bicarbonate ion as HCO <sub>3</sub> mg/L	SM2320B Carbonate (as CO <sub>3</sub> ) mg/L	SM2320B Hydroxide as OH mg/L	SM2540C Total Dissolved Solids mg/L	SW6020B Arsenic µg/L	VFA Acetic Acid mg/L	VFA Butyric Acid mg/L	VFA Formic Acid mg/L	VFA Lactic Acid mg/L	VFA Propionic Acid mg/L	VFA Pyruvic Acid mg/L
Zone 1	LVWPS-U1-IW08A	10/1/2020	N	UMCf	95.3 - 125.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-IW08B	10/1/2020	N	UMCf	131.8 - 156.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW01A	9/28/2020	N	UMCf	90.3 - 115.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW01B	9/28/2020	N	UMCf	133.5 - 153.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW02A	9/29/2020	N	UMCf	94.3 - 119.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW02B	10/7/2020	N	UMCf	136.9 - 161.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW03B	9/29/2020	N	UMCf	134.5 - 154.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW04A	9/30/2020	N	UMCf	99.3 - 124.0	140	<0	<0	3,700	65	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 1	LVWPS-U1-MW04B	10/1/2020	N	UMCf	139.9 - 164.5	140	<0	<0	4,000	65	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 1	LVWPS-U1-MW05A	9/29/2020	N	UMCf	95.8 - 120.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW05B	9/29/2020	N	UMCf	136.9 - 161.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW06A	9/29/2020	N	UMCf	85.3 - 105.0	180	<0	<0	2,500	54	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 1	LVWPS-U1-MW06B	9/29/2020	N	UMCf	109.3 - 134.0	180	<0	<0	2,600	50	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 1	LVWPS-U1-MW07	9/30/2020	N	UMCf	86.3 - 111.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW08A	9/30/2020	N	UMCf	93.8 - 118.5	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW08B	9/30/2020	N	UMCf	125.3 - 150.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW09A	9/30/2020	N	UMCf	115.3 - 125.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW09B	9/30/2020	N	UMCf	130.3 - 155.0	----	----	----	----	----	----	----	----	----	----	----
Zone 1	LVWPS-U1-MW10A	10/2/2020	N	UMCf	99.3 - 124.0	120	<0	<0	4,600	74	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 1	LVWPS-U1-MW10B	10/2/2020	N	UMCf	130.3 - 155.0	130	<0	<0	4,200	37	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 2	LVWPS-A2-IW01A	10/1/2020	N	Qal	41.3 - 66.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW01A	10/1/2020	FD	Qal	41.3 - 66.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW01B	10/1/2020	N	Qal	72.8 - 97.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW02A	10/1/2020	N	Qal	38.8 - 68.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW02B	10/2/2020	N	Qal	75.3 - 100.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW03A	10/2/2020	N	Qal	37.3 - 67.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW03B	10/2/2020	N	Qal	73.8 - 103.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW03B	10/2/2020	FD	Qal	73.8 - 103.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW04A	10/2/2020	N	Qal	36.3 - 71.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW04B	10/2/2020	N	Qal	77.3 - 112.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW05A	10/2/2020	N	Qal	37.8 - 62.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW05B	10/2/2020	N	Qal	68.8 - 93.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW06A	10/5/2020	N	Qal	36.8 - 51.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW06B	10/5/2020	N	Qal	57.8 - 77.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW07A	10/5/2020	N	Qal	35.3 - 50.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW07A	10/5/2020	FD	Qal	35.3 - 50.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW07B	10/5/2020	N	Qal	56.3 - 76.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW08A	10/5/2020	N	Qal	35.8 - 55.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW08B	10/5/2020	N	Qal	61.8 - 81.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW09A	10/5/2020	N	Qal	36.8 - 51.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-A2-IW09B	10/6/2020	N	Qal	58.8 - 73.5	----	----	----	----	----	----	----	----	----	----	----

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QCType	Screened Lithology (TT)	Screened Interval (ft bgs)	SM2320B Bicarbonate ion as HCO <sub>3</sub> mg/L	SM2320B Carbonate (as CO <sub>3</sub> ) mg/L	SM2320B Hydroxide as OH mg/L	SM2540C Total Dissolved Solids mg/L	SW6020B Arsenic µg/L	VFA Acetic Acid mg/L	VFA Butyric Acid mg/L	VFA Formic Acid mg/L	VFA Lactic Acid mg/L	VFA Propionic Acid mg/L	VFA Pyruvic Acid mg/L
Zone 2	LVWPS-A2-MW01A	10/8/2020	N	Qal	40.3 - 60.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW01A	10/8/2020	FD	Qal	40.3 - 60.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW01B	10/8/2020	N	Qal	70.3 - 90.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW02A	10/8/2020	N	Qal	40.3 - 60.0	220 J	<0	<0	5,100	58	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 2	LVWPS-A2-MW02A	10/8/2020	FD	Qal	40.3 - 60.0	140 J	<0	<0	5,200	54	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 2	LVWPS-A2-MW02B	10/8/2020	N	Qal	70.3 - 90.0	110	<0	<0	4,000	61	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 2	LVWPS-A2-MW03A	10/9/2020	N	Qal	38.3 - 58.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW03A	10/9/2020	FD	Qal	38.3 - 58.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW03B	10/9/2020	N	Qal	64.3 - 84.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW04A	10/2/2020	N	Qal	43.8 - 63.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW04A	10/2/2020	FD	Qal	43.8 - 63.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW04B	10/2/2020	N	Qal	75.3 - 95.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW05A	10/5/2020	N	Qal	36.8 - 51.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW05B	10/5/2020	N	Qal	58.8 - 73.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW08A	9/30/2020	N	Qal	40.3 - 55.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW08B	10/1/2020	N	Qal	59.8 - 79.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW08C	10/1/2020	N	Qal	86.3 - 106.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW09A	10/9/2020	N	Qal	34.8 - 54.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW09B	10/9/2020	N	Qal	58.8 - 78.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW11A	10/2/2020	N	Qal	40.3 - 60.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW11A	10/2/2020	FD	Qal	40.3 - 60.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW11B	10/2/2020	N	Qal	65.3 - 85.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW11C	10/2/2020	N	Qal	90.3 - 110.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW12A	10/6/2020	N	Qal	34.9 - 44.5	140	<0	<0	3,400	39	<0.29	<0.26	<0.26	<0.31	<1.8	<1.9
Zone 2	LVWPS-A2-MW12B	10/7/2020	N	Qal	49.3 - 69.0	130	<0	<0	4,500	49	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 2	LVWPS-A2-MW13A	10/1/2020	N	Qal	41.3 - 61.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW13B	10/1/2020	N	Qal	66.4 - 86.1	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW14A	10/6/2020	N	Qal	35.8 - 50.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW14A	10/6/2020	FD	Qal	35.8 - 50.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW14B	10/6/2020	N	Qal	54.8 - 74.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW15A	10/7/2020	N	Qal	39.8 - 59.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW15B	10/8/2020	N	Qal	70.3 - 90.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW16A	10/9/2020	N	Qal	35.8 - 55.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW16B	10/9/2020	N	Qal	60.3 - 80.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW16B	10/9/2020	FD	Qal	60.3 - 80.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW17A	10/1/2020	N	Qal	40.3 - 60.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW17B	10/1/2020	N	Qal	65.3 - 85.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-A2-MW17C	10/1/2020	N	Qal	90.3 - 110.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-MW208A	10/9/2020	N	Qal	39.9 - 59.5	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-MW208B	10/9/2020	N	Qal	65.3 - 85.0	----	----	----	----	----	----	----	----	----	----	
Zone 2	LVWPS-MW221A	10/6/2020	N	Qal	50.3 - 70.0	----	----	----	----	----	----	----	----	----	----	

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QCType	Screened Lithology (TT)	Screened Interval (ft bgs)	SM2320B Bicarbonate ion as HCO <sub>3</sub> mg/L	SM2320B Carbonate (as CO <sub>3</sub> ) mg/L	SM2320B Hydroxide as OH mg/L	SM2540C Total Dissolved Solids mg/L	SW6020B Arsenic µg/L	VFA Acetic Acid mg/L	VFA Butyric Acid mg/L	VFA Formic Acid mg/L	VFA Lactic Acid mg/L	VFA Propionic Acid mg/L	VFA Pyruvic Acid mg/L
Zone 2	LVWPS-MW221B	10/6/2020	N	UMCf/UMCf-cg	83.7 - 103.2	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-MW223A	10/6/2020	N	Qal	45.3 - 65.0	150	<0	<0	5,200	57	<0.29	<0.26	<0.26	<0.31	<1.8	<1.9
Zone 2	LVWPS-MW223A	10/6/2020	FD	Qal	45.3 - 65.0	150	<0	<0	5,300	55	<0.29	<0.26	<0.26	<0.31	<1.8	<1.9
Zone 2	LVWPS-MW223B	10/6/2020	N	Qal	70.3 - 90.0	140	<0	<0	3,600	44	<0.29	<0.26	<0.26	<0.31	<1.8	<1.9
Zone 2	LVWPS-MW223C	10/7/2020	N	UMCf	95.5 - 110.0	130	<0	<0	4,200	37	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 2	LVWPS-MW224A	10/7/2020	N	Qal	55.3 - 75.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-MW224B	10/7/2020	N	UMCf	106.8 - 126.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-MW224C	10/8/2020	N	UMCf (Semi-Cons)	174.5 - 194.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW01	10/8/2020	N	UMCf	121.2 - 141.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW01	10/8/2020	FD	UMCf	121.2 - 141.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW02	10/8/2020	N	UMCf	116.2 - 141.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW03	10/8/2020	N	UMCf	99.2 - 124.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW04	10/8/2020	N	UMCf	83.7 - 108.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW05	10/8/2020	N	UMCf	87.7 - 117.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW06	10/8/2020	N	UMCf	89.2 - 104.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW07	10/6/2020	N	UMCf	91.2 - 106.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW08	10/6/2020	N	UMCf	83.7 - 108.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW09	10/6/2020	N	UMCf	103.2 - 128.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW10	10/6/2020	N	UMCf	109.3 - 129.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW11	10/6/2020	N	UMCf	108.9 - 133.7	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-IW12	10/8/2020	N	UMCf	112.8 - 137.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW01	10/8/2020	N	UMCf	97.3 - 117.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW02	10/8/2020	N	UMCf	100.3 - 125.0	92	<0	<0	4,100	17 J+	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 2	LVWPS-U2-MW03	10/9/2020	N	UMCf	90.3 - 110.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW04	10/6/2020	N	UMCf	103.2 - 128.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW05	10/5/2020	N	UMCf	83.2 - 108.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW06	10/1/2020	N	UMCf	121.8 - 141.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW07	10/2/2020	N	UMCf	88.2 - 108.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW08	10/1/2020	N	UMCf	113.2 - 133.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW09	10/9/2020	N	UMCf	84.9 - 104.7	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW10	10/2/2020	N	UMCf	90.2 - 110.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW12	10/7/2020	N	UMCf	83.2 - 108.0	110	<0	<0	4,600	56	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 2	LVWPS-U2-MW13	10/2/2020	N	UMCf	94.7 - 109.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW13	10/2/2020	FD	UMCf	94.7 - 109.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW14	10/6/2020	N	UMCf	83.2 - 108.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW17	10/1/2020	N	UMCf	117.0 - 136.5	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW18	10/5/2020	N	UMCf	88.3 - 113.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW19	10/2/2020	N	UMCf	91.2 - 111.0	----	----	----	----	----	----	----	----	----	----	----
Zone 2	LVWPS-U2-MW20	10/2/2020	N	UMCf	88.2 - 108.0	----	----	----	----	----	----	----	----	----	----	----
Zone 3	LVWPS-A3-MW02	10/5/2020	N	Qal	52.8 - 72.5	97	<0	<0	1,800	53	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 3	LVWPS-A3-MW06	10/5/2020	N	Qal	55.3 - 75.0	----	----	----	----	----	----	----	----	----	----	----

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QCType	Screened Lithology (TT)	Screened Interval (ft bgs)	SM2320B Bicarbonate ion as HCO <sub>3</sub>	SM2320B Carbonate (as CO <sub>3</sub> )	SM2320B Hydroxide as OH	SM2540C Total Dissolved Solids	SW6020B Arsenic	VFA Acetic Acid	VFA Butyric Acid	VFA Formic Acid	VFA Lactic Acid	VFA Propionic Acid	VFA Pyruvic Acid
						mg/L	mg/L	mg/L	mg/L	µg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Zone 3	LVWPS-A3-MW07	10/8/2020	N	Qal	54.8 - 74.5	99	<0	<0	2,300	59	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 3	LVWPS-A3-MW08	10/8/2020	N	Qal	84.8 - 104.5	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-A3-MW10	10/5/2020	N	Qal	56.3 - 76.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-A3-MW11	10/7/2020	N	Qal	53.8 - 73.5	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-A3-MW12	10/5/2020	N	Qal	59.3 - 79.0	100	<0	<0	2,400	60	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 3	LVWPS-MW212A	10/5/2020	N	Qal	34.3 - 54.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-MW212B	10/5/2020	N	Qal	59.8 - 79.5	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-MW212C	10/5/2020	N	UMCf-cg	100.3 - 120.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-MW212D	10/8/2020	N	UMCf-cg	125.5 - 145.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-MW222A	10/2/2020	N	UMCf/UMCf-cg	80.3 - 100.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-MW222B	10/7/2020	N	UMCf-cg	150.3 - 170.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-MW222C	10/2/2020	N	UMCf-cg	214.0 - 233.5	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW01	10/9/2020	N	UMCf-cg	80.2 - 115.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW02A	10/6/2020	N	UMCf-cg	79.3 - 99.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW02B	10/6/2020	N	UMCf-cg	104.8 - 124.5	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW03A	10/6/2020	N	UMCf-cg	77.8 - 102.5	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW03B	10/6/2020	N	UMCf-cg	109.3 - 139.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW04A	10/7/2020	N	UMCf-cg	93.3 - 123.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW04B	10/7/2020	N	UMCf-cg	129.3 - 159.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW05A	10/7/2020	N	UMCf-cg	91.3 - 126.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW05B	10/7/2020	N	UMCf-cg	132.8 - 167.5	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW06A	10/7/2020	N	UMCf-cg	86.3 - 111.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW06B	10/8/2020	N	UMCf-cg	117.8 - 142.5	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW06C	10/8/2020	N	UMCf-cg	149.3 - 174.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW07A	10/8/2020	N	UMCf-cg	86.3 - 111.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW07B	10/8/2020	N	UMCf-cg	117.8 - 142.5	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW07C	10/9/2020	N	UMCf-cg	149.3 - 174.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW08A	10/8/2020	N	UMCf-cg	86.3 - 111.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW08A	10/8/2020	FD	UMCf-cg	86.3 - 111.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW08B	10/8/2020	N	UMCf-cg	117.8 - 142.5	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-IW08C	10/9/2020	N	UMCf-cg	149.3 - 174.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-MW01B	10/5/2020	N	UMCf-cg	83.8 - 103.3	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-MW02A	10/5/2020	N	UMCf-cg	82.3 - 97.0	100	<0	<0	5,900	25	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 3	LVWPS-U3-MW02B	10/5/2020	N	UMCf-cg	103.0 - 122.5	66	<0	<0	4,100	27	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 3	LVWPS-U3-MW03A	10/2/2020	N	UMCf-cg	86.3 - 111.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-MW03A	10/2/2020	FD	UMCf-cg	86.3 - 111.0	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-MW03B	10/2/2020	N	UMCf-cg	151.1 - 175.7	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-MW03C	10/1/2020	N	UMCf-cg	117.8 - 142.5	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-MW04B	10/2/2020	N	UMCf-cg	78.2 - 97.7	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-MW05B	10/2/2020	N	UMCf-cg	85.2 - 104.7	---	---	---	---	---	---	---	---	---	---	---
Zone 3	LVWPS-U3-MW06A	10/5/2020	N	UMCf-cg	90.3 - 115.0	---	---	---	---	---	---	---	---	---	---	---

**Table 2**  
**Baseline Groundwater Analytical Results**  
Las Vegas Wash Bioremediation Pilot Study

Zone	Location	Sample Date	QC Type	Screened Lithology (TT)	Screened Interval (ft bgs)	SM2320B Bicarbonate ion as HCO <sub>3</sub> mg/L	SM2320B Carbonate (as CO <sub>3</sub> ) mg/L	SM2320B Hydroxide as OH mg/L	SM2540C Total Dissolved Solids mg/L	SW6020B Arsenic µg/L	VFA Acetic Acid mg/L	VFA Butyric Acid mg/L	VFA Formic Acid mg/L	VFA Lactic Acid mg/L	VFA Propionic Acid mg/L	VFA Pyruvic Acid mg/L
Zone 3	LVWPS-U3-MW06B	10/7/2020	N	UMCf-cg	125.3 - 149.9	----	----	----	----	----	----	----	----	----	----	
Zone 3	LVWPS-U3-MW07A	10/9/2020	N	UMCf-cg	82.8 - 97.5	110	<0	<0	2,400	39	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 3	LVWPS-U3-MW07B	10/9/2020	N	UMCf-cg	104.8 - 124.5	82	<0	<0	3,900	36	<1.5	<1.3	<1.3	<1.6	<1.8	<1.9
Zone 3	LVWPS-U3-MW08A	10/8/2020	N	UMCf-cg	117.8 - 142.5	----	----	----	----	----	----	----	----	----	----	
Zone 3	LVWPS-U3-MW08B	10/8/2020	N	UMCf-cg	149.3 - 174.0	----	----	----	----	----	----	----	----	----	----	
Zone 3	LVWPS-U3-MW09	10/7/2020	N	UMCf-cg	82.8 - 107.5	----	----	----	----	----	----	----	----	----	----	
Zone 3	LVWPS-U3-MW10A	10/5/2020	N	UMCf-cg	85.3 - 95.0	----	----	----	----	----	----	----	----	----	----	
Zone 3	LVWPS-U3-MW10B	10/5/2020	N	UMCf-cg	101.3 - 121.0	----	----	----	----	----	----	----	----	----	----	
Zone 3	LVWPS-U3-MW11A	10/7/2020	N	UMCf-cg	86.3 - 106.0	----	----	----	----	----	----	----	----	----	----	
Zone 3	LVWPS-U3-MW11B	10/7/2020	N	UMCf-cg	112.3 - 137.0	----	----	----	----	----	----	----	----	----	----	
Zone 3	LVWPS-U3-MW11C	10/8/2020	N	UMCf-cg	143.3 - 163.0	----	----	----	----	----	----	----	----	----	----	
Zone 3	LVWPS-U3-MW12A	10/6/2020	N	UMCf-cg	88.3 - 108.0	94	<0	<0	3,600	41	<0.29	<0.26	<0.26	<0.31	<1.8	<1.9
Zone 3	LVWPS-U3-MW12B	10/6/2020	N	UMCf-cg	113.3 - 138.0	88	<0	<0	3,400	55	<0.29	<0.26	<0.26	<0.31	<1.8	<1.9
Zone 3	LVWPS-U3-MW13A	10/7/2020	N	UMCf-cg	96.3 - 121.0	----	----	----	----	----	----	----	----	----	----	
Zone 3	LVWPS-U3-MW13B	10/7/2020	N	UMCf-cg	132.8 - 147.5	----	----	----	----	----	----	----	----	----	----	

Notes:

FD - Field duplicate

concentration of the analyte in the sample.

J- - The result is an estimated quantity, but the result may be biased low.

J+ - The result is an estimated quantity, but the result may be biased high.

mg/L - milligrams per liter

µg/L - micrograms per liter

mS/cm - millisiemens per centimeter

mV - millivolts

N - Normal field sample

NTU - Nephelometric Turbidity Unit

SU - Standard Units

approximate and may be inaccurate or imprecise.

UMCf - Upper Muddy Creek formation

< - The analyte was analyzed for, but was not detected above the level of the reported sample quantitation limit.

---- Not tested.