



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91018-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)


Laboratory Report

for

Tronox LLC - Henderson
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley
Fax: 702-651-2310



ADE Andy Eaton
Project Manager



Report#: 162343
CLO4

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 6 page[s].



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

162243

MWLABS USE ONLY:

750 Royal Oaks Drive, Suite 100, Montrovia, CA 91016-3629
(626) 568-6400 (800) 566-5227

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: J.S.

SAMPLE TEMP, RECEIPT AT LAB: 0.00

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME

PROJECT JOB # / P.O.#

Weekly Cr Consent Order Compliance Samples

KERRMCGEE-HP

Wendy Prescott

Wendy Prescott
Susan Crowley (702) 651-2234

Kerr-McGee Chemical LLC
PO Box 55
Henderson, NV 89009

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX *	GRAB	COMP
10:00 AM	11-20-22,24-05		GWTP Discharge	RSW		X
10:00 AM	11/24/2005		GWTP West Well Feed	RSW	X	
10:00 AM	11/24/2005		GWTP East Well Feed	RSW	X	

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES

(check for yes)

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

Total Chromium	Hexavalent Chromium	Total Cr ₆	Total Cr ₃	NO ₃ as N	SAMPLER COMMENTS
X	X	X	X	X	Total Cr sample preserved with HNO ₃ .
X	X	X	X		Total Cr sample preserved with HNO ₃ .
X	X	X	X		Total Cr sample preserved with HNO ₃ .
					East & West CLO4 added beginning 11-11-04

* MATRIX TYPES:

Reported by Volume:
CFW = Chlor(am)inated Finished Water
FW = Other Finished Water

RGW = Raw Ground Water
RSW = Raw Surface Water

CWW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

Reported by Weight:
SO = Soil
SL = Sludge

SIGNATURE

Wendy Prescott

PRINT NAME

COMPANY/TITLE

RELINQUISHED BY: *Wendy Prescott*

Wendy Prescott

RECEIVED BY: *Anna M. Watson*

Anna M. Watson

RELINQUISHED BY: *Elena Montanez*

Elena Montanez

Veolia Water NA for Kerr McGee Chemical LLC

DATE

TIME

11/28/2005

12:00

11/29/05

10:30

RECEIVED BY:



MWH Laboratories, a Division of MWH Americas, Inc.
750 Royal Oaks Avenue Suite 100
Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

Bottle Order for Kerr McGee Chemical Company - Henderson Standing

Client Code KERRMCGEE-MP
Project Code CLO4
PO# / Job#
Blanket PO

W Weekly
Week 1
Period

Andrew Eaton, Your MWL Project Manager
(626) 386-1125 Direct Phone/Voice Mail

SO# 27238 16287 RS

Sampler: Please Return this Paper with your samples

Created by EEF

Order Date

11/14/05

Date Needed by Client

Kerr McGee-Veolia Water
Gate 1
8000 West Lake Mead Drive
Henderson, NV 89015

Send Report to

Kerr McGee Henderson Plant
P.O. Box 55
Henderson, NV 89009

Billing Address

KMC LLC
attn: Contract 304280
P.O. Box 3049
Livonia, MI 48150

ATTN: Susan Crowley
PHONE: 702-651-2234

ATTN: Susan Crowley
PHONE: 702-651-2234
FAX: 702-651-2310

Quote#

EEF

of Samples Tests

Bottles-Qty for each sample, type & preservative if any

UN#

Important Comments

# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
3	CR	1 250 ml poly acid rinsed + 1ml HNO3 (18%)	UN 2031	GWTP WEST WELL FEED
3	CR-VI	1 125ml poly acid rinsed/ no preservative		GWTP EAST WELL FEED
1	CLO3	1 60ml poly+0.60 mL 5% EDA sol'n		GWTP DISCHARGE
3	CLO4	1 125ml poly /no preservative AMBER IF WITH CLO3!	UN 1604	CLO4, CLO3, NO3RFA on DISCHARGE
1	NO3RFA	1 250 ml poly+ 1 ml H2SO4 (50%)	UN 2796	CR, and CRVI and CLO4 on all samples
				Please sample late in the day and send via priority overnight to ensure that we receive CRVI within hold time whenever possible.
				SHIPPING - PLEASE PRELABEL BOTTLES
				revised 4/29/04 lrg revised 11/4/04 ade
				shipping - the CLO3 bottle has been missed several times - please be sure it is included!

ActiveCode Status Date Shipped Carrier Qty of Coolers Tracking Number Prepared By



THIS MEMORANDUM is an acknowledgement that a Bill of Lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

SHIPPER'S NUMBER: 141670

RECEIVED subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading.

From: KERR-McGEE CHEMICAL CORPORATION

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said Carrier (the word Carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another Carrier on the route to said destination. It is mutually agreed, as to each Carrier of all or any said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said Bill of Lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the Shipper and accepted for himself and his assigns.

SCANNED

CARRIER Federal Express		Date 11/28/05	FROM NO. STATION: STATE Henderson, NV 89015
MWH LABORATORIES 750 Royal Oaks Avenue, Suite #100 Monrovia, CA 91016-3629 Phone: 626-568-6400		Authorization S.CROWLEY	
FREIGHT CHARGES xx <input type="checkbox"/> Prepaid <input type="checkbox"/> Collect		FULL NAME OF SHIPPER KERR-McGEE CHEMICAL LLC	
N/A/R		CUSTOMER PO OR REQ'N NO.	CODE NO. WCN IF 1321.10400 If it moves between
		SHIPPED FROM Henderson, NV	two ports by water, the law requires that the Bill of Lading shall state whether it is Carrier's or Shippers weight.
LINE NO.	DESCRIPTION AND CLASSIFICATION	STOCK NO.	TOTAL QUANTITY
	East and West Well Feed Misc. Samples One ice chest at 12 lbs.		1 COOLER
			Subject to Section 7 of Conditions of applicable Bill of Lading, if this shipment is to be delivered to the Consignee without recourse on the Consignor, the Consignor shall sign the following statement: The Carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. KERR-McGEE CHEMICAL LLC
			The description and weight indicated on this Bill of Lading are correct. Subject to verification by the Governing Weighing and Inspection Bureau according to Agreement.
TRUCK SHIPMENTS		FOR CHEMICAL EMERGENCY-SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC - DAY OR NIGHT 800-424-9300 483-7616 IN DISTRICT OF COLUMBIA 202-483-7616 FROM OUTSIDE THE CONTINENTAL US.	
PLACARDS OFFERED	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	PLACARDS ACCEPTED	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
NUMBER OF PACKAGES	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
		0	
1	TOTAL GROSS WEIGHT 12	TOTAL TARE WEIGHT 0	12
NOTE: Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per			"Shippers imprint in lieu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission"

THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

KERR-McGEE CHEMICAL LLC
Shipper permanent post office address of shipper, Oklahoma City, OK 73125

PER	Chuck Whitney	AGENT
		PER

From: Origin ID: (702)651-2220
KERR-MCGEE CHEMICAL
KERR-MCGEE CHEMICAL
8000 LAKE MEAD DRIVE
SHIPPING DEPARTMENT
HENDERSON, NV 89015




Ship Date: 28NOV05
ActWgt: 12 LB
System#: 2274147/INET2300
Account#: S *****

REF: MSO #141700



Delivery Address Bar Code

SHIP TO: (626)568-6400 **BILL SENDER**
ATTN: MONTGOMERY LABS RECEIVING
MONTGOMERY WATSON LABS
750 ROYAL OAKS AVENUE
#100
MONROVIA, CA 91016



PRIORITY OVERNIGHT

TUE

TRK# 7902 3422 0410


FORM 0201

Deliver By:
29NOV05

BUR A2

91016 -CA-US

QZ WHPA



Shipping Label: Your shipment is complete

1. Use the 'Print' feature from your browser to send this page to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

SCANNED

MWH Laboratories

750 Royal Oaks Drive, Monrovia, CA 91016
 PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 162343
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

The following samples were received from you on **11/29/05**. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2511290379	GWTP DISCHARGE	CLO3 CLO4	Water	24-nov-2005 10:00:00
		T	CR CR-VI	NO3RFA P
2511290380	GWTP WEST WELL FEED	CLO4 CR	Water	24-nov-2005 10:00:00
			CR-VI P	T
2511290381	GWTP EAST WELL FEED	CLO4 CR	Water	24-nov-2005 10:00:00
			CR-VI P	T

Test Acronym Description

Test Acronym	Description
CLO3	Chlorate by IC
CLO4	Perchlorate
CR	Chromium, Total, ICAP
CR-VI	Hexavalent chromium (Cr VI)
NO3RFA	Nitrate + Nitrite as N by RFA
P	Metals sample pH
T	Metals Turbidity



Client Specific Comments

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Client Signature: _____

(QC Ref#: 2511290379)

Test: Hexavalent chromium (Cr VI) (MWH SW7196)

H3- Sample was received and analyzed past holding time.

(QC Ref#: 2511290380)

Test: Hexavalent chromium (Cr VI) (MWH SW7196)

H3- Sample was received and analyzed past holding time.

(QC Ref#: 2511290381)

Test: Hexavalent chromium (Cr VI) (MWH SW7196)

H3- Sample was received and analyzed past holding time.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#162343

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
29-nov-2005 17:52:52

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2511290379	GWTP DISCHARGE				
12/06/05			Chlorate by IC	4700000	ug/l	200000
11/30/05			Chromium, Total, ICAP	0.53	mg/l	0.02
11/30/05			Nitrate + Nitrite as N by RFA	63.4	10 mg/l	2.5
12/13/05			Perchlorate	1500000	ug/l	200000
	2511290380	GWTP WEST WELL FEED				
11/30/05			Chromium, Total, ICAP	2.2	mg/l	0.1
11/29/05			Hexavalent chromium (Cr VI)	2.3	mg/l	0.05
12/13/05			Perchlorate	2000000	ug/l	200000
	2511290381	GWTP EAST WELL FEED				
11/30/05			Chromium, Total, ICAP	17	mg/l	0.2
11/29/05			Hexavalent chromium (Cr VI)	18	mg/l	0.25
12/13/05			Perchlorate	1200000	ug/l	200000

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#162343

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
11/29/05

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
GWTP DISCHARGE (2511290379)				Sampled on 11/24/05 10:00				
	12/06/05 00:00	298453	(ML/EPA 300.1)	Chlorate by IC	4700000	ug/l	200000	20000
	12/13/05 15:10	299490	(EPA 314)	Perchlorate	1500000	ug/l	200000	50000
	11/30/05 18:40	297661	(MWH200.7/6010B)	Chromium, Total, ICAP	0.53	mg/l	0.02	2
	11/29/05 00:00	297464	(MWH SW7196)	Hexavalent chromium (Cr VI)	ND(H3)	mg/l	0.01	2
	11/30/05 00:00	297507	(ML/EPA 353.2)	Nitrate + Nitrite as N by RFA	63.4	mg/l	2.5	50
GWTP WEST WELL FEED (2511290380)				Sampled on 11/24/05 10:00				
	12/13/05 15:27	299490	(EPA 314)	Perchlorate	2000000	ug/l	200000	50000
	11/30/05 18:44	297661	(MWH200.7/6010B)	Chromium, Total, ICAP	2.2	mg/l	0.1	10
	11/29/05 00:00	297464	(MWH SW7196)	Hexavalent chromium (Cr VI)	2.3(H3)	mg/l	0.05	10
GWTP EAST WELL FEED (2511290381)				Sampled on 11/24/05 10:00				
	12/13/05 16:01	299490	(EPA 314)	Perchlorate	1200000	ug/l	200000	50000
	11/30/05 18:48	297661	(MWH200.7/6010B)	Chromium, Total, ICAP	17	mg/l	0.2	20
	11/29/05 00:00	297464	(MWH SW7196)	Hexavalent chromium (Cr VI)	18(H3)	mg/l	0.25	50



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#162343

Tronox LLC - Henderson

QC Ref #297464 - Hexavalent chromium (Cr VI) Analysis Date: 11/29/2005

2511290379	GWTP DISCHARGE	Analyzed by: wbh
2511290380	GWTP WEST WELL FEED	Analyzed by: wbh
2511290381	GWTP EAST WELL FEED	Analyzed by: wbh

QC Ref #297507 - Nitrate + Nitrite as N by RFA Analysis Date: 11/30/2005

2511290379	GWTP DISCHARGE	Analyzed by: clv
------------	----------------	------------------

QC Ref #297661 - Chromium, Total, ICAP Analysis Date: 11/30/2005

2511290379	GWTP DISCHARGE	Analyzed by: wbh
2511290380	GWTP WEST WELL FEED	Analyzed by: wbh
2511290381	GWTP EAST WELL FEED	Analyzed by: wbh

QC Ref #298453 - Chlorate by IC Analysis Date: 12/06/2005

2511290379	GWTP DISCHARGE	Analyzed by: bxs
------------	----------------	------------------

QC Ref #299490 - Perchlorate Analysis Date: 12/13/2005

2511290379	GWTP DISCHARGE	Analyzed by: bxs
2511290380	GWTP WEST WELL FEED	Analyzed by: bxs
2511290381	GWTP EAST WELL FEED	Analyzed by: bxs



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#162343

Tronox LLC - Henderson

QC Ref #297464 Hexavalent chromium (Cr VI)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 25	11290380	MGL		(0-0)	
LCS1	Hexavalent chromium (Cr VI)	0.050	0.050	MGL	100.0	(85-115)	
LCS2	Hexavalent chromium (Cr VI)	0.050	0.049	MGL	98.0	(85-115)	2.0
MBLK	Hexavalent chromium (Cr VI)	ND	<0.005	MGL			
MRL_CHK	Hexavalent chromium (Cr VI)	0.005	0.005	MGL	100.0	(50-150)	
MS	Hexavalent chromium (Cr VI)	0.50	0.51	MGL	102.0	(70-130)	
MSD	Hexavalent chromium (Cr VI)	0.50	0.50	MGL	100.0	(70-130)	2.0

QC Ref #297507 Nitrate + Nitrite as N by RFA

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 25	11250059	MGL		(0-0)	
LCS1	Nitrate + Nitrite as N by RFA	1.0	0.92	MGL	92.0	(90-110)	
LCS2	Nitrate + Nitrite as N by RFA	1.0	0.98	MGL	98.0	(90-110)	6.3
MBLK	Nitrate + Nitrite as N by RFA	ND	<0.1	MGL			
MRL_CHK	Nitrate + Nitrite as N by RFA	0.030	0.035	MGL	116.7	(50-150)	
MS	Nitrate + Nitrite as N by RFA	1.0	0.98	MGL	98.0	(90-110)	
MSD	Nitrate + Nitrite as N by RFA	1.0	0.99	MGL	99.0	(90-110)	1.0

QC Ref #297661 Chromium, Total, ICAP

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
LCS1	Chromium, Total, ICAP	1.00	0.96	MGL	96.0	(85-115)	
LCS2	Chromium, Total, ICAP	1.00	0.945	MGL	94.5	(85-115)	1.6
MBLK	Chromium, Total, ICAP	ND	<0.01	MGL			
MS	Chromium, Total, ICAP	1.00	0.961	MGL	96.1	(70-130)	
MSD	Chromium, Total, ICAP	1.00	0.962	MGL	96.2	(70-130)	0.10

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#162343

Tronox LLC - Henderson
(continued)

QC Ref #298453

Chlorate by IC

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 25	11300230	UGL		(0-0)	
LCS1	Chlorate by IC	200	196	UGL	98.0	(75-125)	
LCS2	Chlorate by IC	200	195	UGL	97.5	(75-125)	0.51
MBLK	Chlorate by IC	ND	<10	UGL			
MRL_CHK	Chlorate by IC	10.000	8.1	UGL	81.0	(50-150)	
MS	Chlorate by IC	100	95	UGL	95.0	(75-125)	
MSD	Chlorate by IC	100	94	UGL	94.0	(75-125)	1.1

QC Ref #299490

Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
LCS1	Perchlorate	25.0	24	UGL	96.0	(85-115)	
LCS2	Perchlorate	25.0	24	UGL	96.0	(85-115)	0.00
MBLK	Perchlorate	ND	<4	UGL			
MS	Perchlorate	25.0	22.5	UGL	90.0	(70-130)	
MSD	Perchlorate	25.0	22.6	UGL	90.4	(70-130)	0.44

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.