



# MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3829  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)


## Laboratory Report

for

Tronox LLC - Henderson  
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley  
Fax: (405) 302-4607



ADE Andy Eaton  
Project Manager



Report#: 203786  
Project: CLO4  
PO#: Susan Crowle

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 5 page[s].





MWH Laboratories, a Division of MWH Americas, Inc.  
 750 Royal Oaks Avenue Suite 100  
 Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

**Bottle Order for Ironox LLC- Henderson**  
 Standing

Andrew Eaton ..... Your MWL Project Manager  
 (626) 386-1125 ..... Direct Phone/Voice Mail

W Weekly  
 Week 1

SO# 35919 18882 RS

**Sampler: Please Return this Paper with your samples**

Created by 0  
 Order Date 04/30/07  
 Date Needed by Client  
 SHIP LOCATION  
 Veolia Water-Tronox LLC  
 Gate 1  
 8000 West Lake Mead Drive  
 Henderson, NV 89015

Send Report to

Ironox LLC Henderson Plant  
 PO Box 55  
 Henderson, NV 89009

Billing Address

Ironox LLC  
 Attn: Accounts Payable  
 PO BOX 268859  
 Oklahoma City, OK 73126-8859

ATTN: Susan Crowley  
 PHONE: 702-651-2234

ATTN: Susan Crowley  
 PHONE: 702-651-2234  
 FAX: 702-651-2310

Quote#

# of Samples Tests

Bottles-Qty for each sample, type & preservative if any

UN#

Important Comments

# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
2	CLO4	1 125ml poly /no preservative AMBER IF WITH CLO3!		Weekly Composites at INFLUENT-COMP EFFLUENT-COMP
-	-	-	-	COC should be labeled with IDs as above.
-	-	-	-	These are in lieu of the former samples that were arriving once a month as a series of weekly composites.
-	-	-	-	adjusted to 2 samples 5/05

ActiveCode Status Date Shipped Carrier Qty of Coolers Tracking Number Prepared By

SCANNED

THIS MEMORANDUM is an acknowledgement that a Bill of Lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

SHIPPER'S NUMBER: 142597

RECEIVED subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading.

**From: TRONOX LLC**

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said Carrier (the word Carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another Carrier on the route to said destination. It is mutually agreed, as to each Carrier of all or any said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said Bill of Lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the Shipper and accepted for himself and his assigns.

SCANNED

CARRIER <b>Federal Express</b>		Date <b>5/7/07</b>	FROM NO. STATION: STATE <b>Henderson, NV 89015</b>
MWH LABORATORIES 750 Royal Oaks Avenue, Suite #100 Monrovia, CA 91016-3629 Phone: 626-568-6400		Authorization <b>S. CROWLEY</b>	
FREIGHT CHARGES <input checked="" type="checkbox"/> Prepaid <input type="checkbox"/> Collect		FULL NAME OF SHIPPER TRONOX LLC	
N/AR		CUSTOMER PO OR REQ'N NO.	CODE NO. WCN IF <b>1321.10400</b> if it moves between two ports by water, the law requires that the Bill of Lading shall state whether it is Carrier's or Shippers weight.
SHIPPED FROM <b>Henderson, NV</b>			
LINE NO.	DESCRIPTION AND CLASSIFICATION	STOCK NO.	TOTAL QUANTITY
	<b>GW-11 Water Samples 5 Bottles</b>		<b>1 COOLER</b>
	<b>Not Regulated</b>		
TRUCK SHIPMENTS			FOR CHEMICAL EMERGENCY-SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC - DAY OR NIGHT 800-424-9300 483-7616 IN DISTRICT OF COLUMBIA 202-483-7616 FROM OUTSIDE THE CONTINENTAL US.
PLACARDS OFFERED	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	PLACARDS ACCEPTED	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
NUMBER OF PACKAGES	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
		0	
1	TOTAL GROSS WEIGHT 11	TOTAL TARE WEIGHT 0	11
NOTE: Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per			"Shippers imprint in lieu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission"
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.			
TRONOX LLC Shipper permanent post office address of shipper, PO Box 268859, Oklahoma City, OK 73126-8859	PER <b>Olga Maestas</b>	AGENT	PER

From: Origin ID: LASA (702)651-2230  
TRONOX LLC  
TRONOX LLC  
8000 LAKE MEAD PARKWAY  
SHIPPING DEPARTMENT  
HENDERSON, NV 89015



CL862207/2125

Ship Date: 07MAY07  
ActWgt: 11 LB  
System#: 2274147/INET2600  
Account#: S \*\*\*\*\*

Delivery Address Bar Code




Ref # MSO #142597  
Invoice #  
PO #  
Dept #

SHIP TO: (626)568-6400 BILL SENDER

**ATTN: SAMPLE RECEIVING  
MONTGOMERY WATSON LABS  
750 ROYAL OAKS DR # 100**

**MONROVIA, CA 910163629**



**PRIORITY OVERNIGHT**

**TUE**

TRK# 7986 6895 9269


FORM  
0201

Deliver By:  
08MAY07

BUR A2

91016 -CA-US

**QZ WHPA**



SCANNED

Shipping Label: Your shipment is complete

1. Use the 'Print' feature from your browser to send this page to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.**

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

**MWH Laboratories**  
 750 Royal Oaks Drive, Monrovia, CA 91016  
 PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson  
 PO Box 55  
 Henderson, NV 89009  
 Attn: Susan Crowley  
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP  
 PO#: Susan Crowley PO  
 Group#: 203786  
 Project#: CLO4  
 Proj Mgr: Andrew Eaton  
 Phone: (626) 386-1125

The following samples were received from you on **05/08/07**. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2705080399	EFFLUENT-COMP	CLO4	Water	05-may-2007 10:00:00
2705080400	INFLUENT-COMP	CLO4	Water	05-may-2007 10:00:00

Test Acronym Description

Test Acronym	Description
CLO4	Perchlorate



# MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)

---

Report  
Comments  
#203786

## Client Specific Comments

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Client Signature: \_\_\_\_\_



# MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)

Laboratory  
Hits Report  
#203786

Tronox LLC - Henderson  
Susan Crowley  
PO Box 55  
Henderson , NV 89009

Samples Received  
08-may-2007 15:16:59

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2705080399	EFFLUENT-COMP				
	2705080400	INFLUENT-COMP				
05/15/07	Perchlorate		231000		ug/l	20000

SUMMARY OF POSITIVE DATA ONLY.





# MWH Laboratories

A Division of MWH Americas, Inc.

750 Foyal Oaks Drive, Suite 100  
Monrovia, California 91018-3829  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)

Laboratory  
Data Report  
#203786

Tronox LLC - Henderson  
Susan Crowley  
PO Box 55  
Henderson , NV 89009

Samples Received  
05/08/07

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
<b>EFFLUENT-COMP (2705080399)</b>				<b>Sampled on 05/05/07 10:00</b>				
	05/17/07 00:00	367456	( EPA 314	) Perchlorate	ND	ug/l	10	5
<b>INFLUENT-COMP (2705080400)</b>				<b>Sampled on 05/05/07 10:00</b>				
	05/15/07 00:01	366827	( EPA 314	) Perchlorate	231000	ug/l	20000	5000



**MWH Laboratories**  
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3829  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)

Laboratory  
QC Summary  
#203786

Tronox LLC - Henderson

---

QC Ref #366827 - Perchlorate

2705080400

INFLUENT-COMP

Analysis Date: 05/15/2007

Analyzed by: raja

QC Ref #367456 - Perchlorate

2705080399

EFFLUENT-COMP

Analysis Date: 05/17/2007

Analyzed by: raja



# MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)

Laboratory  
QC Report  
#203786

Tronox LLC - Henderson

## QC Ref #366827

## Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	05080517	UGL		( 0-0 )	
LCS1	Perchlorate	25.0	22.5	UGL	90.0	( 85-115 )	
LCS2	Perchlorate	25.0	22.7	UGL	90.8	( 85-115 )	
LCS3	Perchlorate	4	4.16	UGL	104.0	( 75-125 )	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	21.6	UGL	86.4	( 80-120 )	
MSD	Perchlorate	25.0	21.5	UGL	86.0	( 80-120 )	
RPD_LCS	Perchlorate	90.000	90.800	UGL	0.9	( 0-15 )	
RPD_MS	Perchlorate	86.400	86.000	UGL	1.0	( 0-15 )	

## QC Ref #367456

## Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	05100094	UGL		( 0-0 )	
LCS1	Perchlorate	25.0	25.6	UGL	102.4	( 85-115 )	
LCS2	Perchlorate	25.0	25.5	UGL	102.0	( 85-115 )	
LCS3	Perchlorate	4	4.12	UGL	103.0	( 75-125 )	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	23.9	UGL	95.6	( 80-120 )	
MSD	Perchlorate	25.0	24.3	UGL	97.2	( 80-120 )	
RPD_LCS	Perchlorate	102.400	102.000	UGL	0.4	( 0-15 )	
RPD_MS	Perchlorate	95.600	97.200	UGL	1.0	( 0-15 )	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.  
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates  
are advisory only, unless otherwise specified in the method.