



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)


Laboratory Report

for

Tronox LLC - Henderson
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley
Fax: (405) 302-4607



ADE Andy Eaton
Project Manager



Report#: 207169
Project: CLO4
PO#: Susan Crowle

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 11 page[s].



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3829
Tel: 626 388 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Report
Comments
#207169

Client Specific Comments

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Client Signature: _____

(QC Ref#: 2706120112)

Test: Total Dissolved Solid (TDS) (E160.1/SM2540C)

HA = Initial analysis within holding time. Reanalysis was past holding time.



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

750 Royal Oaks Ave, Suite 100, Montrovia, CA 91016
(626) 386-1100 (800) 566-5227

MWLABS USE ONLY:

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY:

SAMPLE TEMP, RECEIPT AT LAB: 20

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME

PROJECT JOB # / P.O.#

KERRMCGEE-MP

Collection Wells Fields - Monthly - SQ #12373

Sampler Signature: Michele Brown

Tronox LLC - Henderson Plant LLC
PO Box 55
Henderson, NV 89009

Susan Crowley (702) 651-2200

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX *	GRAB	COMP	Total Cl ₂	TDS	CR	SAMPLER COMMENTS
6:00	6/11/07		SF-1 *	RSW	X		X	X		
6:00	6/11/07		PC-117 *	RSW	X		X	X		
6:00	6/11/07		PC-118 *	RSW	X		X	X		
6:00	6/11/07		PC-119 *	RSW	X		X	X		
6:00	6/11/07		PC-120 *	RSW	X		X	X		
6:00	6/11/07		PC-121 *	RSW	X		X	X		
6:00	6/11/07		PC-133 *	RSW	X		X	X		
5:30	6/11/07		ART-9 *	RSW	X		X	X		

* MATRIX TYPES:

Reported by Volume:
CFW = Chlor(am)inated Finished Water
FW = Other Finished Water

RGW = Raw Ground Water
RSW = Raw Surface Water

CWW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

Reported by Weight:

SO = Soil
SL = Sludge

SIGNATURE

PRINT NAME

COMPANY/TITLE

DATE

TIME

RELINQUISHED BY: Michele Brown

RECEIVED BY: JOE SANCHEZ

Veolia Water for Tronox LLC - Henderson Plant

6/11/2007 12:00pm

RELINQUISHED BY:

RECEIVED BY:

COMPANY/TITLE

DATE

TIME

SCANNED

Client Code KERRMCGEE-MP W Weekly Period
 Project Code CLO4 Week 1
 PO# / Job# GWREMEDIATION
 Blanket PO

SO# 36222 12373 RS **Sampler: Please Return this Paper with your samples**
 Created by HV 0 Ship Sample Kits to
 Order Date 05/14/07 Veolia Water-Tronox LLC
 8000 West Lake Mead Drive
 Henderson, NV 89015

Ironox LLC
 Attn: Accounts Payable
 P.O. BOX 268859
 Oklahoma City, OK 73126-8859

Ironox LLC Henderson Plant
 P.O. Box 55
 Henderson, NV 89009

ATTN: Susan Crowley
 PHONE: 702-651-2234
 FAX: 702-651-2310

ATTN: Susan Crowley
 PHONE: 702-651-2234
 FAX: 702-651-2310

Quote# HV
 Important Comments


# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
30	CLO4, TDS,	1 250 ml poly /no preservative		Per Ed Krish 7-4-06 all samples will be TDS in lieu of EC
	SHEET OF LABELS WITH WELL-IDS	see comments section		PC-117, PC-118, PC-119, PC-120, and PC-121
				PC-116R
				PC-99R2
				PC-99R3
				PC-115R
				ART-1
				ART-2
				ART-3
				ART-4
				ART-5
				ART-6
				ART-7
				ART-8
				Seep Surface Flow
				SF-1"
				Do NOT prelabel bottles with site, but provide pre-printed labels for client to stick on
				EXTRA BOTTLES INCLUDED
				client code changed 7/25/03
				Testcode updated 3-16-06
				standing order changed 6-14-06
				login note added 7-6-06
				TDS

From: Origin ID: LASA (702)651-2230
 TRONOX LLC
 TRONOX LLC
 8000 LAKE MEAD PARKWAY
 SHIPPING DEPARTMENT
 HENDERSON, NV 89015



Ship Date: 11JUN07
 ActWgt: 31 LB
 System#: 2274147/INET7011
 Account#: S *****


Delivery Address Bar Code



Ref # MSO #142636 - 31.0 lbs.
 Invoice #
 PO #
 Dept #

SHIP TO: (626)568-6400 **BILL SENDER**
ATTN: SAMPLE RECEIVING
MONTGOMERY WATSON LABS
750 ROYAL OAKS DR # 100

MONROVIA, CA 910163629



PRIORITY OVERNIGHT

TUE

TRK# 7923 5909 2630


FORM 0201

Deliver By:
 12JUN07

BUR A2

91016 -CA-US

QZ WHPA



SCANNED

Shipping Label: Your shipment is complete

1. Use the 'Print' feature from your browser to send this page to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

MWH Laboratories
 750 Royal Oaks Drive, Monrovia, CA 91016
 PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PC#: Susan Crowley PO
 Group#: 207169
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

The following samples were received from you on 06/12/07. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2706120102	ART-1	CLO4 TDS	Water	11-jun-2007 05:30:00
2706120103	ART-2	CLO4 TDS	Water	11-jun-2007 05:30:00
2706120104	ART-3	CLO4 TDS	Water	11-jun-2007 05:30:00
2706120105	ART-4	CLO4 TDS	Water	11-jun-2007 05:30:00
2706120106	ART-6	CLO4 TDS	Water	11-jun-2007 05:30:00
2706120107	ART-7	CLO4 TDS	Water	11-jun-2007 05:30:00
2706120108	ART-8	CLO4 TDS	Water	11-jun-2007 05:30:00
2706120109	PC-99R2/R3	CLO4 TDS	Water	11-jun-2007 06:00:00
2706120110	PC-115R	CLO4 TDS	Water	11-jun-2007 06:00:00
2706120111	PC-116R	CLO4 TDS	Water	11-jun-2007 06:00:00
2706120112	SF-1	CLO4 TDS	Water	11-jun-2007 06:00:00
2706120113	PC-117	CLO4 TDS	Water	11-jun-2007 06:00:00
2706120114	PC-118	CLO4 TDS	Water	11-jun-2007 06:00:00
2706120115	PC-119	CLO4 TDS	Water	11-jun-2007 06:00:00
2706120116	PC-120	CLO4 TDS	Water	11-jun-2007 06:00:00
2706120117	PC-121	CLO4 TDS	Water	11-jun-2007 06:00:00
2706120118	PC-133	CLO4 TDS	Water	11-jun-2007 06:00:00

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 207169
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2706120119	ART-9	CLO4 TDS	Water	11-jun-2007 05:30:00

Test Acronym Description

Test Acronym	Description
CLO4	Perchlorate
TDS	Total Dissolved Solid (TDS)



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#207169

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
12-jun-2007 13:18:48

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2706120102	ART-1				
06/13/07	Perchlorate		123		ug/l	10
06/13/07	Total Dissolved Solid (TDS)		6660	500	mg/l	10
	2706120103	ART-2				
06/13/07	Perchlorate		94500		ug/l	20000
06/13/07	Total Dissolved Solid (TDS)		9480	500	mg/l	10
	2706120104	ART-3				
06/13/07	Perchlorate		317000		ug/l	40000
06/13/07	Total Dissolved Solid (TDS)		8460	500	mg/l	10
	2706120105	ART-4				
06/13/07	Perchlorate		312000		ug/l	40000
06/13/07	Total Dissolved Solid (TDS)		6340	500	mg/l	10
	2706120106	ART-6				
06/13/07	Perchlorate		75300		ug/l	20000
06/13/07	Total Dissolved Solid (TDS)		7530	500	mg/l	10
	2706120107	ART-7				
06/13/07	Perchlorate		132000		ug/l	20000
06/13/07	Total Dissolved Solid (TDS)		10600	500	mg/l	10
	2706120108	ART-8				

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 385 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#207169

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
12-jun-2007 13:18:48

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2706120108	ART-8				
06/13/07	Perchlorate		254000		ug/l	40000
06/13/07	Total Dissolved Solid (TDS)		9640	500	mg/l	10
	2706120109	PC-99R2/R3				
06/13/07	Perchlorate		19200		ug/l	2000
06/13/07	Total Dissolved Solid (TDS)		5770	500	mg/l	10
	2706120110	PC-115R				
06/13/07	Perchlorate		17500		ug/l	2000
06/13/07	Total Dissolved Solid (TDS)		5410	500	mg/l	10
	2706120111	PC-116R				
06/13/07	Perchlorate		12900		ug/l	2000
06/13/07	Total Dissolved Solid (TDS)		5340	500	mg/l	10
	2706120112	SF-1				
06/22/07	Total Dissolved Solid (TDS)		6400	500	mg/l	10
	2706120113	PC-117				
06/13/07	Perchlorate		3550		ug/l	800
06/13/07	Total Dissolved Solid (TDS)		3730	500	mg/l	10
	2706120114	PC-118				
06/13/07	Perchlorate		11300		ug/l	800

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3829
Tel: 626 386 1100
Fax: 626 386 1161
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#207169

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
12-jun-2007 13:18:48

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2706120114	PC-118				
06/13/07	Total Dissolved Solid (TDS)		4600	500	mg/l	10
	2706120115	PC-119				
06/13/07	Perchlorate		7940		ug/l	800
06/13/07	Total Dissolved Solid (TDS)		4130	500	mg/l	10
	2706120116	PC-120				
06/13/07	Perchlorate		2070		ug/l	400
06/13/07	Total Dissolved Solid (TDS)		2840	500	mg/l	10
	2706120117	PC-121				
06/13/07	Perchlorate		1050		ug/l	400
06/13/07	Total Dissolved Solid (TDS)		2620	500	mg/l	10
	2706120118	PC-133				
06/13/07	Perchlorate		5570		ug/l	400
06/13/07	Total Dissolved Solid (TDS)		3760	500	mg/l	10
	2706120119	ART-9				
06/13/07	Perchlorate		310000		ug/l	20000
06/13/07	Total Dissolved Solid (TDS)		7720	500	mg/l	10

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#207169

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
06/12/07

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
ART-1 (2706120102) Sampled on 06/11/07 05:30								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	123	ug/l	10	5
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	6660	mg/l	10	1
ART-2 (2706120103) Sampled on 06/11/07 05:30								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	94500	ug/l	20000	5000
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	9480	mg/l	10	1
ART-3 (2706120104) Sampled on 06/11/07 05:30								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	317000	ug/l	40000	10000
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	8460	mg/l	10	1
ART-4 (2706120105) Sampled on 06/11/07 05:30								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	312000	ug/l	40000	10000
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	6340	mg/l	10	1
ART-6 (2706120106) Sampled on 06/11/07 05:30								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	75300	ug/l	20000	5000
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	7530	mg/l	10	1
ART-7 (2706120107) Sampled on 06/11/07 05:30								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	132000	ug/l	20000	5000
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	10600	mg/l	10	1
ART-8 (2706120108) Sampled on 06/11/07 05:30								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	254000	ug/l	40000	10000
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	9640	mg/l	10	1



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#207169

Tronox LLC - Henderson
(continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
PC-99R2/R3 (2706120109) Sampled on 06/11/07 06:00								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	19200	ug/l	2000	500
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	5770	mg/l	10	1
PC-115R (2706120110) Sampled on 06/11/07 06:00								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	17500	ug/l	2000	500
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	5410	mg/l	10	1
PC-116R (2706120111) Sampled on 06/11/07 06:00								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	12900	ug/l	2000	500
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	5340	mg/l	10	1
SF-1 (2706120112) Sampled on 06/11/07 06:00								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	ND	ug/l	10	5
06/13/07	06/22/07 15:00	373752	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	6400 (HA)	mg/l	10	1
PC-117 (2706120113) Sampled on 06/11/07 06:00								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	3550	ug/l	800	200
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	3730	mg/l	10	1
PC-118 (2706120114) Sampled on 06/11/07 06:00								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	11300	ug/l	800	200
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	4600	mg/l	10	1
PC-119 (2706120115) Sampled on 06/11/07 06:00								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	7940	ug/l	800	200
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	4130	mg/l	10	1
PC-120 (2706120116) Sampled on 06/11/07 06:00								
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	2070	ug/l	400	100
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	2840	mg/l	10	1



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#207169

Tronox LLC - Henderson
(continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
PC-121 (2706120117)				Sampled on 06/11/07 06:00				
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	1050	ug/l	400	100
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	2620	mg/l	10	1
PC-133 (2706120118)				Sampled on 06/11/07 06:00				
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	5570	ug/l	400	100
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	3760	mg/l	10	1
ART-9 (2706120119)				Sampled on 06/11/07 05:30				
	06/13/07 11:32	371944	(EPA 314)	Perchlorate	310000	ug/l	20000	5000
06/13/07	06/13/07 09:30	372214	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	7720	mg/l	10	1



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#207169

Tronox LLC - Henderson

QC Ref #371944 - Perchlorate

Analysis Date: 06/13/2007

2706120102	ART-1	Analyzed by: raja
2706120103	ART-2	Analyzed by: raja
2706120104	ART-3	Analyzed by: raja
2706120105	ART-4	Analyzed by: raja
2706120106	ART-6	Analyzed by: raja
2706120107	ART-7	Analyzed by: raja
2706120108	ART-8	Analyzed by: raja
2706120109	PC-99R2/R3	Analyzed by: raja
2706120110	PC-115R	Analyzed by: raja
2706120111	PC-116R	Analyzed by: raja
2706120112	SF-1	Analyzed by: raja
2706120113	PC-117	Analyzed by: raja
2706120114	PC-118	Analyzed by: raja
2706120115	PC-119	Analyzed by: raja
2706120116	PC-120	Analyzed by: raja
2706120117	PC-121	Analyzed by: raja
2706120118	PC-133	Analyzed by: raja
2706120119	ART-9	Analyzed by: raja

QC Ref #372214 - Total Dissolved Solid (TDS)

Analysis Date: 06/13/2007

2706120102	ART-1	Analyzed by: yvette
2706120103	ART-2	Analyzed by: yvette
2706120104	ART-3	Analyzed by: yvette
2706120105	ART-4	Analyzed by: yvette
2706120106	ART-6	Analyzed by: yvette
2706120107	ART-7	Analyzed by: yvette
2706120108	ART-8	Analyzed by: yvette
2706120109	PC-99R2/R3	Analyzed by: yvette
2706120110	PC-115R	Analyzed by: yvette
2706120111	PC-116R	Analyzed by: yvette
2706120113	PC-117	Analyzed by: yvette
2706120114	PC-118	Analyzed by: yvette
2706120115	PC-119	Analyzed by: yvette
2706120116	PC-120	Analyzed by: yvette
2706120117	PC-121	Analyzed by: yvette
2706120118	PC-133	Analyzed by: yvette
2706120119	ART-9	Analyzed by: yvette



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#207169

Tronox LLC - Henderson
(continued)

QC Ref #373752 - Total Dissolved Solid (TDS)

Analysis Date: 06/22/2007

2706120112

SF-1

Analyzed by: yvette

Tronox LLC - Henderson

QC Ref #371944 Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	06120108	UGL		(0-0)	
LCS1	Perchlorate	25.0	23.7	UGL	94.8	(85-115)	
LCS2	Perchlorate	25.0	23.2	UGL	92.8	(85-115)	
LCS3	Perchlorate	4	4.00	UGL	100.0	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	24.2	UGL	96.8	(80-120)	
MSD	Perchlorate	25.0	23.1	UGL	92.4	(80-120)	
RPD_LCS	Perchlorate	94.800	92.800	UGL	2.1	(0-15)	
RPD_MS	Perchlorate	96.800	92.400	UGL	1.0	(0-15)	

QC Ref #372214 Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	06120118	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	3764	3752	MGL		(0-10)	0.3
LCS1	Total Dissolved Solid (TDS)	175	164	MGL	93.7	(80-114)	
LCS2	Total Dissolved Solid (TDS)	700	700	MGL	100.0	(80-114)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	11	MGL	110.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	93.714	100.000	MGL	6.5	(0-20)	

QC Ref #373752 Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	06190384	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	394	380	MGL		(0-10)	3.6
LCS1	Total Dissolved Solid (TDS)	175	176	MGL	100.6	(80-114)	
LCS2	Total Dissolved Solid (TDS)	700	694	MGL	99.1	(80-114)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	10	MGL	100.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	100.571	99.143	MGL	1.4	(0-20)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#207169

Tronox LLC - Henderson
(continued)

This page left blank intentionally.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.