



A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)


Laboratory Report

for

Tronox LLC - Henderson
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley
Fax: (405) 302-4607



ADE Andy Eaton
Project Manager

Report#212147R replaces the original Report.



Report#: 212147R
Project: CLO4
PO#: Susan Crowle

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 18 page[s].



750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

August 29, 2007

Ms. Susan Crowley
Tronox
PO Box 55
Henderson, NV 89009

Subject: Case Narrative report 212147R

Enclosed is MWH Laboratories Report 212147R

Sample receipt: The samples arrived at MWH Laboratories, Monrovia, CA on August 2, 2007 with proper chain of custody. All containers were received without any visible signs of tampering or breakage at proper temperature. Samples are identified on the acknowledgement, which is part of the report package, along with the chain of custody.

Case Narrative:

For the MWH Laboratories data the following issues were observed:

Samples for hex chrome were received after the RCRA 24 hour holding time and are reported with an H3 flag.

The Matrix spike for chromium on sample I-V was recovered low, but the spike level was disproportionate to the initial analysis level.

The report is revised to correct duplicate QC for CR6010.

Sincerely,

Andrew Eaton, PhD
Project Manager



CHAIN OF CUSTODY RECORD

MONTGOMERY WATSON LABORATORIES

212147

750 Royal Oaks Ave, Suite 100, Monrovia, CA 91016

(626) 386-1100 (800) 566-5227

M/LABS USE ONLY

LOG IN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY:

SAMPLE TEMP, RECEIPT AT LAB:

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME

PROJECT JOB # / P.O.#

Quantity Groundwater Sampling

Schedule B

SAMPLER

Michelle Brown

Tronox LLC - Henderson Plant

PO Box 55

Henderson, NV 89009

(702) 651-2234

Susan Crowley

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES

(check for yes)

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX	GRAB	COMP	CR 6010	PH 9040	TDS	ClO4	CRVI 7196	ClO3 9056	NO3 9056	See Bottle Order	SAMPLER Comments
5:48	8-1-07		M-92	RGW	X		X	X	X	X					Bottles
6:07	8-1-07		M-97	RGW	X		X	X	X	X					Bottles
6:45	8-1-07		M-31A	RGW	X		X	X	X	X					Bottles
7:08	8-1-07		M-50	RGW	X		X	X	X	X					Bottles
7:23	8-1-07		M-34	RGW	X		X	X	X	X					Bottles
7:38	8-1-07		M-35	RGW	X		X	X	X	X					Bottles
7:58	8-1-07		M-19	RGW	X		X	X	X	X					Bottles
8:15	8-1-07		M-39	RGW	X		X	X	X	X					Bottles
8:22	8-1-07		M-18	RGW	X		X	X	X	X					Bottles
8:47	8-1-07		M-61	RGW	X		X	X	X	X					Bottles
8:40	8-1-07		F-K	RGW	X		X	X	X	X					Bottles
8:51	8-1-07		F-J	RGW	X		X	X	X	X					Bottles

* MATRIX TYPES:

Reported by Volume:

CFW = Chloraminated Finished Water

FW = Other Finished Water

RGW = Raw Ground Water

RSW = Raw Surface Water

CWW = Chlorinated Waste Water

WW = Other Waste Water

SW = Storm Water

Reported by Weight:

SO = Soil

SL = Sludge

SIGNATURE

Michelle Brown

PRINT NAME

Michelle Brown

COMPANY/TITLE

Veolia Water NA for Tronox LLC - Henderson Plant

DATE

8-1-07

TIME

12:00PM

RELINQUISHED BY:

Michelle Brown

Michelle Brown

Michelle Brown

Michelle Brown

DATE

8-1-07

TIME

12:00PM

RELINQUISHED BY:

Michelle Brown

Michelle Brown

Michelle Brown

Michelle Brown

DATE

8-1-07

TIME

12:00PM



MONTGOMERY WATSON LABORATORIES CHAIN OF CUSTODY RECORD

750 Royal Oaks Ave, Suite 100, Monrovia, CA 91016
 (626) 386-1100 (800) 566-5227

MWLABS USE ONLY:

LOGIN COMMENTS: _____
 SAMPLES CHECKED/LOGGED IN BY: g
 SAMPLE TEMP. RECEIPT AT LAB: g
 BLUE ICE: FROZEN PARTIALLY FROZEN THAWED 0 0 0

TO BE COMPLETED BY SAMPLER: _____ (check for yes)

COMPANY / PROJECT NAME		PROJECT JOB # / P.O.#	IDENTIFIER, STATE ID#		LOCATION	DATE	TIME	MATRIX	GRAB	COMP	ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)										SAMPLER Comments						
KERR/MCGEE MP		Quantity Groundwater Sampling Schedule B	Tronox LLC - Henderson Plant PO Box 55 Henderson, NV 89009								PH 9040	TDS	ClO4	CRV 7196	CLO3 9056	NO3 9056	See Bottle Order										
											X	X	X	X	X	X											2 Bottles
											X	X	X	X	X	X											2 Bottles
											X	X	X	X	X	X											2 Bottles
											X	X	X	X	X	X											2 Bottles
											X	X	X	X	X	X											3 Bottles
											X	X	X	X	X	X											3 Bottles
											X	X	X	X	X	X											3 Bottles
											X	X	X	X	X	X											Bottles
											X	X	X	X	X	X											Bottles
											X	X	X	X	X	X											Bottles
											X	X	X	X	X	X											Bottles
											X	X	X	X	X	X											Bottles
											X	X	X	X	X	X											Bottles
											X	X	X	X	X	X											Bottles

* MATRIX TYPES: Reported by Volume: RGW = Raw Ground Water CWW = Chlorinated Waste Water
 CFW = Chlor(amine)ated Finished Water FW = Other Finished Water
 Reported by Weight: SO = Soil WW = Other Waste Water
 SL = Sludge SW = Storm Water

RELINQUISHED BY	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
RECEIVED BY	<u>Michele Brown</u>	Michele Brown	Vecia Water NA for Tronox LLC - Henderson Plant	8-1-07	12:00PM
RECEIVED BY	<u>[Signature]</u>	[Print Name]	[Company Title]	8-2-07	10:00



MWH Laboratories, a Division of MWH Americas, Inc.
750 Royal Oaks Avenue Suite 100
Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

Bottle Order for Tronox, LLC- Henderson
Standing

Client Code KERRMCGEE-MP
Project Code CLO4
P.C# / Job#
Blanket PO

Andrew Eaton, Your MWL Project Manager
(626) 386-1125 Direct Phone/Voice Mail

SO# 36799 33899 RS

Sampler: Please Return this Paper with your samples

Created by 0 Ship Sample Kits to

Order Date 06/12/07 Tronox LLC-Veolia Water Gate 1

Date Needed by Client 8000 West Lake Mead Drive Henderson, NV 89015

Billing Address

Tronox LLC
P.O. Box 3049
Livonia, MI 48150

ATTN: Susan Crowley
PHONE: 702-651-2234

ATTN: Susan Crowley
PHONE: 702-651-2234

Quote#

SHIP LOCATION

of Samples Tests

Bottles-Qty for each sample, type & preservative if any

UN#

Important Comments

# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
101	CR6010	1 250ml poly acid rinsed + 1ml HNO3 (18%)	UN 2031	QUARTERLY SAMPLING - PLEASE PUT LABELS ON BOTTLES; PLEASE PUT IN 4 COOLERS SINCE SAMPLING TAKES 3-4 DAYS
101	CLO4, TDS, PH9040	1 500 ml poly /no preservative		First, Third, and fourth quarters
15	CRV7196	1 125ml poly acid rinsed/ no preservative SHORT HOLDING TIME!!!!		NOTIFY LAB AS SOON AS CR-VI COMES IN - 24HR ht
				TDS count increased to 101 effective 6/16/06.; deleted EC as of 7-14-06

ActiveCode Status Date Shipped Carrier Qty of Coolers Tracking Number Prepared By

MWH Laboratories
 750 Royal Oaks Drive, Monrovia, CA 91016
 PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 212147
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

The following samples were received from you on **08/02/07**. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2708020317	M-92	CLO4 CR6010	Water	01-aug-2007 05:48:00
2708020318	M-97	CLO4 CR6010	Water	01-aug-2007 06:07:00
2708020319	M-31A	CLO4 CR6010	Water	01-aug-2007 06:45:00
2708020320	M-50	CLO4 CR6010	Water	01-aug-2007 07:08:00
2708020321	M-34	CLO4 CR6010	Water	01-aug-2007 07:23:00
2708020322	M-35	CLO4 CR6010	Water	01-aug-2007 07:38:00
2708020323	M-19	CLO4 CR6010	Water	01-aug-2007 07:58:00
2708020324	M-39	CLO4 CR6010	Water	01-aug-2007 08:15:00
2708020325	M-68	CLO4 CR6010	Water	01-aug-2007 08:32:00
2708020326	M-61	CLO4 CR6010	Water	01-aug-2007 08:47:00
2708020327	I-K	CLO4 CR6010	Water	01-aug-2007 08:40:00
2708020328	I-J	CLO4 CR6010	Water	01-aug-2007 08:51:00
2708020329	I-Z	CLO4 CR6010	Water	01-aug-2007 08:59:00
2708020330	M-67	CLO4 CR6010	Water	01-aug-2007 09:19:00
2708020331	I-I	CLO4 CR6010	Water	01-aug-2007 09:29:00
2708020332	I-V	CLO4 CR6010	Water	01-aug-2007 09:25:00
2708020342	M-12A	CLO4 CR6010	Water	01-aug-2007 10:00:00
			CRVI7196 P	PH9040 T

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 212147
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2708020342	M-12A (con't)	TDS		
2708020343	EB-2	CLO4 CR6010 CRVI7196 P TDS	Water	01-aug-2007 10:04:00 PH9040 T
2708020344	MD-2	CLO4 CR6010 CRVI7196 P TDS	Water	01-aug-2007 00:00:00 PH9040 T

Test Acronym Description

Test Acronym	Description
CLO4	Perchlorate
CR6010	Chromium, Total, ICAP
CRVI7196 P	Hexavalent chromium (Cr VI) Metals sample pH
PH9040	PH (H3=past HT, not compliant)
T	Metals Turbidity
TDS	Total Dissolved Solid (TDS)



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3829
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Report
Comments
#212147

Client Specific Comments

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Signature: 

Group Comments

Report revised to correct duplicate QC for CR6010.

(QC Ref#: 2708020332)

Test: Chromium, Total, ICAP (ML/EPA 6010B)

M3 - The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to the spike level. The method control sample recovery was acceptable.

(QC Ref#: 2708020342)

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3- Sample was received and analyzed past holding time. Data not acceptable for regulatory compliance.

(QC Ref#: 2708020343)

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3- Sample was received and analyzed past holding time. Data not acceptable for regulatory compliance.

(QC Ref#: 2708020344)

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3- Sample was received and analyzed past holding time. Data not acceptable for regulatory compliance.



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Hits Report
 #212147

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 02-aug-2007 15:54:15

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2708020317	M-92				
08/08/07		Metals digestion performed.	Y		Yes/No	
08/03/07		PH (H3=past HT, not compliant)	7.8		Units	0.0010
08/04/07		Perchlorate	752		ug/l	80
08/06/07		Total Dissolved Solid (TDS)	1990	500	mg/l	10
	2708020318	M-97				
08/13/07		Chromium, Total, ICAP	0.61		mg/l	0.020
08/08/07		Metals digestion performed.	Y		Yes/No	
08/03/07		PH (H3=past HT, not compliant)	7.6		Units	0.0010
08/04/07		Perchlorate	89200		ug/l	10000
08/06/07		Total Dissolved Solid (TDS)	3730	500	mg/l	10
	2708020319	M-31A				
08/13/07		Chromium, Total, ICAP	11		mg/l	0.050
08/08/07		Metals digestion performed.	Y		Yes/No	
08/03/07		PH (H3=past HT, not compliant)	7.4		Units	0.0010
08/04/07		Perchlorate	1710000		ug/l	200000
08/06/07		Total Dissolved Solid (TDS)	9330	500	mg/l	10
	2708020320	M-50				
08/13/07		Chromium, Total, ICAP	29		mg/l	0.20
08/08/07		Metals digestion performed.	Y		Yes/No	
08/03/07		PH (H3=past HT, not compliant)	7.4		Units	0.0010
08/04/07		Perchlorate	1080000		ug/l	200000
08/06/07		Total Dissolved Solid (TDS)	14100	500	mg/l	10
	2708020321	M-34				

SUMMARY OF POSITIVE DATA ONLY.



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3829
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Hits Report
 #212147

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 02-aug-2007 15:54:15

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2708020321	M-34				
08/13/07	Chromium, Total, ICAP		16		mg/l	0.20
08/08/07	Metals digestion performed.		Y		Yes/No	
08/03/07	PH (H3=past HT, not compliant)		7.3		Units	0.0010
08/04/07	Perchlorate		2130000		ug/l	200000
08/06/07	Total Dissolved Solid (TDS)		11900	500	mg/l	10
	2708020322	M-35				
08/13/07	Chromium, Total, ICAP		9.4		mg/l	0.10
08/08/07	Metals digestion performed.		Y		Yes/No	
08/03/07	PH (H3=past HT, not compliant)		7.4		Units	0.0010
08/04/07	Perchlorate		407000		ug/l	200000
08/06/07	Total Dissolved Solid (TDS)		7280	500	mg/l	10
	2708020323	M-19				
08/13/07	Chromium, Total, ICAP		0.38		mg/l	0.020
08/08/07	Metals digestion performed.		Y		Yes/No	
08/03/07	PH (H3=past HT, not compliant)		7.6		Units	0.0010
08/04/07	Perchlorate		2490		ug/l	400
08/06/07	Total Dissolved Solid (TDS)		4820	500	mg/l	10
	2708020324	M-39				
08/13/07	Chromium, Total, ICAP		4.6		mg/l	0.050
08/08/07	Metals digestion performed.		Y		Yes/No	
08/03/07	PH (H3=past HT, not compliant)		7.3		Units	0.0010
08/04/07	Perchlorate		489000		ug/l	40000
08/06/07	Total Dissolved Solid (TDS)		7280	500	mg/l	10

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#212147

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
02-aug-2007 15:54:15

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2708020324	M-39				
	2708020325	M-68				
08/13/07	Chromium, Total, ICAP		0.91		mg/l	0.020
08/08/07	Metals digestion performed.		Y		Yes/No	
08/06/07	PH (H3=past HT, not compliant)		7.5		Units	0.0010
08/05/07	Perchlorate		61000		ug/l	4000
08/06/07	Total Dissolved Solid (TDS)		6350	500	mg/l	10
	2708020326	M-61				
08/13/07	Chromium, Total, ICAP		1.0		mg/l	0.020
08/08/07	Metals digestion performed.		Y		Yes/No	
08/06/07	PH (H3=past HT, not compliant)		7.5		Units	0.0010
08/05/07	Perchlorate		81000		ug/l	8000
08/06/07	Total Dissolved Solid (TDS)		5500	500	mg/l	10
	2708020327	I-K				
08/13/07	Chromium, Total, ICAP		0.97		mg/l	0.020
08/08/07	Metals digestion performed.		Y		Yes/No	
08/06/07	PH (H3=past HT, not compliant)		7.6		Units	0.0010
08/05/07	Perchlorate		55800		ug/l	8000
08/06/07	Total Dissolved Solid (TDS)		5650	500	mg/l	10
	2708020328	I-J				
08/13/07	Chromium, Total, ICAP		2.4		mg/l	0.62
08/08/07	Metals digestion performed.		Y		Yes/No	
08/06/07	PH (H3=past HT, not compliant)		7.6		Units	0.0010

SUMMARY OF POSITIVE DATA ONLY.



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Hits Report
 #212147

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 02-aug-2007 15:54:15

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2708020328	I-J				
08/05/07	Perchlorate		204000		ug/l	20000
08/06/07	Total Dissolved Solid (TDS)		6260	500	mg/l	10
	2708020329	I-Z				
08/13/07	Chromium, Total, ICAP		9.5		mg/l	0.050
08/08/07	Metals digestion performed.		Y		Yes/No	
08/06/07	PH (H3=past HT, not compliant)		7.4		Units	0.0010
08/05/07	Perchlorate		654000		ug/l	100000
08/06/07	Total Dissolved Solid (TDS)		9170	500	mg/l	10
	2708020330	M-67				
08/13/07	Chromium, Total, ICAP		5.5		mg/l	0.050
08/08/07	Metals digestion performed.		Y		Yes/No	
08/06/07	PH (H3=past HT, not compliant)		7.4		Units	0.0010
08/05/07	Perchlorate		582000		ug/l	40000
08/06/07	Total Dissolved Solid (TDS)		7790	500	mg/l	10
	2708020331	I-I				
08/13/07	Chromium, Total, ICAP		20		mg/l	0.20
08/08/07	Metals digestion performed.		Y		Yes/No	
08/06/07	PH (H3=past HT, not compliant)		7.4		Units	0.0010
08/05/07	Perchlorate		1140000		ug/l	200000
08/06/07	Total Dissolved Solid (TDS)		13400	500	mg/l	10
	2708020332	I-V				
08/13/07	Chromium, Total, ICAP		21		mg/l	0.20

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3829
Tel. 626 386 1100
Fax 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#212147

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
02-aug-2007 15:54:15

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2708020332	I-V				
08/08/07		Metals digestion performed.	Y		Yes/No	
08/06/07		PH (H3=past HT, not compliant)	7.3		Units	0.0010
08/05/07		Perchlorate	2080000		ug/l	200000
08/06/07		Total Dissolved Solid (TDS)	14500	500	mg/l	10
	2708020342	M-12A				
08/13/07		Chromium, Total, ICAP	13		mg/l	0.10
08/03/07		Hexavalent chromium (Cr VI)	14		mg/l	0.50
08/08/07		Metals digestion performed.	Y		Yes/No	
08/06/07		PH (H3=past HT, not compliant)	8.0		Units	0.0010
08/05/07		Perchlorate	320000		ug/l	40000
08/08/07		Total Dissolved Solid (TDS)	7890	500	mg/l	10
	2708020343	EB-2				
08/08/07		Metals digestion performed.	Y		Yes/No	
08/06/07		PH (H3=past HT, not compliant)	6.8		Units	0.0010
08/05/07		Perchlorate	28		ug/l	8.0
08/08/07		Total Dissolved Solid (TDS)	26	500	mg/l	10
	2708020344	MD-2				
08/13/07		Chromium, Total, ICAP	12		mg/l	0.050
08/03/07		Hexavalent chromium (Cr VI)	14		mg/l	0.50
08/08/07		Metals digestion performed.	Y		Yes/No	
08/03/07		PH (H3=past HT, not compliant)	7.9		Units	0.0010
08/06/07		Perchlorate	315000		ug/l	40000
08/06/07		Total Dissolved Solid (TDS)	8080	500	mg/l	10

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#212147

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
08/02/07

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-92 (2708020317) Sampled on 08/01/07 05:48								
	08/04/07 11:28	379888	(EPA 314) Perchlorate	752	ug/l	80	20
08/12/07	08/13/07 00:00	380838	(ML/EPA 6010B) Chromium, Total, ICAP	ND	mg/l	0.020	2
	08/08/07 13:37		(EPA 200 Prep) Metals digestion performed.	Y	Yes/No	0	1
	08/03/07 00:00	379618	(ML/EPA 9040B) PH (H3=past HT, not compliant)	7.8	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	1990	mg/l	10	1
M-97 (2708020318) Sampled on 08/01/07 06:07								
	08/04/07 11:28	379888	(EPA 314) Perchlorate	89200	ug/l	10000	2500
08/12/07	08/13/07 00:00	380838	(ML/EPA 6010B) Chromium, Total, ICAP	0.61	mg/l	0.020	2
	08/08/07 13:37		(EPA 200 Prep) Metals digestion performed.	Y	Yes/No	0	1
	08/03/07 00:00	379618	(ML/EPA 9040B) PH (H3=past HT, not compliant)	7.6	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	3730	mg/l	10	1
M-31A (2708020319) Sampled on 08/01/07 06:45								
	08/04/07 11:28	379888	(EPA 314) Perchlorate	1710000	ug/l	200000	50000
08/12/07	08/13/07 00:00	380838	(ML/EPA 6010B) Chromium, Total, ICAP	11	mg/l	0.050	5
	08/08/07 13:37		(EPA 200 Prep) Metals digestion performed.	Y	Yes/No	0	1
	08/03/07 00:00	379618	(ML/EPA 9040B) PH (H3=past HT, not compliant)	7.4	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	9330	mg/l	10	1
M-50 (2708020320) Sampled on 08/01/07 07:08								
	08/04/07 11:28	379888	(EPA 314) Perchlorate	1080000	ug/l	200000	50000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B) Chromium, Total, ICAP	29	mg/l	0.20	20
	08/08/07 13:37		(EPA 200 Prep) Metals digestion performed.	Y	Yes/No	0	1
	08/03/07 00:00	379618	(ML/EPA 9040B) PH (H3=past HT, not compliant)	7.4	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	14100	mg/l	10	1



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3829
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#212147

Tronox LLC - Henderson
(continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-34 (2708020321) Sampled on 08/01/07 07:23								
	08/04/07 11:28	379888	(EPA 314)	Perchlorate	2130000	ug/l	200000	50000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	16	mg/l	0.20	20
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/03/07 00:00	379618	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.3	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	11900	mg/l	10	1
M-35 (2708020322) Sampled on 08/01/07 07:38								
	08/04/07 11:28	379888	(EPA 314)	Perchlorate	407000	ug/l	200000	50000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	9.4	mg/l	0.10	10
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/03/07 00:00	379618	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.4	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	7280	mg/l	10	1
M-19 (2708020323) Sampled on 08/01/07 07:58								
	08/04/07 11:28	379888	(EPA 314)	Perchlorate	2490	ug/l	400	100
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	0.38	mg/l	0.020	2
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/03/07 00:00	379618	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.6	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	4820	mg/l	10	1
M-39 (2708020324) Sampled on 08/01/07 08:15								
	08/04/07 11:28	379888	(EPA 314)	Perchlorate	489000	ug/l	40000	10000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	4.6	mg/l	0.050	5
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/03/07 00:00	379618	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.3	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	7280	mg/l	10	1
M-68 (2708020325) Sampled on 08/01/07 08:32								
	08/05/07 00:10	379890	(EPA 314)	Perchlorate	61000	ug/l	4000	1000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	0.91	mg/l	0.020	2
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/06/07 00:00	379798	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.5	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	6350	mg/l	10	1



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Data Report
 #212147

Tronox LLC - Henderson
 (continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-61 (2708020326) Sampled on 08/01/07 08:47								
	08/05/07 00:10	379890	(EPA 314)	Perchlorate	81000	ug/l	8000	2000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	1.0	mg/l	0.020	2
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/06/07 00:00	379798	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.5	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	5500	mg/l	10	1
I-K (2708020327) Sampled on 08/01/07 08:40								
	08/05/07 00:10	379890	(EPA 314)	Perchlorate	55800	ug/l	8000	2000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	0.97	mg/l	0.020	2
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/06/07 00:00	379798	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.6	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	5650	mg/l	10	1
I-J (2708020328) Sampled on 08/01/07 08:51								
	08/05/07 00:10	379890	(EPA 314)	Perchlorate	204000	ug/l	20000	5000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	2.4	mg/l	0.62	62
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/06/07 00:00	379798	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.6	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	6260	mg/l	10	1
I-Z (2708020329) Sampled on 08/01/07 08:59								
	08/05/07 00:10	379890	(EPA 314)	Perchlorate	654000	ug/l	100000	25000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	9.5	mg/l	0.050	5
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/06/07 00:00	379798	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.4	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	9170	mg/l	10	1
M-67 (2708020330) Sampled on 08/01/07 09:19								
	08/05/07 00:10	379890	(EPA 314)	Perchlorate	582000	ug/l	40000	10000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	5.5	mg/l	0.050	5
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/06/07 00:00	379798	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.4	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	7790	mg/l	10	1



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Data Report
 #212147

Tronox LLC - Henderson
 (continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
I-I (2708020331)		Sampled on 08/01/07 09:29						
	08/05/07 00:10	379890	(EPA 314)	Perchlorate	1140000	ug/l	200000	50000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	20	mg/l	0.20	20
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/06/07 00:00	379798	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.4	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	13400	mg/l	10	1
I-V (2708020332)		Sampled on 08/01/07 09:25						
	08/05/07 00:10	379890	(EPA 314)	Perchlorate	2080000	ug/l	200000	50000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	21(M3)	mg/l	0.20	20
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/06/07 00:00	379798	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.3	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	14500	mg/l	10	1
M-12A (2708020342)		Sampled on 08/01/07 10:00						
	08/05/07 00:10	379890	(EPA 314)	Perchlorate	320000	ug/l	40000	10000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	13	mg/l	0.10	10
	08/03/07 11:58	379692	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	14(H3)	mg/l	0.50	100
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/06/07 00:00	379798	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	8.0	Units	0.0010	1
08/08/07	08/08/07 12:00	380383	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	7890	mg/l	10	1
EB-2 (2708020343)		Sampled on 08/01/07 10:04						
	08/05/07 00:10	379890	(EPA 314)	Perchlorate	28	ug/l	8.0	2
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	ND	mg/l	0.020	2
	08/03/07 11:57	379692	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	ND(H3)	mg/l	0.0050	1
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/06/07 00:00	379798	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	6.8	Units	0.0010	1
08/08/07	08/08/07 12:00	380383	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	26	mg/l	10	1



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Menrova, California 91016-3829
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#212147

Tronox LLC - Henderson
(continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
MD-2 (2708020344)				Sampled on 08/01/07 00:00				
	08/06/07 10:51	380192	(EPA 314)	Perchlorate	315000	ug/l	40000	10000
08/12/07	08/13/07 00:00	380839	(ML/EPA 6010B)	Chromium, Total, ICAP	12	mg/l	0.050	5
	08/03/07 11:59	379692	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	14 (H3)	mg/l	0.50	100
	08/08/07 13:37		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	08/03/07 00:00	379618	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.9	Units	0.0010	1
08/06/07	08/06/07 16:00	380370	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	8080	mg/l	10	1



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#212147

Tronox LLC - Henderson

QC Ref #379618 - PH (H3=past HT, not compliant) Analysis Date: 08/03/2007

2708020317	M-92	Analyzed by: faj
2708020318	M-97	Analyzed by: faj
2708020319	M-31A	Analyzed by: faj
2708020320	M-50	Analyzed by: faj
2708020321	M-34	Analyzed by: faj
2708020322	M-35	Analyzed by: faj
2708020323	M-19	Analyzed by: faj
2708020324	M-39	Analyzed by: faj
2708020344	MD-2	Analyzed by: faj

QC Ref #379692 - Hexavalent chromium (Cr VI) Analysis Date: 08/03/2007

2708020342	M-12A	Analyzed by: wbh
2708020343	EB-2	Analyzed by: wbh
2708020344	MD-2	Analyzed by: wbh

QC Ref #379798 - PH (H3=past HT, not compliant) Analysis Date: 08/06/2007

2708020325	M-68	Analyzed by: faj
2708020326	M-61	Analyzed by: faj
2708020327	I-K	Analyzed by: faj
2708020328	I-J	Analyzed by: faj
2708020329	I-Z	Analyzed by: faj
2708020330	M-67	Analyzed by: faj
2708020331	I-I	Analyzed by: faj
2708020332	I-V	Analyzed by: faj
2708020342	M-12A	Analyzed by: faj
2708020343	EB-2	Analyzed by: faj

QC Ref #379888 - Perchlorate

Analysis Date: 08/04/2007

2708020317	M-92	Analyzed by: clv
2708020318	M-97	Analyzed by: clv
2708020319	M-31A	Analyzed by: clv
2708020320	M-50	Analyzed by: clv
2708020321	M-34	Analyzed by: clv
2708020322	M-35	Analyzed by: clv
2708020323	M-19	Analyzed by: clv
2708020324	M-39	Analyzed by: clv



750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#212147

Tronox LLC - Henderson
(continued)

QC Ref #379890 - Perchlorate

Analysis Date: 08/05/2007

2708020325	M-68	Analyzed by: clv
2708020326	M-61	Analyzed by: clv
2708020327	I-K	Analyzed by: clv
2708020328	I-J	Analyzed by: clv
2708020329	I-Z	Analyzed by: clv
2708020330	M-67	Analyzed by: clv
2708020331	I-I	Analyzed by: clv
2708020332	I-V	Analyzed by: clv
2708020342	M-12A	Analyzed by: clv
2708020343	EB-2	Analyzed by: clv

QC Ref #380192 - Perchlorate

Analysis Date: 08/06/2007

2708020344	MD-2	Analyzed by: clv
------------	------	------------------

QC Ref #380370 - Total Dissolved Solid (TDS)

Analysis Date: 08/06/2007

2708020317	M-92	Analyzed by: yvette
2708020318	M-97	Analyzed by: yvette
2708020319	M-31A	Analyzed by: yvette
2708020320	M-50	Analyzed by: yvette
2708020321	M-34	Analyzed by: yvette
2708020322	M-35	Analyzed by: yvette
2708020323	M-19	Analyzed by: yvette
2708020324	M-39	Analyzed by: yvette
2708020325	M-68	Analyzed by: yvette
2708020326	M-61	Analyzed by: yvette
2708020327	I-K	Analyzed by: yvette
2708020328	I-J	Analyzed by: yvette
2708020329	I-Z	Analyzed by: yvette
2708020330	M-67	Analyzed by: yvette
2708020331	I-I	Analyzed by: yvette
2708020332	I-V	Analyzed by: yvette
2708020344	MD-2	Analyzed by: yvette



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 QC Summary
 #212147

Tronox LLC - Henderson
 (continued)

QC Ref #380383 - Total Dissolved Solid (TDS) Analysis Date: 08/08/2007

2708020342	M-12A	Analyzed by: yvette
2708020343	EB-2	Analyzed by: yvette

QC Ref #380838 - Chromium, Total, ICAP Analysis Date: 08/13/2007

2708020317	M-92	Analyzed by: wbh
2708020318	M-97	Analyzed by: wbh
2708020319	M-31A	Analyzed by: wbh

QC Ref #380839 - Chromium, Total, ICAP Analysis Date: 08/13/2007

2708020320	M-50	Analyzed by: wbh
2708020321	M-34	Analyzed by: wbh
2708020322	M-35	Analyzed by: wbh
2708020323	M-19	Analyzed by: wbh
2708020324	M-39	Analyzed by: wbh
2708020325	M-68	Analyzed by: wbh
2708020326	M-61	Analyzed by: wbh
2708020327	I-K	Analyzed by: wbh
2708020328	I-J	Analyzed by: wbh
2708020329	I-Z	Analyzed by: wbh
2708020330	M-67	Analyzed by: wbh
2708020331	I-I	Analyzed by: wbh
2708020332	I-V	Analyzed by: wbh
2708020342	M-12A	Analyzed by: wbh
2708020343	EB-2	Analyzed by: wbh
2708020344	MD-2	Analyzed by: wbh

Tronox LLC - Henderson

QC Ref #379618 PH (H3=past HT, not compliant)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
DUP	PH (H3=past HT, not compliant)	7.33	7.34	UNIT		(0-20)	0.1

QC Ref #379692 Hexavalent chromium (Cr VI)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	08030248	MGL		(0-0)	
LCS1	Hexavalent chromium (Cr VI)	0.050	0.052	MGL	104.0	(85-115)	
LCS2	Hexavalent chromium (Cr VI)	0.050	0.051	MGL	102.0	(85-115)	
MBLK	Hexavalent chromium (Cr VI)	ND	<0.0050	MGL			
MRL_CHK	Hexavalent chromium (Cr VI)	0.005	0.005	MGL	100.0	(50-150)	
MS	Hexavalent chromium (Cr VI)	1.00	0.94	MGL	94.0	(70-130)	
MSD	Hexavalent chromium (Cr VI)	1.00	0.96	MGL	96.0	(70-130)	

QC Ref #379798 PH (H3=past HT, not compliant)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
DUP	PH (H3=past HT, not compliant)	7.77	7.78	UNIT		(0-20)	0.1

QC Ref #379888 Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	08020270	UGL		(0-0)	
LCS1	Perchlorate	25.0	27.1	UGL	108.4	(85-115)	
LCS2	Perchlorate	25.0	25.6	UGL	102.4	(85-115)	
LCS3	Perchlorate	4	3.75	UGL	93.8	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	23.1	UGL	92.4	(80-120)	
MSD	Perchlorate	25.0	24.3	UGL	97.2	(80-120)	
RPD_LCS	Perchlorate	108.400	102.400	UGL	5.7	(0-15)	
RPD_MS	Perchlorate	92.400	97.200	UGL	1.1	(0-15)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
 Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

Tronox LLC - Henderson
 (continued)

QC Ref #379890 Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	08020342	UGL		(0-0)	
LCS1	Perchlorate	25.0	25.5	UGL	102.0	(85-115)	
LCS2	Perchlorate	25.0	25.8	UGL	103.2	(85-115)	
LCS3	Perchlorate	4	4.31	UGL	107.7	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	21.9	UGL	87.6	(80-120)	
MSD	Perchlorate	25.0	24.8	UGL	99.2	(80-120)	
RPD_LCS	Perchlorate	102.000	103.200	UGL	1.2	(0-15)	
RPD_MS	Perchlorate	87.600	99.200	UGL	1.1	(0-15)	

QC Ref #380192 Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	08020570	UGL		(0-0)	
LCS1	Perchlorate	25.0	26.6	UGL	106.4	(85-115)	
LCS2	Perchlorate	25.0	26.7	UGL	106.8	(85-115)	
LCS3	Perchlorate	4	3.68	UGL	92.0	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	24.2	UGL	96.8	(80-120)	
MSD	Perchlorate	25.0	24.9	UGL	99.6	(80-120)	
RPD_LCS	Perchlorate	106.400	106.800	UGL	0.4	(0-15)	
RPD_MS	Perchlorate	96.800	99.600	UGL	1.0	(0-15)	

QC Ref #380370 Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	08020317	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	1994	2014	MGL		(0-10)	1.0
LCS1	Total Dissolved Solid (TDS)	175	176	MGL	100.6	(80-114)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
 Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
 are advisory only, unless otherwise specified in the method.

Tronox LLC - Henderson
 (continued)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
LCS2	Total Dissolved Solid (TDS)	700	694	MGL	99.1	(80-114)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	9	MGL	90.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	100.571	99.143	MGL	1.4	(0-20)	

QC Ref #380383 Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	08060279	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	34400	34400	MGL		(0-10)	0.0
LCS1	Total Dissolved Solid (TDS)	175	172	MGL	98.3	(80-114)	
LCS2	Total Dissolved Solid (TDS)	700	702	MGL	100.3	(80-114)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	8	MGL	80.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	98.286	100.286	MGL	2.0	(0-20)	

QC Ref #380838 Chromium, Total, ICAP

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	08020271	MGL		(0-0)	
LCS1	Chromium, Total, ICAP	1.00	0.955	MGL	95.5	(85-115)	
LCS2	Chromium, Total, ICAP	1.00	0.941	MGL	94.1	(85-115)	
MBLK	Chromium, Total, ICAP	ND	<0.010	MGL			
MRL_CHK	Chromium, Total, ICAP	0.010	0.00994	MGL	99.4	(50-150)	
MS	Chromium, Total, ICAP	1.00	0.961	MGL	96.1	(70-130)	
MSD	Chromium, Total, ICAP	1.00	0.941	MGL	94.1	(70-130)	

QC Ref #380839 Chromium, Total, ICAP

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	08020327	MGL		(0-0)	
LCS1	Chromium, Total, ICAP	1.00	0.930	MGL	93.0	(85-115)	
LCS2	Chromium, Total, ICAP	1.00	0.911	MGL	91.1	(85-115)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
 Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
 are advisory only, unless otherwise specified in the method.



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#212147

Tronox LLC - Henderson
(continued)

MBLK	Chromium, Total, ICAP	ND	<0.010	MGL		
MRL_CHK	Chromium, Total, ICAP	0.010	0.00994	MGL	99.4	(50-150)
MS	Chromium, Total, ICAP	1.00	0.914	MGL	91.4	(70-130)
MSD	Chromium, Total, ICAP	1.00	0.895	MGL	89.5	(70-130)

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.