



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Report

for

Tronox LLC - Henderson
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley
Fax: (405) 302-4607

DATE OF ISSUE
Jul 06 2009
MWH LABORATORIES

ADE Andy Eaton
Project Manager



01114CA

Report#: 271687R
Project: CL04
PO#: Susan Crowle

Report#271687R replaces the original Report.

This report shall not be reproduced except in full, without the written approval of the laboratory.
Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 13 page[s].



MWH

BUILDING A BETTER WORLD

July 7, 2009

Ms. Susan Crowley
Tronox
PO Box 55
Henderson, NV 89009

Subject: Case Narrative report 271687R

Sample receipt: The samples arrived at MWH on June 09, 2009, with proper chain of custody. All containers were received without any visible signs of tampering or breakage at proper temperature. Samples are identified on the acknowledgement, which is part of the report package, along with the chain of custody.

Case Narrative:

For the MWH Laboratories data the following issues were observed:

The report was revised to correct extra QC.

TOX analysis on several samples was performed past holding time because initial results were not consistent among quadruplicate samples.

Note that for ion chromatography tests such as perchlorate, the exact analysis time is not shown on the report. Only the date of analysis appears. The time normally defaults to 00:00.

If you have any questions, do not hesitate to contact us.

Sincerely yours,

Andrew Eaton, PhD
Project Manager



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

271687

MNLABS USE ONLY:

750 Royal Oaks Dr, Suite 100, Monrovia, CA 91016-3629
 (626) 568-6400 (800) 566-5227

LOGIN COMMENTS: **SCANNED**

SAMPLES CHECKED/LOGGED IN BY: JS/JS

SAMPLE TEMP, RECEIPT AT LAB: 4°

BLUE ICE: FROZEN / PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME

PROJECT JOB # / P.O.#

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES

(check for yes)

Tronox LLC

Annual Groundwater Sampling - April / May

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

Sampler Davis

Tronox LLC
 PO Box 55
 Henderson, NV 89009

(702) 651-2234

TIME

DATE

LOCATION

IDENTIFIER, STATE ID#

MATRIX *

GRAB

COMP

PH

Specific Conductance

Total Chromium

Hexavalent Chromium

Perchlorate, ClO₄

TDS

Tc99060

Phenol 96

TDX

Fe 6010 Mn 6010

PH 9610

5049052

5049052

5049052

5049052

5049052

5049052

5049052

5049052

0752

6/16/09

MK-713

RGW

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

* MATRIX TYPES:

Reported by Volume:
 CFW = Chlor(am)inated Finished Water
 FW = Other Finished Water

RGW = Raw Ground Water
 RSW = Raw Surface Water

Reported by Weight:
 SO = Soil
 SL = Sludge
 CWW = Chlorinated Waste Water
 WW = Other Waste Water
 SW = Storm Water

SIGNATURE

PRINT NAME

COMPANY/TITLE

DATE

TIME

RELINQUISHED BY: [Signature]

Davis

DAVID DAVIS

683/Geologist

6-8-09 12:00

RECEIVED BY: [Signature]

Joe Sanchez

JOE SANCHEZ

MW

6-9-09 10:00

RELINQUISHED BY:

RECEIVED BY:



MWH Laboratories, a Division of MWH Americas, Inc.
750 Royal Oaks Avenue Suite 100
Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

Bottle Order for Kerr McGee Chemical Company - Henderson Standing

Andrew Eaton, Your MWL Project Manager
(626) 386-1125 Direct Phone/Voice Mail

Client Code KERRMCGEE-MP
Project Code CLO4
PO# / Job#
Blanket PO

SO# 47276 **RS** **Sampler: Please Return this Paper with your samples**

Created by GJY

Order Date 03/16/09

Date Needed by Client

Kerr McGee
8000 West Lake Mead Drive
Henderson, NV 89015

Ship Sample Kits to

Send Report to

Kerr McGee Henderson Plant
P.O. Box 55
Henderson, NV 89009

Billing Address

Kerr McGee Henderson Plant
P.O. Box 55
Henderson, NV 89009

ATTN: Susan Crowley
PHONE: 702-651-2234

ATTN: Susan Crowley
PHONE: 702-651-2234
FAX: 702-651-2310

Quote#

GJY

of Samples Tests

Bottles-Qty for each sample, type & preservative if any

UN#

Important Comments

# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
16	TOC9060	1 125ml amber glass + 0.5ml H2SO4(50%)	UN 2796	LANDFILL WELLS: M-5A, M-6A, M-7A, H-28A
4	TOX	4 250ml amber glass + 1ml H2SO4	UN 2796	
16	PH9040, EC9050	1 125ml poly/no preservative		
4	SO49056, CL9056	1 125ml poly/no preservative		
4	FE6010, MN6010, CR6010, NA6010	1 250ml poly/acid rinsed + 1ml HNO3 (18%)	UN 2031	LOGIN - Please assign 4 lab numbers to each of the quadruplicate tests - TOX, TOC, EC, pH
4	PHENOL96	1 500ml amber glass+ 1ml H2S2O4(50%)	UN 2796	FOR APRIL SAMPLING EVENT
4	TDS,	1 125ml poly/no preservative		Testcodes updated 3-16-06
4	CLO4	1 125ml poly/no preservative AMBER IF WITH CLO3!		TDS and CLO4 added 6/16/06. (not in quad)
-	-	-	-	note to login - please add location code on each of these at login - Quad1, Quad2, Quad3, Quad4 for the 4 replicates of each well for

ActiveCode Status Date Shipped Carrier Qty of Coolers Tracking Number Prepared By

From: Origin ID: LASA (702) 651-2230
Shipping
Trinox LLC
8000 lake Mead parkway



Ship Date: 08JUN09
ActWgt: 26.6 LB
CAD: 100263135/NET9011
Account#: S *****
Dims: 21 X 15 X 15 IN

henderson, NV 89015

Delivery Address Bar Code



Ref # 20092544V1
Invoice #
PO #
Dept #

SHIP TO: (626) 568-6400 BILL SENDER


sample receiving
Montgomery Watson labs
750 ROYAL OAKS DR # 100

MONROVIA, CA 91016

TUE - 09JUN A2

TRK# 7976 6048 2792
0201

PRIORITY OVERNIGHT
DSR



91016
CA-US
BUR

QZ WHPA



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

Global Home | FedEx Mobile | Service Info | About FedEx | Investor Relations | Careers | fedex.com Terms of Use | Privacy Policy | Site Map |
This site is protected by copyright and trademark laws under US and International law. All rights reserved. © 1995-2009 FedEx

MWH Laboratories
 750 Royal Oaks Drive, Monrovia, CA 91016
 PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 271687
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

The following samples were received from you on 06/09/09. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2906090099	M-7B	CL9056 CLO4 NA6010 P TDS TOC9060	Water CR6010 EC9050 PH9040 PHENOL	08-jun-2009 07:52:00 FE6010 MN6010 SO49056 T
2906090100	M-7B	EC9050 PH9040	Water TOC9060 TOX	08-jun-2009 07:52:00
2906090101	M-7B	EC9050 PH9040	Water TOC9060 TOX	08-jun-2009 07:52:00
2906090102	M-7B	EC9050 PH9040	Water TOC9060 TOX	08-jun-2009 07:52:00

Test Acronym Description

Test Acronym	Description
CL9056	Chloride
CLO4	Perchlorate
CR6010	Chromium, Total, ICAP
EC9050	Specific Conductance
FE6010	Iron, Total, ICAP
MN6010	Manganese, Total, ICAP
NA6010	Sodium, Total, ICAP
P	Metals sample pH
PH9040	PH (H3=past HT, not compliant)
PHENOL	Phenolic Compounds
SO49056	Sulfate
T	Metals Turbidity
TDS	Total Dissolved Solid (TDS)
TOC9060	Total Organic Carbon
TOX	Total Organic Halogen



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91018-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Report
Comments
#271687

Client Specific Comments

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Signature: _____

Group Comments

Report revised to correct QC for PH9040.

(QC Ref#: 2906090099)

Test: Phenolic Compounds (MWH 420/SW9066)

L4 - The associated blank spike recovery was below method acceptance limits.

Test: Total Organic Halogen (SW9020/SM5320)

H1 - Sample analysis performed past holding time. Data not acceptable for regulatory compliance.

(QC Ref#: 2906090100)

Test: Total Organic Halogen (SW9020/SM5320)

H1 - Sample analysis performed past holding time. Data not acceptable for regulatory compliance.



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Hits Report
 #271687

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 09-jun-2009 15:35:57

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2906090099	M-7B				
06/18/09			Chloride	3600	mg/l	100
06/16/09			Iron, Total, ICAP	0.34	mg/l	0.20
06/16/09			Manganese, Total, ICAP	0.012	mg/l	0.0020
06/15/09			Metals digestion performed.	Y	Yes/No	
06/09/09			PH (H3=past HT, not compliant)	7.5	Units	0.0010
06/17/09			Perchlorate	52400	ug/l	4000
06/19/09			Sodium, Total, ICAP	1300	mg/l	10
06/10/09			Specific Conductance	12200	umho/cm	2.0
06/13/09			Sulfate	1500	mg/l	25
06/10/09			Total Dissolved Solid (TDS)	8950	500 mg/l	10
06/17/09			Total Organic Carbon	1.1	mg/l	0.30
06/23/09			Total Organic Halogen	1440	ug/l	500
	2906090100	M-7B				
06/09/09			PH (H3=past HT, not compliant)	7.5	Units	0.0010
06/10/09			Specific Conductance	12100	umho/cm	2.0
06/17/09			Total Organic Carbon	1.0	mg/l	0.30
06/23/09			Total Organic Halogen	1100	ug/l	500
	2906090101	M-7B				
06/09/09			PH (H3=past HT, not compliant)	7.5	Units	0.0010
06/10/09			Specific Conductance	12200	umho/cm	2.0
06/17/09			Total Organic Carbon	1.1	mg/l	0.30
06/19/09			Total Organic Halogen	1450	ug/l	500
	2906090102	M-7B				
06/09/09			PH (H3=past HT, not compliant)	7.4	Units	0.0010

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#271687

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
09-jun-2009 15:35:57

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2906090102	M-7B				
06/10/09			Specific Conductance	12200	umho/cm	2.0
06/17/09			Total Organic Carbon	1.1	mg/l	0.30
06/19/09			Total Organic Halogen	1390	ug/l	500

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#271687

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
06/09/09

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-7B (2906090099) Sampled on 06/08/09 07:52								
	06/18/09 17:44	488383	(ML/EPA 9056)	Chloride	3600	mg/l	100	100
	06/17/09 02:37	488222	(EPA 314)	Perchlorate	52400	ug/l	4000	1000
06/15/09	06/16/09 00:00	488241	(ML/EPA 6010B)	Chromium, Total, ICAP	ND	mg/l	0.010	1
	06/15/09 11:54		(EPA 200 Prep)	Metals digestion performed.	Y	Yes/No	0	1
	06/10/09 13:48	487702	(ML/EPA 9050A)	Specific Conductance	12200	umho/cm	2.0	1
06/15/09	06/16/09 23:40	488242	(ML/EPA 6010B)	Iron, Total, ICAP	0.34	mg/l	0.20	10
06/15/09	06/16/09 23:40	488243	(ML/EPA 6010B)	Manganese, Total, ICAP	0.012	mg/l	0.0020	1
06/15/09	06/19/09 10:06	488429	(ML/EPA 6010B)	Sodium, Total, ICAP	1300	mg/l	10	10
	06/09/09 14:47	487634	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.5	Units	0.0010	1
06/22/09	06/23/09 16:30	489035	(MWH 420/SW9066)	Phenolic Compounds	ND(L4)	mg/l	0.010	1
	06/13/09 00:56	488289	(ML/EPA 9056)	Sulfate	1500	mg/l	25	50
06/10/09	06/10/09 20:15	487751	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	8950	mg/l	10	1
	06/17/09 08:10	488249	(ML/EPA 9060)	Total Organic Carbon	1.1	mg/l	0.30	1
	06/23/09 00:00	488767	(SW9020/SM5320)	Total Organic Halogen	1440(H1)	ug/l	500	50
M-7B (2906090100) Sampled on 06/08/09 07:52								
	06/10/09 13:48	487702	(ML/EPA 9050A)	Specific Conductance	12100	umho/cm	2.0	1
	06/09/09 14:47	487634	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.5	Units	0.0010	1
	06/17/09 08:10	488249	(ML/EPA 9060)	Total Organic Carbon	1.0	mg/l	0.30	1
	06/23/09 00:00	488767	(SW9020/SM5320)	Total Organic Halogen	1100(H1)	ug/l	500	50
M-7B (2906090101) Sampled on 06/08/09 07:52								
	06/10/09 13:48	487702	(ML/EPA 9050A)	Specific Conductance	12200	umho/cm	2.0	1
	06/09/09 14:47	487634	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.5	Units	0.0010	1
	06/17/09 08:10	488249	(ML/EPA 9060)	Total Organic Carbon	1.1	mg/l	0.30	1
	06/19/09 07:03	488770	(SW9020/SM5320)	Total Organic Halogen	1450	ug/l	500	50



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#271687

Tronox LLC - Henderson
(continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-7B (2906090102)			Sampled on 06/08/09 07:52					
	06/10/09 13:48	487702	(ML/EPA 9050A)	Specific Conductance	12200	umho/cm	2.0	1
	06/09/09 14:47	487635	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.4	Units	0.0010	1
	06/17/09 08:10	488249	(ML/EPA 9060)	Total Organic Carbon	1.1	mg/l	0.30	1
	06/19/09 07:03	488770	(SW9020/SM5320)	Total Organic Halogen	1390	ug/l	500	50



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#271687

Tronox LLC - Henderson

QC Ref #487634 - PH (H3=past HT, not compliant) Analysis Date: 06/09/2009

2906090099	M-7B	Analyzed by: nem
2906090100	M-7B	Analyzed by: nem
2906090101	M-7B	Analyzed by: nem

QC Ref #487635 - PH (H3=past HT, not compliant) Analysis Date: 06/09/2009

2906090102	M-7B	Analyzed by: nem
------------	------	------------------

QC Ref #487702 - Specific Conductance Analysis Date: 06/10/2009

2906090099	M-7B	Analyzed by: nem
2906090100	M-7B	Analyzed by: nem
2906090101	M-7B	Analyzed by: nem
2906090102	M-7B	Analyzed by: nem

QC Ref #487751 - Total Dissolved Solid (TDS) Analysis Date: 06/10/2009

2906090099	M-7B	Analyzed by: maria
------------	------	--------------------

QC Ref #488222 - Perchlorate Analysis Date: 06/17/2009

2906090099	M-7B	Analyzed by: ser
------------	------	------------------

QC Ref #488241 - Chromium, Total, ICAP Analysis Date: 06/16/2009

2906090099	M-7B	Analyzed by: csk
------------	------	------------------

QC Ref #488242 - Iron, Total, ICAP Analysis Date: 06/16/2009

2906090099	M-7B	Analyzed by: csk
------------	------	------------------



750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#271687

Tronox LLC - Henderson
(continued)

QC Ref #488243 - Manganese, Total, ICAP	Analysis Date: 06/16/2009
2906090099 M-7B	Analyzed by: csk
QC Ref #488249 - Total Organic Carbon	Analysis Date: 06/17/2009
2906090099 M-7B	Analyzed by: kxs
2906090100 M-7B	Analyzed by: kxs
2906090101 M-7B	Analyzed by: kxs
2906090102 M-7B	Analyzed by: kxs
QC Ref #488289 - Sulfate	Analysis Date: 06/13/2009
2906090099 M-7B	Analyzed by: sxk
QC Ref #488383 - Chloride	Analysis Date: 06/18/2009
2906090099 M-7B	Analyzed by: sxk
QC Ref #488429 - Sodium, Total, ICAP	Analysis Date: 06/19/2009
2906090099 M-7B	Analyzed by: csk
QC Ref #488767 - Total Organic Halogen	Analysis Date: 06/23/2009
2906090099 M-7B	Analyzed by: kxs
2906090100 M-7B	Analyzed by: kxs
QC Ref #488770 - Total Organic Halogen	Analysis Date: 06/19/2009
2906090101 M-7B	Analyzed by: kxs
2906090102 M-7B	Analyzed by: kxs



MWH Laboratories
A Division of MWH Americas, Inc.

750 Foyal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#271687

Tronox LLC - Henderson
(continued)

QC Ref #489035 - Phenolic Compounds

Analysis Date: 06/23/2009

2906090099

M-7B

Analyzed by: azs



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 QC Report
 #271687

Tronox LLC - Henderson

QC Ref #487634 PH (H3=past HT, not compliant)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
DUP	PH (H3=past HT, not compliant)	7.70	7.73	UNIT		(0-20)	0.4

QC Ref #487635 PH (H3=past HT, not compliant)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
DUP	PH (H3=past HT, not compliant)	7.42	7.48	UNIT		(0-20)	0.8

QC Ref #487702 Specific Conductance

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
DUP	Specific Conductance	682	676	UMHO		(0-20)	0.9
MRL_CHK	Specific Conductance	2.000	1.97	UMHO	98.5	(50-150)	

QC Ref #487751 Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 29	06090099	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	8950	8850	MGL		(0-10)	1.1
LCS1	Total Dissolved Solid (TDS)	175	174	MGL	99.4	(80-114)	
LCS2	Total Dissolved Solid (TDS)	700	662	MGL	94.6	(80-114)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	13.0	MGL	130.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	99.429	94.571	MGL	5.0	(0-20)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
 Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
 are advisory only, unless otherwise specified in the method.

Tronox LLC - Henderson
 (continued)

QC Ref #488222 Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 29	06110138	UGL		(0-0)	
LCS1	Perchlorate	25.0	24.5	UGL	98.0	(85-115)	
LCS2	Perchlorate	25.0	23.9	UGL	95.6	(85-115)	
LCS3	Perchlorate	4	4.40	UGL	110.0	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	24.7	UGL	98.8	(80-120)	
MSD	Perchlorate	25.0	23.9	UGL	95.6	(80-120)	
RPD_LCS	Perchlorate	98.000	95.600	UGL	2.5	(0-15)	
RPD_MS	Perchlorate	98.800	95.600	UGL	1.0	(0-15)	

QC Ref #488241 Chromium, Total, ICAP

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 29	06030037	MGL		(0-0)	
LCS1	Chromium, Total, ICAP	1.00	1.03	MGL	103.0	(85-115)	
LCS2	Chromium, Total, ICAP	1.00	1.03	MGL	103.0	(85-115)	
MBLK	Chromium, Total, ICAP	ND	<0.010	MGL			
MRL_CHK	Chromium, Total, ICAP	0.010	0.0099	MGL	99.0	(50-150)	
MS	Chromium, Total, ICAP	1.00	1.01	MGL	101.0	(70-130)	
MSD	Chromium, Total, ICAP	1.00	1.00	MGL	100.0	(70-130)	

QC Ref #488242 Iron, Total, ICAP

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 29	06030037	MGL		(0-0)	
LCS1	Iron, Total, ICAP	5.0	5.10	MGL	102.0	(85-115)	
LCS2	Iron, Total, ICAP	5.0	5.11	MGL	102.2	(85-115)	
MBLK	Iron, Total, ICAP	ND	<0.020	MGL			
MRL_CHK	Iron, Total, ICAP	0.020	0.0215	MGL	107.5	(50-150)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
 Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
 are advisory only, unless otherwise specified in the method.



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#271687

Tronox LLC - Henderson
(continued)

MS	Iron, Total, ICAP	5.0	5.17	MGL	103.4	(70-130)
MSD	Iron, Total, ICAP	5.0	4.96	MGL	99.2	(70-130)

QC Ref #488243 Manganese, Total, ICAP

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 29	06030037	MGL		(0-0)	
LCS1	Manganese, Total, ICAP	0.50	0.532	MGL	106.4	(85-115)	
LCS2	Manganese, Total, ICAP	0.50	0.529	MGL	105.8	(85-115)	
MBLK	Manganese, Total, ICAP	ND	<0.0020	MGL			
MRL_CHK	Manganese, Total, ICAP	0.002	0.0014	MGL	70.0	(50-150)	
MS	Manganese, Total, ICAP	0.50	0.526	MGL	105.2	(70-130)	
MSD	Manganese, Total, ICAP	0.50	0.515	MGL	103.0	(70-130)	

QC Ref #488249 Total Organic Carbon

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 200906090530		MGL		(0-0)	
LCS1	Total Organic Carbon	5.0	4.98	MGL	99.6	(50-150)	
LCS2	Total Organic Carbon	5.0	5.04	MGL	100.8	(90-110)	
MBLK	Total Organic Carbon	ND	<0.30	MGL			
MRL_CHK	Total Organic Carbon	0.200	0.231	MGL	115.5	(50-150)	
MS	Total Organic Carbon	4.0	3.73	MGL	93.2	(80-120)	
MSD	Total Organic Carbon	4.0	3.98	MGL	99.5	(80-120)	
RPD_LCS	Total Organic Carbon	99.600	100.800	MGL	1.2	(0-20)	
RPD_MS	Total Organic Carbon	93.250	99.500	MGL	6.5	(0-20)	

QC Ref #488289 Sulfate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 29	200906120063	MGL		(0-0)	
LCS1	Sulfate	50	48.9	MGL	97.8	(90-110)	
LCS2	Sulfate	50	49.1	MGL	98.2	(90-110)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#271687

Tronox LLC - Henderson
(continued)

MBLK	Sulfate	ND	<0.50	MGL		
MRL_CHK	Sulfate	0.500	0.266	MGL	53.2	(50-150)
MS	Sulfate	25	25.7	MGL	102.8	(84-130)
MSD	Sulfate	25	25.9	MGL	103.6	(84-130)
RPD_LCS	Sulfate	97.800	98.200	MGL	0.4	(0-20)
RPD_MS	Sulfate	102.800	103.600	MGL	0.8	(0-20)

QC Ref #488383 Chloride

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 29	200906190068	MGL		(0-0)	
LCS1	Chloride	25	24.5	MGL	98.0	(90-110)	
LCS2	Chloride	25	24.5	MGL	98.0	(90-110)	
MBLK	Chloride	ND	<1.0	MGL			
MRL_CHK	Chloride	0.500	0.391	MGL	78.2	(50-150)	
MS	Chloride	12.5	11.3	MGL	90.4	(74-138)	
MSD	Chloride	12.5	11.3	MGL	90.4	(74-138)	
RPD_LCS	Chloride	98.000	98.000	MGL	0.0	(0-20)	
RPD_MS	Chloride	90.400	90.400	MGL	0.0	(0-20)	

QC Ref #488429 Sodium, Total, ICAP

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 29	06030037	MGL		(0-0)	
LCS1	Sodium, Total, ICAP	50	52.1	MGL	104.2	(85-115)	
LCS2	Sodium, Total, ICAP	50	51.9	MGL	103.8	(85-115)	
MBLK	Sodium, Total, ICAP	ND	<1.0	MGL			
MRL_CHK	Sodium, Total, ICAP	1.000	0.985	MGL	98.5	(50-150)	
MS	Sodium, Total, ICAP	50	49.1	MGL	98.2	(70-130)	
MSD	Sodium, Total, ICAP	50	48.9	MGL	97.8	(70-130)	
RPD_LCS	Sodium, Total, ICAP	104.200	103.800	MGL	0.4	(0-20)	
RPD_MS	Sodium, Total, ICAP	98.200	97.800	MGL	0.4	(0-20)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#271687

Tronox LLC - Henderson
(continued)

QC Ref #488767 Total Organic Halogen

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 29	06100166	UGL		(0-0)	
LCS1	Total Organic Halogen	10	11.0	UGL	110.0	(85-115)	
LCS2	Total Organic Halogen	200	207	UGL	103.5	(85-115)	
MBLK	Total Organic Halogen	ND	<10	UGL			
MS	Total Organic Halogen	100	96.8	UGL	96.8	(90-110)	
MSD	Total Organic Halogen	100	93.2	UGL	93.2	(90-110)	

QC Ref #488770 Total Organic Halogen

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 29	06090099	UGL		(0-0)	
LCS1	Total Organic Halogen	10	10.3	UGL	103.0	(85-115)	
LCS2	Total Organic Halogen	200	196	UGL	98.0	(85-115)	
MBLK	Total Organic Halogen	ND	<10	UGL			
MS	Total Organic Halogen	100	106	UGL	106.0	(90-110)	
MSD	Total Organic Halogen	100	99	UGL	99.0	(90-110)	

QC Ref #489035 Phenolic Compounds

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 29	06050137	MGL		(0-0)	
LCS1	Phenolic Compounds	0.08	0.046	MGL	<u>57.5</u>	(90-110)	
LCS2	Phenolic Compounds	0.08	0.070	MGL	<u>87.5</u>	(90-110)	
MBLK	Phenolic Compounds	ND	<0.010	MGL			
MRL_CHK	Phenolic Compounds	0.010	0.0074	MGL	74.0	(50-150)	
MS	Phenolic Compounds	0.08	0.079	MGL	98.8	(90-110)	
MSD	Phenolic Compounds	0.08	0.078	MGL	97.5	(90-110)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

FOR OFFICE USE ONLY

GROUP 271687
 Date 07/06/09
 Project CLO4
 Your Purchase Order No. Susan Crowley PO

Remit to:
 MWH Laboratories
 750 Royal Oaks Drive
 Suite 100
 Monrovia, CA 91016
 PHONE: 626-386-1100
 FAX: 626-386-1101

Ship To
 Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 PHONE: 702-651-2234
 FAX: (405) 302-4607

Sold To
 Tronox LLC - Henderson
 PO Box 268859
 Oklahoma City, OK 73126-8859
 PHONE: (405) 775-5149
 FAX: (405) 302-4607

QUANTITY	DESCRIPTION	SAMPLE DATE	UNIT PRICE	TOTAL AMOUNT
1	Chloride ID:M-7B/#2906090099	06/08/09	0.00	0.00
1	Perchlorate ID:M-7B/#2906090099	06/08/09	90.00	90.00
1	Chromium, Total, ICAP ID:M-7B/#2906090099	06/08/09	20.00	20.00
4	Specific Conductance ID:M-7B/#2906090099	06/08/09	11.00	44.00
	ID:M-7B/#2906090100	06/08/09		
	ID:M-7B/#2906090101	06/08/09		
	ID:M-7B/#2906090102	06/08/09		
1	Iron, Total, ICAP ID:M-7B/#2906090099	06/08/09	0.00	0.00
1	Manganese, Total, ICAP ID:M-7B/#2906090099	06/08/09	0.00	0.00
1	Sodium, Total, ICAP ID:M-7B/#2906090099	06/08/09	0.00	0.00
4	PH (H3=past HT, not compliant) ID:M-7B/#2906090099	06/08/09	10.00	40.00
	ID:M-7B/#2906090100	06/08/09		
	ID:M-7B/#2906090101	06/08/09		
	ID:M-7B/#2906090102	06/08/09		
1	Phenolic Compounds ID:M-7B/#2906090099	06/08/09	55.00	55.00
1	Sulfate ID:M-7B/#2906090099	06/08/09	0.00	0.00
1	Total Dissolved Solid (TDS) ID:M-7B/#2906090099	06/08/09	16.00	16.00
4	Total Organic Carbon ID:M-7B/#2906090099	06/08/09	0.00	0.00
	ID:M-7B/#2906090100	06/08/09		
	ID:M-7B/#2906090101	06/08/09		
	ID:M-7B/#2906090102	06/08/09		

TERMS = PAY UPON RECEIPT - 18% Charge per year on past due accounts.

\$ 265.00

GROUP 271687

Date 07/06/09 Project CLO4

Your
Purchase
Order No. Susan Crowley PO

QUANTITY	DESCRIPTION	SAMPLE DATE	UNIT PRICE	TOTAL AMOUNT
4	Total Organic Halogen ID:M-7B/#2906090099 ID:M-7B/#2906090100 ID:M-7B/#2906090101 ID:M-7B/#2906090102	06/08/09 06/08/09 06/08/09 06/08/09	110.00	440.00
ANALYTICAL CHARGES:			\$ 705.00	
TOTAL AMOUNT DUE THIS INVOICE:			\$ 705.00	

TERMS = PAY UPON RECEIPT - 18% Charge per year on past due accounts.

\$ 440.00