

Client ID #

**MICRO ANALYTICAL LABORATORIES, INC.**

Log in #

Name / Client / Address:

5900 Hollis St., Suite M, Emeryville, CA 94608  
(510) 653-0824 - (510) 653-1361 - FAX

Northgate Environmental

300 Frank H. Ogawa Plaza, Suite  
510  
Oakland, CA 94612

**Project**  
Tronox LLC

**Asbestos (TEM)** NIOSH 7400

**Asbestos**

**Lead Only**

**Metals (Specify)**

**Mold, Non-Viable**

**Other (Specify)**

Tel. (510) 839-0688

Fax (510) 839-4350

Job No. 2027.01.77

E-mail ted.splitter@ngem.com

Number of Samples

4

Turn-Around Time

3-5 DAYS

Micro ID #  
(For Lab Use Only)

Client Sample ID#

Description

Date Sampled

Time Sampled  
Start / Stop /  
Total Minutes

Average  
LPM

Total  
Liters

Filter  
Pore Size

Micro ID # (For Lab Use Only)	Client Sample ID#	Description	Date Sampled	Time Sampled Start / Stop / Total Minutes	Average LPM	Total Liters	Filter Pore Size
	FB-05032010	Field blank, not used to pump air.	05/03/2010	: : 0	0	0.00	0.80
	PS-1-05032010	Permanent station #1.	05/03/2010	07 : 07   16 : 49 582	2.1	1,222.20	0.80
	PS-2-05032010	Permanent station #2.	05/03/2010	07 : 25   16 : 50 565	2.0	1,130.00	0.80
	PS-3-05032010	Permanent station #3.	05/03/2010	08 : 00   17 : 04 544	2.0	1,088.00	0.80
				: : 0		0.00	
				: : 0		0.00	
				: : 0		0.00	
				: : 0		0.00	
				: : 0		0.00	
				: : 0		0.00	
				: : 0		0.00	

Instructions / Comments:

Fax

E-mail To: ted.splitter@ngem.com

Sample Return: YES  NO  If "YES" is checked, samples will be returned to the client or archived at Micro Analytical if required.  
If "NO" is checked, solid samples may be disposed of within three months (one week for liquid samples, lab suspensions, and digestates).

Dana R. Brown

Sampler's Signature / Name

*Dana R. Brown*

Note to Lab: If any samples are not acceptable, record reasons for rejection.

Dana R. Brown

5/3/2010 18:00

Drop Box / Courier

Relinquished By

Date / Time

Received By

Date / Time

Relinquished By

Date/Time

Received By

Date / Time