

Client ID #
2027.07
Name / Client / Address:
Northgate Environmental
300 Frank H. Ogawa Plaza, Suite
510
Oakland, CA 94612

MICRO ANALYTICAL LABORATORIES, INC.

5900 Hollis St., Suite M, Emeryville, CA 94608
(510) 653-0824 - (510) 653-1361 - FAX

Log in #

Project
Tronox LLC

Asbestos
NIOSH 7400

Asbestos

Lead Only

Metals
(Specify)

Mold, Non-Viable

Other
(Specify)

Tel. (510) 839-0688

Fax (510) 839-4350

Job No. 2027.07

E-mail ted.splitter@ngem.com

Number of Samples 10 Turn-Around Time 3-5 DAYS

| Micro ID # (For Lab Use Only) | Client Sample ID# | Description | Date Sampled | Time Sampled Start / Stop / Total Minutes | Average LPM | Total Liters | Filter Pore Size |
|----------------------------------|-------------------|---|--------------|---|----------------|-----------------|---------------------|
| | DW-11242010B | Downwind Station (BS823098) | 11/24/2010 | 5:31 15:03 572 | 2.0 | 1,144.00 | 0.80 |
| | FB-44-11242010 | Downwind Station Field Blank (BS823100) | 11/24/2010 | : : 0 | 0.0 | 0.00 | 0.80 |
| | UW-11242010B | Upwind Station (BS823124) | 11/24/2010 | 5:03 14:41 578 | 2.0 | 1,156.00 | 0.80 |
| | FB-43-11242010 | Upwind Station Field Blank (BS823144) | 11/24/2010 | : : 0 | 0.0 | 0.00 | 0.80 |
| | UW-11292010B | Upwind Station (BS823113) | 11/29/2010 | 04:25 19:14 889 | 2.0 | 1,778.00 | |
| | FB-45-11292010 | Upwind Station Field Blank (BS823120) | 11/29/2010 | : : 0 | 0.0 | 0.00 | |
| | DW-11292010B | Downwind Station (BS823128) | 11/29/2010 | 04:44 20:17 933 | 2.0 | 1,866.00 | |
| | FB-46-11292010 | Downwind Station Field Blank (BS823242) | 11/29/2010 | : : 0 | 0.0 | 0.00 | |
| | UW-12012010A | Upwind Station (BS823088) | 12/01/2010 | 07:00 16:17 557 | 2.0 | 1,114.00 | |
| | FB-47-12012010 | Upwind Station Field Blank (BS823099) | 12/01/2010 | : : 0 | 0.0 | 0.00 | |

Instructions / Comments: Fax E-mail To: ted.splitter@ngem.com; david.behnken@ngem.com

Sample Return: YES NO If "YES" is checked, samples will be returned to the client or archived at Micro Analytical if required. If "NO" is checked, solid samples may be disposed of within three months (one week for liquid samples, lab suspensions, and digestates).
Francisco Barron

Sampler's Signature / Name: *Francisco Barron*
Ronda S. Bailey *Ronda S. Bailey 12/8/10*

Note to Lab: If any samples are not acceptable, record reasons for rejection.

Relinquished By: Date / Time Received By: Date / Time

Relinquished By: Date / Time Received By: Date / Time

Client ID #
2027.07
Name / Client / Address:
Northgate Environmental

MICRO ANALYTICAL LABORATORIES, INC.

5900 Hollis St., Suite M, Emeryville, CA 94608
(510) 653-0824 - (510) 653-1361

Log in #

300 Frank H. Ogawa Plaza, Suite
510
Oakland, CA 94612

Project
Tronox LLC



COPY
Asbestos
(TEM)

NIOSH 7400

Asbestos _____

Lead Only _____

Metals
(Specify) _____

Mold, Non-Viable _____

Other
(Specify) _____

Tel. (510) 839-0688

Fax (510) 839-4350

E-mail ted.splitter@ngem.com

Job No. 2027.07

Number of Samples 10 Turn-Around Time 3-5 DAYS

| Micro ID # (For Lab Use Only) | Client Sample ID# | Description | Date Sampled | Time Sampled Start / Stop / Total Minutes | Average LPM | Total Liters | Filter Pore Size |
|----------------------------------|-------------------|---|--------------|---|----------------|-----------------|---------------------|
| | DW-12012010A | Downwind Station (BS823186) | 12/01/2010 | 07:15 17:19 604 | 2.0 | 1,208.00 | 0.80 |
| | FB-48-12012010 | Downwind Station Field Blank (BS823083) | 12/01/2010 | : : 0 | 0.0 | 0.00 | 0.80 |
| | UW-12012010B | Upwind Station (BS823272) | 12/01/2010 | 4:24 17:53 809 | 2.0 | 1,618.00 | 0.80 |
| | FB-49-12012010 | Upwind Station Field Blank (BS823238) | 12/01/2010 | : : 0 | 0.0 | 0.00 | 0.80 |
| | DW-12012010B | Downwind Station (BS823196) | 12/01/2010 | 05:24 18:46 802 | 2.0 | 1,604.00 | |
| | FB-50-12012010 | Downwind Station Field Blank (823274) | 12/01/2010 | : : 0 | 0.0 | 0.00 | |
| | DW-12032010A | Downwind Station (BS823097) | 12/03/2010 | 06:02 17:20 678 | 2.0 | 1,356.00 | |
| | FB-52-12032010 | Downwind Station Field Blank (BS823133) | 12/03/2010 | : : 0 | 0.0 | 0.00 | |
| | UW-12032010A | Upwind Station (BS823129) | 12/03/2010 | 05:42 16:18 636 | 2.0 | 1,272.00 | |
| | FB-51-12032010 | Upwind Station Field Blank (BS823152) | 12/03/2010 | : : 0 | 0.0 | 0.00 | |

Instructions / Comments: Fax E-mail To: ted.splitter@ngem.com; david.behnken@ngem.com

Sample Return: YES NO If "YES" is checked, samples will be returned to the client or archived at Micro Analytical if required. If "NO" is checked, solid samples may be disposed of within three months (one week for liquid samples, lab suspensions, and digestates).

Francisco Barron *Francisco Barron*

Sampler's Signature / Name _____ Note to Lab: If any samples are not acceptable, record reasons for rejection.

Ronda S. Bailey *Ronda S. Bailey* Drop Box / Courier
Relinquished By _____ Date / Time _____ Received By _____ Date / Time _____

Relinquished By _____ Date/Time _____ Received By _____ Date / Time _____

Client ID #
2027.07
Name / Client / Address:
Northgate Environmental
300 Frank H. Ogawa Plaza, Suite
510
Oakland, CA 94612
Tel. (510) 839-0688
Fax (510) 839-4350
E-mail ted.splitter@ngem.com

MICRO ANALYTICAL LABORATORIES, INC.

5900 Hollis St., Suite M, Emeryville, CA 94608
(510) 653-0824 - (510) 653-1361 - FAX



Log in #

Project
Tronox LLC
Job No. 2027.07

Asbestos (TEM) NIOSH 7400
Asbestos
Lead Only
Metals (Specify)
Mold, Non-Viable
Other (Specify)
Number of Samples 10 **Turn-Around Time** 3-5 DAYS

| Micro ID # (For Lab Use Only) | Client Sample ID# | Description | Date Sampled | Time Sampled Start / Stop / Total Minutes | Average LPM | Total Liters | Filter Pore Size |
|----------------------------------|-------------------|---|--------------|---|----------------|-----------------|---------------------|
| | DW-12032010B | Downwind Station (BS826536) | 12/03/2010 | 05:21 17:50 749 | 2.0 | 1,498.00 | 0.80 |
| | FB-54-12032010 | Downwind Station Field Blank (BS826291) | 12/03/2010 | : : 0 | 0.0 | 0.00 | 0.80 |
| | UW-12032010B | Upwind Station (BS826478) | 12/03/2010 | 4:25 19:25 900 | 2.0 | 1,800.00 | 0.80 |
| | FB-53-12032010 | Upwind Station Field Blank (BS826511) | 12/03/2010 | : : 0 | 0.0 | 0.00 | 0.80 |
| | DW-12062010B | Downwind Station (BS822949) | 12/06/2010 | 05:17 18:05 768 | 2.0 | 1,536.00 | |
| | FB-56-12062010 | Downwind Station Field Blank (BS826251) | 12/06/2010 | : : 0 | 0.0 | 0.00 | |
| | UW-12062010B | Upwind Station (BS826259) | 12/06/2010 | 04:43 17:34 771 | 2.0 | 1,542.00 | |
| | FB-55-12062010 | Upwind Station Field Blank (BS826248) | 12/06/2010 | : : 0 | 0.0 | 0.00 | |
| | UW-12072010A | Upwind Station (BS826454) | 12/07/2010 | 05:37 16:07 630 | 2.0 | 1,260.00 | |
| | FB-57-12072010A | Upwind Station field Blank (BS826498) | 12/07/2010 | : : 0 | 0.0 | 0.00 | |

Instructions / Comments: Fax E-mail To: ted.splitter@ngem.com; david.behnken@ngem.com

Sample Return: YES NO If "YES" is checked, samples will be returned to the client or archived at Micro Analytical if required.
If "NO" is checked, solid samples may be disposed of within three months (one week for liquid samples, lab suspensions, and digestates).
Francisco Barron

Sampler's Signature / Name: *Francisco Barron* Note to Lab: If any samples are not acceptable, record reasons for rejection.

Ronda S. Bailey *Ronda S. Bailey* Drop Box / Courier
Relinquished By: *Ronda S. Bailey* Date / Time: 12/15/10 15:00 Received By: _____ Date / Time: _____

Relinquished By: _____ Date/Time: _____ Received By: _____ Date / Time: _____

Client ID #
2027.07
Name / Client / Address:
Northgate Environmental

MICRO ANALYTICAL LABORATORIES, INC.

5900 Hollis St., Suite M, Emeryville, CA 94608
(510) 653-0824 - (510) 653-1361 - FAX

Log in #

300 Frank H. Ogawa Plaza, Suite
510
Oakland, CA 94612

Project
Tronox LLC

Asbestos (TEAM) NIOSH 7400

Asbestos _____

Lead Only _____

Metals (Specify) _____

Mold, Non-Viable _____

Other (Specify) _____

Tel. (510) 839-0688

Fax (510) 839-4350

Job No. 2027.07

E-mail ted.splitter@ngem.com

Number of Samples **Turn-Around Time**
2 3-5 DAYS

| Micro ID # (For Lab Use Only) | Client Sample ID# | Description | Date Sampled | Time Sampled | | Average LPM | Total Liters | Filter Pore Size |
|----------------------------------|-------------------|---|--------------|------------------------------|-------|-------------|--------------|------------------|
| | | | | Start / Stop / Total Minutes | | | | |
| | DW-12072010A | Downwind Station (BS826395) | 12/07/2010 | 06:08 | 16:42 | 2.0 | 1,268.00 | 0.80 |
| | | | | 634 | | | | |
| | FB-58-12072010 | Downwind Station Field Blank (BS826276) | 12/07/2010 | : | : | 0.0 | 0.00 | 0.80 |
| | | | | 0 | | | | |
| | | | | : | : | 2.0 | 0.00 | 0.80 |
| | | | | 0 | | | | |
| | | | | : | : | 0.0 | 0.00 | 0.80 |
| | | | | 0 | | | | |
| | | | | : | : | 2.0 | 0.00 | |
| | | | | 0 | | | | |
| | | | | : | : | 0.0 | 0.00 | |
| | | | | 0 | | | | |
| | | | | : | : | 2.0 | 0.00 | |
| | | | | 0 | | | | |
| | | | | : | : | 0.0 | 0.00 | |
| | | | | 0 | | | | |

Instructions / Comments: Fax E-mail To: ted.splitter@ngem.com; david.behnken@ngem.com

Sample Return: YES NO If "YES" is checked, samples will be returned to the client or archived at Micro Analytical if required. If "NO" is checked, solid samples may be disposed of within three months (one week for liquid samples, lab suspensions, and digestates).

Francisco Barron *[Signature]*

Note to Lab: If any samples are not acceptable, record reasons for rejection.

Sampler's Signature / Name *[Signature]*

Ronda S. Bailey *[Signature]* Date/Time 12/16/10 1502

Drop Box / Courier

Relinquished By _____ Date/Time _____ Received By _____ Date/Time _____

Relinquished By _____ Date/Time _____ Received By _____ Date/Time _____