

Client ID #  
2027.07

**MICRO ANALYTICAL LABORATORIES, INC.**

Log in #

Name / Client / Address:  
Northgate Environmental

5900 Hollis St., Suite M, Emeryville, CA 94608  
(510) 653-0824 - (510) 653-1361 - FAX

300 Frank H. Ogawa Plaza, Suite  
510  
Oakland, CA 94612

**Project**  
Tronox LLC

Asbestos (TEM) NIOSH 7400

Asbestos

Lead Only

Metals (Specify)

Mold, Non-Viable

Other (Specify)

**COPY**

Tel. (510) 839-0688

Fax (510) 839-4350

Job No. 2027.07

E-mail ted.splitter@ngem.com

Number of Samples  
10

Turn-Around Time  
3-5 DAYS

Micro ID # (For Lab Use Only)	Client Sample ID#	Description	Date Sampled	Time Sampled		Average LPM	Total Liters	Filter Pore Size
				Start / Stop / Total Minutes				
	DW-01172011A	Downwind Station (BS823260)	01/17/2011	6:00	12:55	2.0	830.00	0.80
				415				
	FB-94-01172011	Downwind Station Field Blank (BS823141)	01/17/2011	:	:	0.0	0.00	0.80
				0				
	DW-01192011A	Downwind Station (BS823214)	01/19/2011	5:25	12:50	2.0	890.00	0.80
				445				
	FB-98-01192011	Downwind Station Field Blank (BS823253)	01/19/2011	:	:	0.0	0.00	0.80
				0				
	UW-01192011A	Upwind Station (BS823147)	01/19/2011	5:10	12:40	2.0	900.00	0.80
				450				
	FB-97-01192011	Upwind Station Field Blank (BS823151)	01/19/2011	:	:	0.0	0.00	0.80
				0				
	DW-01192011B	Downwind Station (BS823005)	01/19/2011	6:20	16:35	2.0	1,230.00	0.80
				615				
	FB-100-01192011	Downwind Station Field Blank (BS823061)	01/19/2011	:	:	0.0	0.00	0.80
				0				
	UW-01192011B	Upwind Station (BS826257)	01/19/2011	5:50	16:55	2.0	1,330.00	0.80
				665				
	FB-99-10192011	Upwind Station Field Blank (BS826278)	01/19/2011	:	:	0.0	0.00	0.80
				0				

Instructions / Comments:  Fax  E-mail To: ted.splitter@ngem.com; david.behnken@ngem.com

sample Return: YES  NO  IF "YES" is checked, samples will be returned to the client or archived at Micro Analytical if required. If "NO" is checked, solid samples may be disposed of within three months (one week for liquid samples, lab suspensions, and digestates).

Amy Greenawald *Amy Greenawald*

sampler's Signature / Name Note to Lab: If any samples are not acceptable, record reasons for rejection.

Francisco Barron *Francisco Barron* 01/29/11 13:00 Drop Box / Courier

Relinquished By Date / Time Received By Date / Time

Relinquished By Date/Time Received By Date / Time

Client ID #  
2027.07  
Name / Client / Address:  
Northgate Environmental

**MICRO ANALYTICAL LABORATORIES, INC.**

5900 Hollis St., Suite M, Emeryville, CA 94608  
(510) 653-0824 - (510) 653-1381 - FAX

Log in #

300 Frank H. Ogawa Plaza, Suite  
510  
Oakland, CA 94612

**Project**  
**Tronox LLC**

Asbestos (TEM) NIOSH 7400

Asbestos

Lead Only

Metals (Specify)

Mold, Non-Viable

Other (Specify)

Tel. (510) 839-0688

Fax (510) 839-4350

Job No. 2027.07

E-mail ted.splitter@ngem.com

Number of Samples 10 Turn-Around Time 3-5 DAYS

**COPY**

Micro ID # (For Lab Use Only)	Client Sample ID#	Description	Date Sampled	Time Sampled Start / Stop / Total Minutes	Average LPM	Total Liters	Filter Pore Size
	UW-01142011B	Upwind Station (BS823191)	01/14/2011	6:10   15:34 564	2.0	1,128.00	0.80
	FB-91-01142011	Upwind Station Field Blank (BS823180)	01/14/2011	:   : 0	0.0	0.00	0.80
	DW-01142011B	Downwind Station (BS823148)	01/14/2011	6:21   15:44 563	2.0	1,126.00	0.80
	FB-92-01142011	Downwind Station Field Blank (BS823185)	01/14/2011	:   : 0	0.0	0.00	0.80
	UW-01172011B	Upwind Station (BS823116)	01/17/2011	6:00   16:00 600	2.0	1,200.00	0.80
	FB-95-01172011	Upwind Station Field Blank (BS823158)	01/17/2011	:   : 0	0.0	0.00	0.80
	DW-01172011B	Downwind Station (BS823237)	01/17/2011	5:50   15:50 600	2.0	1,200.00	0.80
	FB-96-01172011	Downwind Station Field Blank (BS823231)	01/17/2011	:   : 0	0.0	0.00	0.80
	UW-01172011A	Upwind Station (BS823236)	01/17/2011	5:45   12:40 415	2.0	830.00	0.80
	FB-93-10172011	Upwind Station Field Blank (BS823254)	01/17/2011	:   : 0	0.0	0.00	0.80

Instructions / Comments:  Fax  E-mail To: ted.splitter@ngem.com; david.behnken@ngem.com

Sample Return: YES  NO  If "YES" is checked, samples will be returned to the client or archived at Micro Analytical if required. If "NO" is checked, solid samples may be disposed of within three months (one week for liquid samples, lab suspensions, and digestates).

Amy Greenawald

Sampler's Signature / Name

*Amy Greenawald*

Note to Lab: If any samples are not acceptable, record reasons for rejection.

Francisco Barron

*Francisco Barron* 01/24/11 13:00 Drop Box / Courier

Relinquished By \_\_\_\_\_ Date / Time : :  Received By \_\_\_\_\_ Date / Time

Relinquished By \_\_\_\_\_ Date/Time : :  Received By \_\_\_\_\_ Date / Time


Client ID #  
2027.07  
Name / Client / Address:  
Northgate Environmental  
300 Frank H. Ogawa Plaza, Suite  
510  
Oakland, CA 94612

**MICRO ANALYTICAL LABORATORIES, INC.**

5900 Hollis St., Suite M, Emeryville, CA 94608  
(510) 653-0824 - (510) 653-1361 - FAX

Log in #

**Project**  
Tronox LLC



Tel. (510) 839-0688  
Fax (510) 839-4350  
E-mail ted.splitter@ngem.com

Job No. 2027.07

Lead Only \_\_\_\_\_  
Metals (Specify) \_\_\_\_\_  
Mold, Non-Viable \_\_\_\_\_  
Other (Specify) \_\_\_\_\_

Number of Samples      Turn-Around Time  
10                              3-5 DAYS

Micro ID # (For Lab Use Only)	Client Sample ID#	Description	Date Sampled	Time Sampled Start / Stop / Total Minutes	Average LPM	Total Liters	Filter Pore Size
	DW-01212011A	Downwind Station (BS826249)	01/21/2011	5:05   13:00 475	2.0	950.00	0.80
	FB-102-01212011	Downwind Station Field Blank (BS826243)	01/21/2011	:   : 0	0.0	0.00	0.80
	UW-01212011A	Upwind Station (BS826260)	01/21/2011	4:50   12:50 480	2.0	960.00	0.80
	FB-101-01212011	Upwind Station Field Blank (BS826245)	01/21/2011	:   : 0	0.0	0.00	0.80
	UW-01212011B	Upwind Station (BS822909)	01/21/2011	5:50   16:30 640	2.0	1,280.00	0.80
	FB-103-01212011	Upwind Station Field Blank (BS826236)	01/21/2011	:   : 0	0.0	0.00	0.80
	DW-01212011B	Downwind Station (BS823043)	01/21/2011	6:20   16:20 600	2.0	1,200.00	0.80
	FB-104-01212011	Downwind Station Field Blank (BS826449)	01/21/2011	:   : 0	0.0	0.00	0.80
	UW-01242011A	Upwind Station (BS823089)	01/24/2011	5:35   12:43 428	2.0	856.00	0.80
	FB-105-10242011	Upwind Station Field Blank (BS823018)	01/24/2011	:   : 0	0.0	0.00	0.80

Instructions / Comments:     Fax     E-mail To: ted.splitter@ngem.com; david.behnken@ngem.com

sample Return: YES  NO  If "YES" is checked, samples will be returned to the client or archived at Micro Analytical if required.  
If "NO" is checked, solid samples may be disposed of within three months (one week for liquid samples, lab suspensions, and digestates).

Amy Greenawald *Amy Greenawald*

sampler's Signature / Name \_\_\_\_\_ Note to Lab: If any samples are not acceptable, record reasons for rejection.

Francisco Barron *Francisco Barron* 01/24/11 13:03 Drop Box / Courier

Relinquished By \_\_\_\_\_ Date / Time \_\_\_\_\_ Received By \_\_\_\_\_ Date / Time \_\_\_\_\_

Relinquished By \_\_\_\_\_ Date/Time \_\_\_\_\_ Received By \_\_\_\_\_ Date / Time \_\_\_\_\_

Client ID #  
2027.07  
Name / Client / Address:  
Northgate Environmental  
300 Frank H. Ogawa Plaza, Suite  
510  
Oakland, CA 94612

**MICRO ANALYTICAL LABORATORIES, INC.**

5900 Hollis St., Suite M, Emeryville, CA 94608  
(510) 653-0824 - (510) 653-1361 - FAX

Log in #

Tel. (510) 839-0688

Fax (510) 839-4350

E-mail ted.splitter@ngem.com

**Project**  
Tronox LLC

Job No. 2027.07

Asbestos (TEM) NIOSH 7400

Asbestos

Lead Only

Metals (Specify)

Mold, Non-Viable

Other (Specify)

Number of Samples

2

Turn-Around Time

3-5 DAYS

**COPY**

Micro ID # (For Lab Use Only)	Client Sample ID#	Description	Date Sampled	Time Sampled		Average LPM	Total Liters	Filter Pore Size
				Start / Stop / Total Minutes				
	DW-01282011A	Downwind Station (BS823028)	01/28/2011	4 : 55	12 : 35	2.0	920.00	0.80
				460				
	FB-116-01282011	Downwind Station Field Blank (BS826266)	01/28/2011	:	:	0.0	0.00	0.80
				0				
				:	:	2.0	0.00	0.80
				0				
				:	:	0.0	0.00	0.80
				0				
				:	:	2.0	0.00	0.80
				0				
				:	:	0.0	0.00	0.80
				0				
				:	:	2.0	0.00	0.80
				0				
				:	:	0.0	0.00	0.80
				0				

Instructions / Comments:  Fax  E-mail To: ted.splitter@ngem.com; david.behnken@ngem.com

sample Return: YES  NO  If "YES" is checked, samples will be returned to the client or archived at Micro Analytical if required. If "NO" is checked, solid samples may be disposed of within three months (one week for liquid samples, lab suspensions, and digestates).

Amy Greenawald

Sampler's Signature / Name

Note to Lab: If any samples are not acceptable, record reasons for rejection.

Francisco Barron

Drop Box / Courier

Relinquished By

Date / Time

Received By

Date / Time

Relinquished By

Date/Time

Received By

Date / Time