

MEMORANDUM TO FILE

TO: Kerr McGee (KM) File

FROM: Brian Rakvica

DATE: October 13, 2004

CC: Todd Croft, Jennifer Carr, Jeff Johnson, Jim Najima, Jon Palm, Alan Tinney, Leo Drozdoff, Valerie King

RE: KM Meeting on October 12, 2004 at 1:30 PM via telephone

1. Attendance:
 - a. NDEP: Todd Croft, Brian Rakvica
 - b. KM: Keith Bailey, Susan Crowley
2. Reviewed FBR system operations.
 - a. System is currently receiving 78 gpm of the blended water from the GWTS and the GW-11 pond. 20 gpm of GW-11 pond water is being put into the blend and approximately 58 gpm of GWTS water. 75 gpm of this is forwarded to the FBR whereas the remaining 3 gpm is recycled to the GW-11 pond.
 - b. KM initiated the performance test on Sunday, 10/3/04 at 12:01 AM. The 1st weekly sample has been sent off-site for confirmation. Preliminary results from the on-site lab indicate ND.
 - c. KM noted that the hydrogen peroxide system is operational and was automated as of last week.
 - d. System is operating at 980-990 gpm and ~95% of the chemical load.
 - e. NDEP inquired if KM expected to have to address any temperature concerns with the blended water this winter. KM does not anticipate any issues.
3. Discussed NDEP observations.
 - a. Discharge looks fairly clear and contains fewer solids than the last observation. A mild sulfide odor was noted.
4. Discussed discharge relocation. KM noted that they are still pursuing this with BOR. KM noted that they have not heard back from BOR and will continue to follow up.
5. Discussed DO concentrations.
6. NDEP requests a verbal update after the meeting. Susan to submit formal updates on a monthly basis.
7. Other discussions.
 - a. Next quarterly meeting may be scheduled for early December.
 - b. KM noted that they are expecting a letter response from the USEPA regarding the Superfund request from the environmental groups.
 - c. NDEP noted that they had an information request from a party in Denver.
 - d. Noted that the latest Northshore Road load was 120 #/day.

- e. KM noted that there might be a line of increasing concentration approaching the Seep area well field.
 - f. Discussed Lake Mead levels and drought expectations.
8. Next meeting: Tuesday, October 26, 2004 at 1:30 PM. Call-in number: 405-270-2655.