



750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)


## Laboratory Report

for

Tronox LLC - Henderson  
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley  
Fax: 702-651-2310



ADE Andy Eaton  
Project Manager



Report#: 162577  
CLO4

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 6 page[s].



162577

MW LABS USE ONLY:

750 Royal Oaks Drive, Suite 100, Montrovia, CA 91016-3629  
(626) 568-6400 (800) 566-5227

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: gjh  
SAMPLE TEMP, RECEIPT AT LAB: gjh  
BLUE ICE: FROZEN  PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME: **KERRMCGEE-MP** PROJECT JOB # / P.O.#: \_\_\_\_\_ (check for yes)

Wendy Prescott  
Susan Crowley (702) 551-2234  
Kerr-McGee Chemical LLC  
PO Box 55  
Henderson, NV 89009

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX *	GRAB	COMP	ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)				SAMPLER COMMENTS
							Total CrO <sub>4</sub>	Total Chromium	Hexavalent Chromium	Total CrO <sub>3</sub>	
10:00 AM	11-27-29, 12-01-05		GWTP Discharge	RSW		X	X	X	X		Total Cr sample preserved with HNO <sub>3</sub> .
10:00 AM	12/1/2005		GWTP West Well Feed	RSW	X		X	X			Total Cr sample preserved with HNO <sub>3</sub> .
10:00 AM	12/1/2005		GWTP East Well Feed	RSW	X		X	X			Total Cr sample preserved with HNO <sub>3</sub> .
											East & West CLO4 added beginning 11-11-04

\* MATRIX TYPES: Reported by Volume: CFW = Chlor(am)inated Finished Water, FW = Other Finished Water  
 Reported by Weight: SO = Soil, SL = Sludge  
 RGW = Raw Ground Water, CWW = Chlorinated Waste Water  
 RSW = Raw Surface Water, WW = Other Waste Water, SW = Storm Water

RELINQUISHED BY: Wendy Prescott SIGNATURE: \_\_\_\_\_ PRINT NAME: Wendy Prescott  
 RECEIVED BY: \_\_\_\_\_ DATE: 12/1/2005 TIME: 12:00  
 RELINQUISHED BY: \_\_\_\_\_ COMPANY/TITLE: Veolia Water NA for Kerr McGee Chemical LLC  
 RECEIVED BY: \_\_\_\_\_



MWH Laboratories, a Division of MWH Americas, Inc.  
 750 Royal Oaks Avenue Suite 100  
 Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

**Bottle Order for Kerr McGee Chemical Company - Henderson Standing**

Andrew Eaton ..... Your MWL Project Manager  
 (626) 386-1125 ..... Direct Phone/Voice Mail

Client Code KERRMCGEE-MP W Weekly  
 Project Code CLO4 Week 1  
 PO# / Job#  
 Blanket PO

SO# 27289 16287 RS

**Sampler: Please Return this Paper with your samples**

0 Ship Sample Kits to  
 Kerr McGee-Veolia Water  
 Gate 1  
 8000 West Lake Mead Drive  
 Henderson, NV 89015

Send Report to  
 Kerr McGee Henderson Plant  
 P.O. Box 55  
 Henderson, NV 89009

Billing Address  
 KMCLLC  
 attn: Contract 304280  
 P.O. Box 3049  
 Livonia, MI 48150

Created by

Order Date  
 11/21/05

Date Needed  
 by Client

Date Samples  
 to Arrive at MWL

SHIP LOCATION

ATTN: Susan Crowley ..... ATTN: Susan Crowley  
 PHONE: 702-651-2234 ..... PHONE: 702-651-2234  
 FAX: 702-651-2310 ..... FAX: 702-651-2310

Quote#

Bottles-Qty for each sample, type & preservative if any

Important Comments

UN#

# of Samples Tests

# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
3	CR	1 250 ml poly acid rinsed + 1ml HNO3 (18%)	UN 2031	GWTP WEST WELL FEED
3	CR-VI	1 125ml poly acid rinsed/ no preservative		GWTP EAST WELL FEED
1	CLO3	1 60ml poly+0.60 mL 5% EDA sol'n	UN 1604	GWTP DISCHARGE
3	CLO4	1 125ml poly /no preservative AMBER IF WITH CLO3!		CLO4, CLO3, NO3RFA on DISCHARGE
1	NO3RFA	1 250 ml poly+ 1 ml H2SO4 (50%)	UN 2796	CR, and CRVI and CLO4 on all samples
				Please sample late in the day and send via priority overnight to ensure that we receive CRVI within hold time whenever possible.
				SHIPPING - PLEASE PRELABEL BOTTLES
				revised 4/29/04 igx revised 11/4/04 ade
				shipping - the CLO3 bottle has been missed several times - please be sure it is included!

SCANNED

ActiveCode Status Date Shipped Carrier Qty of Coolers Tracking Number Prepared By

From: Origin ID: (702)651-2220  
KERR-MCGEE CHEMICAL  
KERR-MCGEE CHEMICAL  
8000 LAKE MEAD DRIVE  
SHIPPING DEPARTMENT  
HENDERSON, NV 89015



Ship Date: 01DEC05  
ActWgt: 12 LB  
System#: 2274147/INET2300  
Account#: S \*\*\*\*\*

REF: MSO# 141675



Delivery Address Bar Code

CLS 10/27/05/09/16

SHIP TO: (626)568-6400 **BILL SENDER**  
**ATTN: MONTGOMERY LABS RECEIVING**  
**MONTGOMERY WATSON LABS**  
**750 ROYAL OAKS AVENUE**  
**#100**  
**MONROVIA, CA 91016**

**PRIORITY OVERNIGHT**

**FRI**

Deliver By:  
02DEC05



TRK# 7902 3957 6869

FORM  
0201

**BUR A2**

91016 -CA-US

**QZ WHPA**



Shipping Label: Your shipment is complete

1. Use the 'Print' feature from your browser to send this page to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.**

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

SCANNED

THIS MEMORANDUM is an acknowledgement that a Bill of Lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

SHIPPER'S NUMBER: 141675

SCANNED

RECEIVED subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading.

**From: KERR-McGEE CHEMICAL CORPORATION**

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said Carrier (the word Carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another Carrier on the route to said destination. It is mutually agreed, as to each Carrier of all or any said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said Bill of Lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the Shipper and accepted for himself and his assigns.

CARRIER <b>Federal Express</b>		Date <b>12/1/05</b>	FROM NO. STATION: STATE <b>Henderson, NV 89015</b>
MWH LABORATORIES 750 Royal Oaks Avenue, Suite #100 Monrovia, CA 91016-3629 Phone: 626-568-6400		Authorization <b>S.CROWLEY</b>	
FREIGHT CHARGES xx <input type="checkbox"/> Prepaid <input type="checkbox"/> Collect		FULL NAME OF SHIPPER KERR-McGEE CHEMICAL LLC	
N/A/R		CUSTOMER PO OR REQ'N NO.	CODE NO. WCN IF <b>1321.10400</b> If it moves between
		SHIPPED FROM <b>Henderson, NV</b>	two ports by water, the law requires that the Bill of Lading shall state whether it is Carrier's or Shippers weight.
LINE NO.	DESCRIPTION AND CLASSIFICATION	STOCK NO.	TOTAL QUANTITY
	<b>East and West Well Feed Misc. Samples  One ice chest at 12 lbs.</b>		<b>1 COOLER</b>
			Subject to Section 7 of Conditions of applicable Bill of Lading, if this shipment is to be delivered to the Consignee without recourse on the Consignor, the Consignor shall sign the following statement: The Carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. <b>KERR-McGEE CHEMICAL LLC</b>
			The description and weight indicated on this Bill of Lading are correct. Subject to verification by the Governing Weighing and Inspection Bureau according to Agreement.
TRUCK SHIPMENTS			
PLACARDS OFFERED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		PLACARDS ACCEPTED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	
NUMBER OF PACKAGES	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
		0	
1	TOTAL GROSS WEIGHT 12	TOTAL TARE WEIGHT 0	12
NOTE: Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per			FOR CHEMICAL EMERGENCY-SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC - DAY OR NIGHT 800-424-9300 483-7616 IN DISTRICT OF COLUMBIA 202-483-7616 FROM OUTSIDE THE CONTINENTAL US.  "Shippers imprint in lieu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission"
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.			

KERR-McGEE CHEMICAL LLC  
Shipper permanent post office address of shipper, Oklahoma City, OK 73125

PER **Olga Maestas**

AGENT

PER

**MWH Laboratories**  
 750 Royal Oaks Drive, Monrovia, CA 91016  
 PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson  
 PO Box 55  
 Henderson, NV 89009  
 Attn: Susan Crowley  
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP  
 PO#: Susan Crowley PO  
 Group#: 162577  
 Project#: CLO4  
 Proj Mgr: Andrew Eaton  
 Phone: (626) 386-1125

The following samples were received from you on **12/02/05**. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2512020105	GWTP DISCHARGE	CLO3 CLO4	Water	01-dec-2005 10:00:00
			CR CR-VI	NO3RFA
2512020120	GWTP WEST WELL FEED	CLO4 CR	Water	01-dec-2005 10:00:00
			CR-VI	
2512020123	GWTP EAST WELL FEED	CLO4 CR	Water	01-dec-2005 10:00:00
			CR-VI	

Test Acronym Description

Test Acronym	Description
CLO3	Chlorate by IC
CLO4	Perchlorate
CR	Chromium, Total, ICAP
CR-VI	Hexavalent chromium (Cr VI)
NO3RFA	Nitrate + Nitrite as N by RFA



**MWH Laboratories**  
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)

Report  
Comments  
#162577

**Client Specific Comments**

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Client Signature: \_\_\_\_\_

(QC Ref#: 2512020105)

Test: Hexavalent chromium (Cr VI) (MWH SW7196)

H3- Sample was received and analyzed past holding time.

(QC Ref#: 2512020120)

Test: Hexavalent chromium (Cr VI) (MWH SW7196)

H3- Sample was received and analyzed past holding time.

(QC Ref#: 2512020123)

Test: Hexavalent chromium (Cr VI) (MWH SW7196)

H3- Sample was received and analyzed past holding time.



# MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)

Laboratory  
Hits Report  
#162577

Tronox LLC - Henderson  
Susan Crowley  
PO Box 55  
Henderson , NV 89009

Samples Received  
02-dec-2005 14:10:35

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2512020105	GWTP DISCHARGE				
12/08/05		Chlorate by IC	4500000		ug/l	200000
12/06/05		Chromium, Total, ICAP	0.20		mg/l	0.02
12/06/05		Nitrate + Nitrite as N by RFA	65.1	10	mg/l	5
12/14/05		Perchlorate	1600000		ug/l	200000
	2512020120	GWTP WEST WELL FEED				
12/19/05		Chromium, Total, ICAP	2.2		mg/l	0.1
12/02/05		Hexavalent chromium (Cr VI)	2.3		mg/l	0.05
12/15/05		Perchlorate	1940000		ug/l	200000
	2512020123	GWTP EAST WELL FEED				
12/19/05		Chromium, Total, ICAP	17		mg/l	0.2
12/02/05		Hexavalent chromium (Cr VI)	19		mg/l	0.25
12/14/05		Perchlorate	1200000		ug/l	200000

SUMMARY OF POSITIVE DATA ONLY.





**MWH Laboratories**  
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)

Laboratory  
Data Report  
#162577

Tronox LLC - Henderson  
Susan Crowley  
PO Box 55  
Henderson , NV 89009

Samples Received  
12/02/05

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
<b>GWTP DISCHARGE (2512020105)</b>				<b>Sampled on 12/01/05 10:00</b>				
	12/08/05 00:00	299125	( ML/EPA 300.1 )	Chlorate by IC	4500000	ug/l	200000	20000
	12/14/05 18:10	299675	( EPA 314 )	Perchlorate	1600000	ug/l	200000	50000
	12/06/05 12:41	298330	( MWH200.7/6010B)	Chromium, Total, ICAP	0.20	mg/l	0.02	2
	12/02/05 00:00	298057	( MWH SW7196 )	Hexavalent chromium (Cr VI)	ND(H3)	mg/l	0.01	2
	12/06/05 00:00	298363	( ML/EPA 353.2 )	Nitrate + Nitrite as N by RFA	65.1	mg/l	5	50
<b>GWTP WEST WELL FEED (2512020120)</b>				<b>Sampled on 12/01/05 10:00</b>				
	12/15/05 22:43	299771	( EPA 314 )	Perchlorate	1940000	ug/l	200000	50000
	12/19/05 17:45	300121	( MWH200.7/6010B)	Chromium, Total, ICAP	2.2	mg/l	0.1	10
	12/02/05 00:00	298057	( MWH SW7196 )	Hexavalent chromium (Cr VI)	2.3(H3)	mg/l	0.05	10
<b>GWTP EAST WELL FEED (2512020123)</b>				<b>Sampled on 12/01/05 10:00</b>				
	12/14/05 18:27	299675	( EPA 314 )	Perchlorate	1200000	ug/l	200000	50000
	12/19/05 17:50	300121	( MWH200.7/6010B)	Chromium, Total, ICAP	17	mg/l	0.2	20
	12/02/05 00:00	298057	( MWH SW7196 )	Hexavalent chromium (Cr VI)	19(H3)	mg/l	0.25	50



**MWH Laboratories**  
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)

Laboratory  
QC Summary  
#162577

Tronox LLC - Henderson

QC Ref #298057 - Hexavalent chromium (Cr VI) Analysis Date: 12/02/2005

2512020105	GWTP DISCHARGE	Analyzed by: wbh
2512020120	GWTP WEST WELL FEED	Analyzed by: wbh
2512020123	GWTP EAST WELL FEED	Analyzed by: wbh

QC Ref #298330 - Chromium, Total, ICAP Analysis Date: 12/06/2005

2512020105	GWTP DISCHARGE	Analyzed by: wbh
------------	----------------	------------------

QC Ref #298363 - Nitrate + Nitrite as N by RFA Analysis Date: 12/06/2005

2512020105	GWTP DISCHARGE	Analyzed by: clv
------------	----------------	------------------

QC Ref #299125 - Chlorate by IC Analysis Date: 12/08/2005

2512020105	GWTP DISCHARGE	Analyzed by: bxs
------------	----------------	------------------

QC Ref #299675 - Perchlorate Analysis Date: 12/14/2005

2512020105	GWTP DISCHARGE	Analyzed by: bxs
2512020123	GWTP EAST WELL FEED	Analyzed by: bxs

QC Ref #299771 - Perchlorate Analysis Date: 12/15/2005

2512020120	GWTP WEST WELL FEED	Analyzed by: bxs
------------	---------------------	------------------

QC Ref #300121 - Chromium, Total, ICAP Analysis Date: 12/19/2005

2512020120	GWTP WEST WELL FEED	Analyzed by: wbh
2512020123	GWTP EAST WELL FEED	Analyzed by: wbh



Tronox LLC - Henderson

QC Ref #298057                      Hexavalent chromium (Cr VI)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 25	12020120	MGL		( 0-0 )	
LCS1	Hexavalent chromium (Cr VI)	0.050	0.051	MGL	102.0	( 85-115 )	
LCS2	Hexavalent chromium (Cr VI)	0.050	0.050	MGL	100.0	( 85-115 )	2.0
MBLK	Hexavalent chromium (Cr VI)	ND	<0.005	MGL			
MRL_CHK	Hexavalent chromium (Cr VI)	0.005	0.004	MGL	80.0	( 50-150 )	
MS	Hexavalent chromium (Cr VI)	0.50	0.47	MGL	94.0	( 70-130 )	
MSD	Hexavalent chromium (Cr VI)	0.50	0.47	MGL	94.0	( 70-130 )	0.00

QC Ref #298330                      Chromium, Total, ICAP

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
LCS1	Chromium, Total, ICAP	1.00	0.965	MGL	96.5	( 85-115 )	
LCS2	Chromium, Total, ICAP	1.00	0.931	MGL	93.1	( 85-115 )	3.6
MBLK	Chromium, Total, ICAP	ND	<0.01	MGL			
MS	Chromium, Total, ICAP	1.00	0.916	MGL	91.6	( 70-130 )	
MSD	Chromium, Total, ICAP	1.00	0.934	MGL	93.4	( 70-130 )	1.9

QC Ref #298363                      Nitrate + Nitrite as N by RFA

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 25	12020105	MGL		( 0-0 )	
LCS1	Nitrate + Nitrite as N by RFA	1.0	1.02	MGL	102.0	( 90-110 )	
LCS2	Nitrate + Nitrite as N by RFA	1.0	1.01	MGL	101.0	( 90-110 )	0.99
MBLK	Nitrate + Nitrite as N by RFA	ND	<0.1	MGL			
MRL_CHK	Nitrate + Nitrite as N by RFA	0.100	0.106	MGL	106.0	( 50-150 )	
MS	Nitrate + Nitrite as N by RFA	1.0	0.92	MGL	92.0	( 90-110 )	
MSD	Nitrate + Nitrite as N by RFA	1.0	1.04	MGL	104.0	( 90-110 )	12

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.  
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.



**MWH Laboratories**  
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)

Laboratory  
QC Report  
#162577

Tronox LLC - Henderson  
(continued)

**QC Ref #299125 Chlorate by IC**

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 25	12060352	UGL		( 0-0 )	
LCS1	Chlorate by IC	200	199	UGL	99.5	( 75-125 )	
LCS2	Chlorate by IC	200	197	UGL	98.5	( 75-125 )	1.0
MBLK	Chlorate by IC	ND	<10	UGL			
MRL_CHK	Chlorate by IC	10.000	10.0	UGL	100.0	( 50-150 )	
MS	Chlorate by IC	100	101	UGL	101.0	( 75-125 )	
MSD	Chlorate by IC	100	99	UGL	99.0	( 75-125 )	2.0

**QC Ref #299675 Perchlorate**

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
LCS1	Perchlorate	25.0	24.1	UGL	96.4	( 85-115 )	
LCS2	Perchlorate	25.0	23.9	UGL	95.6	( 85-115 )	0.83
MBLK	Perchlorate	ND	<4	UGL			
MS	Perchlorate	25.0	22.3	UGL	89.2	( 70-130 )	
MSD	Perchlorate	25.0	23.1	UGL	92.4	( 70-130 )	3.5

**QC Ref #299771 Perchlorate**

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
LCS1	Perchlorate	25.0	24.6	UGL	98.4	( 85-115 )	
LCS2	Perchlorate	25.0	24.4	UGL	97.6	( 85-115 )	0.82
MBLK	Perchlorate	ND	<4	UGL			
MS	Perchlorate	25.0	24.2	UGL	96.8	( 70-130 )	
MSD	Perchlorate	25.0	23.8	UGL	95.2	( 70-130 )	1.7

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.  
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates  
are advisory only, unless otherwise specified in the method.



**MWH Laboratories**  
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: 626 386 1100  
Fax: 626 386 1101  
1 800 566 LABS (1 800 566 5227)

Laboratory  
QC Report  
#162577

Tronox LLC - Henderson  
(continued)

QC Ref #300121                      Chromium, Total, ICAP

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
LCS1	Chromium, Total, ICAP	1.00	0.964	MGL	96.4	( 85-115 )	
LCS2	Chromium, Total, ICAP	1.00	0.964	MGL	96.4	( 85-115 )	0.00
MBLK	Chromium, Total, ICAP	ND	<0.01	MGL			
MS	Chromium, Total, ICAP	1.00	0.964	MGL	96.4	( 70-130 )	
MSD	Chromium, Total, ICAP	1.00	0.955	MGL	95.5	( 70-130 )	0.94

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.  
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates  
are advisory only, unless otherwise specified in the method.