

TRONOX

William K. Taylor
Production Manager

(702) 651-2235
Fax (405) 302-4607
Bill.Taylor@tronox.com

October 26, 2007

NPDES Compliance Coordinator
Nevada Division of Environmental Protection
Bureau of Water Permits & Compliance
901 South Stewart Street, Suite 4001
Carson City, NV 89701-5249

SUBJECT: Third Quarter 2007 DMR - NPDES Permit # NV0000078

Tronox LLC (Tronox) maintains an NPDES Permit #NV0000078 covering its production operations in Henderson, Nevada. The attached Discharge Monitoring Reports (Attachment 1) reflect discharge from the Tronox Henderson facility as monitored by NPDES equipment. Stabilized water, from water leaks, discharged through the outfalls for brief periods and are quantified in Table 1a, below. A storm water discharge is quantified in Table 1b, below.

Table 1a. Non-Storm Flow Totals


Outfall	July Flow (thousands of gallons)	August Flow (thousands of gallons)	September Flow (thousands of gallons)
001	9.0	18.9	0.6
002	55.5	68.3	10.4
003	0	0	0

Table 1b. Stormwater Flow Totals

Outfall	July Flow (thousands of gallons)	August Flow (thousands of gallons)	September Flow (thousands of gallons)
001	8.3	117.3	0
002	1.8	24.4	0
003	0	0	0

Analytical associated with outfall flow is attached to this report. Should you have any questions concerning this report, please contact Susan M. Crowley at (702) 651-2234 or e-mail susan.crowley@tronox.com. Thank you.

Sincerely,



William K. Taylor
Production Manager

Overnight Mail

cc: Susan Crowley
Elizabeth Hurst
Mr. Carey Houk (W-5-3)/U.S. EPA Region 9

Attachments

Tronox LLC

8000 West Lake Mead Parkway, Henderson, Nevada 89015 • P.O. Box 55, Henderson, Nevada 89009

ATTACHMENT 1

**Discharge Monitoring
Reports**

July 2007

August 2007

September 2007

Discharge Monitoring Report

July 2007

DISCHARGE - 001
F - FINAL
MAJOR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
NV0000078
001 A
PERMIT NUMBER
DISCHARGE NUMBER

PERMITTEE NAME/ADDRESS:
Tronox LLC
PO Box 55
Henderson, NV 89009-7000

FACILITY: Tronox LLC
LOCATION: BMI Park - Henderson
Attn: Susan Crowley
MONITORING PERIOD
FROM 07 | 07 | 01 TO 07 | 07 | 31
NO DISCHARGE
NOTE: Read instructions before completing this form

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			UNIT	NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
TEMPERATURE, WATER DEG. CENTIGRADE	SAMPLE MEASUREMENT	*****	*****	****	*****	See note 2.	See note 2.	(04)	0	CONTINUOUS	RECORD
00010 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	33 30DA AVG	37 DAILY MIX	DEG. C	0	ONCE/DISCHG	DISCRT
pH	SAMPLE MEASUREMENT	*****	*****	****	*****	See note 1	See note 1	(12)	0	CONTINUOUS	RECORD
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	6.0 MINIMUM	9.0 MAXIMUM	SU	0	ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	0.002	0.005	(03)	*****	*****	*****	****	0	CONTINUOUS	RECORD
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	OPTIONAL 30DA AVG	REPORT DAILY MIX	MGD	*****	*****	*****	****	0	ONCE/DISCHG	DISCRT
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	See note 1	See note 1	(26)	*****	See note 1	See note 1	(19)	0	CONTINUOUS	RECORD
70295 > 0 0 INCREASE (NOT END OF PIPE)	PERMIT REQUIREMENT	1000 30DA AVG	REPORT DAILY MIX	LBS/DY	*****	REPORT 30DA AVG	REPORT DAILY MIX	MG/L	0	ONCE/DISCHG	DISCRT
PERCHLORATE (CIO4)	SAMPLE MEASUREMENT	*****	*****	****	*****	See note 1	See note 1	(19)	0	ONCE/DISCHG	DISCRT
61209 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MIX	MG/L	0	ONCE/DISCHG	DISCRT
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	*****	(19)	0	ONCE/DISCHG	DISCRT
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
William K. Taylor
Production Manager
 TYPED OR PRINTED
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
 TELEPHONE 702-651-2200
 AREA CODE NUMBER 702-651-2200
 YEAR 07 | MO 10 | DAY 26
 Firms by WindowsClient(707)864-6945.pat106b.15.01.41166

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 Note 1: Composite sampler was unable to capture sample due to extremely low flow.
 Note 2: Temperature indicator failed. Repairs have been scheduled. Once through cooling water was not discharged during this quarter.

PERMITTEE NAME/ADDRESS: **Tronox LLC**
PO Box 55
Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
002 A
DISCHARGE NUMBER

DISCHARGE 002
F - FINAL
MAJOR


FACILITY: **Tronox LLC**
 LOCATION: **BMI Park - Henderson**
 Attn: **Susan Crowley**

MONITORING PERIOD
 FROM **07 | 07 | 01** TO **07 | 07 | 31**

NO DISCHARGE **NO DISCHARGE**
 NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	****	25	29	(04)	0	
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	33 30DA AVG	37 DAILY MX	DEG. C	0	CONTINUOUS
pH	*****	*****	****	8.0	*****	8.2	(12)	0	ONCE/DISCHG
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM	SU	0	CONTINUOUS
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.003	0.011	(03)	*****	*****	*****	****	0	CONTINUOUS
50050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	****	0	ONCE/DISCHG
SOLIDS, TOTAL DISSOLVED	0.18	1.03	(26)	*****	4	12	(19)	0	ONCE/DISCHG
70295 > 0 0 INCREASE (NOT END OF PIPE)	1000 30DA AVG	REPORT DAILY MX	LBS/DY	*****	REPORT 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG
PERCHLORATE (C104)	*****	*****	****	*****	0.002	0.002	(19)	0	ONCE/DISCHG
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG
	*****	*****	****	*****	*****	*****			ONCE/DISCHG
	*****	*****	****	*****	*****	*****			ONCE/DISCHG
	*****	*****	****	*****	*****	*****			ONCE/DISCHG
	*****	*****	****	*****	*****	*****			ONCE/DISCHG

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
William K. Taylor
Production Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER

 OFFICER OR AUTHORIZED AGENT

TELEPHONE _____ DATE _____

702-651-2200
 AREA CODE NUMBER

07 | 10 | 26
 YEAR MO DAY

Forms by WindsorChem(707)864-0845.ppt11090.v5.01.5/1/06

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 (Reference all attachments here)

PERMITTEE NAME/ADDRESS: Tronox LLC
 NAME: PO Box 55
 ADDRESS: Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 001 B
 DISCHARGE NUMBER

001 STORMWATER MONITORING
 F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MAJOR NO DISCHARGE

MONITORING PERIOD
 FROM 07 | 07 | 01 TO 07 | 07 | 31

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	6.6	*****	6.6	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	*****	REPORT MAXIMUM	0	ONCE/DISCHG	DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	104	104	0		
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	0.12	0.12	0		
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	0.61	0.61	0		
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	0.21	0.21	0		
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
OIL AND GREASE	*****	*****	****	*****	ND	ND	0		
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.008	0.008	(03)	*****	*****	*****	0		
50050 1 0 0 EFFLUENT GROSS VALUE	REPORT 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	0	CONTIN UOUS	RCORDR

NAME / TITLE: PRINCIPAL EXECUTIVE OFFICER
 William K. Taylor
 Production Manager
 TYPED OR PRINTED

OFFICER OR AUTHORIZED AGENT
 SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OR AUTHORIZED AGENT

TELEPHONE: 702-651-2200
 AREA CODE NUMBER: 702-651-2200
 YEAR: 07 | MO: 10 | DAY: 26

Form by WinSoftClient(707)864-0845.ppt11080.v5.01/4/1/88

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)
 001 B
 001 STORMWATER MONITORING
 DISCHARGE NUMBER
 PERMIT NUMBER

F - FINAL


FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 07 | 07 | 01 TO 07 | 07 | 31

MAJOR
 NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING				QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT				
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	752	752	(19)	0			
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L		ONCE/ DISCHG	DISCRT	
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****	51	51	(19)	0			
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L		ONCE/ DISCHG	DISCRT	
PERCHLORATE (ClO4)	*****	*****	****	*****	0.006	0.006	(19)	0			
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L		ONCE/ DISCHG	DISCRT	

NAME / TITLE: PRINCIPAL EXECUTIVE OFFICER
 Signature: 
 William K. Taylor
 Production Manager
 TYPED OR PRINTED

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 (Reference all attachments here)

TELEPHONE: 702-651-2200
 DATE: 07 | 10 | 26

AREA CODE NUMBER: 702-651-2200
 YEAR MO DAY: 07 | 10 | 26

Forms by WindowClean(707)884-0645.pnt1000.v5.01-4/1/86

PERMITTEE NAME/ADDRESS:
Tronox LLC
 PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
 002 B
 DISCHARGE NUMBER

002 STORMWATER MONITORING
 F - FINAL

FACILITY: **Tronox LLC**
 LOCATION: **BMI Park - Henderson**
 Attn: **Susan Crowley**

MONITORING PERIOD
 FROM 07 | 07 | 01 TO 07 | 07 | 31

MAJOR
 NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	8.2	*****	8.2	(12)	0	
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	*****	REPORT MAXIMUM	SU	0	ONCE/DISCHG DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	*****	ND	(19)	0	
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****	ND	(19)	0	
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****	0.56	(19)	0	
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****	ND	(19)	0	
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
OIL AND GREASE	*****	*****	****	*****	*****	ND	(19)	0	
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.002	0.002	(03)	*****	*****	*****	MG/L	0	
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	*****	MG/L	0	ONCE/DISCHG DISCRT

NAME / TITLE: **William K. Taylor**
 PRINCIPAL EXECUTIVE OFFICER

Production Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

702-651-2200
 AREA CODE NUMBER

07 | 10 | 26
 YEAR MO DAY

TELEPHONE DATE

FORMS BY WinbowChem(707)864-0845, print 1080, v5.01, 4/1/96

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS: Tronox LLC
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 002 B
 002 STORMWATER MONITORING
 DISCHARGE NUMBER

PERMIT NUMBER: NV0000078

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD: FROM 07 | 07 | 01 TO 07 | 07 | 31

MAJOR NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	668	668	(19)	0	ONCE/ DISCHG
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****	12	12	(19)	0	ONCE/ DISCHG
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG
PERCHLORATE (C1O4)	*****	*****	****	*****	0.006	0.006	(19)	0	ONCE/ DISCHG
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
 William K. Taylor
 Production Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

702-651-2200
 AREA CODE NUMBER

07 | 10 | 26
 YEAR MO DAY

TELEPHONE DATE

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Aftn: Susan Crowley

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 003 B
 DISCHARGE NUMBER

003 STORMWATER MONITORING
 F - FINAL
 MAJOR
 NO DISCHARGE

MONITORING PERIOD
 FROM 07 | 07 | 01 TO 07 | 07 | 31

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	*****	*****	(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	REPORT MAXIMUM	SU	0	ONCE/DISCHG	DISCRT
SULFATE, TOTAL (AS SO4)	*****	*****	****	*****	*****	(19)	0		
00945 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MIX	MG/L	0	ONCE/DISCHG	DISCRT
MANGANESE, TOTAL (AS MN)	*****	*****	****	*****	*****	(19)	0		
01055 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MIX	MG/L	0	ONCE/DISCHG	DISCRT
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	*****	(19)	0		
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MIX	MG/L	0	ONCE/DISCHG	DISCRT
PERCHLORATE (CLO4)	*****	*****	****	*****	*****	(19)	0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MIX	MG/L	0	ONCE/DISCHG	DISCRT
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER							TELEPHONE		
William K. Taylor							DATE		
Production Manager							702-651-2200		
TYPED OR PRINTED							AREA CODE NUMBER		
COMMENT AND EXPLANATION OF ANY VIOLATIONS							702-651-2200		
No Discharge							YEAR MO DAY		
							07 10 26		

FORMS BY WINDOWCHEM(707)864-0845;PRINT 1080;v5.01;4/196

(Reference all attachments here)

00044/961223-1801

PAGE 1 OF 1

Discharge Monitoring Report

August 2007

DISCHARGE - 001
F - FINAL
MAJOR

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
001 A
DISCHARGE NUMBER

PERMITTEE NAME/ADDRESS:
Tronox LLC
PO Box 55
Henderson, NV 89009-7000

PERMIT NUMBER
NV0000078

MONITORING PERIOD
FROM 07 | 08 | 01 TO 07 | 08 | 31

NO DISCHARGE


NOTE: Read instructions before completing this form

QUALITY OR CONCENTRATION

QUANTITY OR LOADING

UNIT

NO. FREQUENCY OF ANALYSIS

PARAMETER	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	*****	See note 2.	See note 2.	(04)	0		
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	33 30DA AVG	37 DAILY MX	DEG. C	0	CONTINUOUS	RCORDR
pH	*****	*****	****	*****	See note 1.	See note 1.	(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM	SU	0	ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.003	0.009	(03)	*****	*****	*****	****	0		
50050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	****	0	CONTINUOUS	RCORDR
SOLIDS, TOTAL DISSOLVED	See note 1.	See note 1.	(26)	*****	See note 1.	See note 1.	(19)	0		
70295 > 0 0 INCREASE (NOT END OF PIPE)	1000 30DA AVG	REPORT DAILY MX	LBS/DY	*****	REPORT 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
PERCHLORATE (CIO4)	*****	*****	****	*****	See note 1.	See note 1.	(19)	0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
	*****	*****	****	*****	*****	*****	(19)	0		
	*****	*****	****	*****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT
	*****	*****	****	*****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT
	*****	*****	****	*****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT
<p>NAME / TITLE PRINCIPAL EXECUTIVE OFFICER William K. Taylor Production Manager TYPED OR PRINTED</p>										
<p>NAME / TITLE PRINCIPAL EXECUTIVE OFFICER SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT  OFFICER OR AUTHORIZED AGENT</p>										
<p>TELEPHONE</p>								<p>DATE</p>		
<p>702-651-2200</p>								<p>07 10 26</p>		
<p>AREA CODE NUMBER</p>								<p>YEAR MO DAY</p>		
<p>702-651-2200</p>								<p>07 10 26</p>		

Forms by WindowClient(707)864-0845;print1090;v5.01-01/1995

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 Note 1: Composite sampler was unable to capture sample due to extremely low flow.
 Note 2: Temperature indicator failed. Repairs have been scheduled. Once through cooling water was not discharged during this quarter.

PERMITTEE NAME/ADDRESS: NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 NAME: Tronox LLC
 ADDRESS: PO Box 55 Henderson, NV 89009-7000

DISCHARGE MONITORING REPORT (DMR)
 002 A
 DISCHARGE NUMBER

PERMIT NUMBER

DISCHARGE 002
 F - FINAL MAJOR

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 07 | 08 | 01 TO 07 | 08 | 31

NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	****	27	29	(04)	0	
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	33 30DA AVG	37 DAILY MX	DEG. C	0	CONTIN UOUS
pH	*****	*****	****	8.2	*****	8.2	(12)	0	
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	6.0	*****	9.0 MAXIMUM	SU	0	ONCE/ DISCHG
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.004	0.017	(03)	*****	*****	*****	****	0	CONTIN UOUS
50050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	****	0	ONCE/ DISCHG
SOLIDS, TOTAL DISSOLVED	0.82	3.40	(26)	*****	24	24	(19)	0	
70295 > 0 0 INCREASE (NOT END OF PIPE)	1000 30DA AVG	REPORT DAILY MX	LBS/DY	*****	REPORT 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG
PERCHLORATE (CIO4)	*****	*****	****	*****	0.005	0.005	(19)	0	
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG
	*****	*****	****	*****	*****	*****		0	
	*****	*****	****	*****	*****	*****		0	
	*****	*****	****	*****	*****	*****		0	
	*****	*****	****	*****	*****	*****		0	
	*****	*****	****	*****	*****	*****		0	
	*****	*****	****	*****	*****	*****		0	

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
 William K. Taylor
 Production Manager

TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

702-651-2200
 AREA CODE NUMBER

07 | 10 | 26
 YEAR MO DAY

TELEPHONE DATE

FORMS BY WINDOWCLIENT(707)864-0945;PRINT 1090;V5.07;4/1/96

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 001 B
 001 STORMWATER MONITORING
 DISCHARGE NUMBER

F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 07 | 08 | 01 TO 07 | 08 | 31

MAJOR NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. FREQUENCY OF ANALYSIS	EX	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	7.5	*****	7.9	(12)	0	
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	*****	REPORT MAXIMUM	SU	0	ONCE/DISCHG DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	*****	39.0	(19)	0	
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****	0.67	(19)	0	
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****	2.80	(19)	0	
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****	0.15	(19)	0	
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
OIL AND GREASE	*****	*****	****	*****	*****	6.0	(19)	0	
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.008	0.013	(03)	*****	*****	*****	MG/L	0	
50050 1 0 0 EFFLUENT GROSS VALUE	REPORT 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	****	0	CONTIN UOUS COORDR

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF THE ABOVE MENTIONED VIOLATIONS.

(Reference all attachments here)

NAME / TITLE: **William K. Taylor**
 TITLE: **Production Manager**
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OF AUTHORIZED AGENT

TELEPHONE: 702-651-2200
 DATE: 07 | 10 | 26

AREA CODE NUMBER: 702-651-2200
 YEAR MO DAY: 07 | 10 | 26

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 PO Box 55
 Henderson, NV 89009-7000

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 07 | 08 | 01 TO 07 | 08 | 31

MAJOR
 NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT			
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	691	692	(19)	0		
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	REPORT DAILY MIX	MG/L		ONCE/DISCHG	DISORT
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****	157	290	(19)	0		
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	REPORT DAILY MIX	MG/L		ONCE/DISCHG	DISORT
PERCHLORATE (CIO4)	*****	*****	****	*****	0.116	0.188	(19)	0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	REPORT DAILY MIX	MG/L		ONCE/DISCHG	DISORT

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
 William K. Taylor
Production Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
[Signature]

TELEPHONE
 702-651-2200

DATE
 07 | 10 | 26

AREA CODE NUMBER
 702-651-2200

YEAR MO DAY
 07 | 10 | 26

FORMS BY WINDOWCHEM(707)384-0845,PRINT080,v5.01-4/198

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 002 B
 DISCHARGE NUMBER

002 STORMWATER MONITORING
 F - FINAL


FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MAJOR NO DISCHARGE

MONITORING PERIOD
 FROM 07 | 08 | 01 TO 07 | 08 | 31

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	7.9	*****	8.0	(12)	0	
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	*****	REPORT MAXIMUM	SU	0	ONCE/DISCHG DISORT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	ND	ND	(19)	0	ONCE/DISCHG DISORT
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISORT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	0.11	0.15	(19)	0	ONCE/DISCHG DISORT
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISORT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	0.94	1.20	(19)	0	ONCE/DISCHG DISORT
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISORT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	0.07	0.12	(19)	0	ONCE/DISCHG DISORT
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISORT
OIL AND GREASE	*****	*****	(03)	*****	1.4	1.4	(19)	0	ONCE/DISCHG DISORT
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/DISCHG DISORT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.008	0.013	(03)	*****	*****	*****	MG/L	0	CONTIN UOUS RECORD
50050 1 0 0 EFFLUENT GROSS VALUE	REPORT 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	****	0	TELEPHONE

NAME / TITLE: PRINCIPAL EXECUTIVE OFFICER
 Signature: 
 William K. Taylor
 Production Manager
 TYPED OR PRINTED

OFFICER OR AUTHORIZED AGENT
 SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OR AUTHORIZED AGENT

702-651-2200
 AREA CODE NUMBER

07 | 10 | 26
 YEAR MO DAY

702-651-2200
 TELEPHONE

DATE

Comments and explanation of any violations:

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
 002 B
 DISCHARGE NUMBER

002 STORMWATER MONITORING
 F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 07 | 08 | 01 TO 07 | 08 | 31

MAJOR
 NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE	
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNIT
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	701	702	(19)	0		
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MIX	MG/L	ONCE/ DISCHG	DISCRT	
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****	33	51	(19)	0		
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MIX	MG/L	ONCE/ DISCHG	DISCRT	
PERCHLORATE (CIO4)	*****	*****	****	*****	0.031	0.042	(19)	0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MIX	MG/L	ONCE/ DISCHG	DISCRT	
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER William K. Taylor Production Manager TYPED OR PRINTED							TELEPHONE	DATE		
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)							702-651-2200	07 10 26		
							AREA CODE NUMBER	YEAR	MO	DAY

FORMS BY WINDOW/CHEM(707)894-6645;PART 1086;v5.01;4/196

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 003 B
 DISCHARGE NUMBER

003 STORMWATER MONITORING
 F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Aftn: Susan Crowley

MONITORING PERIOD
 FROM 07 | 08 | 01 TO 07 | 08 | 31

MAJOR
 NO DISCHARGE X

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	*****	*****	(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	REPORT MAXIMUM	SU	0	ONCE/DISCHG	DISCRT
SULFATE, TOTAL (AS SO4)	*****	*****	****	*****	*****	(19)	0		
00945 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
MANGANESE, TOTAL (AS MN)	*****	*****	****	*****	REPORT DAILY MX	MG/L	0		
01055 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	*****	(19)	0		
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
PERCHLORATE (CLO4)	*****	*****	****	*****	*****	(19)	0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT

NAME / TITLE: **William K. Taylor**
 TITLE: **Production Manager**
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OR AUTHORIZED AGENT

TELEPHONE: 702-651-2200
 AREA CODE NUMBER: 702-651-2200
 YEAR: 07 | 10 | 26
 MO: 07 | 10 | 26
 DAY: 07 | 10 | 26

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON THE REQUIREMENT OF THE PERMIT OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 No Discharge

(Reference all attachments here)

Discharge Monitoring Report

September 2007

PERMITTEE NAME/ADDRESS: Tronox LLC
 NAME: PO Box 55
 ADDRESS: Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 001 A
 DISCHARGE NUMBER

DISCHARGE - 001
 F - FINAL
 MAJOR

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 07 | 09 | 01 TO 07 | 09 | 30

NO DISCHARGE
 NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	*****			0		
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	33 30DA AVG	37 DAILY MX	0	CONTINUOUS	RCORDR
pH	*****	*****		*****	*****		0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	6.0 MINIMUM	9.0 MAXIMUM	0	ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT			(03)	*****	*****	*****	0		
50050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	0	CONTINUOUS	RCORDR
SOLIDS, TOTAL DISSOLVED			(26)	*****	*****	*****	0		
70295 > 0 0 INCREASE (NOT END OF PIPE)	1000 30DA AVG	REPORT DAILY MX	LBS/DY	*****	REPORT 30DA AVG	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
PERCHLORATE (ClO4)	*****	*****	****	*****	*****	*****	0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
	*****	*****	****	*****	*****	*****	0		
	*****	*****	****	*****	*****	*****	0		
	*****	*****	****	*****	*****	*****	0		
	*****	*****	****	*****	*****	*****	0		

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
 William K. Taylor
 Production Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

702-651-2200
 AREA CODE NUMBER

07 | 10 | 26
 YEAR MO DAY

TELEPHONE DATE

Comments by WinStateChem(707)864-0845,wpnt1000,v5.01,6/1/96

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS: **Tronox LLC**
 NAME: **PO Box 55**
 ADDRESS: **Henderson, NV 89009-7000**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DISCHARGE 002
 F - FINAL MAJOR


FACILITY: **Tronox LLC**
 LOCATION: **BMI Park - Henderson**
 Attn: **Susan Crowley**

MONITORING PERIOD

FROM **07 | 09 | 01** TO **07 | 09 | 30** NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. FREQUENCY OF EX ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM		
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	*****	25	27	(04)	0
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	33 30DA AVG	37 DAILY MX	DEG. C	CONTINUOUS
pH	*****	*****	****	*****	7.9	7.9	(12)	0
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	6.0 MINIMUM	9.0 MAXIMUM	SU	ONCE/DISCHG
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.001	0.002	(03)	*****	*****	*****	****	0
50050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	****	CONTINUOUS
SOLIDS, TOTAL DISSOLVED	0.33	0.88	(26)	*****	50	50	(19)	0
70295 > 0 0 INCREASE (NOT END OF PIPE)	1000 30DA AVG	REPORT DAILY MX	LBS/DY	*****	REPORT 30DA AVG	REPORT DAILY MX	MG/L	ONCE/DISCHG
PERCHLORATE (C104)	*****	*****	****	*****	ND	ND	(19)	0
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	ONCE/DISCHG
	*****	*****	****	*****	*****	*****		
	*****	*****	****	*****	*****	*****		
	*****	*****	****	*****	*****	*****		
	*****	*****	****	*****	*****	*****		
	*****	*****	****	*****	*****	*****		

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER: **William K. Taylor**
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER: 
 TYPED OR PRINTED: **Production Manager**
 OFFICER OR AUTHORIZED AGENT

TELEPHONE: **702-651-2200**
 DATE: **07 | 10 | 26**

AREA CODE NUMBER: **702-651-2200**
 YEAR MO DAY: **07 | 10 | 26**

Forms by WinflowClient(707)864-0945; print1086; v5.01-4/1/09

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS: **Tronox LLC**
PO Box 55
Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
001 B
001 STORMWATER MONITORING
DISCHARGE NUMBER

PERMIT NUMBER: **NV0000078**

F - FINAL

FACILITY: **Tronox LLC**
 LOCATION: **BMI Park - Henderson**
 Attn: **Susan Crowley**

MAJOR NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	AVERAGE	MAXIMUM	UNIT			
pH	*****	*****		*****		(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	REPORT MAXIMUM	SU	0	ONCE/ DISCHG	DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	*****	(19)	0		
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****	(19)	0		
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****	(19)	0		
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****	(19)	0		
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT
OIL AND GREASE	*****	*****	****	*****	*****	(19)	0		
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT			(03)	*****	*****		0		
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT

NAME / TITLE: **Principal Executive Officer**
William K. Taylor
Production Manager
 TYPED OR PRINTED

OFFICER OR AUTHORIZED AGENT

SIGNATURE OF PRINCIPAL EXECUTIVE

702-651-2200

07 | 10 | 26

TELEPHONE

DATE

AREA CODE NUMBER

YEAR MO DAY

Comments by WinDownChem(707)864-0945;print1080;v5.01;4/1/96

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

001 B
 DISCHARGE NUMBER

NV0000078
 PERMIT NUMBER

001 STORMWATER MONITORING

F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD


FROM 07 | 09 | 01 TO 07 | 09 | 30

MAJOR NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****			0		
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MIX		ONCE/ DISCHG	DISCRT
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****			0		
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MIX		ONCE/ DISCHG	DISCRT
PERCHLORATE (CIO4)	*****	*****	****	*****			0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MIX		ONCE/ DISCHG	DISCRT

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
 William K. Taylor
 Production Manager
 TYPED OR PRINTED

Signature: 

DATE: 07 | 10 | 26

TELEPHONE: 702-651-2200

AREA CODE NUMBER: 702-651-2200

OFFICER OR AUTHORIZED AGENT

1. I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.

(Reference all attachments here)

PERMITTEE NAME/ADDRESS: Tronox LLC
 NAME: PO Box 55
 ADDRESS: Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 002 B
 DISCHARGE NUMBER

002 STORMWATER MONITORING
 F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 07 | 09 | 01 TO 07 | 09 | 30

MAJOR NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****			*****		0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	*****	REPORT MAXIMUM	0	ONCE/DISCHG	DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	*****	*****	0		
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****	*****	0		
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****	*****	0		
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****	*****	0		
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
OIL AND GREASE	*****	*****	(03)	*****	*****	*****	0		
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	*****	*****	****	*****	*****	*****	0		
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	*****	0	ONCE/DISCHG	DISCRT

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
 William K. Taylor
 Production Manager
 TYPED OR PRINTED

OFFICER OR AUTHORIZED AGENT
 SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OR AUTHORIZED AGENT

702-651-2200
 AREA CODE NUMBER

07 | 10 | 26
 YEAR MO DAY

TELEPHONE DATE

Forms by WinflowChem(707)864-0945;win1080v5.01;4/1/98

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

002 B
DISCHARGE NUMBER

002 STORMWATER MONITORING

F - FINAL

PERMITTEE NAME/ADDRESS:
Tronox LLC
 PO Box 55
 Henderson, NV 89009-7000

FACILITY: **Tronox LLC**

LOCATION: **BMI Park - Henderson**

Attn: **Susan Crowley**

MONITORING PERIOD

FROM 07 | 09 | 01 TO 07 | 09 | 30

MAJOR NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING				QUALITY OR CONCENTRATION				NO. FREQUENCY OF EX ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT			
SOLIDS, TOTAL DISSOLVED 70295 1 0 0	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	(19)	0		
EFFLUENT GROSS VALUE	*****	*****	****	*****			MG/L	0	ONCE/ DISCHG	
CHEMICAL OXYGEN DEMAND (COD) 81017 1 0 0	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	(19)	0		
EFFLUENT GROSS VALUE	*****	*****	****	*****			MG/L	0	ONCE/ DISCHG	
PERCHLORATE (ClO4) 61209 1 0 0	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	(19)	0		
EFFLUENT GROSS VALUE	*****	*****	****	*****			MG/L	0	ONCE/ DISCHG	

NAME / TITLE: **William K. Taylor**
Production Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OR AUTHORIZED AGENT

TELEPHONE: 702-651-2200
 AREA CODE NUMBER: 702-651-2200

DATE: 07 | 10 | 26

COMMENTS AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 PO Box 55
 Henderson, NV 89009-7000

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 07 | 09 | 01 TO 07 | 09 | 30


MAJOR DISCHARGE NO DISCHARGE

F - FINAL

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. OF EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	*****	*****	(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	REPORT MAXIMUM	SU	0	ONCE/DISCHG	DISCRT
SULFATE, TOTAL (AS SO4)	*****	*****	****	*****	*****	(19)	0		
00945 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
MANGANESE, TOTAL (AS MN)	*****	*****	****	*****	*****	(19)	0		
01055 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	*****	(19)	0		
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
PERCHLORATE (CLO4)	*****	*****	****	*****	*****	(19)	0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
William K. Taylor
Production Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER


OFFICER OR AUTHORIZED AGENT

TELEPHONE: 702-651-2200
 DATE: 07 | 10 | 26

AREA CODE NUMBER: 702-651-2200
 YEAR MO DAY: 07 | 10 | 26

Forms by WinflowChem(707)864-0845,p011080,v5.01,4/1/98

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 No Discharge

ATTACHMENT 2

Supporting Information

**Water Leak Outfall Analytical Summary
(electronic files on CD)**


NPDES Permit NV0000078 - 3rd Q 07 - Analytical Summary

Sample Date	Sample ID	Analyte	Result	UNIT	MRL	UNIT	Method
7/19/2007	OUTFALL 002	PH (H3=past HT, not compliant)	8.2	UNIT	0.01	UNIT	SM4500-HB
7/19/2007	OUTFALL 002	Specific Conductance	1100	UMHO	2	UMHO	SM2510B
7/19/2007	OUTFALL 002	Total Dissolved Solid (TDS)	668	MGL	10	MGL	E160.1/SM2540C
7/26/2007	OUTFALL 002	PH (H3=past HT, not compliant)	8	UNIT	0.01	UNIT	SM4500-HB
7/26/2007	OUTFALL 002	Specific Conductance	1340	UMHO	2	UMHO	SM2510B
7/26/2007	OUTFALL 002	Total Dissolved Solid (TDS)	706	MGL	10	MGL	E160.1/SM2540C
7/31/2007	OUTFALL 001	Ammonia Nitrogen	0.12	MGL	0.05	MGL	ML/EPA 350.1
7/31/2007	OUTFALL 001	Chemical Oxygen Demand (COD)	51	MGL	5	MGL	ML/EPA 410.4
7/31/2007	OUTFALL 001	Nitrate + Nitrite as N by RFA	0.61	MGL	0.05	MGL	ML/EPA 353.2
7/31/2007	OUTFALL 001	Perchlorate	6.3	UGL	4	UGL	EPA 314
7/31/2007	OUTFALL 001	PH (H3=past HT, not compliant)	6.6	UNIT	0.01	UNIT	SM4500-HB
7/31/2007	OUTFALL 001	Total Dissolved Solid (TDS)	752	MGL	10	MGL	E160.1/SM2540C
7/31/2007	OUTFALL 001	Total phosphorus as P	0.21	MGL	0.02	MGL	S4500PE/ 365.1
7/31/2007	OUTFALL 001	Total Suspended Solids (TSS)	104	MGL	10	MGL	SM 2540D
7/31/2007	OUTFALL 002	Chemical Oxygen Demand (COD)	12	MGL	5	MGL	ML/EPA 410.4
7/31/2007	OUTFALL 002	Nitrate + Nitrite as N by RFA	0.56	MGL	0.1	MGL	ML/EPA 353.2
7/31/2007	OUTFALL 002	Perchlorate	6.3	UGL	4	UGL	EPA 314
7/31/2007	OUTFALL 002	PH (H3=past HT, not compliant)	7.7	UNIT	0.01	UNIT	SM4500-HB
7/31/2007	OUTFALL 002	Total Dissolved Solid (TDS)	690	MGL	10	MGL	E160.1/SM2540C
8/3/2007	OUTFALL 001	Ammonia Nitrogen	0.34	MGL	0.05	MGL	ML/EPA 350.1
8/3/2007	OUTFALL 001	Chemical Oxygen Demand (COD)	24	MGL	5	MGL	ML/EPA 410.4
8/3/2007	OUTFALL 001	Nitrate + Nitrite as N by RFA	1.1	MGL	0.05	MGL	ML/EPA 353.2
8/3/2007	OUTFALL 001	Oil and Grease by 1664(subbed)	3.1	MGL	1.4	MGL	EPA 1664
8/3/2007	OUTFALL 001	Perchlorate	43	UGL	4	UGL	EPA 314
8/3/2007	OUTFALL 001	PH (H3=past HT, not compliant)	7.9	UNIT	0.01	UNIT	SM4500-HB
8/3/2007	OUTFALL 001	Total Dissolved Solid (TDS)	692	MGL	10	MGL	E160.1/SM2540C
8/3/2007	OUTFALL 001	Total phosphorus as P	0.08	MGL	0.02	MGL	S4500PE/ 365.1
8/3/2007	OUTFALL 001	Total Suspended Solids (TSS)	39	MGL	10	MGL	SM 2540D
8/3/2007	OUTFALL 002	Ammonia Nitrogen	0.07	MGL	0.05	MGL	ML/EPA 350.1
8/3/2007	OUTFALL 002	Chemical Oxygen Demand (COD)	15	MGL	5	MGL	ML/EPA 410.4
8/3/2007	OUTFALL 002	Nitrate + Nitrite as N by RFA	1.2	MGL	0.1	MGL	ML/EPA 353.2
8/3/2007	OUTFALL 002	Perchlorate	42	UGL	4	UGL	EPA 314
8/3/2007	OUTFALL 002	PH (H3=past HT, not compliant)	8	UNIT	0.01	UNIT	SM4500-HB
8/3/2007	OUTFALL 002	Total Dissolved Solid (TDS)	702	MGL	10	MGL	E160.1/SM2540C
8/3/2007	OUTFALL 002	Total phosphorus as P	0.02	MGL	0.02	MGL	S4500PE/ 365.1
8/16/2007	OUTFALL 002	Perchlorate	5.3	UGL	4	UGL	EPA 314
8/16/2007	OUTFALL 002	PH (H3=past HT, not compliant)	8.2	UNIT	0.01	UNIT	SM4500-HB
8/16/2007	OUTFALL 002	Specific Conductance	1090	UMHO	2	UMHO	SM2510B
8/16/2007	OUTFALL 002	Total Dissolved Solid (TDS)	670	MGL	10	MGL	E160.1/SM2540C
8/28/2007	OUTFALL 001	Ammonia Nitrogen	0.67	MGL	0.05	MGL	ML/EPA 350.1
8/28/2007	OUTFALL 001	Chemical Oxygen Demand (COD)	290	MGL	5	MGL	ML/EPA 410.4
8/28/2007	OUTFALL 001	Nitrate + Nitrite as N by RFA	2.8	MGL	0.25	MGL	ML/EPA 353.2
8/28/2007	OUTFALL 001	Oil and Grease by 1664(subbed)	6	MGL	5	MGL	EPA 1664
8/28/2007	OUTFALL 001	Perchlorate	188	UGL	40	UGL	EPA 314
8/28/2007	OUTFALL 001	PH (H3=past HT, not compliant)	7.5	UNIT	0.01	UNIT	SM4500-HB
8/28/2007	OUTFALL 001	Total Dissolved Solid (TDS)	690	MGL	10	MGL	E160.1/SM2540C
8/28/2007	OUTFALL 001	Total phosphorus as P	0.15	MGL	0.02	MGL	S4500PE/ 365.1
8/28/2007	OUTFALL 001	Total Suspended Solids (TSS)	14	MGL	10	MGL	SM 2540D
8/28/2007	OUTFALL 002	Ammonia Nitrogen	0.15	MGL	0.05	MGL	ML/EPA 350.1
8/28/2007	OUTFALL 002	Chemical Oxygen Demand (COD)	51	MGL	5	MGL	ML/EPA 410.4
8/28/2007	OUTFALL 002	Nitrate + Nitrite as N by RFA	0.68	MGL	0.05	MGL	ML/EPA 353.2
8/28/2007	OUTFALL 002	Oil and Grease by 1664(subbed)	1.4	MGL	1.4	MGL	EPA 1664
8/28/2007	OUTFALL 002	Perchlorate	19	UGL	8	UGL	EPA 314
8/28/2007	OUTFALL 002	PH (H3=past HT, not compliant)	7.9	UNIT	0.01	UNIT	SM4500-HB
8/28/2007	OUTFALL 002	Total Dissolved Solid (TDS)	700	MGL	10	MGL	E160.1/SM2540C
8/28/2007	OUTFALL 002	Total phosphorus as P	0.12	MGL	0.1	MGL	S4500PE/ 365.1
9/13/2007	OUTFALL 002	PH (H3=past HT, not compliant)	7.9	UNIT	0.01	UNIT	SM4500-HB
9/13/2007	OUTFALL 002	Specific Conductance	1040	UMHO	2	UMHO	SM2510B
9/13/2007	OUTFALL 002	Total Dissolved Solid (TDS)	676	MGL	10	MGL	E160.1/SM2540C

**Tronox LLC
Third Quarter 2007
NPDES Permit NV0000078**

**Supporting
Analytical Reports**

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein, exceptions and corresponding justifications are provided below.

 10-26-07
Susan M. Crowley, CEM 1428, exp 3-8-09

