



CHAIN OF CUSTODY RECORD

MONTGOMERY WATSON LABORATORIES

194964

750 Royal Oaks Ave, Suite 100, Monrovia, CA 91016
(626) 386-1100 (800) 566-5227

M/LABS USE ONLY:

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: SC

SAMPLE TEMP, RECEIPT AT LAB: SC

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME

PROJECT JOB # / P.O.#
Quarterly Groundwater Sampling
Schedule B

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES (check for yes)

SAMPLER

Michele Brown

Susan Crowley (702) 651-2234

Tronox LLC - Henderson Plant
PO Box 55
Henderson, NV 89009

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

| TIME | DATE | LOCATION | IDENTIFIER, STATE ID# | MATRIX * | GRAB | COMP | CR 6010 | PH 9040 | TDS | CL04 | CRVI 7196 | NO3 9056 | CL03 9056 | See Bottle Order | SAMPLER Comments |
|------|---------|----------|-----------------------|----------|------|------|---------|---------|-----|------|-----------|----------|-----------|------------------|------------------|
| 617 | 1-31-07 | | M-97 | RGW | X | | X | X | X | X | | | | | 2 Bottles |
| 586 | 1-31-07 | | M-92 | RGW | X | | X | X | X | X | | | | | 2 Bottles |
| 633 | 1-31-07 | | M-93 | RGW | X | | X | X | X | X | | | | | 2 Bottles |
| 747 | 1-31-07 | | M-10 | RGW | X | | X | X | X | X | | | | | 3 Bottles |
| 845 | 1-31-07 | | M-11 | RGW | X | | X | X | X | X | | | | | 3 Bottles |
| 912 | 1-31-07 | | M-31A | RGW | X | | X | X | X | X | | | | | 2 Bottles |
| 929 | 1-31-07 | | M-52 | RGW | X | | X | X | X | X | | | | | 2 Bottles |
| 947 | 1-31-07 | | M-50 | RGW | X | | X | X | X | X | | | | | 2 Bottles |
| 1000 | 1-31-07 | | M-34 | RGW | X | | X | X | X | X | | | | | 2 Bottles |
| 1010 | 1-31-07 | | M-35 | RGW | X | | X | X | X | X | | | | | 2 Bottles |
| 1024 | 1-31-07 | | M-19 | RGW | X | | X | X | X | X | | | | | 2 Bottles |
| 1041 | 1-31-07 | | M-39 | RGW | X | | X | X | X | X | | | | | 2 Bottles |

* MATRIX TYPES: Reported by Volume:

CFW = Chlor(am)inated Finished Water
FW = Other Finished Water

RGW = Raw Ground Water
RSW = Raw Surface Water

CWW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

Reported by Weight:

SO = Soil
SL = Sludge

SIGNATURE

Michele Brown

PRINT NAME

Michele Brown

COMPANY/TITLE

Veolia Water NA for Tronox LLC - Henderson Plant

TIME

12:00PM

DATE

1-31-07

RELINQUISHED BY:

[Signature]

RECEIVED BY:

[Signature]

RELINQUISHED BY:

[Signature]

RECEIVED BY:

[Signature]



CHAIN OF CUSTODY RECORD

MONTGOMERY WATSON LABORATORIES

750 Royal Oaks Ave, Suite 100, Morrovia, CA 91016
(626) 366-1100 (800) 566-5227

MY LABS USE ONLY:

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: RC

SAMPLE TEMP, RECEIPT AT LAB: RC

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME

PROJECT JOB # / P.O.#
Quantile Groundwater Sampling
Schedule B

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES (check for yes)

KERRMCGEE-MP

Sampler Michele Brown

Michele Brown

Troxox LLC - Henderson Plant
PO Box 85
Henderson, NV 89009

Susan Crowley (702) 651-2234

| TIME | DATE | LOCATION | IDENTIFIER, STATE ID# | MATRIX * | GRAB | COMP | ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line) | | | | | | | SAMPLER Comments | |
|------|---------|----------|-----------------------|----------|------|------|--|---------|-----|------|-----------|----------|-----------|------------------|------------------|
| | | | | | | | CR 6010 | PH 9040 | TDS | CL04 | CRVI 7196 | NO3 9056 | CL03 9056 | | See Bottle Order |
| 1057 | 1-31-07 | | M-68 | RGW | X | | X | X | X | | | | | | 2 Bottles |
| 1112 | 1-31-07 | | M-61 | RGW | X | | X | X | X | | | | | | 2 Bottles |
| 1140 | 1-31-07 | | M-67 | RGW | X | | X | X | X | | | | | | 2 Bottles |
| 1106 | 1-31-07 | | I-K | RGW | X | | X | X | X | | | | | | 2 Bottles |
| 1114 | 1-31-07 | | I-J | RGW | X | | X | X | X | | | | | | 2 Bottles |
| 1125 | 1-31-07 | | I-R | RGW | X | | X | X | X | | | | | | 2 Bottles |
| 1137 | 1-31-07 | | I-I | RGW | X | | X | X | X | | | | | | 2 Bottles |
| 1152 | 1-31-07 | | I-V | RGW | X | | X | X | X | | | | | | 2 Bottles (MD) |
| 045 | 1-31-07 | | EB-2 | RGW | X | | X | X | X | | | | | | 3 Bottles |
| | 1-31-07 | | MD-1 | RGW | X | | X | X | X | | | | | | 3 Bottles |
| | | | | RGW | X | | X | X | X | | | | | | Bottles |
| | | | | RGW | X | | X | X | X | | | | | | Bottles |

Reported by Volume:

CFW = Chlor(am)inated Finished Water
FW = Other Finished Water

RGW = Raw Ground Water
RSW = Raw Surface Water

CWW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

Reported by Weight:

SO = Soil
SL = Sludge

* MATRIX TYPES:

SIGNATURE

Michele Brown

PRINT NAME

Michele Brown

COMPANY/TITLE

Veolia Water NA for Troxox LLC - Henderson Plant

TIME

1-31-07 12:00PM

RECEIVED BY:

RC

RECEIVED BY:

Fidelchase

RECEIVED BY:

RC

RECEIVED BY:

RC



MWH Laboratories, a Division of MWH Americas, Inc.
750 Royal Oaks Avenue Suite 100
Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

Bottle Order for Tronox LLC- Henderson Standing

Andrew Eaton Your MWL Project Manager
(626) 386-1125 Direct Phone/Voice Mail

Client Code KERRMCGEE-MP Q Quarterly
Project Code CLO4 Week 1
PO# / Job#
Blanket PO

SO# 33751 26973 RS

Sampler: Please Return this Paper with your samples

0

Created by
Order Date 12/12/06
Date Needed by Client
Date Samples to Arrive at MWL
SHIP LOCATION

Send Report to

Tronox LLC- Henderson Plant
PO Box 55
Henderson, NV 89009

Billing Address

Tronox LLC
PO Box 3049
Livonia, MI 48150

ATTN: Susan Crowley
PHONE: 702-651-2234

ATTN: Susan Crowley
PHONE: 702-651-2234
FAX: 702-651-2310

Quote#

of Samples Tests

Bottles-Qty for each sample, type & preservative if any

UN#

Important Comments

| # of Samples | Tests | Bottles-Qty for each sample, type & preservative if any | UN# | Important Comments |
|--------------|-------------------|---|---------|--|
| 101 | CR6010 | 1 250ml poly acid rinsed + 1ml HNO3 (18%) | UN 2031 | QUARTERLY SAMPLING - PLEASE PUT LABELS ON BOTTLES; PLEASE PUT IN 4 COOLERS SINCE SAMPLING TAKES 3-4 DAYS |
| 101 | CLO4, TDS, PH9040 | 1 500 ml poly /no preservative | | Q1, Q3, Q4 |
| 15 | CRV17196 | 1 125ml poly acid rinsed/ no preservative SHORT HOLDING TIME!!!! | | NOTIFY LAB AS SOON AS CR-VI COMES IN.- 24HR ht |
| | | | | TDS count increased to 101 effective 6/16/06;; deleted EC as of 7-14-06 |

MWH Laboratories
 750 Royal Oaks Drive, Monrovia, CA 91016
 PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 194964
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

The following samples were received from you on **02/01/07**. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

| Sample# | Sample Id | Tests Scheduled | Matrix | Sample Date |
|------------|-----------|-----------------|-------------------------|--------------------------|
| 2702010301 | M-97 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 06:17:00 TDS |
| 2702010303 | M-92 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 05:56:00 TDS |
| 2702010304 | M-93 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 06:33:00 TDS |
| 2702010307 | M-10 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 07:47:00 TDS |
| 2702010310 | M-11 | CLO4 CR6010 | Water CRVI7196 P PH9040 | 31-jan-2007 08:45:00 TDS |
| 2702010311 | M-31A | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 09:12:00 TDS |
| 2702010313 | M-52 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 09:29:00 TDS |
| 2702010314 | M-50 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 09:47:00 TDS |
| 2702010315 | M-34 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 10:00:00 TDS |
| 2702010316 | M-35 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 10:10:00 TDS |
| 2702010317 | M-19 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 10:24:00 TDS |
| 2702010318 | M-39 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 10:41:00 TDS |
| 2702010326 | M-68 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 10:57:00 TDS |
| 2702010328 | M-61 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 11:12:00 TDS |
| 2702010329 | M-67 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 11:40:00 TDS |
| 2702010330 | I-K | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 11:06:00 TDS |

LOGGED
 REVIEWED *[Signature]*
 STORED

2-17

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 194964
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

| Sample# | Sample Id | Tests Scheduled | Matrix | Sample Date |
|------------|-----------|-----------------|-------------------------|--------------------------|
| 2702010331 | I-J | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 11:16:00 TDS |
| 2702010332 | I-Z | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 11:25:00 TDS |
| 2702010333 | I-I | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 11:37:00 TDS |
| 2702010334 | I-V | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 11:52:00 TDS |
| 2702010337 | EB-2 | CLO4 CR6010 | Water P PH9040 | 31-jan-2007 10:45:00 TDS |
| 2702010347 | MD-1 | CLO4 CR6010 | Water CRVI7196 P PH9040 | 31-jan-2007 00:00:00 TDS |

Test Acronym Description

| Test Acronym | Description |
|--------------|--------------------------------|
| CLO4 | Perchlorate |
| CR6010 | Chromium, Total, ICAP |
| CRVI7196 | Hexavalent chromium (Cr VI) |
| P | Metals sample pH |
| PH9040 | PH (H3=past HT, not compliant) |
| T | Metals Turbidity |
| TDS | Total Dissolved Solid (TDS) |