



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)


Laboratory Report

for

Tronox LLC - Henderson
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley
Fax: (405) 302-4607



ADE Andy Eaton
Project Manager

Report#195035R replaces the original Report.



Report#: 195035R
Project: CLO4
PO#: Susan Crowle

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 18 page[s].



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

750 Royal Oaks Ave, Suite 100, Monrovia, CA 91016
(626) 388-1100 (800) 566-5227

LABS USE ONLY:

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: PC

SAMPLE TEMP, RECEIPT AT LAB: 6.5

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME

KERRMCGEE-IMP
Sampler: Michelle Brown
PROJECT JOB # / P.O.#
Quantity Groundwater Sampling
Schedule B

Tronox LLC - Henderson Plant
PO Box 55
Henderson, NV 89009

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES

(check for yes)

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX	GRAB	COMP	CR 6010	pH 9040	TDS	CLO4	CRVI 7196	NO3 9056	CLO3 9056	See Bottle Order	SAMPLER Comments
605	2-1-07		M-74	RGW	X		X	X	X	X					Bottles
638	2-1-07		M-73	RGW	X		X	X	X	X					Bottles
657	2-1-07		M-88	RGW	X		X	X	X	X					Bottles
715	2-1-07		M-87	RGW	X		X	X	X	X					Bottles
726	2-1-07		M-102	RGW	X		X	X	X	X					Bottles
749	2-1-07		M-101	RGW	X		X	X	X	X					Bottles
814	2-1-07		M-86	RGW	X		X	X	X	X					Bottles
834	2-1-07		M-85	RGW	X		X	X	X	X					Bottles
853	2-1-07		M-83	RGW	X		X	X	X	X					Bottles
916	2-1-07		M-70	RGW	X		X	X	X	X					Bottles
931	2-1-07		M-71	RGW	X		X	X	X	X					Bottles
958	2-1-07		M-72	RGW	X		X	X	X	X					Bottles

Reported by Volume:

CFW = Chloroformated Finished Water
FW = Other Finished Water

RGW = Raw Ground Water
RSW = Raw Surface Water

CWW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

Reported by Weight:
SO = Soil
SL = Sludge

SIGNATURE

RELINQUISHED BY: Michelle Brown

PRINT NAME

Michele Brown

COMPANY/TITLE

Veolia Water NA for Tronox LLC - Henderson Plant

DATE

2-1-07 12:00PM

RECEIVED BY:

Fidel Chavez

DATE

7-2 1000

COMPANY/TITLE

WVH

Veolia Water NA for Tronox LLC - Henderson Plant

DATE

7-2 1000

RECEIVED BY:

Fidel Chavez

DATE

7-2 1000

COMPANY/TITLE

WVH

Veolia Water NA for Tronox LLC - Henderson Plant

DATE

7-2 1000



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

MWL-ABS USE ONLY:

750 Royal Oaks Ave, Suite 100, Monrovia, CA 91016
(626) 386-1100 (800) 566-5227

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: LC

SAMPLE TEMP, RECEIPT AT LAB: LC

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME

KERRMCGEE-MP

PROJECT JOB # / P.O.#

Quartern's Groundwater Sampling

Schedule B

Sampler: Michele Brown

Tronox LLC - Henderson Plant

PO Box 55

Henderson, NV 89039

Susan Crowley (702) 651-2234

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX *	GRAB	COMP	CR 5010	PH 9040	TDS	CL04	CRVI 7195	NO3 9056	CL03 9056	See Bottle Order	SAMPLER Comments
1039	2-1-07		M-38	RGW	X		X	X	X	X					Bottles
1011	2-1-07		M-32A	RGW	X		X	X	X	X					Bottles
1058	2-1-07		M-89	RGW	X		X	X	X	X					Bottles
1132	2-1-07		M-12A	RGW	X		X	X	X	X					Bottles
1140	2-1-07		M-36	RGW	X		X	X	X	X					Bottles
1159	2-1-07		M-84	RGW	X		X	X	X	X					Bottles
1212	2-1-07		M-100	RGW	X		X	X	X	X					Bottles
	2-1-07		MD-2	RGW	X		X	X	X	X					Bottles
				RGW	X		X	X	X	X					Bottles
				RGW	X		X	X	X	X					Bottles
				RGW	X		X	X	X	X					Bottles
				RGW	X		X	X	X	X					Bottles
				RGW	X		X	X	X	X					Bottles
				RGW	X		X	X	X	X					Bottles
				RGW	X		X	X	X	X					Bottles

* MATRIX TYPES:

Reported by Volume:

CFW = Chloraminated Finished Water

FW = Other Finished Water

RGW = Raw Ground Water

RSW = Raw Surface Water

CWW = Chlorinated Waste Water

WW = Other Waste Water

SW = Storm Water

Reported by Weight:

SO = Soil

SL = Sludge

SIGNATURE

RELINQUISHED BY: Michele Brown
RECEIVED BY: [Signature]
RELINQUISHED BY: Fidel Chavez
RECEIVED BY: [Signature]

PRINT NAME

Michele Brown

COMPANY/TITLE

Veolia Water NA for Tronox LLC - Henderson Plant

DATE

2-1-07

TIME

12:00PM



MWH Laboratories, a Division of MWH Americas, Inc.
750 Royal Oaks Avenue Suite 100
Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

Bottle Order for Tronox LLC - Henderson

Andrew Eaton Your MWL Project Manager
(626) 386-1125 Direct Phone/Voice Mail

Client Code KERRMCGEE-MP
Project Code CLO4
PO# / Job#
Blanket PO

Q Quarterly
Week 1

SO# 33751 26973 RS

Sampler: Please Return this Paper with your samples

Created by 0
Order Date 12/12/06
Date Needed by Client
Ship Sample Kits to
Tronox LLC-Veolia Water
Gate 1
8000 West Lake Mead Drive
Henderson, NV 89015

Send Report to
Tronox LLC Henderson Plant
P.O. Box 55
Henderson, NV 89009

Billing Address
Tronox LLC
P.O. Box 3049
Livonia, MI 48150

ATTN: Susan Crowley
PHONE: 702-551-2234

ATTN: Susan Crowley
PHONE: 702-551-2234
FAX: 702-551-2310

Quote#

SHIP LOCATION

Bottles-Qty for each sample, type & preservative if any

of Samples Tests

# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
101	CR6010	1 250ml poly acid rinsed + 1ml HNO3 (18%)	UN 2031	QUARTERLY SAMPLING - PLEASE PUT LABELS ON BOTTLES; PLEASE PUT IN 4 COOLERS SINCE SAMPLING TAKES 3-4 DAYS
101	CLO4, TDS, PH9040	1 500 ml poly /no preservative		Q1, Q3, Q4
15	CRV7196	1 125ml poly acid rinsed/ no preservative SHORT HOLDING TIME!!!!		NOTIFY LAB AS SOON AS CR-VI COMES IN.- 24HR ht
				TDS count increased to 101 effective 6/16/06;; deleted EC as of 7-14-06

ActiveCode Status Date Shipped Carrier Qty of Coolers Tracking Number Prepared By



MWH Laboratories, a Division of MWH Americas, Inc.
 750 Royal Oaks Avenue Suite 100
 Montrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

Bottle Order for Ironox, LLC - Henderson

Andrew Eaton Your MWL Project Manager
 (626) 386-1125 Direct Phone/Voice Mail

Client Code KERRMCGEE-MP
 Project Code CLO4
 PO# / Job#
 Blanket PO

Q Quarterly
 Week 1

Period

SO# 33751 26973 RS

Sampler: Please Return this Paper with your samples

Created by 0
 Order Date 12/12/06
 Date Needed by Client
 Date Samples to Arrive at MWL
 SHIP LOCATION

Ship Sample Kits to
 Ironox LLC-Veolia Water
 Gate 1
 8000 West Lake Mead Drive
 Henderson, NV 89015

Send Report to
 Ironox, LLC, Henderson Plant
 P.O. Box 55
 Henderson, NV 89009

Billing Address
 Ironox, LLC
 P.O. Box 3049
 Livonia, MI 48150

ATTN: Susan Crowley
 PHONE: 702-651-2234

ATTN: Susan Crowley
 PHONE: 702-651-2234
 FAX: 702-651-2310

Quote#

of Samples Tests

Bottles-Qty for each sample, type & preservative if any

# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
101	CR6010	1 250ml poly acid rinsed + 1ml HNO3 (18%)	UN 2031	QUARTERLY SAMPLING -
101	CLO4, TDS, PH9040	1 500 ml poly /no preservative		PLEASE PUT LABELS ON BOTTLES; PLEASE PUT IN 4 COOLERS SINCE SAMPLING TAKES 3-4 DAYS
15	CRV17196	1 125ml poly acid rinsed/ no preservative SHORT HOLDING TIME!!!!		Q1, Q3, Q4
				NOTIFY LAB AS SOON AS CR-VI COMES IN - 24HR ht
				TDS count increased to 101 effective 6/16/06;; deleted EC as of 7-14-06

ActiveCode Status Date Shipped Carrier Qty of Coolers Tracking Number Prepared By

MWH Laboratories
 750 Royal Oaks Drive, Monrovia, CA 91016
 PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 195035
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

The following samples were received from you on 02/02/07. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2702020042	M-74	CLO4	Water	01-feb-2007 06:05:00
2702020044	M-73	CLO4	Water	01-feb-2007 06:38:00
2702020045	M-88	CLO4	Water	01-feb-2007 06:57:00
2702020046	M-87	CLO4	Water	01-feb-2007 07:15:00
2702020047	M-102	CLO4	Water	01-feb-2007 07:26:00
2702020048	M-101	CLO4	Water	01-feb-2007 07:49:00
2702020049	M-86	CLO4	Water	01-feb-2007 08:14:00
2702020050	M-85	CLO4	Water	01-feb-2007 08:24:00
2702020051	M-83	CLO4	Water	01-feb-2007 08:53:00
2702020052	M-70	CLO4	Water	01-feb-2007 09:16:00
2702020053	M-71	CLO4	Water	01-feb-2007 09:31:00
2702020054	M-72	CLO4	Water	01-feb-2007 09:58:00
2702020055	M-38	CLO4	Water	01-feb-2007 10:39:00
2702020056	M-22A	CLO4	Water	01-feb-2007 10:11:00
2702020057	M-89	CLO4	Water	01-feb-2007 10:58:00
2702020058	M-12A	CLO4	Water	01-feb-2007 11:22:00
2702020059	M-36	CLO4	Water	01-feb-2007 11:40:00

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 195035
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2702020060	M-84	CLO4 CR6010	Water	01-feb-2007 11:59:00
2702020061	M-100	CLO4 CR6010	Water	01-feb-2007 12:12:00
2702020062	MD-2	CLO4 CR6010	Water	01-feb-2007 00:00:00

Test Acronym Description

Test Acronym	Description
CLO4	Perchlorate
CR6010	Chromium, Total, ICAP
CRVI7196	Hexavalent chromium (Cr VI)
PH9040	PH (H3=past HT, not compliant)
TDS	Total Dissolved Solid (TDS)



Client Specific Comments

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Client Signature: _____

Group Comments

Report revised to correct QC duplicate for CR6010.

(QC Ref#: 2702020053)

Test: Chromium, Total, ICAP (ML/EPA 6010B)

H3- The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.

(QC Ref#: 2702020058)

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3- Sample was received and analyzed past holding time. Data not acceptable for regulatory compliance.

(QC Ref#: 2702020059)

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3- Sample was received and analyzed past holding time. Data not acceptable for regulatory compliance.

(QC Ref#: 2702020060)

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3- Sample was received and analyzed past holding time. Data not acceptable for regulatory compliance.

(QC Ref#: 2702020061)

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3- Sample was received and analyzed past holding time. Data not acceptable for regulatory compliance.

(QC Ref#: 2702020062)



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Report
Comments
#195035

Test: Hexavalent chromium (Cr VI) (ML/EPS 7196)

H3- Sample was received and analyzed past holding time. Data not acceptable for regulatory compliance.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3829
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#195035

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
02-feb-2007 12:14:15

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2702020042	M-74				
02/07/07		Chromium, Total, ICAP	0.85		mg/l	0.020
02/05/07		PH (H3=past HT, not compliant)	7.9		Units	0.0010
02/06/07		Perchlorate	39400		ug/l	2000
02/05/07		Total Dissolved Solid (TDS)	5880	500	mg/l	10
	2702020044	M-73				
02/07/07		Chromium, Total, ICAP	2.8		mg/l	0.020
02/05/07		PH (H3=past HT, not compliant)	7.9		Units	0.0010
02/03/07		Perchlorate	217000		ug/l	20000
02/05/07		Total Dissolved Solid (TDS)	3760	500	mg/l	10
	2702020045	M-88				
02/07/07		Chromium, Total, ICAP	0.93		mg/l	0.020
02/05/07		PH (H3=past HT, not compliant)	7.9		Units	0.0010
02/03/07		Perchlorate	52400		ug/l	4000
02/05/07		Total Dissolved Solid (TDS)	6280	500	mg/l	10
	2702020046	M-87				
02/07/07		Chromium, Total, ICAP	1.3		mg/l	0.020
02/05/07		PH (H3=past HT, not compliant)	7.9		Units	0.0010
02/03/07		Perchlorate	116000		ug/l	20000
02/05/07		Total Dissolved Solid (TDS)	1820	500	mg/l	10
	2702020047	M-102				
02/07/07		Chromium, Total, ICAP	0.98		mg/l	0.020
02/05/07		PH (H3=past HT, not compliant)	8.1		Units	0.0010

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#195035

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
02-feb-2007 12:14:15

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2702020047	M-102				
02/03/07	Perchlorate		84900		ug/l	20000
02/05/07	Total Dissolved Solid (TDS)		1840	500	mg/l	10
	2702020048	M-101				
02/07/07	Chromium, Total, ICAP		0.35		mg/l	0.020
02/05/07	PH (H3=past HT, not compliant)		8.0		Units	0.0010
02/03/07	Perchlorate		97800		ug/l	20000
02/05/07	Total Dissolved Solid (TDS)		3820	500	mg/l	10
	2702020049	M-86				
02/07/07	Chromium, Total, ICAP		1.7		mg/l	0.020
02/05/07	PH (H3=past HT, not compliant)		7.9		Units	0.0010
02/03/07	Perchlorate		370000		ug/l	20000
02/05/07	Total Dissolved Solid (TDS)		3420	500	mg/l	10
	2702020050	M-85				
02/08/07	Chromium, Total, ICAP		0.068		mg/l	0.020
02/05/07	PH (H3=past HT, not compliant)		8.1		Units	0.0010
02/03/07	Perchlorate		17900		ug/l	4000
02/05/07	Total Dissolved Solid (TDS)		950	500	mg/l	10
	2702020051	M-83				
02/08/07	Chromium, Total, ICAP		0.10		mg/l	0.020
02/05/07	PH (H3=past HT, not compliant)		8.0		Units	0.0010
02/03/07	Perchlorate		11800		ug/l	2000
02/05/07	Total Dissolved Solid (TDS)		1310	500	mg/l	10

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#195035

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
02-feb-2007 12:14:15

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2702020051	M-83				
	2702020052	M-70				
02/08/07		Chromium, Total, ICAP	4.3		mg/l	0.020
02/05/07		PH (H3=past HT, not compliant)	7.7		Units	0.0010
02/03/07		Perchlorate	592000		ug/l	40000
02/05/07		Total Dissolved Solid (TDS)	7630	500	mg/l	10
	2702020053	M-71				
02/08/07		Chromium, Total, ICAP	4.8		mg/l	0.020
02/05/07		PH (H3=past HT, not compliant)	7.7		Units	0.0010
02/06/07		Perchlorate	624000		ug/l	40000
02/06/07		Total Dissolved Solid (TDS)	6810	500	mg/l	10
	2702020054	M-72				
02/08/07		Chromium, Total, ICAP	5.6		mg/l	0.020
02/05/07		PH (H3=past HT, not compliant)	7.7		Units	0.0010
02/06/07		Perchlorate	1060000		ug/l	200000
02/06/07		Total Dissolved Solid (TDS)	8230	500	mg/l	10
	2702020055	M-38				
02/08/07		Chromium, Total, ICAP	28		mg/l	0.10
02/05/07		PH (H3=past HT, not compliant)	7.6		Units	0.0010
02/06/07		Perchlorate	955000		ug/l	200000
02/06/07		Total Dissolved Solid (TDS)	14500	500	mg/l	10
	2702020056	M-22A				

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#195035

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
02-feb-2007 12:14:15

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2702020056	M-22A				
02/08/07		Chromium, Total, ICAP	30		mg/l	0.10
02/05/07		PH (H3=past HT, not compliant)	7.6		Units	0.0010
02/06/07		Perchlorate	1790000		ug/l	200000
02/06/07		Total Dissolved Solid (TDS)	15900	500	mg/l	10
	2702020057	M-89				
02/08/07		Chromium, Total, ICAP	24		mg/l	0.10
02/05/07		PH (H3=past HT, not compliant)	7.6		Units	0.0010
02/06/07		Perchlorate	841000		ug/l	200000
02/06/07		Total Dissolved Solid (TDS)	13400	500	mg/l	10
	2702020058	M-12A				
02/08/07		Chromium, Total, ICAP	12		mg/l	0.050
02/02/07		Hexavalent chromium (Cr VI)	13		mg/l	0.50
02/05/07		PH (H3=past HT, not compliant)	8.2		Units	0.0010
02/07/07		Perchlorate	291000		ug/l	40000
02/06/07		Total Dissolved Solid (TDS)	7820	500	mg/l	10
	2702020059	M-36				
02/08/07		Chromium, Total, ICAP	35		mg/l	0.10
02/02/07		Hexavalent chromium (Cr VI)	39		mg/l	1.0
02/05/07		PH (H3=past HT, not compliant)	7.6		Units	0.0010
02/07/07		Perchlorate	1690000		ug/l	200000
02/06/07		Total Dissolved Solid (TDS)	17850	500	mg/l	10
	2702020060	M-84				

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#195035

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
02-feb-2007 12:14:15

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2702020060	M-84				
02/08/07		Chromium, Total, ICAP	0.045		mg/l	0.020
02/02/07		Hexavalent chromium (Cr VI)	0.051		mg/l	0.0050
02/05/07		PH (H3=past HT, not compliant)	8.0		Units	0.0010
02/07/07		Perchlorate	5320		ug/l	400
02/06/07		Total Dissolved Solid (TDS)	978	500	mg/l	10
	2702020061	M-100				
02/08/07		Chromium, Total, ICAP	0.26		mg/l	0.020
02/02/07		Hexavalent chromium (Cr VI)	0.24		mg/l	0.0050
02/05/07		PH (H3=past HT, not compliant)	7.9		Units	0.0010
02/09/07		Perchlorate	43200		ug/l	4000
02/06/07		Total Dissolved Solid (TDS)	1680	500	mg/l	10
	2702020062	MD-2				
02/08/07		Chromium, Total, ICAP	0.044		mg/l	0.020
02/02/07		Hexavalent chromium (Cr VI)	0.048		mg/l	0.0050
02/05/07		PH (H3=past HT, not compliant)	7.9		Units	0.0010
02/09/07		Perchlorate	4950		ug/l	400
02/05/07		Total Dissolved Solid (TDS)	970	500	mg/l	10

SUMMARY OF POSITIVE DATA ONLY.



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Data Report
 #195035

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson, NV 89009

Samples Received
 02/02/07

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-74 (2702020042) Sampled on 02/01/07 06:05								
	02/06/07 00:00	351841	(EPA 314)	Perchlorate	39400	ug/l	2000	500
	02/07/07 00:00	351859	(ML/EPA 6010B)	Chromium, Total, ICAP	0.85	mg/l	0.020	2
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.9	Units	0.0010	1
02/05/07	02/05/07 17:40	351774	(SM 2540C)	Total Dissolved Solid (TDS)	5880	mg/l	10	1
M-73 (2702020044) Sampled on 02/01/07 06:38								
	02/03/07 00:00	351227	(EPA 314)	Perchlorate	217000	ug/l	20000	5000
	02/07/07 00:00	351859	(ML/EPA 6010B)	Chromium, Total, ICAP	2.8	mg/l	0.020	2
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.9	Units	0.0010	1
02/05/07	02/05/07 17:40	351774	(SM 2540C)	Total Dissolved Solid (TDS)	3760	mg/l	10	1
M-88 (2702020045) Sampled on 02/01/07 06:57								
	02/03/07 00:00	351227	(EPA 314)	Perchlorate	52400	ug/l	4000	1000
	02/07/07 00:00	351859	(ML/EPA 6010B)	Chromium, Total, ICAP	0.93	mg/l	0.020	2
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.9	Units	0.0010	1
02/05/07	02/05/07 17:40	351774	(SM 2540C)	Total Dissolved Solid (TDS)	6280	mg/l	10	1
M-87 (2702020046) Sampled on 02/01/07 07:15								
	02/03/07 00:00	351227	(EPA 314)	Perchlorate	116000	ug/l	20000	5000
	02/07/07 00:00	351859	(ML/EPA 6010B)	Chromium, Total, ICAP	1.3	mg/l	0.020	2
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.9	Units	0.0010	1
02/05/07	02/05/07 17:40	351774	(SM 2540C)	Total Dissolved Solid (TDS)	1820	mg/l	10	1
M-102 (2702020047) Sampled on 02/01/07 07:26								
	02/03/07 00:00	351227	(EPA 314)	Perchlorate	84900	ug/l	20000	5000
	02/07/07 00:00	351859	(ML/EPA 6010B)	Chromium, Total, ICAP	0.98	mg/l	0.020	2
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	8.1	Units	0.0010	1
02/05/07	02/05/07 17:40	351774	(SM 2540C)	Total Dissolved Solid (TDS)	1840	mg/l	10	1



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Data Report
 #195035

Tronox LLC - Henderson
 (continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-101 (2702020048) Sampled on 02/01/07 07:49								
	02/03/07 00:00	351227	(EPA 314)	Perchlorate	97800	ug/l	20000	5000
	02/07/07 00:00	351859	(ML/EPA 6010B)	Chromium, Total, ICAP	0.35	mg/l	0.020	2
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	8.0	Units	0.0010	1
02/05/07	02/05/07 17:40	351774	(SM 2540C)	Total Dissolved Solid (TDS)	3820	mg/l	10	1
M-86 (2702020049) Sampled on 02/01/07 08:14								
	02/03/07 00:00	351227	(EPA 314)	Perchlorate	370000	ug/l	20000	5000
	02/07/07 00:00	351859	(ML/EPA 6010B)	Chromium, Total, ICAP	1.7	mg/l	0.020	2
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.9	Units	0.0010	1
02/05/07	02/05/07 17:40	351774	(SM 2540C)	Total Dissolved Solid (TDS)	3420	mg/l	10	1
M-85 (2702020050) Sampled on 02/01/07 08:24								
	02/03/07 00:00	351227	(EPA 314)	Perchlorate	17900	ug/l	4000	1000
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	0.068	mg/l	0.020	2
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	8.1	Units	0.0010	1
02/05/07	02/05/07 17:40	351774	(SM 2540C)	Total Dissolved Solid (TDS)	950	mg/l	10	1
M-83 (2702020051) Sampled on 02/01/07 08:53								
	02/03/07 00:00	351227	(EPA 314)	Perchlorate	11800	ug/l	2000	500
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	0.10	mg/l	0.020	2
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	8.0	Units	0.0010	1
02/05/07	02/05/07 17:40	351774	(SM 2540C)	Total Dissolved Solid (TDS)	1310	mg/l	10	1
M-70 (2702020052) Sampled on 02/01/07 09:16								
	02/03/07 00:00	351227	(EPA 314)	Perchlorate	592000	ug/l	40000	10000
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	4.3	mg/l	0.020	2
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.7	Units	0.0010	1
02/05/07	02/05/07 17:40	351774	(SM 2540C)	Total Dissolved Solid (TDS)	7630	mg/l	10	1



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#195035

Tronox LLC - Henderson
(continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-71 (2702020053)		Sampled on 02/01/07 09:31						
	02/06/07 00:00	351841	(EPA 314)	Perchlorate	624000	ug/l	40000	10000
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	4.8(M3)	mg/l	0.020	2
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.7	Units	0.0010	1
02/06/07	02/06/07 16:27	352011	(SM 2540C)	Total Dissolved Solid (TDS)	6810	mg/l	10	1
M-72 (2702020054)		Sampled on 02/01/07 09:58						
	02/06/07 00:00	351841	(EPA 314)	Perchlorate	1060000	ug/l	200000	50000
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	5.6	mg/l	0.020	2
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.7	Units	0.0010	1
02/06/07	02/06/07 16:27	352011	(SM 2540C)	Total Dissolved Solid (TDS)	8230	mg/l	10	1
M-38 (2702020055)		Sampled on 02/01/07 10:39						
	02/06/07 00:00	351841	(EPA 314)	Perchlorate	955000	ug/l	200000	50000
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	28	mg/l	0.10	10
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.6	Units	0.0010	1
02/06/07	02/06/07 16:27	352011	(SM 2540C)	Total Dissolved Solid (TDS)	14500	mg/l	10	1
M-22A (2702020056)		Sampled on 02/01/07 10:11						
	02/06/07 00:00	351841	(EPA 314)	Perchlorate	1790000	ug/l	200000	50000
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	30	mg/l	0.10	10
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.6	Units	0.0010	1
02/06/07	02/06/07 16:27	352011	(SM 2540C)	Total Dissolved Solid (TDS)	15900	mg/l	10	1
M-89 (2702020057)		Sampled on 02/01/07 10:58						
	02/06/07 00:00	351841	(EPA 314)	Perchlorate	841000	ug/l	200000	50000
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	24	mg/l	0.10	10
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.6	Units	0.0010	1
02/06/07	02/06/07 16:27	352011	(SM 2540C)	Total Dissolved Solid (TDS)	13400	mg/l	10	1



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#195035

Tronox LLC - Henderson
(continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
M-12A (2702020058)		Sampled on 02/01/07 11:22						
	02/07/07 00:00	351841	(EPA 314)	Perchlorate	291000	ug/l	40000	10000
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	12	mg/l	0.050	5
	02/02/07 12:32	351077	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	13(H3)	mg/l	0.50	100
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	8.2	Units	0.0010	1
02/06/07	02/06/07 16:27	352011	(SM 2540C)	Total Dissolved Solid (TDS)	7820	mg/l	10	1
M-36 (2702020059)		Sampled on 02/01/07 11:40						
	02/07/07 00:00	351841	(EPA 314)	Perchlorate	1690000	ug/l	200000	50000
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	35	mg/l	0.10	10
	02/02/07 12:31	351077	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	39(H3)	mg/l	1.0	200
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.6	Units	0.0010	1
02/06/07	02/06/07 16:27	352011	(SM 2540C)	Total Dissolved Solid (TDS)	17850	mg/l	10	1
M-84 (2702020060)		Sampled on 02/01/07 11:59						
	02/07/07 00:00	351841	(EPA 314)	Perchlorate	5320	ug/l	400	100
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	0.045	mg/l	0.020	2
	02/02/07 12:28	351077	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	0.051(H3)	mg/l	0.0050	1
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	8.0	Units	0.0010	1
02/06/07	02/06/07 16:27	352011	(SM 2540C)	Total Dissolved Solid (TDS)	978	mg/l	10	1
M-100 (2702020061)		Sampled on 02/01/07 12:12						
	02/09/07 00:00	352192	(EPA 314)	Perchlorate	43200	ug/l	4000	1000
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	0.26	mg/l	0.020	2
	02/02/07 12:30	351077	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	0.24(H3)	mg/l	0.0050	1
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.9	Units	0.0010	1
02/06/07	02/06/07 16:27	352011	(SM 2540C)	Total Dissolved Solid (TDS)	1680	mg/l	10	1
MD-2 (2702020062)		Sampled on 02/01/07 00:00						
	02/09/07 00:00	352192	(EPA 314)	Perchlorate	4950	ug/l	400	100
	02/08/07 00:00	351860	(ML/EPA 6010B)	Chromium, Total, ICAP	0.044	mg/l	0.020	2
	02/02/07 12:29	351077	(ML/EPS 7196)	Hexavalent chromium (Cr VI)	0.048(H3)	mg/l	0.0050	1
	02/05/07 00:00	351410	(ML/EPA 9040B)	PH (H3=past HT, not compliant)	7.9	Units	0.0010	1
02/05/07	02/05/07 17:40	351774	(SM 2540C)	Total Dissolved Solid (TDS)	970	mg/l	10	1



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#195035

Tronox LLC - Henderson

QC Ref #351077 - Hexavalent chromium (Cr VI) Analysis Date: 02/02/2007

2702020058	M-12A	Analyzed by: wbh
2702020059	M-36	Analyzed by: wbh
2702020060	M-84	Analyzed by: wbh
2702020061	M-100	Analyzed by: wbh
2702020062	MD-2	Analyzed by: wbh

QC Ref #351227 - Perchlorate Analysis Date: 02/03/2007

2702020044	M-73	Analyzed by: raja
2702020045	M-88	Analyzed by: raja
2702020046	M-87	Analyzed by: raja
2702020047	M-102	Analyzed by: raja
2702020048	M-101	Analyzed by: raja
2702020049	M-86	Analyzed by: raja
2702020050	M-85	Analyzed by: raja
2702020051	M-83	Analyzed by: raja
2702020052	M-70	Analyzed by: raja

QC Ref #351410 - PH (H3=past HT, not compliant) Analysis Date: 02/05/2007

2702020042	M-74	Analyzed by: jxl
2702020044	M-73	Analyzed by: jxl
2702020045	M-88	Analyzed by: jxl
2702020046	M-87	Analyzed by: jxl
2702020047	M-102	Analyzed by: jxl
2702020048	M-101	Analyzed by: jxl
2702020049	M-86	Analyzed by: jxl
2702020050	M-85	Analyzed by: jxl
2702020051	M-83	Analyzed by: jxl
2702020052	M-70	Analyzed by: jxl
2702020053	M-71	Analyzed by: jxl
2702020054	M-72	Analyzed by: jxl
2702020055	M-38	Analyzed by: jxl
2702020056	M-22A	Analyzed by: jxl
2702020057	M-89	Analyzed by: jxl
2702020058	M-12A	Analyzed by: jxl
2702020059	M-36	Analyzed by: jxl
2702020060	M-84	Analyzed by: jxl
2702020061	M-100	Analyzed by: jxl
2702020062	MD-2	Analyzed by: jxl



750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#195035

Tronox LLC - Henderson
(continued)

QC Ref #351774 - Total Dissolved Solid (TDS) Analysis Date: 02/05/2007

2702020042	M-74	Analyzed by: anh
2702020044	M-73	Analyzed by: anh
2702020045	M-88	Analyzed by: anh
2702020046	M-87	Analyzed by: anh
2702020047	M-102	Analyzed by: anh
2702020048	M-101	Analyzed by: anh
2702020049	M-86	Analyzed by: anh
2702020050	M-85	Analyzed by: anh
2702020051	M-83	Analyzed by: anh
2702020052	M-70	Analyzed by: anh
2702020062	MD-2	Analyzed by: anh

QC Ref #351841 - Perchlorate Analysis Date: 02/06/2007

2702020042	M-74	Analyzed by: raja
2702020053	M-71	Analyzed by: raja
2702020054	M-72	Analyzed by: raja
2702020055	M-38	Analyzed by: raja
2702020056	M-22A	Analyzed by: raja
2702020057	M-89	Analyzed by: raja
2702020058	M-12A	Analyzed by: raja
2702020059	M-36	Analyzed by: raja
2702020060	M-84	Analyzed by: raja

QC Ref #351859 - Chromium, Total, ICAP Analysis Date: 02/07/2007

2702020042	M-74	Analyzed by: wbh
2702020044	M-73	Analyzed by: wbh
2702020045	M-88	Analyzed by: wbh
2702020046	M-87	Analyzed by: wbh
2702020047	M-102	Analyzed by: wbh
2702020048	M-101	Analyzed by: wbh
2702020049	M-86	Analyzed by: wbh



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#195035

Tronox LLC - Henderson
(continued)

QC Ref #351860 - Chromium, Total, ICAP

Analysis Date: 02/08/2007

2702020050	M-85	Analyzed by: wbh
2702020051	M-83	Analyzed by: wbh
2702020052	M-70	Analyzed by: wbh
2702020053	M-71	Analyzed by: wbh
2702020054	M-72	Analyzed by: wbh
2702020055	M-38	Analyzed by: wbh
2702020056	M-22A	Analyzed by: wbh
2702020057	M-89	Analyzed by: wbh
2702020058	M-12A	Analyzed by: wbh
2702020059	M-36	Analyzed by: wbh
2702020060	M-84	Analyzed by: wbh
2702020061	M-100	Analyzed by: wbh
2702020062	MD-2	Analyzed by: wbh

QC Ref #352011 - Total Dissolved Solid (TDS)

Analysis Date: 02/06/2007

2702020053	M-71	Analyzed by: anh
2702020054	M-72	Analyzed by: anh
2702020055	M-38	Analyzed by: anh
2702020056	M-22A	Analyzed by: anh
2702020057	M-89	Analyzed by: anh
2702020058	M-12A	Analyzed by: anh
2702020059	M-36	Analyzed by: anh
2702020060	M-84	Analyzed by: anh
2702020061	M-100	Analyzed by: anh

QC Ref #352192 - Perchlorate

Analysis Date: 02/09/2007

2702020061	M-100	Analyzed by: raja
2702020062	MD-2	Analyzed by: raja



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#195035

Tronox LLC - Henderson

QC Ref #351077 Hexavalent chromium (Cr VI)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	02020097	MGL		(0-0)	
LCS1	Hexavalent chromium (Cr VI)	0.050	0.049	MGL	98.0	(85-115)	
LCS2	Hexavalent chromium (Cr VI)	0.050	0.051	MGL	102.0	(85-115)	
MBLK	Hexavalent chromium (Cr VI)	ND	<0.0050	MGL			
MRL_CHK	Hexavalent chromium (Cr VI)	0.005	0.005	MGL	100.0	(50-150)	
MS	Hexavalent chromium (Cr VI)	1.00	1.04	MGL	104.0	(70-130)	
MSD	Hexavalent chromium (Cr VI)	1.00	0.96	MGL	96.0	(70-130)	

QC Ref #351227 Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	02010389	UGL		(0-0)	
LCS1	Perchlorate	25.0	24.0	UGL	96.0	(85-115)	
LCS2	Perchlorate	25.0	25.3	UGL	101.2	(85-115)	
LCS3	Perchlorate	4	3.69	UGL	92.2	(75-125)	
MELK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	25.4	UGL	101.6	(70-130)	
MSD	Perchlorate	25.0	23.9	UGL	95.6	(70-130)	
RPD_LCS	Perchlorate	96.000	101.200	UGL	5.3	(0-20)	
RPD_MS	Perchlorate	101.600	95.600	UGL	6.1	(0-20)	

QC Ref #351410 PH (H3=past HT, not compliant)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
DUP	PH (H3=past HT, not compliant)	8.11	8.10	UNIT		(0-20)	0.1

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.

Tronox LLC - Henderson
 (continued)

QC Ref #351774 Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	02010413	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	2226	2212	MGL		(0-10)	0.6
LCS1	Total Dissolved Solid (TDS)	175	166	MGL	94.9	(85-115)	
LCS2	Total Dissolved Solid (TDS)	700	684	MGL	97.7	(85-115)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	9	MGL	90.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	94.857	97.714	MGL	3.0	(0-20)	

QC Ref #351841 Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	02010304	UGL		(0-0)	
LCS1	Perchlorate	25.0	24.2	UGL	96.8	(85-115)	
LCS2	Perchlorate	25.0	24.1	UGL	96.4	(85-115)	
LCS3	Perchlorate	4	3.13	UGL	78.2	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	24.5	UGL	98.0	(70-130)	
MSD	Perchlorate	25.0	23.3	UGL	93.2	(70-130)	
RPD_LCS	Perchlorate	96.800	96.400	UGL	0.4	(0-20)	
RPD_MS	Perchlorate	98.000	93.200	UGL	5.0	(0-20)	

QC Ref #351859 Chromium, Total, ICAP

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	02010331	MGL		(0-0)	
LCS1	Chromium, Total, ICAP	1.00	0.930	MGL	93.0	(85-115)	
LCS2	Chromium, Total, ICAP	1.00	0.960	MGL	96.0	(85-115)	
MBLK	Chromium, Total, ICAP	ND	<0.010	MGL			
MRL_CHK	Chromium, Total, ICAP	0.010	0.0100	MGL	100.0	(50-150)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
 Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
 are advisory only, unless otherwise specified in the method.



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#195035

Tronox LLC - Henderson
(continued)

MS	Chromium, Total, ICAP	1.00	0.954	MGL	95.4	(70-130)
MSD	Chromium, Total, ICAP	1.00	0.883	MGL	88.3	(70-130)

QC Ref #351860 Chromium, Total, ICAP

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	02020053	MGL		(0-0)	
LCS1	Chromium, Total, ICAP	1.00	0.936	MGL	93.6	(85-115)	
LCS2	Chromium, Total, ICAP	1.00	0.942	MGL	94.2	(85-115)	
MBLK	Chromium, Total, ICAP	ND	<0.010	MGL			
MRL_CHK	Chromium, Total, ICAP	0.010	0.0100	MGL	100.0	(50-150)	
MS	Chromium, Total, ICAP	1.00	0.747	MGL	74.7	(70-130)	
MSD	Chromium, Total, ICAP	1.00	0.629	MGL	<u>62.9</u>	(70-130)	

QC Ref #352011 Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	27020053	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	6810	6740	MGL		(0-10)	1.0
LCS1	Total Dissolved Solid (TDS)	175	156	MGL	89.1	(85-115)	
LCS2	Total Dissolved Solid (TDS)	700	684	MGL	97.7	(85-115)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	9	MGL	90.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	89.143	97.714	MGL	9.2	(0-20)	

QC Ref #352192 Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	02060700	UGL		(0-0)	
LCS1	Perchlorate	25.0	23.2	UGL	92.8	(85-115)	
LCS2	Perchlorate	25.0	22.9	UGL	91.6	(85-115)	
LCS3	Perchlorate	4	3.01	UGL	75.2	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#195035

Tronox LLC - Henderson
(continued)

MS	Perchlorate	25.0	21.6	UGL	86.4	(70-130)
MSD	Perchlorate	25.0	20.1	UGL	80.4	(70-130)
RPD_LCS	Perchlorate	92.800	91.600	UGL	1.3	(0-20)
RPD_MS	Perchlorate	86.400	80.400	UGL	7.2	(0-20)

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.