



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3529
Tel. 626 386 1100
Fax. 626 386 1101
1 800 566 LABS (1 800 566 5227)


Laboratory Report

for

Tronox LLC - Henderson
PO Box 55

Henderson , NV 89009

Attention: Susan Crowley
Fax: (405) 302-4607



ADE Andy Eaton
Project Manager



Report#: 208480
Project: CLO4
PO#: Susan Crowle

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Comments, QC Report, QC Summary, Data Report, Hits Report, totaling 11 page[s].



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Report
Comments
#208480

Client Specific Comments

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein.

Client Signature: _____

Group Comments

~~TDS initially analyzed on 6.27.07 with result greater than EC measurement. Sample reanalyzed and result reported since it matches historical data.~~

(QC Ref#: 2706260039)

Test: Total Dissolved Solid (TDS) (E160.1/SM2540C)

HA = Initial analysis within holding time. Reanalysis was past holding time.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#208480

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
26-jun-2007 12:09:51

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2706260032	ART-1				
06/27/07	Perchlorate		102		ug/l	10
06/27/07	Total Dissolved Solid (TDS)		6570	500	mg/l	10
	2706260033	ART-2				
06/27/07	Perchlorate		74100		ug/l	20000
06/27/07	Total Dissolved Solid (TDS)		9720	500	mg/l	10
	2706260034	ART-3				
06/27/07	Perchlorate		309000		ug/l	40000
06/27/07	Total Dissolved Solid (TDS)		9040	500	mg/l	10
	2706260035	ART-4				
06/27/07	Perchlorate		295000		ug/l	40000
06/27/07	Total Dissolved Solid (TDS)		6500	500	mg/l	10
	2706260036	ART-6				
06/27/07	Perchlorate		75900		ug/l	20000
06/27/07	Total Dissolved Solid (TDS)		7500	500	mg/l	10
	2706260037	ART-7				
06/27/07	Perchlorate		128000		ug/l	20000
06/27/07	Total Dissolved Solid (TDS)		10800	500	mg/l	10
	2706260038	ART-8				

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3529
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#208480

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
26-jun-2007 12:09:51

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2706260038	ART-8				
06/27/07	Perchlorate		249000		ug/l	40000
06/27/07	Total Dissolved Solid (TDS)		9800	500	mg/l	10
	2706260039	PC-99R2/R3				
06/27/07	Perchlorate		15700		ug/l	2000
07/05/07	Total Dissolved Solid (TDS)		5200	500	mg/l	10
	2706260040	PC-115R				
06/27/07	Perchlorate		13800		ug/l	2000
06/27/07	Total Dissolved Solid (TDS)		4860	500	mg/l	10
	2706260041	PC-116R				
06/27/07	Perchlorate		11700		ug/l	2000
06/27/07	Total Dissolved Solid (TDS)		5140	500	mg/l	10
	2706260042	PC-117				
06/27/07	Perchlorate		3470		ug/l	400
06/27/07	Total Dissolved Solid (TDS)		3720	500	mg/l	10
	2706260043	PC-118				
06/28/07	Perchlorate		11500		ug/l	800
06/27/07	Total Dissolved Solid (TDS)		4650	500	mg/l	10
	2706260044	PC-119				

SUMMARY OF POSITIVE DATA ONLY.



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Hits Report
#208480

Tronox LLC - Henderson
Susan Crowley
PO Box 55
Henderson , NV 89009

Samples Received
26-jun-2007 12:09:51

Analyzed	Sample#	Sample ID	Result	Federal MCL	UNITS	MRL
	2706260044	PC-119				
06/27/07	Perchlorate		8150		ug/l	400
06/27/07	Total Dissolved Solid (TDS)		4200	500	mg/l	10
	2706260045	PC-120				
06/27/07	Perchlorate		2150		ug/l	400
06/27/07	Total Dissolved Solid (TDS)		2930	500	mg/l	10
	2706260046	PC-121				
06/27/07	Perchlorate		1100		ug/l	400
06/27/07	Total Dissolved Solid (TDS)		2570	500	mg/l	10
	2706260047	PC-133				
06/27/07	Perchlorate		4670		ug/l	400
06/27/07	Total Dissolved Solid (TDS)		3580	500	mg/l	10
	2706260048	ART-9				
06/27/07	Perchlorate		307000		ug/l	20000
06/27/07	Total Dissolved Solid (TDS)		7990	500	mg/l	10

SUMMARY OF POSITIVE DATA ONLY.



750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3829
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Data Report
 #208480

Tronox LLC - Henderson
 Susan Crowley
 PO Box 55
 Henderson , NV 89009

Samples Received
 06/26/07

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
ART-1 (2706260032) Sampled on 06/25/07 05:30								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	102	ug/l	10	5
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	6570	mg/l	10	1
ART-2 (2706260033) Sampled on 06/25/07 05:30								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	74100	ug/l	20000	5000
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	9720	mg/l	10	1
ART-3 (2706260034) Sampled on 06/25/07 05:30								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	309000	ug/l	40000	10000
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	9040	mg/l	10	1
ART-4 (2706260035) Sampled on 06/25/07 05:30								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	295000	ug/l	40000	10000
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	6500	mg/l	10	1
ART-6 (2706260036) Sampled on 06/25/07 05:30								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	75900	ug/l	20000	5000
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	7500	mg/l	10	1
ART-7 (2706260037) Sampled on 06/25/07 05:30								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	128000	ug/l	20000	5000
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	10800	mg/l	10	1
ART-8 (2706260038) Sampled on 06/25/07 05:30								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	249000	ug/l	40000	10000
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	9800	mg/l	10	1



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel. 626 386 1100
 Fax. 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 Data Report
 #208480

Tronox LLC - Henderson
 (continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
PC-99R2/R3 (2706260039) Sampled on 06/25/07 06:00								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	15700	ug/l	2000	500
07/05/07	07/05/07 10:30	375221	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	5200(HA)	mg/l	10	1
PC-115R (2706260040) Sampled on 06/25/07 06:00								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	13800	ug/l	2000	500
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	4860	mg/l	10	1
PC-116R (2706260041) Sampled on 06/25/07 06:00								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	11700	ug/l	2000	500
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	5140	mg/l	10	1
PC-117 (2706260042) Sampled on 06/25/07 06:00								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	3470	ug/l	400	100
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	3720	mg/l	10	1
PC-118 (2706260043) Sampled on 06/25/07 06:00								
	06/28/07 11:04	374290	(EPA 314)	Perchlorate	11500	ug/l	800	200
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	4650	mg/l	10	1
PC-119 (2706260044) Sampled on 06/25/07 06:00								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	8150	ug/l	400	100
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	4200	mg/l	10	1
PC-120 (2706260045) Sampled on 06/25/07 06:00								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	2150	ug/l	400	100
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	2930	mg/l	10	1
PC-121 (2706260046) Sampled on 06/25/07 06:00								
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	1100	ug/l	400	100
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	2570	mg/l	10	1



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
Data Report
#208480

Tronox LLC - Henderson
(continued)

Prepared	Analyzed	QC Ref#	Method	Analyte	Result	Units	MRL	Dilution
PC-133 (2706260047)				Sampled on 06/25/07 06:00				
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	4670	ug/l	400	100
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	3580	mg/l	10	1
ART-9 (2706260048)				Sampled on 06/25/07 05:30				
	06/27/07 12:06	374137	(EPA 314)	Perchlorate	307000	ug/l	20000	5000
06/27/07	06/27/07 16:00	374273	(E160.1/SM2540C)	Total Dissolved Solid (TDS)	7990	mg/l	10	1



750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#208480

Tronox LLC - Henderson

QC Ref #374137 - Perchlorate

Analysis Date: 06/27/2007

2706260032	ART-1	Analyzed by: raja
2706260033	ART-2	Analyzed by: raja
2706260034	ART-3	Analyzed by: raja
2706260035	ART-4	Analyzed by: raja
2706260036	ART-6	Analyzed by: raja
2706260037	ART-7	Analyzed by: raja
2706260038	ART-8	Analyzed by: raja
2706260039	PC-99R2/R3	Analyzed by: raja
2706260040	PC-115R	Analyzed by: raja
2706260041	PC-116R	Analyzed by: raja
2706260042	PC-117	Analyzed by: raja
2706260044	PC-119	Analyzed by: raja
2706260045	PC-120	Analyzed by: raja
2706260046	PC-121	Analyzed by: raja
2706260047	PC-133	Analyzed by: raja
2706260048	ART-9	Analyzed by: raja

QC Ref #374273 - Total Dissolved Solid (TDS)

Analysis Date: 06/27/2007

2706260032	ART-1	Analyzed by: yvette
2706260033	ART-2	Analyzed by: yvette
2706260034	ART-3	Analyzed by: yvette
2706260035	ART-4	Analyzed by: yvette
2706260036	ART-6	Analyzed by: yvette
2706260037	ART-7	Analyzed by: yvette
2706260038	ART-8	Analyzed by: yvette
2706260040	PC-115R	Analyzed by: yvette
2706260041	PC-116R	Analyzed by: yvette
2706260042	PC-117	Analyzed by: yvette
2706260043	PC-118	Analyzed by: yvette
2706260044	PC-119	Analyzed by: yvette
2706260045	PC-120	Analyzed by: yvette
2706260046	PC-121	Analyzed by: yvette
2706260047	PC-133	Analyzed by: yvette
2706260048	ART-9	Analyzed by: yvette



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary
#208480

Tronox LLC - Henderson
(continued)

QC Ref #374290 - Perchlorate

Analysis Date: 06/28/2007

2706260043

PC-118

Analyzed by: raja

QC Ref #375221 - Total Dissolved Solid (TDS)

Analysis Date: 07/05/2007

2706260039

PC-99R2/R3

Analyzed by: yvette



MWH Laboratories

A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Laboratory
 QC Report
 #208480

Tronox LLC - Henderson

QC Ref #374137

Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	06260170	UGL		(0-0)	
LCS1	Perchlorate	25.0	23.6	UGL	94.4	(85-115)	
LCS2	Perchlorate	25.0	24.1	UGL	96.4	(85-115)	
LCS3	Perchlorate	4	4.06	UGL	101.5	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	21.8	UGL	87.2	(80-120)	
MSD	Perchlorate	25.0	20.2	UGL	80.8	(80-120)	
RPD_LCS	Perchlorate	94.400	96.400	UGL	2.1	(0-15)	
RPD_MS	Perchlorate	87.200	80.800	UGL	0.9	(0-15)	

QC Ref #374273

Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPKSMP	Spiked sample	Lab # 27	06260305	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	248	254	MGL		(0-10)	2.4
LCS1	Total Dissolved Solid (TDS)	175	178	MGL	101.7	(80-114)	
LCS2	Total Dissolved Solid (TDS)	700	698	MGL	99.7	(80-114)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	10	MGL	100.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	101.714	99.714	MGL	2.0	(0-20)	

QC Ref #374290

Perchlorate

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
MS	Spiked sample	Lab # 27	06270176	UGL		(0-0)	
LCS1	Perchlorate	25.0	25.7	UGL	102.8	(85-115)	
LCS2	Perchlorate	25.0	24.5	UGL	98.0	(85-115)	
LCS3	Perchlorate	4	3.68	UGL	92.0	(75-125)	
MBLK	Perchlorate	ND	<4.0	UGL			
MS	Perchlorate	25.0	20.6	UGL	82.4	(80-120)	
MSD	Perchlorate	25.0	21.8	UGL	87.2	(80-120)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
 Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
 are advisory only, unless otherwise specified in the method.



MWH Laboratories
A Division of MWH Americas, Inc.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Report
#208480

Tronox LLC - Henderson
(continued)

RPD_LCS	Perchlorate	102.800	98.000	UGL	4.8	(0-15)
RPD_MS	Perchlorate	82.400	87.200	UGL	1.1	(0-15)

QC Ref #375221 Total Dissolved Solid (TDS)

QC	Analyte	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPD (%)
AASPMSMF	Spiked sample	Lab # 27	07030318	MGL		(0-0)	
DUP	Total Dissolved Solid (TDS)	188	194	MGL		(0-10)	3.1
LCS1	Total Dissolved Solid (TDS)	175	162	MGL	92.6	(80-114)	
LCS2	Total Dissolved Solid (TDS)	700	686	MGL	98.0	(80-114)	
MBLK	Total Dissolved Solid (TDS)	ND	<10	MGL			
MRL_CHK	Total Dissolved Solid (TDS)	10.0	9	MGL	90.0	(50-150)	
RPD_LCS	Total Dissolved Solid (TDS)	92.571	98.000	MGL	5.7	(0-20)	

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
Criteria for MS and DUP are advisory only, batch control is based on LCS. Criteria for duplicates
are advisory only, unless otherwise specified in the method.

200480

CHAIN OF CUSTODY RECORD

MONTGOMERY WATSON LABORATORIES



MWLABS USE ONLY:

SAMPLES CHECKED/LOGGED IN BY: JS
 SAMPLE TEMP, RECEIPT AT LAB: 5°
 BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

LOGIN COMMENTS:
 750 Royal Oaks Ave., Suite 100, Monrovia, CA 91016
 (626) 386-1100 (800) 566-5227

TO BE COMPLETED BY SAMPLER:		PROJECT JOB # / P.O.#		REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES		(check for yes)	
TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX	GRAB	COMP	ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)
KERRMC/GEE-MP		Tronox LLC - Henderson Plant PO Box 55 Henderson, NV 89009					
SAMPLER: Michele Brown		Susan Crowley (702) 651-2200					
0530	6/25/07	ART-1	ART-1	RSW	X		CL04 X TD0 X CR X SBO - 12373 & 18787
0530	6/25/07	ART-2	ART-2	RSW	X		
0530	6/25/07	ART-3	ART-3	RSW	X		
0530	6/25/07	ART-4	ART-4	RSW	X		
0530	6/25/07	ART-5	ART-5	RSW	X		WOW DRY
0530	6/25/07	ART-6	ART-6	RSW	X		
0530	6/25/07	ART-7	ART-7	RSW	X		
0530	6/25/07	ART-8	ART-8	RSW	X		
0600	6/25/07	PC-99R2/R3	PC-99R2/R3	RSW	X		
0600	6/25/07	PC-115R	PC-115R	RSW	X		
0600	6/25/07	PC-116R	PC-116R	RSW	X		
0600	6/25/07	Seep Surface Flow	Seep Surface Flow	RSW	X		

* MATRIX TYPES: Reported by Volume: CFW = Chlor(am)inated Finished Water FW = Other Finished Water
 Reported by Weight: SO = Soil SL = Sludge
 RGW = Raw Ground Water CWW = Chlorinated Waste Water
 RSW = Raw Surface Water WW = Other Waste Water
 SW = Storm Water

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
RECEIVED BY:	<i>Michele Brown</i>	Michele Brown	Veolia Water for Tronox LLC - Henderson Plant	6/25/2007	1200pm
RELINQUISHED BY:	<i>Joe Sanchez</i>	JOE SANCHEZ	MWLAB	6/26/07	10:00am
RECEIVED BY:					



CHAIN OF CUSTODY RECORD

MONTGOMERY WATSON LABORATORIES

MWLABS USE ONLY:

750 Royal Oaks Ave, Suite 100, Monrovia, CA 91016

(626) 386-1100 (800) 566-5227

SAMPLES CHECKED/LOGGED IN BY: JS

SAMPLE TEMP, RECEIPT AT LAB: 5

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME		PROJECT JOB # / P.O.#		REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES																	
KERRMCGEE-MP		Tronox LLC - Henderson Plant LLC PO Box 55 Henderson, NV 89009		ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)																	
Sampler Signature: <u>Michele Brown</u>																					
Susan Crowley (702) 651-2200																					
TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX	GRAB	COMP	SAMPLER COMMENTS														
6:00	6/25/07		SF-1	RSW	X		Total ClO ₂ <u>X</u> or <u>X</u> DID NOT RUN														
6:00	6/25/07		PC-117	RSW	X																
6:00	6/25/07		PC-118	RSW	X																
6:00	6/25/07		PC-119	RSW	X																
6:00	6/25/07		PC-120	RSW	X																
6:00	6/25/07		PC-121	RSW	X																
6:00	6/25/07		PC-133	RSW	X																
5:30	6/25/07		ART-9	RSW	X																

* MATRIX TYPES:

Reported by Volume:
CFW = Chlor(ami)nated Finished Water
FW = Other Finished Water

RGW = Raw Ground Water
RSW = Raw Surface Water

CWW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

Reported by Weight:
SO = Soil
SL = Sludge

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
RECEIVED BY:	<u>Michele Brown</u>	Michele Brown	Veolia Water for Tronox LLC - Henderson Plant	6/25/2007	1200pm
RELINQUISHED BY:	<u>Joe Sanchez</u>	JOE SANCHEZ	MWH	6/27/07	10:00
RECEIVED BY:					



MWH Laboratories, a Division of MWH Americas, Inc.
750 Royal Oaks Avenue Suite 100
Monrovia CA 91016 (626) 386-1100 FAX (626) 386-1124

Bottle Order for Ironox LLC- Henderson Standing

Andrew Eaton Your MWL Project Manager
(626) 386-1125 Direct Phone/Voice Mail

Client Code KERRMCGEE-MP
Project Code CLO4
PO# / Job# GWREMEDIATION
Blanket PO

W Weekly
Week 1

SO# 36332 12373 RS

Sampler: Please Return this Paper with your samples

Created by 0
Order Date 05/21/07
Date Needed by Client
SHIP LOCATION

Ship Sample Kits to
Veolia Water-Tronox LLC
Gate 1
8000 West Lake Mead Drive
Henderson, NV 89015

Billing Address
Ironox LLC
Attn: Accounts Payable
PO BOX 268859
Oklahoma City, OK 73126-8859

ATTN: Susan Crowley
PHONE: 702-651-2234

ATTN: Susan Crowley
PHONE: 702-651-2234
FAX: 702-651-2310

Quote#

of Samples Tests

Bottles-Qty for each sample, type & preservative if any

UN#

Important Comments

# of Samples	Tests	Bottles-Qty for each sample, type & preservative if any	UN#	Important Comments
30	CLO4, TDS,	1 250 ml poly /no preservative	-	Per Ed Krish 7-4-06 all samples will be TDS in lieu of EC
-	SHEET OF LABELS WITH WELL-IDS	see comments section	-	PC-117, PC-118, PC-119, PC-120, and PC-121
-			-	PC-116R
-			-	PC-99R2
-			-	PC-99R3
-			-	PC-115R
-			-	ART-1
-			-	ART-2
-			-	ART-3
-			-	ART-4
-			-	ART-5
-			-	ART-6
-			-	ART-7
-			-	ART-8
-			-	Seep Surface Flow
-			-	SF-1"
-			-	Do NOT prelabel bottles with site, but provide pre-printed labels for client to stick on
-			-	EXTRA BOTTLES INCLUDED
-			-	client code changed 7/25/03
-			-	Testcode updated 3-16-06
-			-	standing order changed 6-14-06
-			-	login note added 7-6-06
-			-	TDS

Prepared By

Tracking Number

Qty of Coolers

Carrier

Date Shipped

Status

ActiveCode

SCANNED

THIS MEMORANDUM is an acknowledgement that a Bill of Lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

SHIPPER'S NUMBER: 142654

RECEIVED subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading.

From: TRONOX LLC

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said Carrier (the word Carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another Carrier on the route to said destination. It is mutually agreed, as to each Carrier of all or any said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said Bill of Lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the Shipper and accepted for himself and his assigns.

SCANNED

CARRIER Federal Express		Date 06/25/07	FROM NO. STATION: STATE Henderson, NV 89015
MWH LABORATORIES 750 Royal Oaks Avenue, Suite #100 Monrovia, CA 91016-3629 Phone: 626-568-6400		Authorization S. CROWLEY	
FREIGHT CHARGES <input checked="" type="checkbox"/> Prepaid <input type="checkbox"/> Collect		FULL NAME OF SHIPPER TRONOX LLC	
NAR		CUSTOMER PO OR REQ'N NO.	CODE NO. WCN IS 1321.10400
SHIPPED FROM Henderson, NV		If it moves between two ports by water, the law requires that the Bill of Lading shall state whether it is Carrier's or Shippers weight.	
LINE NO.	DESCRIPTION AND CLASSIFICATION	STOCK NO.	TOTAL QUANTITY
	Weekly ART and PC Well Samples Not Regulated One ice chest @ 30 lbs		1 COOLER
TRUCK SHIPMENTS PLACARDS OFFERED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO PLACARDS ACCEPTED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO			Subject to Section 7 of Conditions of applicable Bill of Lading, if this shipment is to be delivered to the Consignee without recourse on the Consignor, the Consignor shall sign the following statement: The Carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. TRONOX LLC
NUMBER OF PACKAGES	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
1	30	0	30
NOTE: Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per			FOR CHEMICAL EMERGENCY-SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC - DAY OR NIGHT 800-424-9300 483-7616 IN DISTRICT OF COLUMBIA 202-483-7616 FROM OUTSIDE THE CONTINENTAL US.
THIS IS TO CERTIFY THAT THE ABOVE-NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.			
TRONOX LLC Shipper permanent post office address of shipper, PO Box 268859, Oklahoma City, OK 73126-8859	PER Olga Maestas	AGENT	PER

From: Origin ID: LASA (702)651-2230
 TRONOX LLC
 TRONOX LLC
 8000 LAKE MEAD PARKWAY
 SHIPPING DEPARTMENT
 HENDERSON, NV 89015



Ship Date: 26JUN07
 ActWgt: 30 LB
 System#: 2274147/INET2600
 Account#: S *****

Delivery Address Bar Code




Ref # MSO #142654
 Invoice #
 PO #
 Dept #

SHIP TO: (626)568-8400 **BILL SENDER**

**ATTN: SAMPLE RECEIVING
 MONTGOMERY WATSON LABS
 750 ROYAL OAKS DR # 100**

MONROVIA, CA 910163629




TRK# 7925 1083 2539
 0201

**TUE - 26JUN A2
 PRIORITY OVERNIGHT**

QZ-WHPA

**BUR
 CA-US
 91016**



SCANNED

Shipping Label: Your shipment is complete

1. Use the 'Print' feature from your browser to send this page to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

MWH Laboratories

750 Royal Oaks Drive, Monrovia, CA 91016

PHONE: 626-386-1100/FAX: 626-386-1101

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Tronox LLC - Henderson
 PO Box 55
 Henderson, NV 89009
 Attn: Susan Crowley
 Phone: 702-651-2234

Customer Code: KERRMCGEE-MP
 PO#: Susan Crowley PO
 Group#: 208480
 Project#: CLO4
 Proj Mgr: Andrew Eaton
 Phone: (626) 386-1125

The following samples were received from you on **06/26/07**. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
2706260032	ART-1	CLO4 TDS	Water	25-jun-2007 05:30:00
2706260033	ART-2	CLO4 TDS	Water	25-jun-2007 05:30:00
2706260034	ART-3	CLO4 TDS	Water	25-jun-2007 05:30:00
2706260035	ART-4	CLO4 TDS	Water	25-jun-2007 05:30:00
2706260036	ART-6	CLO4 TDS	Water	25-jun-2007 05:30:00
2706260037	ART-7	CLO4 TDS	Water	25-jun-2007 05:30:00
2706260038	ART-8	CLO4 TDS	Water	25-jun-2007 05:30:00
2706260039	PC-99R2/R3	CLO4 TDS	Water	25-jun-2007 06:00:00
2706260040	PC-115R	CLO4 TDS	Water	25-jun-2007 06:00:00
2706260041	PC-116R	CLO4 TDS	Water	25-jun-2007 06:00:00
2706260042	PC-117	CLO4 TDS	Water	25-jun-2007 06:00:00
2706260043	PC-118	CLO4 TDS	Water	25-jun-2007 06:00:00
2706260044	PC-119	CLO4 TDS	Water	25-jun-2007 06:00:00
2706260045	PC-120	CLO4 TDS	Water	25-jun-2007 06:00:00
2706260046	PC-121	CLO4 TDS	Water	25-jun-2007 06:00:00
2706260047	PC-133	CLO4 TDS	Water	25-jun-2007 06:00:00
2706260048	ART-9	CLO4 TDS	Water	25-jun-2007 05:30:00

Test Acronym Description

Test Acronym Description

CLO4

Perchlorate

TDS

Total Dissolved Solid (TDS)
