

TRONOX

William K. Taylor
Production Manager

(702) 651-2235
Fax (405) 302-4607
bill.taylor@tronox.com

April 25, 2008

NPDES Compliance Coordinator
Nevada Division of Environmental Protection
Bureau of Water Permits & Compliance
901 South Stewart Street, Suite 4001
Carson City, NV 89701-5249

SUBJECT: First Quarter 2008 DMR - NPDES Permit # NV0000078

Tronox LLC (Tronox) maintains an NPDES Permit #NV0000078 covering its production operations in Henderson, Nevada. The attached Discharge Monitoring Reports (Attachment 1) reflect discharge from the Tronox Henderson facility as monitored by NPDES equipment. Stabilized water, from water leaks, discharged through the outfall collection systems for brief periods and are quantified in Table 1a, below. Storm water discharge is quantified in Table 1b, below.

Table 1a. Non-Storm Flow Totals

Outfall	January Flow (thousands of gallons)	February Flow (thousands of gallons)	March Flow (thousands of gallons)
001	40.8	0 ^a	0
002	2.8 ^b	1.1 ^b	0
003	0	0	0

Table 1b. Stormwater Flow Totals

Outfall	January Flow (thousands of gallons)	February Flow (thousands of gallons)	March Flow (thousands of gallons)
001	45.7	0	0
002	6.7	0	0
003	0	0	0

^a Although minor flows were recorded on the flow meter, due to the low flows & overall length of the onsite storm water ditch, water was contained onsite and was not discharged off site.

^b Needed to pull grab samples due to low flow conditions.

Analytical associated with outfall flow is attached to this report. Should you have any questions concerning this report, please contact Susan M. Crowley at (702) 651-2234 or e-mail susan.crowley@tronox.com. Thank you.

Sincerely,



William K. Taylor
Production Manager

Overnight Mail

cc: Susan Crowley
Elizabeth Hurst
Mr. Carey Houk (W-5-3)/U.S. EPA Region 9
Attachments

Tronox LLC

8000 West Lake Mead Parkway, Henderson, Nevada 89015 • P.O. Box 55, Henderson, Nevada 89009

ATTACHMENT 1

**Discharge Monitoring
Reports**

January 2008

February 2008

March 2008

Discharge Monitoring Report

January 2008

PERMITTEE NAME/ADDRESS:
NAME: Tronox LLC
ADDRESS: PO Box 55
Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
001 A
DISCHARGE NUMBER
NV00000078
PERMIT NUMBER

DISCHARGE - 001
F - FINAL
MAJOR


FACILITY: Tronox LLC
LOCATION: BMI Park - Henderson
Attn: Susan Crowley

MONITORING PERIOD
FROM 08 | 01 | 01 TO 08 | 01 | 31

NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING						QUALITY OR CONCENTRATION						NO. EX	FREQ. OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT	MINIMUM	AVERAGE	MAXIMUM					
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	****	8	19	****	****	8	19	(04)	0			
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	****	33 30DA AVG	37 DAILY MX	*****	*****	33 30DA AVG	37 DAILY MX	DEG. C	0	CONTINUOUS	RCORDR	
pH	*****	*****	*****	*****	*****	*****	8.0	*****	*****	8.2	(12)	0			
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	****	*****	*****	6.0 MINIMUM	*****	*****	9.0 MAXIMUM	SU	0	ONCE/DISCHG	DISCRT	
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.006	0.023	(03)	*****	*****	*****	*****	*****	*****	*****	****	0	CONTINUOUS	RCORDR	
50050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	*****	*****	*****	*****	****	0			
SOLIDS, TOTAL DISSOLVED	2.7	19.1	(26)	*****	*****	*****	*****	*****	*****	*****	(19)	0			
70295 > 0 0 INCREASE (NOT END OF PIPE)	1000 30DA AVG	REPORT DAILY MX	LBS/DY	*****	*****	*****	*****	*****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT	
PERCHLORATE (ClO4)	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	(19)	0			
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT	
	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	(19)	0			
	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT	
	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT	
	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT	

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
William K. Taylor
Production Manager
TYPED OR PRINTED
OFFICER OR AUTHORIZED AGENT
702-651-2200
702-651-2200
88 | 04 | 25
08 | 04 | 25
TELEPHONE
AREA CODE NUMBER
YEAR MO DAY
Signature: 

Form by WindowClient(07)654-0845.ppt 1080.v5.01/4/08
F - FINAL
MAJOR

PERMITTEE NAME/ADDRESS:
 NAME: Trolox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000


NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 NV0000078
 PERMIT NUMBER
 002 A
 DISCHARGE NUMBER

DISCHARGE 002
 F - FINAL
 MAJOR

FACILITY: Trolox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 08 | 01 | 01 TO 08 | 01 | 31

NO DISCHARGE
 NOTE: Read instructions before completing this form

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			UNIT	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TEMPERATURE, WATER	PERMIT REQUIREMENT	*****	*****	*****	*****	13	15	(04)	0	CONTIN. RECORD
DEG. CENTIGRADE	PERMIT REQUIREMENT	*****	*****	*****	*****	33 30DA AVG	37 37 DAILY MX	DEG. C	0	
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	*****	*****	8.0	8.4	(12)	0	
pH	PERMIT REQUIREMENT	*****	*****	*****	*****	8.0	9.0	SU	0	ONCE/DISCHG
00400 1 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	MINIMUM	MAXIMUM		0	
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	<0.001	<0.001	(03)	*****	*****	*****		0	
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****		0	
50050 1 0 0	PERMIT REQUIREMENT	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD (26)	*****	*****	*****		0	
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	0.005	0.032		*****	3.0	14.0	(19)	0	
SOLIDS, TOTAL DISSOLVED	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****		0	
70295 > 0 0	PERMIT REQUIREMENT	1000 30DA AVG	REPORT DAILY MX	LBS/DY	*****	*****	*****		0	
INCREASE (NOT END OF PIPE)	SAMPLE MEASUREMENT	*****	*****	*****	*****	ND	ND	(19)	0	
PERCHLORATE (ClO4)	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****		0	
61209 1 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****		0	
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****		0	
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****		0	
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****		0	
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****		0	
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****		0	
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER										
CAREER UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER THE PERSONAL SUPERVISION AND CONTROL OF THE PRINCIPAL EXECUTIVE OFFICER AND THE PERSON OR PERSONS WHO MANAGE THE SYSTEM OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR OPERATING THE INSTALLATION. THE EMPLOYEE NUMBERED IN TO THE BEST OF MY KNOWLEDGE AND BELIEF THAT ACCURATE AND COMPLETE INFORMATION HAS BEEN PROVIDED TO THE BEST OF MY ABILITY. I AM NOT PROVIDING THIS INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPROVEMENT FOR KNOWING VIOLATION.										
Production Manager					 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OF AUTHORIZED AGENT					
TYPED OR PRINTED					OFFICER OF AUTHORIZED AGENT					
COMMENT AND EXPLANATION OF ANY VIOLATIONS					(Reference all attachments here)					
TELEPHONE			DATE			AREA CODE NUMBER		YEAR, MO, DAY		
702-651-2200			08 04 25			702-651-2200		08 04 25		

PERMITTEE NAME/ADDRESS: Tronox LLC
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 001 B
 001 STORMWATER MONITORING
 DISCHARGE NUMBER

F - FINAL
 MAJOR
 NO DISCHARGE

MONITORING PERIOD
 FROM 08 | 01 | 01 TO 08 | 01 | 31

PERMIT NUMBER
 NV0000078

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****		8.6	*****	(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	REPORT MAXIMUM	SU	0	ONCE/DISCHG	DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	*****	(19)	0		
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/DISCHG	DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****	(19)	0		
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/DISCHG	DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****	(19)	0		
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/DISCHG	DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****	(19)	0		
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/DISCHG	DISCRT
OIL AND GREASE	*****	*****	****	*****	*****	(19)	0		
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	*****	*****	****	*****	*****	MG/L	0		
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	(19)	0		
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER	*****	*****	(03)	*****	*****	MGD	0		
William K. Taylor Production Manager	*****	*****	****	*****	*****	*****	0	ONCE/DISCHG	DISCRT
TYPED OR PRINTED	*****	*****	****	*****	*****	*****	0	ONCE/DISCHG	DISCRT
COMMENT AND EXPLANATION OF ANY VIOLATIONS				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			TELEPHONE DATE		
				OFFICER OR AUTHORIZED AGENT			702-651-2200 08 04 25		

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED UNDER COVER OF THIS PERMIT. I AM AWARE THAT THE INFORMATION SUBMITTED TO THE AGENCY IS MY BEST KNOWLEDGE AND BELIEF, ACCURATE AND COMPLETE. I AM AWARE THAT THE INFORMATION SUBMITTED IS SUBJECT TO INSPECTION AND VERIFICATION, INCLUDING THE POSSIBILITY OF FINE AND PENALTIES FOR VIOLATIONS OF THE PERMIT CONDITIONS.

(Reference all attachments here)

00044/961223-1801

FORM 845 (Rev. 01/2015)

PAGE 1 OF 2

**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)**

PERMITTEE NAME/ADDRESS: **Tronox LLC**
 NAME: **PO Box 55**
 ADDRESS: **Henderson, NV 89009-7000**
 DISCHARGE MONITORING REPORT (DMR) **001 B**
 PERMIT NUMBER: **NV0000078** DISCHARGE NUMBER: **001 B**


FACILITY: **Tronox LLC** MAJOR **NO DISCHARGE**
 LOCATION: **BMI Park - Henderson**
 Attn: **Susan Crowley**
 F - FINAL
 MONITORING PERIOD: FROM **08 | 01 | 01** TO **08 | 01 | 31**

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING				QUALITY OR CONCENTRATION				NO. EX	FREQ. OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT	NO. EX			
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	(19)	*****	0		
	PERMIT REQUIREMENT	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	560	*****	0	ONCE/DISCH	
70295 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	*****	*****	78	(19)	*****	0		
	PERMIT REQUIREMENT	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	78	*****	0	ONCE/DISCH	
CHEMICAL OXYGEN DEMAND (COD)	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.349	(19)	*****	0		
	PERMIT REQUIREMENT	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	0.349	*****	0	ONCE/DISCH	
81017 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.349	(19)	*****	0		
	PERMIT REQUIREMENT	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	0.349	*****	0	ONCE/DISCH	
PERCHLORATE (ClO4)	SAMPLE MEASUREMENT	*****	*****	*****	*****			*****			
	PERMIT REQUIREMENT	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG		*****		ONCE/DISCH	
61209 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	*****	*****			*****			
	PERMIT REQUIREMENT	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG		*****		ONCE/DISCH	
	SAMPLE MEASUREMENT	*****	*****	*****	*****			*****			
	PERMIT REQUIREMENT	*****	*****	****	*****			*****		ONCE/DISCH	
	SAMPLE MEASUREMENT	*****	*****	*****	*****			*****			
	PERMIT REQUIREMENT	*****	*****	****	*****			*****		ONCE/DISCH	
	SAMPLE MEASUREMENT	*****	*****	*****	*****			*****			
	PERMIT REQUIREMENT	*****	*****	****	*****			*****		ONCE/DISCH	

I CERTIFY UNDER PENALTY OF LAW THAT THIS INCIDENT AND ALL ATTACHMENTS WERE PREPARED AND SUBMITTED IN ACCORDANCE WITH THE INFORMATION PROVIDED TO ME BY THE PERSONS WHO MANAGE THE SYSTEM OF THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF THE ANNUAL IMPROVEMENT FOR EXISTING VIOLATIONS.

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
William K. Taylor
Production Manager
 TYPED OR PRINTED

OFFICER OR AUTHORIZED AGENT

 SIGNATURE OF PRINCIPAL EXECUTIVE

TELEPHONE: **702-651-2200** DATE: **08 | 04 | 25**
 AREA CODE NUMBER: **702-651-2200** YEAR: **08** MO: **04** DAY: **25**

COMMENT AND EXPLANATION OF ANY VIOLATIONS: _____ (Reference all attachments here)

PERMITTEE NAME/ADDRESS: Tronox LLC
 NAME: PO Box 55
 ADDRESS: Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 NV0000078
 PERMIT NUMBER

002 B
 DISCHARGE NUMBER

002 STORMWATER MONITORING
 F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 08 | 01 | 01 TO 08 | 01 | 31

NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	7.8	*****	7.8	(12)	0	
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	*****	REPORT MAXIMUM	SU	0	ONCE/DISCHG
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	*****	70	(19)	0	
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL REPORT DAILY MX	MG/L	0	ONCE/DISCHG
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****	1.2	(19)	0	
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL REPORT DAILY MX	MG/L	0	ONCE/DISCHG
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****	0.62	(19)	0	
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL REPORT DAILY MX	MG/L	0	ONCE/DISCHG
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****	0.09	(19)	0	
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL REPORT DAILY MX	MG/L	0	ONCE/DISCHG
OIL AND GREASE	*****	*****	****	*****	*****	6.3	(19)	0	
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL REPORT DAILY MX	MG/L	0	ONCE/DISCHG
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.007	0.007	(03)	*****	*****	*****	****	0	CONTIN UOUS
50050 1 0 0 EFFLUENT GROSS VALUE	REPORT 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	****	0	*****
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER	I HEREBY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY SUPERVISION AND TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE ACCORDING TO THE INFORMATION SUBMITTED TO THE STATE OF NEVADA. I AM RESPONSIBLE FOR OBTAINING THE NECESSARY INFORMATION AND FOR THE ACCURACY OF THE INFORMATION SUBMITTED TO THE STATE OF NEVADA. I AM RESPONSIBLE FOR OBTAINING THE NECESSARY INFORMATION AND FOR THE ACCURACY OF THE INFORMATION SUBMITTED TO THE STATE OF NEVADA. I AM RESPONSIBLE FOR OBTAINING THE NECESSARY INFORMATION AND FOR THE ACCURACY OF THE INFORMATION SUBMITTED TO THE STATE OF NEVADA.								
William K. Taylor Production Manager	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT								
TYPED OR PRINTED	OFFICER OR AUTHORIZED AGENT								
COMMENT AND EXPLANATION OF ANY VIOLATIONS	(Reference all attachments here)								
TELEPHONE	702-861-2200								
AREA CODE NUMBER	702-861-2200								
YEAR	08 04 25								
MO									
DAY									

PERMITTEE NAME/ADDRESS:
 Tritox LLC
 PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
 NV0000078
 PERMIT NUMBER

002 B
 DISCHARGE NUMBER

F - FINAL

MAJOR
 NO DISCHARGE

MONITORING PERIOD
 FROM 08 | 01 | 01 TO 08 | 01 | 31

FACILITY: Tritox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING				QUALITY OR CONCENTRATION				NO. EX	FREQ. OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT				
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	510	510	(19)	0			
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT	
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****	50	50	(19)	0			
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT	
PERCHLORATE (CIO4)	*****	*****	****	*****	0.467	0.467	(19)	0			
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX	MG/L	0	ONCE/ DISCHG	DISCRT	
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											

NAME / TITLE: PRINCIPAL EXECUTIVE OFFICER
 William K. Taylor
 Production Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OR AUTHORIZED AGENT

TELEPHONE
 702-651-2200
 AREA CODE NUMBER
 702-651-2200
 DATE
 08 | 04 | 25
 YEAR MO DAY

(Reference all attachments here)

COMMENT AND EXPLANATION OF ANY VIOLATIONS

PERMITTEE NAME/ADDRESS: Tronox LLC
 NAME: PO Box 55
 ADDRESS: Henderson, NV 89009-7000

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

003 B
 DISCHARGE NUMBER

NV0000078
 PERMIT NUMBER

003 STORMWATER MONITORING

F - FINAL

MAJOR

MONITORING PERIOD

FROM 08 | 01 | 01 TO 08 | 01 | 31

NO DISCHARGE

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****	****	*****	*****	(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	REPORT MAXIMUM	SU	0	ONCE/ DISCHG	DISCRT
SULFATE, TOTAL (AS SO4)	*****	*****	****	*****	*****	(19)	0		
00945 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/ DISCHG	DISCRT
MANGANESE, TOTAL (AS MN)	*****	*****	****	*****	*****	(19)	0		
01055 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/ DISCHG	DISCRT
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	*****	(19)	0		
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/ DISCHG	DISCRT
PERCHLORATE (CLO4)	*****	*****	****	*****	*****	(19)	0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/ DISCHG	DISCRT

TELEPHONE

DATE

702-851-2200 08 | 04 | 25

AREA CODE NUMBER YEAR MO DAY

OFFICER OR AUTHORIZED AGENT

SIGNATURE OF PRINCIPAL EXECUTIVE

Firms By WindowChem(707)864-0845;pin11080;v5.01-4/198

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
William K. Taylor

PRODUCTION MANAGER
Production Manager

TYPED OR PRINTED

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 No Discharge

(Reference all attachments here)

00044/961223-1801

PAGE 1 OF 1

Discharge Monitoring Report

February 2008

PERMITTEE NAME/ADDRESS: Tronox LLC
 NAME: PO Box 55
 ADDRESS: Henderson, NV 89009-7000

DISCHARGE MONITORING REPORT (DMR)
 001 A
 DISCHARGE NUMBER

DISCHARGE - 001
 F - FINAL
 MAJOR

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 08 | 02 | 01 TO 08 | 02 | 29

NO DISCHARGE
 NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. FREQUENCY OF EX ANALYSIS	SAMPLE TYPE	
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			UNIT
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	*****		(04)	0		
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	33 30DA AVG	DAILY MX	0	CONTIN UOUS	
pH	*****	*****		*****		(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	6.0 MINIMUM	SU	0	ONCE/ DISCHG	
FLOW, IN CONDUIT OR THRU TREATMENT PLANT			(03)				0		
50050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL REPORT 30DA AVG	REPORT DAILY MX	MGD	*****	*****	****	0	CONTIN UOUS	
SOLIDS, TOTAL DISSOLVED			(26)				0		
70295 > 0 0 INCREASE (NOT END OF PIPE)	OPTIONAL REPORT 30DA AVG	REPORT DAILY MX	LBS/DY	*****	*****	(19)	0	ONCE/ DISCHG	
PERCHLORATE (CIO4)	*****	*****	****	*****	*****	MG/L	0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L	0	ONCE/ DISCHG	
	*****	*****	****	*****	*****	MG/L	0	ONCE/ DISCHG	
	*****	*****	****	*****	*****	MG/L	0	ONCE/ DISCHG	
	*****	*****	****	*****	*****	MG/L	0	ONCE/ DISCHG	
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER	SIGNATURE OF PRINCIPAL EXECUTIVE							TELEPHONE	DATE
William K. Taylor	OFFICER OR AUTHORIZED AGENT							702-651-2200	08 04 25
Production Manager								AREA CODE NUMBER	YEAR MO DAY
TYPED OR PRINTED									

REQUEST UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED AND SUBMITTED IN ACCORDANCE WITH THE PERMIT REQUIREMENTS OF THE PERMITTING AGENCY. THE INFORMATION SUBMITTED HEREON IS THE PROPERTY OF THE PERMITTING AGENCY AND IS TO BE KEPT CONFIDENTIAL AND NOT BE DISCLOSED TO ANY OTHER PARTY WITHOUT THE WRITTEN CONSENT OF THE PERMITTING AGENCY. THE PERMITTEE ACCEPTS RESPONSIBILITY FOR THE ACCURACY AND COMPLETENESS OF THE INFORMATION SUBMITTED AND BELIEVES IT TO BE TRUE, ACCURATE, AND COMPLETE. THE PERMITTEE ACCEPTS RESPONSIBILITY FOR OBTAINING ALL NECESSARY PERMITS AND FOR OBTAINING ALL NECESSARY INFORMATION, INCLUDING THE POSSIBILITY OF HAZARDOUS MATERIALS, BEFORE CONSTRUCTION OF THE FACILITY. THE PERMITTEE ACCEPTS RESPONSIBILITY FOR OBTAINING ALL NECESSARY PERMITS AND FOR OBTAINING ALL NECESSARY INFORMATION, INCLUDING THE POSSIBILITY OF HAZARDOUS MATERIALS, BEFORE CONSTRUCTION OF THE FACILITY.

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 Note 1: Composite sampler was unable to capture sample due to extremely low flow.
 Note 2: Temperature indicator failed. Repairs have been scheduled. Once through cooling water was not discharged during this quarter.

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 002 A
 DISCHARGE NUMBER
 NV0000078
 PERMIT NUMBER

DISCHARGE 002
 F - FINAL
 MAJOR

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley


MONITORING PERIOD
 FROM 08 | 02 | 01 TO 08 | 02 | 29

NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TEMPERATURE, WATER DEG. CENTIGRADE	*****	*****	****	*****	12	14	0		
00010 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	33 30DA AVG	37 DAILY MX	0	CONTINUOUS	RCORROR
pH	*****	*****		7.6	*****	8.5	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM	0	ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	0.0002	0.0004	(03)	*****	*****	*****	0		
50050 1 0 0 EFFLUENT GROSS VALUE	OPTIONAL 30DA AVG	REPORT DAILY MX	MGD	*****	*****	*****	0	CONTINUOUS	RCORROR
SOLIDS, TOTAL DISSOLVED	0.02	0.10	(26)	*****	16	30	0		
70295 > 0 0 INCREASE (NOT END OF PIPE)	1000 30DA AVG	REPORT DAILY MX	LBS/DY	*****	REPORT 30DA AVG	REPORT DAILY MX	0	ONCE/DISCHG	DISCRT
PERCHLORATE (ClO4)	*****	*****		*****	0.010	0.016	0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	REPORT DAILY MX		ONCE/DISCHG	DISCRT
	*****	*****	****	*****	*****	*****			
	*****	*****	****	*****	*****	*****		ONCE/DISCHG	DISCRT
	*****	*****	****	*****	*****	*****			
	*****	*****	****	*****	*****	*****		ONCE/DISCHG	DISCRT

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
 William K. Taylor
 Production Manager
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER


OFFICER OR AUTHORIZED AGENT

702-861-2200
 AREA CODE NUMBER

08 | 04 | 25
 YEAR MO DAY

TELEPHONE

Forms by WindowChem(707)861-0645; pmt1090.v5 07/14/95

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 (Reference all attachments here)

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)
 001 B
 DISCHARGE NUMBER

001 STORMWATER MONITORING

F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 08 | 02 | 01 TO 08 | 02 | 29

MAJOR

NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****			*****	(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	*****	SU	0	ONCE/ DISCHG	DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	*****	(19)	0		
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/ DISCHG	DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****	(19)	0		
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/ DISCHG	DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****	(19)	0		
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/ DISCHG	DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****	(19)	0		
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/ DISCHG	DISCRT
OIL AND GREASE	*****	*****	****	*****	*****	(19)	0		
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA AVG	MG/L	0	ONCE/ DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT			(03)		*****	MG/L	0		
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	MGD	*****	*****	MG/L	0	CONTIN UOUS	RCORDR
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER	REPORT 30DA AVG			REPORT DAILY MX	*****			TELEPHONE	DATE
William K. Taylor	*****			*****	*****			702-651-2200	08 04 25
Production Manager	*****			*****	*****			AREA CODE NUMBER	YEAR MO DAY
TYPED OR PRINTED	*****			*****	*****			702-651-2200	08 04 25
OFFICER OR AUTHORIZED AGENT	*****			*****	*****			702-651-2200	08 04 25
Signature	*****			*****	*****			702-651-2200	08 04 25

PERMISSION TO DISCLOSE INFORMATION TO THE PUBLIC IS HEREBY GRANTED BY THE U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA) TO ANY PERSON WHO PROVIDES A WRITTEN REQUEST TO THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PROGRAM. THIS INFORMATION IS BEING MADE AVAILABLE TO THE PUBLIC TO ASSIST IN THE ENFORCEMENT OF THE CLEAN WATER ACT (CWA). THE INFORMATION IS BEING MADE AVAILABLE TO THE PUBLIC TO ASSIST IN THE ENFORCEMENT OF THE CWA. THE INFORMATION IS BEING MADE AVAILABLE TO THE PUBLIC TO ASSIST IN THE ENFORCEMENT OF THE CWA.

(Reference all attachments here)

COMMENT AND EXPLANATION OF ANY VIOLATIONS

Note: The reported sample analyses are based on a composite storm water event that ran from 1/30/07 to 12/3/07.

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)
 002 B
 DISCHARGE NUMBER

002 STORMWATER MONITORING

F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 08 | 02 | 01 TO 08 | 02 | 29

MAJOR NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			UNIT	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
pH	*****	*****		*****	*****		(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	*****	REPORT MAXIMUM	SU	0	ONCE/DISCHG	DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****		*****	*****		(19)	0		
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL 30DA AVG DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****		(19)	0		
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL 30DA AVG DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****		(19)	0		
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL 30DA AVG DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****		(19)	0		
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL 30DA AVG DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
OIL AND GREASE	*****	*****		*****	*****		(19)	0		
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL 30DA AVG DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT			(03)							
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL 30DA AVG DAILY MX	MG/L	0	ONCE/DISCHG	DISCRT
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER	REPORT 30DA AVG DAILY MX			REPORT 30DA AVG DAILY MX			*****	****	CONTIN UOUS	DATE
William K. Taylor	REPORT 30DA AVG DAILY MX			REPORT 30DA AVG DAILY MX			*****	****	CONTIN UOUS	08 04 25
Production Manager	REPORT 30DA AVG DAILY MX			REPORT 30DA AVG DAILY MX			*****	****	CONTIN UOUS	702-651-2200
TYPED OR PRINTED	REPORT 30DA AVG DAILY MX			REPORT 30DA AVG DAILY MX			*****	****	CONTIN UOUS	AREA CODE NUMBER
	REPORT 30DA AVG DAILY MX			REPORT 30DA AVG DAILY MX			*****	****	CONTIN UOUS	YEAR MO DAY
	REPORT 30DA AVG DAILY MX			REPORT 30DA AVG DAILY MX			*****	****	CONTIN UOUS	8845;gmt1096;v.01;4/1/96

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 Note: The reported sample analyses are based on a composite sample of a single storm water event that ran from 11/30/07 to 12/3/07.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)
 002 B
 DISCHARGE NUMBER

DISCHARGE MONITORING REPORT (DMR)
 002 B
 DISCHARGE NUMBER

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 PO Box 55
 Henderson, NV 89009-7000

F - FINAL

FACILITY: Tronox LLC
LOCATION: BMI Park - Henderson
Attn: Susan Crowley

MONITORING PERIOD
 FROM 08 | 02 | 01 TO 08 | 02 | 29

NO DISCHARGE X

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			UNIT	NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	*****	(19)	0	ONCE/DISCHG	DISCRT	
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	REPORT DAILY: MX	MG/L	0	ONCE/DISCHG	DISCRT	
CHEMICAL OXYGEN DEMAND (COD)	*****	*****	****	*****	OPTIONAL 30DA: AVG	(19)	0	ONCE/DISCHG	DISCRT	
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA: AVG	MG/L	0	ONCE/DISCHG	DISCRT	
PERCHLORATE (ClO4)	*****	*****	****	*****	OPTIONAL 30DA: AVG	(19)	0	ONCE/DISCHG	DISCRT	
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL 30DA: AVG	MG/L	0	ONCE/DISCHG	DISCRT	

NAME / TITLE: **PRINCIPAL EXECUTIVE OFFICER**
William K. Taylor
Production Manager
 TYPED OR PRINTED

Signature of William K. Taylor
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: _____ DATE: _____

702-651-2200

08 | 04 | 25
 YEAR MO DAY

AREA CODE NUMBER: 702-651-2200

Formis by WinDocChem(207)994-0845; pm11696-v6.01-4/196

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 Note: The reported sample analyses are based on a composite sample of a single storm water event that ran from 11/30/07 to 12/3/07.

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 NAME: PO Box 55
 ADDRESS: Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 003 B
 DISCHARGE NUMBER

003 STORMWATER MONITORING
 F - FINAL


FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 08 | 02 | 01 TO 08 | 02 | 29

MAJOR
 NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING				QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT				
pH	*****	*****			*****		(12)		0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	*****	REPORT MAXIMUM	SU		0	ONCE/DISCHG	DISCRT
SULFATE, TOTAL (AS SO4)	*****	*****	****	*****	*****		(19)		0		
00945 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL REPORT DAILY MX	MG/L		0	ONCE/DISCHG	DISCRT
MANGANESE, TOTAL (AS MN)	*****	*****	****	*****	*****		(19)		0		
01055 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL REPORT DAILY MX	MG/L		0	ONCE/DISCHG	DISCRT
SOLIDS, TOTAL DISSOLVED	*****	*****	****	*****	*****		(19)		0		
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL REPORT DAILY MX	MG/L		0	ONCE/DISCHG	DISCRT
PERCHLORATE (CLO4)	*****	*****	****	*****	*****		(19)		0		
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	OPTIONAL REPORT DAILY MX	MG/L		0	ONCE/DISCHG	DISCRT
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
SAMPLE MEASUREMENT											
PERMIT REQUIREMENT											
TELEPHONE								702-651-2200	AREA CODE NUMBER	08 04 25	YEAR MO. DAY

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
 William K. Taylor
 Signature: 
 TYPED OR PRINTED
 OFFICER OR AUTHORIZED AGENT

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 No Discharge

(Reference all attachments here)

Discharge Monitoring Report

March 2008

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 001 A
 DISCHARGE NUMBER

DISCHARGE - 001

F - FINAL
 MAJOR

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 08 | 03 | 01 TO 08 | 03 | 31

NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. FREQUENCY OF EX ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM		
TEMPERATURE, WATER DEG. CENTIGRADE	SAMPLE MEASUREMENT	*****	*****		*****			0	
00010 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	33	37	30DA AVG DAILY MIX	CONTINUOUS	RECORD
pH	SAMPLE MEASUREMENT	*****	*****		*****			0	
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.0	9.0	MINIMUM MAXIMUM	ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT			(03)	*****	*****		0	
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	OPTIONAL REPORT 30DA AVG	REPORT DAILY MIX	MGD	*****	*****		CONTINUOUS	RECORD
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT			(26)	*****			0	
70295 > 0 0 INCREASE (NOT END OF PIPE)	PERMIT REQUIREMENT	1000 30DA AVG	REPORT DAILY MIX	LBS/DY	*****	*****	REPORT 30DA AVG DAILY MIX	ONCE/DISCHG	DISCRT
PERCHLORATE (C104)	SAMPLE MEASUREMENT	*****	*****		*****			0	
61209 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	OPTIONAL REPORT 30DA AVG DAILY MIX	ONCE/DISCHG	DISCRT
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	****	*****	*****		ONCE/DISCHG	DISCRT
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	****	*****	*****		ONCE/DISCHG	DISCRT
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	****	*****	*****		ONCE/DISCHG	DISCRT

William K. Taylor
 Signature of Principal Executive

OFFICER OR AUTHORIZED AGENT

NAME / TITLE: PRINCIPAL EXECUTIVE OFFICER
 William K. Taylor
 Production Manager
 TYPED OR PRINTED

TELEPHONE: 702-651-2200
 DATE: 08 | 04 | 25
 AREA CODE NUMBER: 702-651-2200
 YEAR: 08 MO: 04 DAY: 25

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 002 A
 DISCHARGE NUMBER

DISCHARGE 002
 F - FINAL
 MAJOR

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley
 MONITORING PERIOD
 FROM 08 | 03 | 01 TO 08 | 03 | 31
 NO DISCHARGE X

NOTE: Read instructions before completing this form

PARAMETER	QUALITY OR LOADING	QUANTITY OR LOADING			UNITS	QUALITY OR CONCENTRATION			NO. EX	NO. FREQUENCY OF ANALYSIS	SAMPLE TYPE	
		AVERAGE	MAXIMUM	MINIMUM		AVERAGE	MAXIMUM	MINIMUM				
TEMPERATURE, WATER DEGREE CENTIGRADE	SAMPLE MEASUREMENT	*****	*****	*****					0			
00010 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	***	33 30DA AVG	37 DAILY IMX	DEG. C	0	CONTINUOUS	RECORD	
pH	SAMPLE MEASUREMENT	*****	*****	*****					0			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	***	6.0 MINIMUM	9.0 MAXIMUM	SU	0	ONCE/DISCHG	DISCRET	
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT			(03)					0			
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	OPTIONAL 30DA AVG	REPORT DAILY IMX	MGD				****	0	CONTINUOUS	RECORD	
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT			(26)					0			
70295 > 0 0 INCREASE (NOT END OF PIPE)	PERMIT REQUIREMENT	1000 30DA AVG	REPORT DAILY IMX	LBS/DY				MG/L	0	ONCE/DISCHG	DISCRET	
PERCHLORATE (CIO4)	SAMPLE MEASUREMENT	*****	*****						0			
61209 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***				MG/L	0	ONCE/DISCHG	DISCRET	
	SAMPLE MEASUREMENT	*****	*****	***								
	PERMIT REQUIREMENT	*****	*****	***								
	SAMPLE MEASUREMENT	*****	*****	***								
	PERMIT REQUIREMENT	*****	*****	***								
	SAMPLE MEASUREMENT	*****	*****	***								
	PERMIT REQUIREMENT	*****	*****	***								
	SAMPLE MEASUREMENT	*****	*****	***								
	PERMIT REQUIREMENT	*****	*****	***								
	SAMPLE MEASUREMENT	*****	*****	***								
	PERMIT REQUIREMENT	*****	*****	***								
	SAMPLE MEASUREMENT	*****	*****	***								
	PERMIT REQUIREMENT	*****	*****	***								
	SAMPLE MEASUREMENT	*****	*****	***								
	PERMIT REQUIREMENT	*****	*****	***								
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER											TELEPHONE	DATE
William K. Taylor											702-651-2200	08 04 25
Production Manager											AREA CODE NUMBER	YEAR MO DAY
TYPED OR PRINTED											702-651-2200	08 04 25
COMMENT AND EXPLANATION OF ANY VIOLATIONS											OFFICER OR AUTHORIZED AGENT	
											(Reference all attachments here)	

PERMITTEE NAME/ADDRESS:

Tronox LLC
PO Box 55
Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)
001 B
DISCHARGE NUMBER
001 STORMWATER MONITORING
F - FINAL

FACILITY: Tronox LLC
LOCATION: BMI Park - Henderson
Attn: Susan Crowley

MONITORING PERIOD
FROM 08 | 03 | 01 TO 08 | 03 | 31

NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	AVERAGE	MAXIMUM	UNIT		
pH	*****	*****	****	*****	*****	(12)	0	
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	REPORT MAXIMUM	SU	0	ONCE/DISCHG
SOLIDS, TOTAL SUSPENDED	*****	*****	****	*****	*****	(19)	0	
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	OPTIONAL 30DA AVG	REPORT DAILY MAX	MG/L	0	ONCE/DISCHG
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****	(19)	0	
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	OPTIONAL 30DA AVG	REPORT DAILY MAX	MG/L	0	ONCE/DISCHG
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****	(19)	0	
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	OPTIONAL 30DA AVG	REPORT DAILY MAX	MG/L	0	ONCE/DISCHG
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****	(19)	0	
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	OPTIONAL 30DA AVG	REPORT DAILY MAX	MG/L	0	ONCE/DISCHG
OIL AND GREASE	*****	*****	****	*****	*****	(19)	0	
03582 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	OPTIONAL 30DA AVG	REPORT DAILY MAX	MG/L	0	ONCE/DISCHG
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	*****	*****	(03)	*****	*****	MG/L	0	
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	MGD	*****	*****	*****	0	CONTIN UOUS
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER	REPORT 30DA AVG			REPORT DAILY MAX			TELEPHONE	
William K. Taylor	*****			*****			702-651-2200	
Production Manager	*****			*****			AREA CODE NUMBER	
TYPED OR PRINTED	*****			*****			702-651-2200	
COMMENT AND EXPLANATION OF ANY VIOLATIONS	*****			*****			YEAR	
	*****			*****			08 04 25	
	*****			*****			NO. DAY	
	*****			*****			FORMS BY WINDROWCHEM(707)954-0845;PMT1050-95 01-4795	

(Reference all attachments here)

OFFICER OR AUTHORIZED AGENT

SIGNATURE OF PRINCIPAL EXECUTIVE

Signature of William K. Taylor

DATE

702-651-2200

702-651-2200

08 | 04 | 25

08 | 04 | 25

08 | 04 | 25

08 | 04 | 25

08 | 04 | 25

08 | 04 | 25

08 | 04 | 25

08 | 04 | 25

08 | 04 | 25

08 | 04 | 25

08 | 04 | 25

08 | 04 | 25

08 | 04 | 25

PERMITTEE NAME/ADDRESS:
Trinox LLC
PO Box 55
Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

001 B
 DISCHARGE NUMBER

001 STORMWATER MONITORING
 F - FINAL

FACILITY: **Trinox LLC**

LOCATION: **BMI Park - Henderson**
 Attn: **Susan Crowley**

MONITORING PERIOD
 FROM **08 | 03 | 01** TO **08 | 03 | 31**

MAJOR
NO DISCHARGE

NOTE: Read instructions before completing this form.

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM		
SOLIDS, TOTAL DISSOLVED	*****	*****		*****		(19)	0	
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT DAILY MX	MGL	0	ONCE/ DISCHG
CHEMICAL OXYGEN DEMAND (COD)	*****	*****		*****		(19)	0	
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT DAILY MX	MGL	0	ONCE/ DISCHG
PERCHLORATE (CIO4)	*****	*****		*****		(19)	0	
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT DAILY MX	MGL	0	ONCE/ DISCHG
							TELEPHONE	DATE
							702-651-2200	08 04 25
							AREA CODE NUMBER	YEAR MO DAY

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER
William K. Taylor
 OFFICER OR AUTHORIZED AGENT

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
William K. Taylor
 Production Manager
 TYPED OR PRINTED

FORMS BY WINDOW/CHEM(707)854-0845;PRT10950;V5 01/41/96

(Reference all attachments here)

COMMENT AND EXPLANATION OF ANY VIOLATIONS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

DISCHARGE MONITORING REPORT (DMR)
 002 B
 DISCHARGE NUMBER

002 STORMWATER MONITORING


F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 08 | 03 | 01 TO 08 | 03 | 31

MAJOR
 NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
pH	*****	*****		*****	*****	(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	REPORT MINIMUM	REPORT MAXIMUM	SU	0	ONCE/DISCHG	DISCRT
SOLIDS, TOTAL SUSPENDED	*****	*****		*****	*****	(19)	0		
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	MG/L	0	ONCE/DISCHG	DISCRT
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	*****	(19)	0		
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	MG/L	0	ONCE/DISCHG	DISCRT
NITRITE PLUS NITRATE TOTAL 1 DET. (AS N)	*****	*****	****	*****	*****	(19)	0		
00630 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	MG/L	0	ONCE/DISCHG	DISCRT
PHOSPHORUS, TOTAL (AS P)	*****	*****	****	*****	*****	(19)	0		
00665 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	MG/L	0	ONCE/DISCHG	DISCRT
OIL AND GREASE	*****	*****		*****	*****	(19)	0		
03562 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	MG/L	0	ONCE/DISCHG	DISCRT
FLOW, IN CONDUIT OR THRU TREATMENT PLANT			(03)				0		
50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	MG/L	0	ONCE/DISCHG	DISCRT
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER	SIGNATURE OF PRINCIPAL EXECUTIVE			TELEPHONE			DATE		
William K. Taylor				702-651-2200			08 04 25		
Production Manager	SIGNATURE OF PRINCIPAL EXECUTIVE			AREA CODE NUMBER			YEAR MO DAY		
TYPED OR PRINTED	OFFICER OR AUTHORIZED AGENT			702-651-2200			08 04 25		

Forms by WindowChem(707)854-0845;PMT1095;v5.01/4/195

(Reference all attachments here)

COMMENT AND EXPLANATION OF ANY VIOLATIONS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

PERMITTEE NAME/ADDRESS:
 NAME: Tronox LLC
 ADDRESS: PO Box 55
 Henderson, NV 89009-7000

DISCHARGE MONITORING REPORT (DMR)
 002 B
 DISCHARGE NUMBER

002 STORMWATER MONITORING
 F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 08 | 03 | 01 TO 08 | 03 | 31

MAJOR
 NO DISCHARGE X

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING				QUALITY OR CONCENTRATION				NO EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNIT				
SOLIDS, TOTAL DISSOLVED	*****	*****		*****		(19)	0				
70295 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	MG/L	0	ONCE/DISCHG			
CHEMICAL OXYGEN DEMAND (COD)	*****	*****		*****		(19)	0				
81017 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	MG/L	0	ONCE/DISCHG			
PERCHLORATE (C104)	*****	*****		*****		(19)	0				
61209 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	OPTIONAL REPORT 30DA AVG	MG/L	0	ONCE/DISCHG			

NAME / TITLE: **William K. Taylor** / PRINCIPAL EXECUTIVE OFFICER

Production Manager

TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER: *[Signature]*

OFFICER OR AUTHORIZED AGENT

TELEPHONE: 702-651-2200

DATE: 08 | 04 | 25

AREA CODE NUMBER: 702-651-2200

YEAR: 08 | MO: 04 | DAY: 25

FORMS BY: WindowChem(707)664-0845.ppt1090.v5.01-4/196

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS:
 Tronox LLC
 PO Box 55
 Henderson, NV 89009-7000

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)
 003 B
 DISCHARGE NUMBER


003 STORMWATER MONITORING
 F - FINAL

FACILITY: Tronox LLC
 LOCATION: BMI Park - Henderson
 Attn: Susan Crowley

MONITORING PERIOD
 FROM 08 | 03 | 01 TO 08 | 03 | 31

MAJOR
 NO DISCHARGE

NOTE: Read instructions before completing this form

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE		
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNIT	
pH	SAMPLE MEASUREMENT	*****					0				
	PERMIT REQUIREMENT	*****		REPORT MINIMUM	*****			ONCE/DISCHG	DISCRT		
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****					0				
	PERMIT REQUIREMENT	*****		REPORT MINIMUM	*****			ONCE/DISCHG	DISCRT		
SULFATE, TOTAL (AS SO4)	SAMPLE MEASUREMENT	*****					0				
	PERMIT REQUIREMENT	*****		OPTIONAL 30DA AVG	*****	REPORT DAILY MX		ONCE/DISCHG	DISCRT		
00945 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****					0				
	PERMIT REQUIREMENT	*****		OPTIONAL 30DA AVG	*****	REPORT DAILY MX		ONCE/DISCHG	DISCRT		
MANGANESE, TOTAL (AS MN)	SAMPLE MEASUREMENT	*****					0				
	PERMIT REQUIREMENT	*****		OPTIONAL 30DA AVG	*****	REPORT DAILY MX		ONCE/DISCHG	DISCRT		
01055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****					0				
	PERMIT REQUIREMENT	*****		OPTIONAL 30DA AVG	*****	REPORT DAILY MX		ONCE/DISCHG	DISCRT		
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****					0				
	PERMIT REQUIREMENT	*****		OPTIONAL 30DA AVG	*****	REPORT DAILY MX		ONCE/DISCHG	DISCRT		
70285 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****					0				
	PERMIT REQUIREMENT	*****		OPTIONAL 30DA AVG	*****	REPORT DAILY MX		ONCE/DISCHG	DISCRT		
PERCHLORATE (CLO4)	SAMPLE MEASUREMENT	*****					0				
	PERMIT REQUIREMENT	*****		OPTIONAL 30DA AVG	*****	REPORT DAILY MX		ONCE/DISCHG	DISCRT		
61209 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****					0				
	PERMIT REQUIREMENT	*****		OPTIONAL 30DA AVG	*****	REPORT DAILY MX		ONCE/DISCHG	DISCRT		
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
I HEREBY CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED BASED ON AN INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IN TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SEVERAL PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR REPEATED VIOLATIONS.											
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER William K. Taylor Production Manager TYPED OR PRINTED							TELEPHONE 702-651-2200			DATE 08 04 25	
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)							OFFICER OR AUTHORIZED AGENT 			AREA CODE NUMBER 702-651-2200	
							YEAR MO DAY 08 04 25			Forms by WinsowChem(707)984-0845; p/n1108b-v.6.01/4/195	

Tronox LLC
Fourth Quarter 2007
NPDES Permit NV0000078

Supporting
Analytical Reports

I hereby certify that all laboratory analytical data was generated by a laboratory certified by the NDEP for each constituent and media presented herein, exceptions and corresponding justifications are provided below.

Michael Skromyda
Michael Skromyda, CEM 2121, exp. 10-18-09

