



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Report

for

Environ International Corp.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016
Attention: John M. Pekala, P.G.
Fax: 602.734.7701



RSR: Rita S. Sprinkle
Project Manager



01114CA

Report: 397133
Project: CWA-RCRA
Group: Quarterly CR6010
Testing

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Hits Reports, Comments, QC Summary, QC Report and Regulatory Forms. This report shall not be reproduced except in full, without the written approval of the laboratory.



STATE CERTIFICATION LIST

State	Certification Number	State	Certification Number
Alabama	41060	Mississippi	Certified
Alaska	CA00006	Montana	Cert 0035
Arizona	AZ0455	Nevada	CA00006-2010-1
Arkansas	Certified	New Hampshire	2959-11
California – NELAP	01114CA	New Jersey	CA 008
California – ELAP	1422	New Mexico	Certified
Colorado	Certified	New York	11320
Connecticut	PH-0107	North Carolina	06701
Delaware	CA 006	North Dakota	R-009
Florida	E871024	Oregon	CA 200003-009
Georgia	947	Pennsylvania	68-565
Guam	11-004r	Rhode Island	01114CA
Hawaii	Certified	South Carolina	87016001
Idaho	Certified	South Dakota	Certified
Illinois	200033	Tennessee	TN02839
Indiana	C-CA-01	Texas	T104704230-11-2
Kansas	E-10268	Utah	Mont-1
Kentucky	90107	Vermont	VT0114
Louisiana	LA110022	Virginia	00210
Maine	CA0006	Washington	C383
Maryland	224	West Virginia	9943 C
Commonwealth of Northern Marianas Is.	MP0004	Wisconsin	998316660
Massachusetts	M-CA006	Wyoming	8TMS-L
Michigan	9906	EPA Region 5	Certified



Acknowledgement of Samples Received

Addr: **Environ International Corp.**
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016
Attn: John M. Pekala, P.G.
Phone: 602.734.7710

Client ID: ENVIRON-NVTRUST
Folder #: 397133
Project: CWA-RCRA
Sample Group: Quarterly CR6010 Testing
Project Manager: Rita S. Sprinkle
Phone: 916-418-8358

The following samples were received from you on **May 17, 2012**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample #	Sample ID	Sample Date
<u>201205180169</u>	M-23	05/16/2012 0555
	Chlorate by EPA 9056	Chromium Total ICAP RCRA
	Nitrate by EPA 9056	Perchlorate
	TDS Subbed WLN	Nitrate as NO3 (calc)
		PH (H3=past HT not compliant)
<u>201205180170</u>	M-123	05/16/2012 0630
	Perchlorate	PH (H3=past HT not compliant)
		TDS Subbed WLN
<u>201205180171</u>	M-124	05/16/2012 0658
	Chromium Total ICAP RCRA	Perchlorate
	TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180172</u>	M-128	05/16/2012 0720
	Perchlorate	PH (H3=past HT not compliant)
		TDS Subbed WLN
<u>201205180173</u>	M-125	05/16/2012 0755
	Perchlorate	PH (H3=past HT not compliant)
		TDS Subbed WLN
<u>201205180174</u>	M-142	05/16/2012 0817
	Chromium Total ICAP RCRA	Perchlorate
	TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180175</u>	M-138	05/16/2012 0852
	Chromium Total ICAP RCRA	Perchlorate
	TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180176</u>	M-137	05/16/2012 0909
	Chromium Total ICAP RCRA	Perchlorate
	TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180177</u>	M-77	05/16/2012 0945
	Chromium Total ICAP RCRA	Perchlorate
	TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180178</u>	VD-4	05/16/2012 0800
	Chromium Total ICAP RCRA	Perchlorate
	TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180179</u>	M-148A	05/16/2012 1015



Acknowledgement of Samples Received

Addr: **Environ International Corp.**
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016
Attn: John M. Pekala, P.G.
Phone: 602.734.7710

Client ID: ENVIRON-NVTRUST
Folder #: 397133
Project: CWA-RCRA
Sample Group: Quarterly CR6010 Testing
Project Manager: Rita S. Sprinkle
Phone: 916-418-8358

The following samples were received from you on **May 17, 2012**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample #	Sample ID	Sample Date
	Chromium Total ICAP RCRA TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180180</u>	M-141	05/16/2012 1032
	Chromium Total ICAP RCRA TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180181</u>	M-52	05/16/2012 1058
	Chromium Total ICAP RCRA TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180182</u>	M-31A	05/16/2012 1115
	Chromium Total ICAP RCRA TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180183</u>	M-21	05/16/2012 1140
	Chromium Total ICAP RCRA TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180184</u>	M-12A	05/16/2012 1202
	Chlorate by EPA 9056 Nitrate as NO3 (calc) PH (H3=past HT not compliant)	Chromium Total ICAP RCRA Nitrate by EPA 9056 TDS Subbed WLN
<u>201205180185</u>	M-144	05/16/2012 1235
	Chromium Total ICAP RCRA TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180186</u>	M-146	05/16/2012 1255
	Chromium Total ICAP RCRA TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180187</u>	M-139	05/16/2012 1321
	Chromium Total ICAP RCRA TDS Subbed WLN	PH (H3=past HT not compliant)
<u>201205180188</u>	EB-3	05/16/2012 1324
	Chromium Total ICAP RCRA PH (H3=past HT not compliant)	CRVI7196 TDS Subbed WLN Perchlorate
<u>201205180189</u>	M-145	05/16/2012 1400



Acknowledgement of Samples Received

Addr: **Environ International Corp.**
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016
Attn: John M. Pekala, P.G.
Phone: 602.734.7710

Client ID: ENVIRON-NVTRUST
Folder #: 397133
Project: CWA-RCRA
Sample Group: Quarterly CR6010 Testing
Project Manager: Rita S. Sprinkle
Phone: 916-418-8358

The following samples were received from you on **May 17, 2012**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample #	Sample ID	Sample Date
	Chromium Total ICAP RCRA TDS Subbed WLN	Perchlorate PH (H3=past HT not compliant)
<u>201205180190</u>	VD-5	05/16/2012 0800
	Chlorate by EPA 9056 Nitrate as NO3 (calc) PH (H3=past HT not compliant)	Chromium Total ICAP RCRA Nitrate by EPA 9056 TDS Subbed WLN
		CRVI7196 Perchlorate

Test Description



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

397133

750 Royal Oaks Ave, Suite 100, Montrovia, CA 91016
(626) 386-1100 (800) 566-5227

MINILABS USE ONLY:
LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: JS/AS
SAMPLE TEMP, RECEIPT AT LAB: 5.2
BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME: Nevada Environmental Response Trust
Sampler: Michele Brown

PROJECT JOB # / P.O.#: Quarterly Groundwater Sampling
Schedule B: CWA-RCRA

Location: Nevada Environmental Response Trust
35 East Wacker Suite 1550
Chicago, IL 60606

John Pekala 602-734-7710

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX*	GRAB	COMP	PH	TDS	CR	CL04	Sterile CL04	CRM	CL03	NO3	SAMPLER Comments
452A	5-16-12		H-28A	RGW	X		X	X	X	X	X				20 Bottles
519A	5-16-12		M-6A	RGW	X		X	X	X	X	X				20 Bottles
555A	5-16-12		M-23	RGW	X		X	X	X	X	X				7 Bottles
630A	5-16-12		M-123	RGW	X		X	X	X	X	X				7 Bottles
658A	5-16-12		M-124	RGW	X		X	X	X	X	X				5 Bottles
M20A	5-16-12		M-128	RGW	X		X	X	X	X	X				7 Bottles
M55A	5-16-12		M-125	RGW	X		X	X	X	X	X				5 Bottles
817A	5-16-12		M-142	RGW	X		X	X	X	X	X				5 Bottles
952A	5-16-12		M-138	RGW	X		X	X	X	X	X				5 Bottles
909A	5-16-12		M-137	RGW	X		X	X	X	X	X				5 Bottles
945A	5-16-12		M-97	RGW	X		X	X	X	X	X				5 Bottles
-	5-16-12		YD-4	RGW	X		X	X	X	X	X				5 Bottles

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES (check for yes)

XX see bottle order

Reported by Volume:
CFW = Chlor(am)inated Finished Water
FW = Other Finished Water

Reported by Weight:
SO = Soil
SL = Sludge

Reported by Volume:
RGW = Raw Ground Water
RSW = Raw Surface Water

Reported by Weight:
CWW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

* MATRIX TYPES:

SIGNATURE: Michele Brown
PRINT NAME: Michele Brown

COMPANY/TITLE: MWB
DATE: 5-16-12 TIME: 12:00PM

RELINQUISHED BY: Joe Sanchez
RECEIVED BY: Joe Sanchez
DATE: 5-17-12 TIME: 1231



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

397133

750 Royal Oaks Ave, Suite 100, Montrovia, CA 91016
(626) 386-1100 (800) 566-5227

MVLABS USE ONLY:
LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: JS/JS
SAMPLE TEMP, RECEIPT AT LAB: 5-2
BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME: Nevada Environmental Response Trust
 PROJECT JOB # / P.O.#: Quarterly Groundwater Sampling
 Schedule B: CWA-RCRA
 Sampler: Michele Brown
 Nevada Environmental Response Trust
 35 East Wacker Suite 1550
 Chicago, IL 60606

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES

(check for yes)

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX*	GRAB	COMP	PH	TDS	CR	ClO4	Sterile ClO4	CRM	ClO3	NO3	SAMPLER Comments
452A	5-16-12		H-28A	RGW	X		X	X	X	X	X				20 Bottles
519A	5-16-12		M-6A	RGW	X		X	X	X	X	X				20 Bottles
555A	5-16-12		M-23	RGW	X		X	X	X	X	X				7 Bottles
620A	5-16-12		M-123	RGW	X		X	X	X	X	X				7 Bottles
658A	5-16-12		M-124	RGW	X		X	X	X	X	X				5 Bottles
M20A	5-16-12		M-128	RGW	X		X	X	X	X	X				5 Bottles
M55A	5-16-12		M-125	RGW	X		X	X	X	X	X				5 Bottles
817A	5-16-12		M-142	RGW	X		X	X	X	X	X				5 Bottles
852A	5-16-12		M-138	RGW	X		X	X	X	X	X				5 Bottles
909A	5-16-12		M-137	RGW	X		X	X	X	X	X				5 Bottles
945A	5-16-12		M-97	RGW	X		X	X	X	X	X				5 Bottles
-	5-16-12		VD-4	RGW	X		X	X	X	X	X				5 Bottles

* MATRIX TYPES:

Reported by Volume:
CFW = Chlor(am)inated Finished Water
FW = Other Finished Water

Reported by Weight:
SO = Soil
SL = Sludge

Reported by Weight:
CW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

SIGNATURE: Michele Brown PRINT NAME: Michele Brown
 RELINQUISHED BY: Joe Sanchez COMPANY/TITLE: MWH
 RECEIVED BY: _____ DATE: 5-16-12 TIME: 12:00PM
 RECEIVED BY: _____ DATE: 5-17-12 TIME: 12:31



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

750 Royal Oaks Ave, Suite 100, Montrovia, CA 91016
(626) 386-1100 (800) 566-5227

MVLABS USE ONLY:
LOGIN COMMENTS: _____

SAMPLES CHECKED/LOGGED IN BY: JS/JS
SAMPLE TEMP, RECEIPT AT LAB: 5.2
BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER: _____ (check for yes)

COMPANY / PROJECT NAME: Nevada Environmental Response Trust
PROJECT JOB # / P.O.#: Quarterly Groundwater Sampling
SCHEDULE B: CWA-RCRA

SAMPLER: Michele Brown
LOCATION: Nevada Environmental Response Trust
35 East Wacker Suite 1550
Chicago, IL 60606

John Petkala 602-734-7710

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX*	GRAB	COMP	TS	SR	CL04	Sterile CL04	CRV	CL03	NO3	SAMPLER Comments
1015A	5-16-12		M-148A	RGW	X		X	X	X	X				Bottles
1032A	5-16-12		M-141	RGW	X		X	X	X	X				Bottles
1058A	5-16-12		M-52	RGW	X		X	X	X	X				Bottles
1115A	5-16-12		M-31A	RGW	X		X	X	X	X				Bottles
1140A	5-16-12		M-81	RGW	X		X	X	X	X				Bottles
1202A	5-16-12		M-12A	RGW	X		X	X	X	X	X	X		Bottles
1235A	5-16-12		M-144	RGW	X		X	X	X	X				Bottles
1255A	5-16-12		M-146	RGW	X		X	X	X	X				Bottles
121P	5-16-12		M-139	RGW	X		X	X	X	X				Bottles
1240	5-16-12		EB-3	RGW	X		X	X	X	X	X			Bottles
200P	5-16-12		M-145	RGW	X		X	X	X	X				Bottles
	5-16-12		VD-3	RGW	X		X	X	X	X	X	X		Bottles

* MATRIX TYPES:
CFW = Chlor(arm)inated Finished Water
FW = Other Finished Water
RGW = Raw Ground Water
RSW = Raw Surface Water

Reported by Volume:
CW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

Reported by Weight:
SO = Soil
SL = Sludge

SIGNATURE: Michele Brown
PRINT NAME: Michele Brown

COMPANY/TITLE: Veolia Water for Nevada Environmental Response Trust

DATE: 5-16-12
TIME: 12:00PM

RECEIVED BY: Joe Sanchez
DATE: 5-17-12
TIME: 1231

From: (702) 566-6001
Russell Speckin
Veolia Water NA West LLC
510 Fourth St.

Origin ID: LASA



J12101112190225

Henderson, NV 89015

Ship Date: 16MAY12
ActWgt: 51.0 LB
CAD: 5135271/INET3250

Delivery Address Bar Code



SHIP TO: (626) 568-6400
Linda Geddes
Montgomery Watson Labs
750 Royal Oaks Drive suite 100

BILL SENDER

Ref # quarterly
Invoice #
PO #
Dept #

Monrovia, CA 91016

THU - 17 MAY A1
PRIORITY OVERNIGHT

2 of 4

MPS# 7935 7536 6011

0263

Mstr# 7935 7536 5840



0201

91016

CA-US

BUR

QZ WHPA



512G3/61A4/A278

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

From: (702) 566-6001
Russell Speckin
Veolia Water NA West LLC
510 Fourth St

Origin ID: LASA



J12101112190225

Ship Date: 16MAY12
ActWgt: 48.0 LB
CAD: 5135271/ANET3250

Henderson, NV 89015

Delivery Address Bar Code



SHIP TO: (626) 568-6400
Linda Geddes
Montgomery Watson Labs
750 Royal Oaks Drive suite 100

Monrovia, CA 91016

BILL SENDER

Ref # quarterly
Invoice #
PO #
Dept #

1 of 4

THU - 17 MAY A1
PRIORITY OVERNIGHT



TRK# 7935 7536 5840

0201

MASTER

QZ WHPA

91016
CA-US
BUR



512G361A4/A278

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

From: (702) 566-6001
Russell Speckin
Veolia Water NA West LLC
510 Fourth St

Origin ID: LASA



Henderson, NV 89015

Ship Date: 16MAY12
ActWgt: 67.0 LB
CAD: 5135271/INET3250

Delivery Address Bar Code



Ref # quarterly
Invoice #
PO #
Dept #

J12101112190225

BILL SENDER

SHIP TO: (626) 568-6400

Linda Geddes
Montgomery Watson Labs
750 Royal Oaks Drive suite 100

Monrovia, CA 91016

4 of 4

THU - 17 MAY A1
PRIORITY OVERNIGHT

MPS# 7935 7536 5909



0263

Mstr# 7935 7536 5840

0201

QZ WHPA

91016
CA-US
BUR



512G3/61A4/A278

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

397133

HW LABS USE ONLY:

750 Royal Oaks Ave, Suite 100, Monrovia, CA 91016
(626) 386-1100 (800) 566-5227

LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: JS/AB

SAMPLE TEMP, RECEIPT AT LAB: 5.2

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME: Nevada Environmental Response Trust
 PROJECT JOB # / P.O.#: Quarterly Groundwater Sampling
 Schedule B CWA-RCRA
 Sampler: Michele Brown
 Nevada Environmental Response Trust
 35 East Wacker Suite 1550
 Chicago, IL 60606
 IDENTIFIER, STATE ID#: H-28A, M-6A, M-23, M-123, M-124, M-128, M-125, M-142, M-138, M-137, M-117, VD-4

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES

(check for yes)

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX*	GRAB	COMP	PH	TDS	CR	ClO4	Sterile ClO4	CRM	ClO3	NO3	SAMPLER Comments
452A	5-16-12		H-28A	RGW	X		X	X	X	X	X				20 Bottles
519A	5-16-12		M-6A	RGW	X		X	X	X	X	X				20 Bottles
555A	5-16-12		M-23	RGW	X		X	X	X	X	X				7 Bottles
630A	5-16-12		M-123	RGW	X		X	X	X	X	X				7 Bottles
658A	5-16-12		M-124	RGW	X		X	X	X	X	X				5 Bottles
M20A	5-16-12		M-128	RGW	X		X	X	X	X	X				5 Bottles
155A	5-16-12		M-125	RGW	X		X	X	X	X	X				5 Bottles
817A	5-16-12		M-142	RGW	X		X	X	X	X	X				5 Bottles
852A	5-16-12		M-138	RGW	X		X	X	X	X	X				5 Bottles
909A	5-16-12		M-137	RGW	X		X	X	X	X	X				5 Bottles
945A	5-16-12		M-117	RGW	X		X	X	X	X	X				5 Bottles
-	5-16-12		VD-4	RGW	X		X	X	X	X	X				5 Bottles

* MATRIX TYPES:

Reported by Volume:
CFW = Chlor(am)inated Finished Water
FW = Other Finished Water

Reported by Weight:
SO = Soil
SL = Sludge

Reported by Weight:
CW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
RECEIVED BY:	<i>Michele Brown</i>	Michele Brown	Veolia Water for Nevada Environmental Response Trust	5-16-12	12:00PM
RELINQUISHED BY:	<i>Joe Sanchez</i>	Joe Sanchez	MWH	5-17-12	1231
RECEIVED BY:					



MONTGOMERY WATSON LABORATORIES

CHAIN OF CUSTODY RECORD

750 Royal Oaks Ave, Suite 100, Montrovia, CA 91016
(626) 386-1100 (800) 566-5227

INVLABS USE ONLY:
LOGIN COMMENTS:

SAMPLES CHECKED/LOGGED IN BY: BJ

SAMPLE TEMP, RECEIPT AT LAB: 5/2

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

TO BE COMPLETED BY SAMPLER: (check for yes)

COMPANY / PROJECT NAME: Nevada Environmental Response Trust

PROJECT JOB # / P.O.#: Quarterly Groundwater Sampling

Schedule B CWA-RCRA

Sampler: Michele Brown

Nevada Environmental Response Trust
35 East Wacker Suite 1550
Chicago, IL 60606

John Pekala 602-734-7710

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX	GRAB	COMP	PH	TDS	CR	ClO4	Stenile ClO4	CRM	ClO3	NO3	SAMPLER Comments
1015A	5-16-12		M-148A	RGW	X		X	X	X	X	X				Bottles
1022A	5-16-12		M-141	RGW	X		X	X	X	X	X				Bottles
1058PS	5-16-12		M-52	RGW	X		X	X	X	X	X				Bottles
115A	5-16-12		M-31A	RGW	X		X	X	X	X	X				Bottles
1140K	5-16-12		M-21	RGW	X		X	X	X	X	X				Bottles
1202P	5-16-12		M-12A	RGW	X		X	X	X	X	X				Bottles
125P	5-16-12		M-144	RGW	X		X	X	X	X	X				Bottles
1255P	5-16-12		M-146	RGW	X		X	X	X	X	X				Bottles
121P	5-16-12		M-139	RGW	X		X	X	X	X	X				Bottles
124P	5-16-12		EB-3	RGW	X		X	X	X	X	X				Bottles
200P	5-16-12		M-145	RGW	X		X	X	X	X	X				Bottles
	5-16-12		4D-5	RGW	X		X	X	X	X	X				Bottles

* MATRIX TYPES: RGW = Raw Ground Water, RSW = Raw Surface Water, CW = Chlorinated Waste Water, WW = Other Waste Water, SW = Storm Water, FW = Other Finished Water, CFW = Chlor(am)inated Finished Water

Reported by Volume: 5-16-12

Reported by Weight: 5-16-12

SO = Soil, SL = Sludge

RELINQUISHED BY: Michele Brown

RECEIVED BY: Joe Sanchez

RELINQUISHED BY: _____

RECEIVED BY: _____

SIGNATURE: Michele Brown

PRINT NAME: Michele Brown

COMPANY/TITLE: Veolia Water for Nevada Environmental Response Trust

DATE: 5-16-12 TIME: 12:00PM

DATE: 5-17-12 TIME: 1231

From: (702) 566-6001
Russell Speckin
Veolia Water NA West LLC
510 Fourth St.

Origin ID: LASA



J12101112190225

Henderson, NV 89015

Ship Date: 16MAY12
ActWgt: 51.0 LB
CAD: 5135271/NET3250

Delivery Address Bar Code



SHIP TO: (626) 568-6400
Linda Geddes
Montgomery Watson Labs
750 Royal Oaks Drive suite 100

BILL SENDER

Monrovia, CA 91016

Ref # quarterly
Invoice #
PO #
Dept #

2 of 4

THU - 17 MAY A1
PRIORITY OVERNIGHT

MPS# 7935 7536 6011

0263

Mstr# 7935 7536 5840



0201

91016

CA-US

BUR

QZ WHPA



512G3/61A/A278

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional business charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

From: (702) 566-6001
Russell Speekin
Veolia Water NA West LLC
510 Fourth St

Origin ID: LASA



J12101112190225

Henderson, NV 89015

Ship Date: 16MAY12
ActWgt: 48.0 LB
CAD: 5135271/NET3250

Delivery Address Bar Code



SHIP TO: (626) 568-6400

BILL SENDER

Linda Geddes
Montgomery Watson Labs
750 Royal Oaks Drive suite 100

Monrovia, CA 91016

Ref # quarterly
Invoice #
PO #
Dept #

1 of 4

THU - 17 MAY A1
PRIORITY OVERNIGHT

TRK# 7935 7536 5840

0201



MASTER

91016

CA-US

BUR

QZ WHPA



512G361A4/A278

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

From: (702) 566-6001
Russell Speckin
Veolia Water NA West LLC
510 Fourth St

Origin ID: LASA



J12101112190225

Henderson, NV 89015

Ship Date: 16MAY12
ActWgt: 67.0 LB
CAD: 5135271/INET3250

Delivery Address Bar Code



SHIP TO: (626) 568-6400

BILL SENDER

Linda Geddes
Montgomery Watson Labs
750 Royal Oaks Drive suite 100

Ref # quarterly
Invoice #
PO #
Dept #

Monrovia, CA 91016

4 of 4

THU - 17 MAY A1
PRIORITY OVERNIGHT

MPS# 7935 7536 5909

0263

Mstr# 7935 7536 5840



0201

91016

CA-US

BUR

QZ WHPA



512G3J61A4A278

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

June 14, 2012

John M. Pekala, P.G.
Environ International Corp.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Sample receipt: The samples arrived at MWH Laboratories, Monrovia, CA on May 17, 2012 with proper chain of custody. All containers were received without any visible signs of tampering or breakage at proper temperature. Samples are identified on the acknowledgement, which is part of the report package, along with the chain of custody.

Case Narrative:

For the MWH Laboratories data the following issues were observed:

Analytical results for TDS are submitted by Western Environmental testing Laboratory Sparks, NV. Please see their case narrative. Sample results for CrVI 7196 are flagged H3. The sample was received and analyzed past hold time. The data is not acceptable for compliance. The sample results on M-137 are flagged MC for EPA 314. The MS recovery was high. The associated blank spike recovery was acceptable. The MS/MSD RPD met the acceptance criteria.

Other Observations:

There were no other observations on this sample set.

Sincerely,



Rita S. Sprinkle
Project Manager



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Environ International Corp.
John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Laboratory Comments
Report: #397133

Group Comments

Analytical results for TDS are submitted by Western Environmental testing Laboratory Sparks, NV. Please see their case narrative. Sample results for CrVI 7196 are flagged H3. The sample was received and analyzed past hold time. The data is not acceptable for compliance. The sample results on M-137 are flagged MC for EPA 314. The MS recovery was high. The associated blank spike recovery was acceptable. The MS/MSD RPD met the acceptance criteria.

Flags Legend:

H3 - Sample was received and analyzed past holding time. Data not acceptable for regulatory compliance.

MC - Matrix spike recovery was high; the associated blank spike recovery was acceptable. MS/MSD RPD met acceptance criteria.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data
Report: 397133

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
05/17/2012

Table with columns: Prepared, Analyzed, QC Ref #, Method, Analyte, Result, Units, MDL, MRL, SQL, Dilution. Contains three main sections: M-23 (201205180169), M-123 (201205180170), and M-124 (201205180171). Each section lists various water quality parameters like TDS, Metals, Nitrate, and PH with their respective results and units.

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.
Rounding on totals after summation.
(c) - Indicates calculated results.
J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data
Report: 397133

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
05/17/2012

Prepared	Analyzed	QC Ref #	Method	Analyte	Result	Units	MDL	MRL	SQL	Dilution	
<u>M-128 (201205180172)</u>							Sampled on 05/16/2012 0720				
SM 2540C - TDS Subbed WLN											
	05/23/2012	00:00	(SM 2540C)	Total Dissolved Solids	2500	mg/L		10		1	
EPA 314.0 - Perchlorate Sterile Filtered											
	05/30/2012	08:21	655748 (EPA 314.0)	Perchlorate	7000	ug/L	0.25	4000	250	1000	
EPA 9040 - PH by EPA 9040											
	05/20/2012	17:57	654244 (EPA 9040)	PH (H3=past HT not compliant)	7.9	Units	0.10	0.1	0.10	1	
<u>M-125 (201205180173)</u>							Sampled on 05/16/2012 0755				
SM 2540C - TDS Subbed WLN											
	05/23/2012	00:00	(SM 2540C)	Total Dissolved Solids	13000	mg/L		10		1	
EPA 314.0 - Perchlorate Sterile Filtered											
	05/30/2012	08:43	655748 (EPA 314.0)	Perchlorate	850	ug/L	0.25	40	2.5	10	
EPA 9040 - PH by EPA 9040											
	05/20/2012	18:24	654244 (EPA 9040)	PH (H3=past HT not compliant)	7.4	Units	0.10	0.1	0.10	1	
<u>M-142 (201205180174)</u>							Sampled on 05/16/2012 0817				
SM 2540C - TDS Subbed WLN											
	05/23/2012	00:00	(SM 2540C)	Total Dissolved Solids	2400	mg/L		10		1	
EPA 6010 - ICP Metals											
5/18/2012	06/08/2012	20:32	657391 (EPA 6010)	Chromium Total ICAP	0.044	mg/L	0.00044	0.02	0.00088	2	
EPA 314.0 - Perchlorate Sterile Filtered											
	05/30/2012	09:06	655748 (EPA 314.0)	Perchlorate	12000	ug/L	0.25	4000	250	1000	
EPA 9040 - PH by EPA 9040											
	05/20/2012	18:33	654244 (EPA 9040)	PH (H3=past HT not compliant)	7.8	Units	0.10	0.1	0.10	1	
<u>M-138 (201205180175)</u>							Sampled on 05/16/2012 0852				
SM 2540C - TDS Subbed WLN											
	05/23/2012	00:00	(SM 2540C)	Total Dissolved Solids	2600	mg/L		10		1	
EPA 6010 - ICP Metals											
5/18/2012	06/08/2012	20:35	657391 (EPA 6010)	Chromium Total ICAP	0.058	mg/L	0.00044	0.02	0.00088	2	
EPA 314.0 - Perchlorate Sterile Filtered											
	05/30/2012	09:28	655748 (EPA 314.0)	Perchlorate	1700	ug/L	0.25	400	25	100	

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data
Report: 397133

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
05/17/2012

Table with columns: Prepared, Analyzed, QC Ref #, Method, Analyte, Result, Units, MDL, MRL, SQL, Dilution. Contains multiple rows for different EPA methods (9040, 2540C, 6010, 314.0) and sample IDs (M-137, M-77, VD-4, M-148A).

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.
Rounding on totals after summation.
(c) - Indicates calculated results.
J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data
Report: 397133

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
05/17/2012

Table with columns: Prepared, Analyzed, QC Ref #, Method, Analyte, Result, Units, MDL, MRL, SQL, Dilution. Contains multiple rows for different samples and methods, including SM 2540C, EPA 6010, EPA 314.0, and EPA 9040.

M-141 (201205180180)

Sampled on 05/16/2012 1032

M-52 (201205180181)

Sampled on 05/16/2012 1058

M-31A (201205180182)

Sampled on 05/16/2012 1115

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.
Rounding on totals after summation.
(c) - Indicates calculated results.
J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data
Report: 397133

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
05/17/2012

Table with columns: Prepared, Analyzed, QC Ref #, Method, Analyte, Result, Units, MDL, MRL, SQL, Dilution. Contains multiple rows of test data for various analytes like Chromium Total ICAP, Perchlorate, and Hexavalent chromium (Cr VI).

M-21 (201205180183)

Sampled on 05/16/2012 1140

M-12A (201205180184)

Sampled on 05/16/2012 1202

M-144 (201205180185)

Sampled on 05/16/2012 1235

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data
Report: 397133

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
05/17/2012

Table with columns: Prepared, Analyzed, QC Ref #, Method, Analyte, Result, Units, MDL, MRL, SQL, Dilution. Contains multiple rows of data grouped by sample ID (SM 2540C, EPA 6010, EPA 314.0, EPA 9040) and sample numbers (M-146, M-139, EB-3).

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data
Report: 397133

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
05/17/2012

Table with columns: Prepared, Analyzed, QC Ref #, Method, Analyte, Result, Units, MDL, MRL, SQL, Dilution. Contains multiple rows of data for various EPA methods (EPA 6010, EPA 314.0, EPA 9040, EPA 7196, SM 2540C) and sample IDs (M-145, VD-5).

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data
Report: 397133

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
05/17/2012

Prepared	Analyzed	QC Ref #	Method	Analyte	Result	Units	MDL	MRL	SQL	Dilution
	05/26/2012 19:54	654349	(EPA 9040)	PH (H3=past HT not compliant)	8.2	Units	0.10	0.1	0.10	1
EPA 7196 - CRVI 7196										
	05/18/2012 14:14	653995	(EPA 7196)	Hexavalent chromium (Cr VI)	9.1(H3)	mg/L	0.0035	0.5	0.35	100

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.
Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

**Laboratory
QC Summary: 397133**

Environ International Corp.

QC Ref # 653889 - Disinfection ByProducts by 300.0

201205180169 M-23
201205180184 M-12A
201205180190 VD-5

Analysis Date: 05/30/2012

Analyzed by: LUPE
Analyzed by: LUPE
Analyzed by: LUPE

QC Ref # 653995 - Hexavalent Chromium by EPA 7196

201205180184 M-12A
201205180188 EB-3
201205180190 VD-5

Analysis Date: 05/18/2012

Analyzed by: KXS
Analyzed by: KXS
Analyzed by: KXS

QC Ref # 654147 - Nitrate, Nitrite by EPA 300.0

201205180169 M-23
201205180184 M-12A
201205180190 VD-5

Analysis Date: 05/17/2012

Analyzed by: CYP
Analyzed by: CYP
Analyzed by: CYP

QC Ref # 654244 - PH (H3=past HT not compliant)

201205180169 M-23
201205180170 M-123
201205180171 M-124
201205180172 M-128
201205180173 M-125
201205180174 M-142
201205180175 M-138
201205180176 M-137
201205180177 M-77
201205180178 VD-4
201205180179 M-148A
201205180180 M-141
201205180181 M-52
201205180182 M-31A

Analysis Date: 05/20/2012

Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL

QC Ref # 654349 - PH (H3=past HT not compliant)

201205180183 M-21
201205180184 M-12A
201205180185 M-144
201205180186 M-146
201205180187 M-139
201205180188 EB-3
201205180189 M-145
201205180190 VD-5

Analysis Date: 05/26/2012

Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL

QC Ref # 655484 - Perchlorate

201205180176 M-137
201205180177 M-77
201205180178 VD-4
201205180179 M-148A
201205180180 M-141
201205180181 M-52

Analysis Date: 05/26/2012

Analyzed by: LUPE
Analyzed by: LUPE
Analyzed by: LUPE
Analyzed by: LUPE
Analyzed by: LUPE
Analyzed by: LUPE



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary: 397133

Environ International Corp.

(continued)

201205180182	M-31A	Analyzed by: LUPE
201205180184	M-12A	Analyzed by: LUPE
201205180185	M-144	Analyzed by: LUPE
201205180186	M-146	Analyzed by: LUPE
201205180187	M-139	Analyzed by: LUPE
201205180188	EB-3	Analyzed by: LUPE

QC Ref # 655748 - Perchlorate

201205180169	M-23	Analyzed by: LUPE
201205180170	M-123	Analyzed by: LUPE
201205180172	M-128	Analyzed by: LUPE
201205180173	M-125	Analyzed by: LUPE
201205180174	M-142	Analyzed by: LUPE
201205180175	M-138	Analyzed by: LUPE
201205180183	M-21	Analyzed by: LUPE
201205180189	M-145	Analyzed by: LUPE
201205180190	VD-5	Analyzed by: LUPE

Analysis Date: 05/30/2012

QC Ref # 655802 - Perchlorate

201205180171	M-124	Analyzed by: LUPE
--------------	-------	-------------------

Analysis Date: 05/30/2012

QC Ref # 657390 - ICP Metals

201205180169	M-23	Analyzed by: NINA
201205180171	M-124	Analyzed by: NINA

Analysis Date: 06/08/2012

QC Ref # 657391 - ICP Metals

201205180174	M-142	Analyzed by: NINA
201205180175	M-138	Analyzed by: NINA
201205180176	M-137	Analyzed by: NINA
201205180177	M-77	Analyzed by: NINA
201205180178	VD-4	Analyzed by: NINA
201205180179	M-148A	Analyzed by: NINA
201205180180	M-141	Analyzed by: NINA
201205180181	M-52	Analyzed by: NINA
201205180182	M-31A	Analyzed by: NINA
201205180183	M-21	Analyzed by: NINA
201205180184	M-12A	Analyzed by: NINA
201205180185	M-144	Analyzed by: NINA
201205180186	M-146	Analyzed by: NINA
201205180187	M-139	Analyzed by: NINA
201205180188	EB-3	Analyzed by: NINA
201205180189	M-145	Analyzed by: NINA
201205180190	VD-5	Analyzed by: NINA

Analysis Date: 06/08/2012



750 Royal Oak Dr., Suite 100
 Monrovia, California, 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Environ International Corp.

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
QC Ref# 653889 - Disinfection ByProducts by 300.0 by EPA 9056						Analysis Date: 05/29/2012			
LCS1	Chlorate by IC		200	211	ug/L	105	(90-110)		
LCS2	Chlorate by IC		200	211	ug/L	106	(90-110)	20	0.0
MBLK	Chlorate by IC			<10	ug/L				
MRL_CHK	Chlorate by IC		10	8.71	ug/L	87	(75-125)		
MS_201205170205	Chlorate by IC	6400000	100	0	ug/L	110	(80-120)		
MSD_201205170205	Chlorate by IC	6400000	100	0	ug/L	105	(80-120)	15	2.5
QC Ref# 653995 - Hexavalent Chromium by EPA 7196 by EPA 7196						Analysis Date: 05/18/2012			
LCS1	Hexavalent chromium (Cr VI)		0.05	0.0550	mg/L	110	(85-115)		
LCS2	Hexavalent chromium (Cr VI)		0.05	0.0540	mg/L	108	(85-115)		
MBLK	Hexavalent chromium (Cr VI)			<0.005	mg/L				
MRL_CHK	Hexavalent chromium (Cr VI)		0.005	0.00500	mg/L	100	(50-150)		
MS_201205220196	Hexavalent chromium (Cr VI)	2.0	0.05	3.06	mg/L	101	(85-115)		
MSD_201205220196	Hexavalent chromium (Cr VI)	2.0	0.05	3.04	mg/L	99	(85-115)	20	0.66
QC Ref# 654147 - Nitrate, Nitrite by EPA 300.0 by EPA 300.0						Analysis Date: 05/17/2012			
LCS1	Nitrate as Nitrogen by IC		2.5	2.62	mg/L	105	(90-110)		
LCS2	Nitrate as Nitrogen by IC		2.5	2.62	mg/L	105	(90-110)	20	0.0
MBLK	Nitrate as Nitrogen by IC			<0.10	mg/L				
MRL_CHK	Nitrate as Nitrogen by IC		0.05	0.0564	mg/L	113	(50-150)		
MRLLLW	Nitrate as Nitrogen by IC		0.013	0.0118	mg/L	94	(50-150)		
MS_201205170544	Nitrate as Nitrogen by IC	ND	1.3	1.33	mg/L	105	(80-120)		
MS_201205230436	Nitrate as Nitrogen by IC	2.6	1.3	9.03	mg/L	103	(80-120)		
MSD_201205170544	Nitrate as Nitrogen by IC	ND	1.3	1.34	mg/L	106	(80-120)	20	0.75
MSD_201205230436	Nitrate as Nitrogen by IC	2.6	1.3	9.04	mg/L	103	(80-120)	20	0.11
QC Ref# 654244 - PH (H3=past HT not compliant) by EPA 9040						Analysis Date: 05/20/2012			
DUP_201205180163	PH (H3=past HT not compliant)	7.4		7.36	Units		(0-20)	20	0.41
DUP_201205180173	PH (H3=past HT not compliant)	7.4		7.41	Units		(0-20)	20	0.14
LCS1	PH (H3=past HT not compliant)		6.0	6.01	Units	100	(98-102)		
LCS2	PH (H3=past HT not compliant)		6.0	6.01	Units	100	(98-102)	20	0.0
QC Ref# 654349 - PH (H3=past HT not compliant) by EPA 9040						Analysis Date: 05/26/2012			
DUP_201205260116	PH (H3=past HT not compliant)	8.0		8.01	Units		(0-20)	20	0.31
LCS1	PH (H3=past HT not compliant)		6.0	6.00	Units	100	(98-102)		
LCS2	PH (H3=past HT not compliant)		6.0	6.01	Units	100	(98-102)	20	0.17
QC Ref# 655484 - Perchlorate by EPA 314.0						Analysis Date: 05/26/2012			
LCS1	Perchlorate		25	28.0	ug/L	112	(85-115)		
LCS2	Perchlorate		25	28.1	ug/L	112	(85-115)	15	0.36

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.



750 Royal Oak Dr., Suite 100
 Monrovia, California, 91016-3629
 Tel: 626 386 1100
 Fax: 626 386 1101
 1 800 566 LABS (1 800 566 5227)

Environ International Corp.

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MBLK	Perchlorate			<4	ug/L				
MRL_CHK	Perchlorate		4.0	3.82	ug/L	96	(75-125)		
MS_201205180176	Perchlorate	1500	25	4720	ug/L	<u>128</u>	(80-120)		
MSD_201205180176	Perchlorate	1500	25	4120	ug/L	104	(80-120)	15	14
QC Ref# 655748 - Perchlorate by EPA 314.0						Analysis Date: 05/30/2012			
LCS1	Perchlorate		25	26.8	ug/L	107	(85-115)		
LCS2	Perchlorate		25	26.8	ug/L	107	(85-115)	15	0.0
MBLK	Perchlorate			<4	ug/L				
MRL_CHK	Perchlorate		4.0	3.3	ug/L	83	(75-125)		
MS_201205170210	Perchlorate	72000	25	97100	ug/L	99	(80-120)		
MSD_201205170210	Perchlorate	72000	25	98900	ug/L	106	(80-120)	15	1.8
QC Ref# 655802 - Perchlorate by EPA 314.0						Analysis Date: 05/30/2012			
LCS1	Perchlorate		25	26.3	ug/L	105	(85-115)		
LCS2	Perchlorate		25	24.1	ug/L	97	(85-115)	15	8.7
MBLK	Perchlorate			<4	ug/L				
MRL_CHK	Perchlorate		4.0	4.83	ug/L	121	(75-125)		
MS_201205220032	Perchlorate	ND	25	28.2	ug/L	113	(80-120)		
MSD_201205220032	Perchlorate	ND	25	27.3	ug/L	109	(80-120)	15	3.2
QC Ref# 657390 - ICP Metals by EPA 6010						Analysis Date: 06/08/2012			
LCS1	Chromium Total ICAP		1.0	1.08	mg/L	108	(85-115)		
LCS2	Chromium Total ICAP		1.0	1.08	mg/L	108	(85-115)	20	0.0
MBLK	Chromium Total ICAP			<0.01	mg/L				
MRL_CHK	Chromium Total ICAP		0.01	0.0120	mg/L	120	(50-150)		
MS_201205170201	Chromium Total ICAP	0.060	1.0	1.05	mg/L	99	(70-130)		
MS2_201205170211	Chromium Total ICAP	ND	1.0	1.07	mg/L	107	(70-130)		
MSD_201205170201	Chromium Total ICAP	0.060	1.0	1.06	mg/L	100	(70-130)	20	0.95
MSD2_201205170211	Chromium Total ICAP	ND	1.0	1.08	mg/L	108	(70-130)	20	0.93
QC Ref# 657391 - ICP Metals by EPA 6010						Analysis Date: 06/08/2012			
LCS1	Chromium Total ICAP		1.0	1.07	mg/L	107	(85-115)		
LCS2	Chromium Total ICAP		1.0	1.1	mg/L	110	(85-115)	20	2.8
MBLK	Chromium Total ICAP			<0.01	mg/L				
MRL_CHK	Chromium Total ICAP		0.01	0.0121	mg/L	121	(50-150)		
MS_201205180186	Chromium Total ICAP	0.095	1.0	1.09	mg/L	100	(70-130)		
MS2_201205180187	Chromium Total ICAP	0.10	1.0	1.11	mg/L	100	(70-130)		
MSD_201205180186	Chromium Total ICAP	0.095	1.0	1.08	mg/L	99	(70-130)	20	0.92
MSD2_201205180187	Chromium Total ICAP	0.10	1.0	1.1	mg/L	99	(70-130)	20	0.91

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.