



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oaks Dr., Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Laboratory Report

for

Environ International Corp.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016
Attention: John M. Pekala, P.G.
Fax: 602.734.7701



RSR: Rita S. Sprinkle
Project Manager



01114CA

Report: 397964
Project: CWA-RCRA
Group: Quarterly CR6010
Testing

Laboratory certifies that the test results meet all **NELAC** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Hits Reports, Comments, QC Summary, QC Report and Regulatory Forms. This report shall not be reproduced except in full, without the written approval of the laboratory.

**MWH****LABORATORIES****STATE CERTIFICATION LIST**

State	Certification Number	State	Certification Number
Alabama	41060	Mississippi	Certified
Alaska	CA00006	Montana	Cert 0035
Arizona	AZ0455	Nevada	CA00006-2010-1
Arkansas	Certified	New Hampshire	2959-11
California – NELAP	01114CA	New Jersey	CA 008
California – ELAP	1422	New Mexico	Certified
Colorado	Certified	New York	11320
Connecticut	PH-0107	North Carolina	06701
Delaware	CA 006	North Dakota	R-009
Florida	E871024	Oregon	CA 200003-009
Georgia	947	Pennsylvania	68-565
Guam	11-004r	Rhode Island	01114CA
Hawaii	Certified	South Carolina	87016001
Idaho	Certified	South Dakota	Certified
Illinois	200033	Tennessee	TN02839
Indiana	C-CA-01	Texas	T104704230-11-2
Kansas	E-10268	Utah	Mont-1
Kentucky	90107	Vermont	VT0114
Louisiana	LA110022	Virginia	00210
Maine	CA0006	Washington	C383
Maryland	224	West Virginia	9943 C
Commonwealth of Northern Marianas Is.	MP0004	Wisconsin	998316660
Massachusetts	M-CA006	Wyoming	8TMS-L
Michigan	9906	EPA Region 5	Certified

Acknowledgement of Samples Received

 Addr: **Environ International Corp.**
 1702 E. Highland Ave.
 Suite 412
 Phoenix, AZ 85016
 Attn: John M. Pekala, P.G.
 Phone: 602.734.7710

 Client ID: ENVIRON-NVTRUST
 Folder #: 397964
 Project: CWA-RCRA
 Sample Group: Quarterly CR6010 Testing
 Project Manager: Rita S. Sprinkle
 Phone: 916-418-8358

The following samples were received from you on **May 25, 2012**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample #	Sample ID	Sample Date
<u>201205260058</u>	M-147	05/24/2012 0538
	Chromium Total ICAP RCRA	Perchlorate
	Total Dissolved Solid (TDS)	PH (H3=past HT not compliant)
<u>201205260059</u>	PC-142	05/24/2012 0613
	Chromium Total ICAP RCRA	Perchlorate
	Total Dissolved Solid (TDS)	PH (H3=past HT not compliant)
<u>201205260060</u>	PC-18	05/24/2012 0640
	Chromium Total ICAP RCRA	Perchlorate
	Total Dissolved Solid (TDS)	Total Dissolved Solid (TDS)
<u>201205260061</u>	PC-144	05/24/2012 0703
	Chromium Total ICAP RCRA	Perchlorate
	Total Dissolved Solid (TDS)	PH (H3=past HT not compliant)
<u>201205260062</u>	PC-101R	05/24/2012 0725
	Chromium Total ICAP RCRA	Perchlorate
	Total Dissolved Solid (TDS)	Total Dissolved Solid (TDS)
<u>201205260063</u>	MW-K4	05/24/2012 0803
	Chromium Total ICAP RCRA	Perchlorate
	Total Dissolved Solid (TDS)	Total Dissolved Solid (TDS)
<u>201205260064</u>	HMW-15	05/24/2012 0834
	Perchlorate	PH (H3=past HT not compliant)
	Total Dissolved Solid (TDS)	Total Dissolved Solid (TDS)
<u>201205260065</u>	HMW-14	05/24/2012 0855
	Perchlorate	PH (H3=past HT not compliant)
	Total Dissolved Solid (TDS)	Total Dissolved Solid (TDS)
<u>201205260066</u>	HMW-13	05/24/2012 0916
	Perchlorate	PH (H3=past HT not compliant)
	Total Dissolved Solid (TDS)	Total Dissolved Solid (TDS)
<u>201205260067</u>	PC-98R	05/24/2012 0957
	Chromium Total ICAP RCRA	Perchlorate
	Total Dissolved Solid (TDS)	Total Dissolved Solid (TDS)
<u>201205260068</u>	PC-103	05/24/2012 1108
	Chlorate by EPA 9056	Chromium Total ICAP RCRA
	Nitrate by EPA 9056	Perchlorate
		Nitrate as NO3 (calc)
		Total Dissolved Solid (TDS)

Test Description



Acknowledgement of Samples Received

Addr: **Environ International Corp.**
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016
Attn: John M. Pekala, P.G.
Phone: 602.734.7710

Client ID: ENVIRON-NVTRUST
Folder #: 397964
Project: CWA-RCRA
Sample Group: Quarterly CR6010 Testing
Project Manager: Rita S. Sprinkle
Phone: 916-418-8358

The following samples were received from you on **May 25, 2012**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using MWH Laboratories.

Sample #	Sample ID	Sample Date
----------	-----------	-------------



750 Royal Oaks Drive, Suite #100 Monrovia, CA. 91016.
(626) 386-1100 (800) 566-5227

MWLABS USE ONLY:

TO BE COMPLETED BY SAMPLER:

BLUE ICE: FROZEN PARTIALLY FROZEN THAWED

COMPANY / PROJECT NAME

PROJECT JOB # / P.O.#

REFER TO ATTACHED BOTTLE ORDER FOR ANALYSES

(check for yes)

Nevada Environmental Response Trust

Nevada Environmental Response Trust

ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)

Sampler Signature:

Michele Brown

Nevada Environmental Response Trust
35 East Wacker Suite 1550
Chicago, IL 60606

John Pekala 602-734-7710

TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX *	GRAB	COMP	PH	TDS	CR	CLO4	Starke CLO4	CLO3	NO3	SAMPLER COMMENTS
5:38A	5/24/2012		M-147				X	X	X	X				RESAMPLE
6:13A	5/24/2012		PC-142				X	X	X	X				
6:40A	5/24/2012		PC-18					X	X	X				
7:03a	5/24/2012		PC-144					X	X	X				
7:25a	5/24/2012		PC-101R					X	X	X				
8:03a	5/24/2012		MW-K4					X	X	X				
8:34a	5/24/2012		HMW-15					X	X	X				
8:55a	5/24/2012		HMW-14					X	X	X				
9:16a	5/24/2012		HMW-13					X	X	X				
9:57a	5/24/2012		PC-98R					X	X	X				
11:08a	5/24/2012		PC-103					X	X	X		X		

* MATRIX TYPES:

Reported by Volume:
CFW = Chlor(am)inated Finished Water
FW = Other Finished Water

Reported by Weight:
SO = Soil
SL = Sludge

CWW = Chlorinated Waste Water
WW = Other Waste Water
SW = Storm Water

Reported by Weight:

SIGNATURE

PRINT NAME

COMPANY/TITLE

DATE

TIME

RELINQUISHED BY:

Michele Brown

RECEIVED BY:

Veolia Water for Nevada Environmental Response Trust

5/24/2012

12:00 PM

RELINQUISHED BY:

RECEIVED BY:

June 29, 2012

John M. Pekala, P.G.
Environ International Corp.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Sample receipt: The samples arrived at MWH Laboratories, Monrovia, CA on May 25, 2012 with proper chain of custody. All containers were received without any visible signs of tampering or breakage at proper temperature. Samples are identified on the acknowledgement, which is part of the report package, along with the chain of custody.

Case Narrative:

For the MWH Laboratories data the following issues were observed:

Other Observations:

There were no unusual observations on this sample set.

Sincerely,



Rita S. Sprinkle
Project Manager



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oaks Dr., Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Environ International Corp.
John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Laboratory Comments
Report: 397964



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data
Report: 397964

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
05/25/2012

Prepared	Analyzed	QC Ref #	Method	Analyte	Result	Units	MDL	MRL	SQL	Dilution	
<u>M-147 (201205260058)</u>							Sampled on 05/24/2012 0538				
EPA 6010 - ICP Metals											
5/29/2012	06/19/2012	00:04	658869	(EPA 6010)	Chromium Total ICAP	0.19	mg/L	0.00044	0.02	0.00088	2
EPA 314.0 - Perchlorate Sterile Filtered											
	06/07/2012	16:46	657227	(EPA 314.0)	Perchlorate	13000	ug/L	0.25	800	50	200
E160.1/SM2540C - Total Dissolved Solid (TDS)											
5/29/2012	05/29/2012	23:21	655688	(E160.1/SM2540C)	Total Dissolved Solids (TDS)	4400	mg/L	4.2	10	4.2	1
EPA 9040 - PH by EPA 9040											
	06/10/2012	17:26	657438	(EPA 9040)	PH (H3=past HT not compliant)	7.7	Units	0.10	0.1	0.10	1
<u>PC-142 (201205260059)</u>							Sampled on 05/24/2012 0613				
EPA 6010 - ICP Metals											
5/29/2012	06/19/2012	00:06	658869	(EPA 6010)	Chromium Total ICAP	0.0019J	mg/L	0.00044	0.02	0.00088	2
EPA 314.0 - Perchlorate Sterile Filtered											
	06/07/2012	17:08	657227	(EPA 314.0)	Perchlorate	14000	ug/L	0.25	800	50	200
E160.1/SM2540C - Total Dissolved Solid (TDS)											
5/29/2012	05/29/2012	23:22	655688	(E160.1/SM2540C)	Total Dissolved Solids (TDS)	5700	mg/L	4.2	10	4.2	1
EPA 9040 - PH by EPA 9040											
	06/10/2012	17:30	657438	(EPA 9040)	PH (H3=past HT not compliant)	8.3	Units	0.10	0.1	0.10	1
<u>PC-18 (201205260060)</u>							Sampled on 05/24/2012 0640				
EPA 6010 - ICP Metals											
5/29/2012	06/19/2012	00:10	658869	(EPA 6010)	Chromium Total ICAP	0.15	mg/L	0.00044	0.02	0.00088	2
EPA 314.0 - Perchlorate Sterile Filtered											
	06/07/2012	07:04	656994	(EPA 314.0)	Perchlorate	170000	ug/L	0.25	40000	2500	10000
E160.1/SM2540C - Total Dissolved Solid (TDS)											
5/29/2012	05/29/2012	23:23	655688	(E160.1/SM2540C)	Total Dissolved Solids (TDS)	9900	mg/L	4.2	10	4.2	1
<u>PC-144 (201205260061)</u>							Sampled on 05/24/2012 0703				
EPA 6010 - ICP Metals											
5/29/2012	06/19/2012	00:13	658869	(EPA 6010)	Chromium Total ICAP	0.56	mg/L	0.00044	0.02	0.00088	2
EPA 314.0 - Perchlorate Sterile Filtered											

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data
Report: 397964

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
05/25/2012

Prepared	Analyzed	QC Ref #	Method	Analyte	Result	Units	MDL	MRL	SQL	Dilution
	06/07/2012	07:26 656994	(EPA 314.0)	Perchlorate	350000	ug/L	0.25	40000	2500	10000
E160.1/SM2540C - Total Dissolved Solid (TDS)										
5/29/2012	05/29/2012	23:24 655688	(E160.1/SM2540C)	Total Dissolved Solids (TDS)	6300	mg/L	4.2	10	4.2	1
EPA 9040 - PH by EPA 9040										
	06/10/2012	17:34 657438	(EPA 9040)	PH (H3=past HT not compliant)	7.8	Units	0.10	0.1	0.10	1
<u>PC-101R (201205260062)</u>							Sampled on 05/24/2012 0725			
EPA 6010 - ICP Metals										
5/29/2012	06/19/2012	00:33 658869	(EPA 6010)	Chromium Total ICAP	0.092	mg/L	0.00044	0.02	0.00088	2
EPA 314.0 - Perchlorate Sterile Filtered										
	06/07/2012	07:48 656994	(EPA 314.0)	Perchlorate	160000	ug/L	0.25	20000	1200	5000
E160.1/SM2540C - Total Dissolved Solid (TDS)										
5/29/2012	05/29/2012	23:25 655688	(E160.1/SM2540C)	Total Dissolved Solids (TDS)	9900	mg/L	4.2	10	4.2	1
<u>MW-K4 (201205260063)</u>							Sampled on 05/24/2012 0803			
EPA 6010 - ICP Metals										
5/29/2012	06/19/2012	00:37 658869	(EPA 6010)	Chromium Total ICAP	0.34	mg/L	0.00044	0.02	0.00088	2
EPA 314.0 - Perchlorate Sterile Filtered										
	06/07/2012	08:11 656994	(EPA 314.0)	Perchlorate	300000	ug/L	0.25	40000	2500	10000
E160.1/SM2540C - Total Dissolved Solid (TDS)										
5/29/2012	05/29/2012	23:26 655688	(E160.1/SM2540C)	Total Dissolved Solids (TDS)	6300	mg/L	4.2	10	4.2	1
<u>HMW-15 (201205260064)</u>							Sampled on 05/24/2012 0834			
EPA 314.0 - Perchlorate Sterile Filtered										
	06/07/2012	08:56 656994	(EPA 314.0)	Perchlorate	38	ug/L	0.25	4	0.25	1
E160.1/SM2540C - Total Dissolved Solid (TDS)										
5/29/2012	05/30/2012	22:30 655821	(E160.1/SM2540C)	Total Dissolved Solids (TDS)	2800	mg/L	4.2	10	4.2	1
EPA 9040 - PH by EPA 9040										
	06/10/2012	17:37 657438	(EPA 9040)	PH (H3=past HT not compliant)	7.9	Units	0.10	0.1	0.10	1
<u>HMW-14 (201205260065)</u>							Sampled on 05/24/2012 0855			
EPA 314.0 - Perchlorate Sterile Filtered										
	06/07/2012	17:31 657227	(EPA 314.0)	Perchlorate	1500	ug/L	0.25	80	5.0	20
E160.1/SM2540C - Total Dissolved Solid (TDS)										

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oak Dr., Suite 100
Monrovia, California, 91016-3629
Tel: 626 386 1100
Fax: 626 386 1101
1 800 566 LABS (1 800 566 5227)

Laboratory Data
Report: 397964

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
05/25/2012

Table with columns: Prepared, Analyzed, QC Ref #, Method, Analyte, Result, Units, MDL, MRL, SQL, Dilution. Contains multiple rows of data for various tests like EPA 9040, EPA 314.0, EPA 6010, EPA 9056, and PC-103.

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oaks Dr., Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary: 397964

Environ International Corp.

QC Ref # 655627 - Nitrate, Nitrite by EPA 300.0

201205260068 PC-103

Analysis Date: 05/25/2012

Analyzed by: CYP

QC Ref # 655688 - Total Dissolved Solids (TDS)

201205260058 M-147
201205260059 PC-142
201205260060 PC-18
201205260061 PC-144
201205260062 PC-101R
201205260063 MW-K4

Analysis Date: 05/29/2012

Analyzed by: JRF
Analyzed by: JRF
Analyzed by: JRF
Analyzed by: JRF
Analyzed by: JRF
Analyzed by: JRF

QC Ref # 655821 - Total Dissolved Solids (TDS)

201205260064 HMW-15
201205260065 HMW-14
201205260066 HMW-13
201205260067 PC-98R
201205260068 PC-103

Analysis Date: 05/30/2012

Analyzed by: JRF
Analyzed by: JRF
Analyzed by: JRF
Analyzed by: JRF
Analyzed by: JRF

QC Ref # 656994 - Perchlorate

201205260060 PC-18
201205260061 PC-144
201205260062 PC-101R
201205260063 MW-K4
201205260064 HMW-15
201205260066 HMW-13
201205260067 PC-98R
201205260068 PC-103

Analysis Date: 06/07/2012

Analyzed by: LUPE
Analyzed by: LUPE
Analyzed by: LUPE
Analyzed by: LUPE
Analyzed by: LUPE
Analyzed by: LUPE
Analyzed by: LUPE
Analyzed by: LUPE

QC Ref # 657224 - Disinfection ByProducts by 300.0

201205260068 PC-103

Analysis Date: 06/08/2012

Analyzed by: LUPE

QC Ref # 657227 - Perchlorate

201205260058 M-147
201205260059 PC-142
201205260065 HMW-14

Analysis Date: 06/07/2012

Analyzed by: LUPE
Analyzed by: LUPE
Analyzed by: LUPE

QC Ref # 657438 - PH (H3=past HT not compliant)

201205260058 M-147
201205260059 PC-142
201205260061 PC-144
201205260064 HMW-15
201205260065 HMW-14
201205260066 HMW-13

Analysis Date: 06/10/2012

Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL
Analyzed by: SFL

QC Ref # 658869 - ICP Metals

201205260058 M-147
201205260059 PC-142
201205260060 PC-18
201205260061 PC-144

Analysis Date: 06/19/2012

Analyzed by: NINA
Analyzed by: NINA
Analyzed by: NINA
Analyzed by: NINA



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oaks Dr., Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Laboratory
QC Summary: 397964

Environ International Corp.

201205260062	PC-101R	Analyzed by: NINA
201205260063	MW-K4	Analyzed by: NINA
201205260067	PC-98R	Analyzed by: NINA
201205260068	PC-103	Analyzed by: NINA



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oaks Dr., Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (626) 386-1101
 1 800 566 LABS (1 800 566 5227)

Laboratory QC
 Report: 397964

Environ International Corp.

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
QC Ref# 655627 - Nitrate, Nitrite by EPA 300.0 by EPA 300.0						Analysis Date: 05/25/2012			
LCS1	Nitrate as Nitrogen by IC		2.5	2.59	mg/L	104	(90-110)		
LCS2	Nitrate as Nitrogen by IC		2.5	2.57	mg/L	103	(90-110)	20	0.78
MBLK	Nitrate as Nitrogen by IC			<0.10	mg/L				
MRL_CHK	Nitrate as Nitrogen by IC		0.05	0.0523	mg/L	105	(50-150)		
MRL_LW	Nitrate as Nitrogen by IC		0.013	0.0136	mg/L	109	(50-150)		
MS_201205250264	Nitrate as Nitrogen by IC	ND	1.3	1.29	mg/L	103	(80-120)		
MS_201205250323	Nitrate as Nitrogen by IC	ND	1.3	1.3	mg/L	104	(80-120)		
MSD_201205250264	Nitrate as Nitrogen by IC	ND	1.3	1.3	mg/L	104	(80-120)	20	0.77
MSD_201205250323	Nitrate as Nitrogen by IC	ND	1.3	1.3	mg/L	104	(80-120)	20	0.0
QC Ref# 655688 - Total Dissolved Solids (TDS) by E160.1/SM2540C						Analysis Date: 05/29/2012			
DUP_201205250214	Total Dissolved Solid (TDS)	1900		1870	mg/L		(0-20)	20	0.0
DUP_201205250213	Total Dissolved Solid (TDS)	2000		1990	mg/L		(0-20)	20	0.81
LCS1	Total Dissolved Solid (TDS)		175	166	mg/L	95	(80-114)		
LCS2	Total Dissolved Solid (TDS)		700	706	mg/L	101	(80-114)		
MBLK	Total Dissolved Solid (TDS)			<10	mg/L				
MRL_CHK	Total Dissolved Solid (TDS)		10	10.0	mg/L	100	(50-150)		
QC Ref# 655821 - Total Dissolved Solids (TDS) by E160.1/SM2540C						Analysis Date: 05/30/2012			
DUP_201205260065	Total Dissolved Solid (TDS)	2000		2020	mg/L		(0-20)	20	1.3
DUP_201205250291	Total Dissolved Solid (TDS)	550		560	mg/L		(0-20)	20	2.2
LCS1	Total Dissolved Solid (TDS)		175	174	mg/L	99	(80-114)		
LCS2	Total Dissolved Solid (TDS)		700	694	mg/L	99	(80-114)		
MBLK	Total Dissolved Solid (TDS)			<10	mg/L				
MRL_CHK	Total Dissolved Solid (TDS)		10	6.00	mg/L	60	(50-150)		
QC Ref# 656994 - Perchlorate by EPA 314.0						Analysis Date: 06/07/2012			
LCS1	Perchlorate		25	27.6	ug/L	110	(85-115)		
LCS2	Perchlorate		25	28.8	ug/L	115	(85-115)	15	4.3
MBLK	Perchlorate			<4	ug/L				
MRL_CHK	Perchlorate		4.0	4.72	ug/L	118	(75-125)		
MS_201206010005	Perchlorate	ND	25	29.6	ug/L	119	(80-120)		
MSD_201206010005	Perchlorate	ND	25	28.6	ug/L	114	(80-120)	15	3.4
QC Ref# 657224 - Disinfection ByProducts by 300.0 by EPA 9056						Analysis Date: 06/08/2012			
LCS1	Chlorate by IC		200	201	ug/L	101	(90-110)		
LCS2	Chlorate by IC		200	200	ug/L	100	(90-110)	20	0.50
MBLK	Chlorate by IC			<10	ug/L				
MRL_CHK	Chlorate by IC		10	9.26	ug/L	93	(75-125)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.



MWH

LABORATORIES

A Division of MWH Americas, Inc.

750 Royal Oaks Dr., Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (626) 386-1101
 1 800 566 LABS (1 800 566 5227)

Laboratory QC
 Report: 397964

Environ International Corp.

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MS_201206080417	Chlorate by IC	140	100	235	ug/L	100	(80-120)		
MSD_201206080417	Chlorate by IC	140	100	229	ug/L	94	(80-120)	15	2.6
QC Ref# 657227 - Perchlorate by EPA 314.0						Analysis Date: 06/07/2012			
LCS1	Perchlorate		25	28.4	ug/L	114	(85-115)		
LCS2	Perchlorate		25	27.3	ug/L	109	(85-115)	15	4.0
MBLK	Perchlorate			<4	ug/L				
MRL_CHK	Perchlorate		4.0	4.72	ug/L	118	(75-125)		
MS_201205250212	Perchlorate	120000	25	269000	ug/L	118	(80-120)		
MSD_201205250212	Perchlorate	120000	25	272000	ug/L	119	(80-120)	15	1.1
QC Ref# 657438 - PH (H3=past HT not compliant) by EPA 9040						Analysis Date: 06/10/2012			
DUP_201205240137	PH (H3=past HT not compliant)			7.72	Units		(0-20)	20	0.39
LCS1	PH (H3=past HT not compliant)		6.0	6.01	Units	100	(98-102)		
LCS2	PH (H3=past HT not compliant)		6.0	6.01	Units	100	(98-102)	20	0.0
QC Ref# 658869 - ICP Metals by EPA 6010						Analysis Date: 06/18/2012			
LCS1	Chromium Total ICAP		1.0	1.05	mg/L	105	(85-115)		
LCS2	Chromium Total ICAP		1.0	1.05	mg/L	105	(85-115)	20	0.0
MBLK	Chromium Total ICAP			<0.01	mg/L				
MRL_CHK	Chromium Total ICAP		0.01	0.0128	mg/L	128	(50-150)		
MS_201205250292	Chromium Total ICAP	0.028	1.0	1.02	mg/L	99	(70-130)		
MS2_201205260067	Chromium Total ICAP	0.015	1.0	1.04	mg/L	102	(70-130)		
MSD_201205250292	Chromium Total ICAP	0.028	1.0	1.06	mg/L	103	(70-130)	20	3.9
MSD2_201205260067	Chromium Total ICAP	0.015	1.0	0.990	mg/L	98	(70-130)	20	4.9

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.