



August 15, 2013

Mr. Weiquan Dong, PE
Bureau of Corrective Actions, Special Projects Branch
Nevada Division of Environmental Protection
2030 E. Flamingo Rd., Suite 230
Las Vegas, Nevada 89119

Re: Soil Sampling Results to Evaluate Potential Impacts to Shallow Soil in the Area of the March 22, 2013 Sludge Release from Fluidized Bed Reactor (FBR) Filter Press Nevada Environmental Response Trust Site Henderson, Nevada

Dear Mr. Dong:

On behalf of Veolia Water North America (Veolia), a former contractor for the Nevada Environmental Response Trust (NERT), ENVIRON International Corporation (ENVIRON) is pleased to submit this report summarizing the soil sampling performed as a follow-up to ENVIRON's previous *Report of Sludge Release from Fluidized Bed Reactor (FBR) Filter Press*, dated May 10, 2013 (Attachment A), which described the sludge release, measures taken to clean up the spilled sludge, and preventive and corrective actions taken. The previous letter report also recommended soil sampling to evaluate potential impacts to shallow soil in the area of the sludge release.

This letter report presents a summary of the soil sampling that occurred on July 17, 2013. Analytical data compared to the Soil Remediation Goals (SRGs) is presented in Table 1. The locations of soil samples and results are shown on Figure 1. The laboratory analytical report is included in Attachment B.

Soil Sampling Procedures

Prior to work beginning, a site-specific Health and Safety Plan (HASP) was prepared to address any potential health and safety concerns related to site or chemical conditions. The proposed locations for the soil samples were outlined in the *Report of Sludge Release from Fluidized Bed Reactor (FBR) Filter Press* dated May 10, 2013 (Attachment A), and were selected based on the flow path of the released sludge. Due to the shallow nature of the samples being collected, a hand auger was selected as the appropriate sampling tool. All work was conducted in conformance with the Site Management Plan (SMP) dated May 2012.

Before collecting samples, locations were confirmed in the field and the hand auger was decontaminated by scrubbing with a Liquinox® solution, rinsing with lab-provided deionized water, and allowing to dry completely. Samples were collected from two depths at each of six locations and the hand auger was decontaminated between each sample depth and location. Shallow samples were collected from less than 6 inches below ground surface (bgs) and a deeper sample was collected from between 6 and 12 inches bgs at each location.

Immediately after the samples were collected, they were placed in a sample refrigerator under the supervision of Veolia until a lab-provided courier arrived. Upon courier arrival, the samples were transferred from the sample refrigerator to an iced cooler and the chain of custody was signed over to the laboratory.

The sample boreholes were abandoned by backfilling with the removed soil, and the decontamination water was disposed of into the on-site GW-11 pond.

Soil Analytical Results

Soil sampling was completed on July 17, 2013. ENVIRON collected shallow soil samples at two depths from five locations (SR-01 through SR-05) along the path of the release and from one location outside the flow path (SR-06) (Figure 1). The shallow soil samples (i.e., 0 to 6 inches bgs) from the five locations along the path of the sludge release were analyzed for the compounds detected in the sludge release sample, which was collected at the time of the release, above the SRGs (i.e., arsenic, benzo(a)pyrene, and dibenz(a,h)anthracene). The samples were analyzed by TestAmerica, Inc. in Irvine, California. The results compared to SRGs are shown in Table 1.

The deeper samples (i.e., 6 to 12 inches bgs), as well as both samples from the location outside of the sludge flow path (SR-06), were held for analysis pending the results of the shallow soil samples.

- Arsenic was detected in soil samples SR-01 and SR-02 at concentrations of 4.6 milligrams per kilogram (mg/kg) and 3.1 mg/kg, respectively. The sludge release sample from March 22, 2013, had a concentration of 320 mg/kg. The site-specific SRG for arsenic is 7.2 mg/kg.
- Benzo(a)pyrene was detected in soil samples SR-02 and SR-04 at concentrations of 0.007 mg/kg and 0.099 mg/kg, respectively. The sludge release sample from March 22, 2013, had a concentration of 0.27 mg/kg. The SRG for benzo(a)pyrene is 0.234 mg/kg.
- Dibenz(a,h)anthracene was detected in soil sample SR-04 at a concentration of 0.0092 mg/kg. The sludge release sample from March 22, 2013, had a concentration of 0.41 mg/kg, and the SRG for dibenz(a,h)anthracene is 0.234 mg/kg.

Evaluation and Conclusions

The results of the shallow soil samples indicate there were no impacts above the SRGs to the shallow soil from the sludge release. No further analysis or sampling is recommended at this time.

Should you have any questions concerning this correspondence, please contact Kimberly Kuwabara at (510) 420-2525 or kkuwabara@environcorp.com. Thank you.

Sincerely,



John M. Pekala, PG
Senior Manager
Nevada CEM 2347, exp. 9/20/2014



Kimberly Kuwabara, MS
Senior Manager
Nevada CEM 2353, exp. 3/20/2015

cc. Cliff Lawson, Bureau of Water Pollution Control, NDEP
Joe Maez, Bureau of Water Pollution Control, NDEP
Greg Lovato, Bureau of Corrective Actions, NDEP

James Dotchin, Bureau of Corrective Actions, NDEP
Nevada Environmental Response Trust
Tanya O'Neill, Foley and Lardner LLP
Sachin Chawla, Veolia Water North America
Steve Kubacki, Veolia Water North America
Allan DeLorme, ENVIRON International Corporation

Attachments

Table 1: Sludge Release Sample and Follow-up Soil Sample Results Compared to Soil Remediation Goals (SRGs)¹

Constituents²	SRGs	Sludge Release Sample	SR-01 0.0 - 0.5 ft bgs 7/17/2013	SR-02 0.0 - 0.5 ft bgs 7/17/2013	SR-03 0.0 - 0.5 ft bgs 7/17/2013	SR-04 0.0 - 0.5 ft bgs 7/17/2013	SR-05 0.0 - 0.5 ft bgs 7/17/2013
		3/22/2013					
PAHs							
Benzo(a)pyrene	0.234	0.27	ND<0.002	0.007 J	ND<0.002	0.099	ND<0.002
Dibenz(a,h)anthracene	0.234	0.41	ND<0.0025	ND<0.0025	ND<0.0025	0.0092 J	ND<0.0025
Metals							
Arsenic	7.2 ³	320	4.6	3.1 J	ND<4.1	ND<4.0	ND<4.0

Notes:

All results in mg/kg

ft bgs = feet below ground surface


ND = Not detected

J = Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.

¹ SRGs consist of Nevada Division of Environmental Protection worker basic comparison levels , or modified site-specific remediation goals.

² Results in bold exceed the SRGs.

³ Indicates a site-specific value.



Attachment A

Letter Report of Sludge Release from Fluidized Bed Reactor (FBR) Filter Press
May 10, 2013



May 10, 2013

NPDES Compliance Coordinator
Nevada Division of Environmental Protection
Bureau of Water Pollution Control
901 South Stewart Street, Suite 4001
Carson City, Nevada 89701-5249

**Re: Report of Sludge Release from Fluidized Bed Reactor (FBR) Filter Press
Nevada Environmental Response Trust Site; Henderson, NV
NPDES Permit NV0023060**

Dear NPDES Compliance Coordinator:

The Nevada Environmental Response Trust (NERT) maintains NPDES Permit NV0023060 for discharge of treated water to the Las Vegas Wash, as part of their on-going effort to capture and treat groundwater containing perchlorate and chromium in the Henderson area. Per Section II.A.3., *Noncompliance, Unauthorized Discharge, Bypassing and Upset*, of the permit, ENVIRON International Corporation (ENVIRON), on behalf of NERT, called the NDEP Spill Reporting Hotline on March 22, 2013 to report a release of sludge that is generated in the Fluidized Bed Reactor (FBR) process, a component part of the treatment plant designed to biologically remove perchlorate. The release occurred on Friday, March 22, 2013 during dewatering (via filter press) of the sludge in preparation for off-site disposal. The sludge flowed north out of the D-1 building on to soil and pavement in the vicinity of the E Hut. Sludge was removed from the inside of the D-1 building using a vacuum truck and from outside paved areas using shovels, a pressure washer, and a shop vacuum. Sludge was removed from soil with shovels (no soil excavation was conducted). The sludge removed from inside the D-1 building and the ground surface was placed in a bin for off-site disposal at Republic Services Apex Landfill. This correspondence serves as written notification of the leak, which is detailed below.

Per Section II.A.3.b. of the permit, the written report shall include the following information:

i. Time and date of discharge

At approximately 2:30 AM on Friday March 22, 2013, an operator for Veolia Water North America (Veolia) started dewatering of approximately 5,000 gallons of sludge from one of the FBR unit's filter presses in the D-1 Building. The operator returned at 3:20 AM after collecting the daily treated effluent sample and observed the sludge coming out of the D-1 Building.

ii. Exact location and estimated amount of discharge

The sludge release occurred at the southeast corner of the D-1 Building and flowed north toward the E Hut at the NERT site in Henderson, Nevada. The location and extent of the leak is shown on the attached map (Figure 1). Most of the sludge was contained in a bin and concrete containment area, but a portion of the volume, estimated at 500 to 700 gallons, was released to soil and pavement.

iii. Flow path and any bodies of water which the discharge reached

The leaked sludge flowed on asphalt and then on an unpaved surface for approximately 400 feet to the north of the D-1 building (Figure 1). On the unpaved surfaces, water from the sludge infiltrated into the ground surface and sludge solids accumulated on soil in the area west and north of the E Hut. The pavement outside of the D-1 Building was stained as a result of the release. The discharge entered a rip rap channel that drains to the northeastern retention basin, but did not flow onto any roadway or into any body of water. The leaked sludge remained on NERT property.

iv. The specific cause of the discharge

The sludge release was caused when the operator closed the door of the filter press unit after beginning dewatering, but failed to ensure that the door was secure. The cause of the release was operator error, not malfunctioning equipment.

v. The preventive and/or corrective actions taken.

A sample of the sludge was collected and sent to a laboratory for analysis of the constituents listed in Table 4 of the NERT Site Management Plan (SMP), with the exception of asbestos. The analytical laboratory reports are provided on a CD with this report. The sample results were screened against NDEP's Basic Comparison Levels (BCLs) and site-specific values, collectively called the Soil Remediation Goals (SRGs). In addition, the sample results were compared to sludge data from the current quarter and previous two quarters (collected per the NPDES permit) (Table 1). A limited number of the analytes were detected above the screening levels. Arsenic was detected in the sample of sludge that leaked from the filter press at 320 milligrams per kilogram (mg/kg), which exceeds the site-specific value of 7.2 mg/kg, but is consistent with historical sludge results (range of 160 to 560 mg/kg). All results of Toxicity Characteristic Leaching Procedure (TCLP) analysis on NPDES quarterly samples from the past 3 quarters, including arsenic, were below hazardous waste screening criteria (Table 2). In addition, two polyaromatic hydrocarbon (PAH) constituents, benzo(a)pyrene and dibenz(a,h)anthracene, were detected at concentrations slightly above their respective BCLs. A number of other volatile and semi-volatile organic compounds, PAHs, dioxins/furans, pesticides, metals, and salts were detected in the sludge sample; however, none were above screening criteria.

Based on the sludge analytical results, additional soil sampling is warranted to evaluate potential impacts to shallow soil in the area of the sludge release. The proposed additional sampling would include collection of shallow (less than 6 inches deep) soil samples from five locations along the path of the release (Figure 1). Additional vertical (deeper) samples will be collected concurrently. Shallow soil samples will be analyzed for the compounds detected in the sludge above screening criteria (i.e., arsenic, benzo(a)pyrene, and dibenz(a,h)anthracene). The results will be compared to each compound's respective SRG. If any reported concentrations for the shallow samples exceed a SRG, the deeper sample at that location will be analyzed to further vertically delineate the soil contamination. If all reported concentrations for the shallow samples are

below the SRGs, the deeper samples will not be analyzed. A small portion of the sludge release area overlaps with excavation control areas (ECAs) to the west/northwest of the E Hut. All work associated with the sludge release will be conducted in conformance with the SMP. The results of this investigation will be submitted to Mr. Weiquan Dong of the NDEP Bureau of Corrective Actions for review.


Future preventative action will include inspection of the filter press during dewatering prior to leaving the building.

Should you have any questions concerning this correspondence, please contact Kimberly Kuwabara at (510) 420-2525 or kkuwabara@environcorp.com. Thank you.

Sincerely,



John M. Pekala, PG
Senior Manager
Nevada CEM 2347, exp. 9/20/2014



Kimberly Kuwabara, MS
Senior Manager
Nevada CEM 2353, exp. 3/20/2015

cc. Cliff Lawson, Bureau of Water Pollution Control, NDEP
Joe Maez, Bureau of Water Pollution Control, NDEP
Greg Lovato, Bureau of Corrective Actions, NDEP
Shannon Harbour, Bureau of Corrective Actions, NDEP
James Dotchin, Bureau of Corrective Actions, NDEP
Weiquan Dong, Bureau of Corrective Actions, NDEP
Nevada Environmental Response Trust
Tanya O'Neill, Foley and Lardner LLP
Sachin Chawla, Veolia Water North America
Steve Kubacki, Veolia Water North America
Allan DeLorme, ENVIRON International Corporation

Attachments

Table 1: Select FBR Biosolids Sample Results Compared to Soil Remediation Goals (SRGs)¹

Constituents ²	Sludge Release Sample (3/22/2013)	2nd Quarter 2013 (04/15/2013)	1st Quarter 2013 (01/07/2013)	4th Quarter 2012 (10/01/2012)	SRGs mg/kg
	mg/kg	mg/kg	mg/kg	mg/kg	
VOCs					
2-Butanone	7.1	NA	NA	NA	34,092
2-Hexanone	0.045	NA	NA	NA	1,930
4-Methyl-2-pentanone	0.074	NA	NA	NA	17,196
Acetone	24	NA	NA	NA	100,000
Carbon disulfide	2	NA	NA	NA	721
Ethylbenzene	0.038	NA	NA	NA	19.6
Tetrachloroethene	0.027	NA	NA	NA	3.28
Toluene	0.033	NA	NA	NA	521
Trichloroethene	8.8J	NA	NA	NA	5.49
1,2,3-Trichloropropane	ND**	NA	NA	NA	0.106
Naphthalene	ND<0.005	NA	NA	NA	15.6
m/p xylenes	0.15	NA	NA	NA	214
o-xylene	0.043	NA	NA	NA	282
Total xylenes	0.19	NA	NA	NA	214
SVOCs					
4-methylphenol*	15	NA	NA	NA	3,420
PAHs					
Benzo(b)fluoranthene	0.31	NA	NA	NA	2.34
Anthracene	0.16	NA	NA	NA	9,060
Benzo(a)anthracene	0.073	NA	NA	NA	2,344
Benzo(a)pyrene	0.27	NA	NA	NA	0.234
Benzo(g,h,i)perylene	1.20	NA	NA	NA	34,100
Benzo(k)fluoranthene	0.23	NA	NA	NA	23
Chrysene	0.056J	NA	NA	NA	234
Dibenz(a,h)anthracene	0.41	NA	NA	NA	0.234
Fluoranthene	0.08	NA	NA	NA	24,400
Indeno(1,2,3,c,d)pyrene	0.61	NA	NA	NA	2
Phenathrene	0.07	NA	NA	NA	25
Pyrene	0.10	NA	NA	NA	19,300
Dioxins/Furans					
TCDD TEQ ³	0.0000014	NA	NA	NA	0.0027 ^a
Pesticides					
Alpha-BHC	0.23	ND<0.074	0.17	0.29	270
Beta-BHC	0.25	ND<0.074	0.31	0.49	54
Delta-BHC	0.13	ND<0.074	0.38	0.18	270
Gamma-Chlordane	0.11	ND<0.074	0.013	0.028	No BCL
Endosulfan I	ND<0.086	75 J	ND<0.0045	ND<0.0045	4,104
Metals					
Arsenic	320	160	560	440	7.2 ^a
Barium	32.2	NA	NA	NA	100,000
Chromium	350	180	790	600	100,000
Cobalt	76.3	NA	NA	NA	337
Copper	200	120	250	220	42,200
Lead	0.450J	ND<1.2	ND<1.5	ND<1.5	800 ^a
Magnesium	1,880	NA	NA	NA	100,000
Manganese	56.1	NA	NA	NA	24,900
Molybdenum	920	590	1,800	1,900	5,680
Nickel	35	16	53	47	21,800
Selenium	86	44	110	89	5,680
Zinc	300	170	600	420	100,000
Other					
Ammonia by N	4,300	NA	NA	NA	100,000
Chloride	5,300	NA	NA	NA	No BCL
Fluoride	30	NA	NA	NA	41,000
Nitrate as N	2.5J	NA	NA	NA	100,000
Sulfate	11,000	NA	NA	NA	No BCL

Table 1: Select FBR Biosolids Sample Results Compared to Soil Remediation Goals (SRGs)¹

Constituents ²	Sludge Release Sample (3/22/2013)	2nd Quarter 2013 (04/15/2013)	1st Quarter 2013 (01/07/2013)	4th Quarter 2012 (10/01/2012)	SRGs mg/kg
	mg/kg	mg/kg	mg/kg	mg/kg	

Notes:

The sludge spill sample was also analyzed for PCBs, hexavalent chromium, mercury, cyanide, perchlorate, and sulfide. All results were ND. Only detected results for VOCs, SVOCs, PAHs, dioxins/furans, and OCPs are provided (non-detects not shown).

NA = Not analyzed

ND = Not detected

J = The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any of the required QC criteria.

¹ SRGs consist of NDEP worker BCLs, or modified site-specific remediation goals.

² Detected in at least one sample. Results in bold exceed the SRGs.

³ TEQ = Toxicity Equivalent Quantity, based on WHO 2005 TEFs for the 17 dioxin and furan congeners.

^a Indicates a site-specific value.

* Cannot be separated from 3-methylphenol

**Laboratory reported that the VOC 1,2,3-trichloropropane was not detected, although the result was semi-quantitative.

Table 2: Historical Toxicity Characteristic Leaching Procedure (TCLP) FBR Biosolids Sample Results

TCLP	Sludge Spill Sample (3/22/2013)	2nd Quarter 2013 (04/03/2013) ^a	1st Quarter 2013 (01/07/2013) ^a	4th Quarter 2012 (10/01/2012) ^a
	mg/L	mg/L	mg/L	mg/L
Arsenic	NA	0.80	ND<0.05	0.06
Barium	NA	0.02	0.03	0.05
Cadmium	NA	ND<0.01	0.01	0.05
Chromium	NA	0.02	0.03	0.04
Lead	NA	0.41	ND<0.05	ND<0.05
Selenium	NA	ND<0.05	ND<0.05	ND<0.05
Silver	NA	ND<0.05	ND<0.05	ND<0.05
Mercury	NA	ND<0.001	ND<0.002	ND<0.002

NA = Not analyzed

ND = Not detected

^a Samples for TCLP analysis were collected separately from standard quarterly sludge samples and were analyzed by Silver State Laboratories.



750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Laboratory Report

for

Environ International Corp.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016
Attention: John M. Pekala, P.G.
Fax: 602.734.7701

Date of Issue
04/17/2013


Linda Geddes
EUROFINS EATON
ANALYTICAL

LXG: Linda Geddes
Project Manager



Report: 429486
Project: CWA-RCRA
Group: TABLE 4 FBR SOLIDS

Laboratory certifies that the test results meet all **TNI NELAP** requirements unless noted in the Comments section or the Case Narrative. Following the cover page are Hits Reports, Comments, QC Summary, QC Report and Regulatory Forms. This report shall not be reproduced except in full, without the written approval of the laboratory.

STATE CERTIFICATION LIST

State	Certification Number	State	Certification Number
Alabama	41060	Mississippi	Certified
Alaska	CA00006	Montana	Cert 0035
Arizona	AZ0778	Nevada	CA00006-2012-1
Arkansas	Certified	New Hampshire	2959-11
California – NELAP	01114CA	New Jersey	CA 008
California – ELAP	1422	New Mexico	Certified
Colorado	Certified	New York	11320
Connecticut	PH-0107	North Carolina	06701
Delaware	CA 006	North Dakota	R-009
Florida	E871024	Oregon	CA 200003-011
Georgia	947	Pennsylvania	68-565
Guam	12-006r	Rhode Island	LAO00326
Hawaii	Certified	South Carolina	87016001
Idaho	Certified	South Dakota	Certified
Illinois	200033	Tennessee	TN02839
Indiana	C-CA-01	Texas	T104704230-12-4
Kansas	E-10268	Utah	Mont-1
Kentucky	90107	Vermont	VT0114
Louisiana	LA130008	Virginia	00210
Maine	CA0006	Washington	C383
Maryland	224	West Virginia	9943 C
Commonwealth of Northern Marianas Is.	MP0004	Wisconsin	998316660
Massachusetts	M-CA006	Wyoming	8TMS-L
Michigan	9906	EPA Region 5	Certified

Acknowledgement of Samples Received

Addr: **Environ International Corp.**
 1702 E. Highland Ave.
 Suite 412
 Phoenix, AZ 85016

Attn: John M. Pekala, P.G.
 Phone: 602.734.7710

Client ID: ENVIRON-NVTRUST
 Folder #: 429486
 Project: CWA-RCRA
 Sample Group: TABLE 4 FBR SOLIDS

Project Manager: Linda Geddes
 Phone: (626) 386-1163

The following samples were received from you on **March 27, 2013**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical.

Sample #	Sample ID	Sample Date
201303270294	FBR BIOLOGICAL SOLIDS	03/22/2013 1036
@PCB	@PEST	Arsenic Subbed
Cadmium Subbed	Chromium Subbed	Copper Subbed
Mercury Subbed	Molybdenum Subbed	Nickel Subbed
Percent Moisture	Selenium Subbed	Silver Subbed
Zinc Subbed	@7199	@8260EDD
@8270_SIM_Solid	@8270EDD	@8290_Solid_PM
@ANIONS BY IC_Subbed	Ammonia-N Solid_Emax	Perchlorate Solid Subbed
PH Solid Subbed	Sulfide (Subcontracted)	Total Cyanide

Test Description

@PCB -- PCBs by 8082
 @PEST -- Pesticides by 8081A
 @7199 -- Hexavalent Chromium
 @8260EDD -- Volatile Organic Compounds by EPA 8260B
 @8270EDD -- 8270
 @8290_Solid_PM -- Dioxin/Furan - MDL and RL reporting
 @ANIONS BY IC_Subbed -- @ANIONS BY IC_Subbed

CHAIN OF CUSTODY RECORD

750 Royal Oaks Drive, Suite 100
Monrovia, CA 91016-3629
(626) 386-1100 (800) 566-5227

MWLabs USE ONLY:
LOGIN COMMENTS:

429486 470470
MWL 3/27/13

SAMPLES CHECKED/LOGGED IN BY: <u>JS/JJS</u> <u>J. L. un brz</u>	
---	--

TO BE COMPLETED BY SAMPLER:

COMPANY / PROJECT NAME		PROJECT JOB # / P.O.#		ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)											
Nevada Environmental Response Trust	Sampler Signature: 	ANALYSES REQUIRED (mark an 'X' in all tests required for each sample line)										SAMPLER COMMENTS			
Steve Kabacki															
TIME	DATE	LOCATION	IDENTIFIER, STATE ID#	MATRIX	GRAB	COMP	See Attachment								
10:36 AM	3/22/2013	FBR SLUDGE				X									

Analytical Parameters for FBR SLUDGE Sample

Metals by EPA Methods 6010 and 6020

Mercury by EPA Method 7470/7471A

Hexavalent chromium by EPA Method 7196A or 7199/3060A

Cyanide by EPA Method 9012

Perchlorate by EPA Method 314.0 or 6850

VOC's by EPA Method 8260

SVOC's (incl. Hexachlorobenzene and Benzo(a)Pyrene) by EPA Method 8270

PAHs by EPA Method 8310 or 8270

Dioxins/Furans by EPA Method 8290

PCBs by EPA Method 8082

OCPs by EPA Method 8081A

pH by EPA Method 9045

Inorganic Anions (bromide, chloride, Fluoride, nitrate as nitrate, sulfate, nitrite as N,
nitrate as N, and orthophosphate as phosphate) by EPA Method 9056

Sulfide by EPA Method 9034

From: (702) 566-6001
Russell Speckin
Veolia Water NA West LLC
510 Fourth St.

Henderson, NV 89015

Origin ID: LASA



J13111302120326

Ship Date: 22MAR13
ActWgt: 9.0 LB
CAD: 5135271/INET3370

Delivery Address Bar Code




Ref # FBR SLUDGE
Invoice #
PO #
Dept #

SHIP TO: (626) 568-6400

BILL SENDER

Linda Geddes
Eurofins Eaton Analytical
750 ROYAL OAKS DR
STE 100
MONROVIA, CA 91016




SATURDAY 12:00P
PRIORITY OVERNIGHT

TRK# 7993 4989 8082
0201

91016
CA-US
BUR

XO WHPA



518G2/DCF8/93AB

April 17, 2013

John M. Pekala, P.G.
Environ International Corp.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Sample receipt: The samples arrived at Eurofins Eaton Analytical, Monrovia, CA 91016 on March 27, 2013 with proper chain of custody. All containers were received without any visible signs of tampering or breakage at proper temperature. Samples are identified on the acknowledgement, which is part of the report package, along with the chain of custody.

Case Narrative:

For the Eurofins Eaton Analytical data the following issues were observed:


Report revised to include J flags, corrected 8290 results as well as changing units for benzo(b)fluoranthene and correcting the hexavalent chromium data. The original hexavalent chromium data was a spike result, not the sample result.

LXG 04/17/13

Other Observations:

There were no other observations on this sample set.

Sincerely,



Linda Geddes
Project Manager

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Environ International Corp.
John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Folder Comments

Analytical results for PCDDs and PCDFs by 8290 are submitted by Pace Analytical Services, Minneapolis, MN

Analytical results for Metals, Moisture, 8260, 8270 SIM, 8270, Anions, Metals, Perchlorate, Sulfide and Cyanide are submitted by Emax Laboratories, Inc. Torrance, CA

- 2-Butanone, Acetone and Carbon Disulfide in 8260 was analyzed on 4/1/13 with a 45 fold dilution

Report revised to include J flags, corrected 8290 results as well as changing units for benzo(b)fluoranthene and correcting the hexavalent chromium data. The original hexavalent chromium data was a spike result, not the sample result.

LXG 04/17/13

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
03/27/2013

Prepared	Analyzed	QC Ref #	Method	Analyte	Result	Units	MDL	MRL	SQL	Dilution
FBR BIOLOGICAL SOLIDS (201303270294)					Sampled on 03/22/2013 1036					
SM 4500-S-2 F - Sulfide Subcontracted										
03/29/2013	03/29/2013	17:03	(SM 4500-S-2 F)	Sulfide (Subcontracted)	ND	mg/kg	1.0	43	1.0	1
EPA 8260 - Volatile Organic Compounds by EPA 8260B										
3/29/2013	03/29/2013	13:56	(EPA 8260)	1,1,1-Trichloroethane	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	1,1,2,2-Tetrachloroethane	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	1,1,2-Trichloroethane	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	1,1-Dichloroethane	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	1,1-Dichloroethene	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	1,2-Dichloroethane	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	1,2-Dichloropropane	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	2-Butanone (MEK)	7100	ug/kg	1899			45
3/29/2013	03/29/2013	13:56	(EPA 8260)	2-Hexanone	45	ug/kg	41			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	4-methyl-2-Pentanone	74	ug/kg	41			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Acetone	24000	ug/kg	1899			45
3/29/2013	03/29/2013	13:56	(EPA 8260)	Benzene	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Bromodichloromethane	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Bromoform	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Bromomethane	ND	ug/kg	41			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Carbon disulfide	2000	ug/kg	968			45
3/29/2013	03/29/2013	13:56	(EPA 8260)	Carbon Tetrachloride	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Chlorobenzene	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Chloroethane	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Chloroform	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Chloromethane	ND	ug/kg	41			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	cis-1,2-Dichloroethene	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	cis-1,3-Dichloropropene	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Dibromochloromethane	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Ethylbenzene	38	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	m,p-Xylenes	150	ug/kg	41			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Methyl Tert-butyl ether (MTBE)	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Methylene chloride	ND	ug/kg	41			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	o-Xylene	43	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Styrene	ND	ug/kg	20			1
3/29/2013	03/29/2013	13:56	(EPA 8260)	Tetrachloroethene	27	ug/kg	20			1

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (626) 386-1101
 1 800 566 LABS (1 800 566 5227)

Environ International Corp.

John M. Pekala, P.G.
 1702 E. Highland Ave.
 Suite 412
 Phoenix, AZ 85016

Samples Received on:
 03/27/2013

Prepared	Analyzed	QC Ref #	Method	Analyte	Result	Units	MDL	MRL	SQL	Dilution
3/29/2013	03/29/2013	13:56	(EPA 8260)	Toluene	33	ug/kg	20		1	
3/29/2013	03/29/2013	13:56	(EPA 8260)	Total xylenes	190	ug/kg	41		1	
3/29/2013	03/29/2013	13:56	(EPA 8260)	trans-1,2-Dichloroethene	ND	ug/kg	20		1	
3/29/2013	03/29/2013	13:56	(EPA 8260)	trans-1,3-Dichloropropene	ND	ug/kg	20		1	
3/29/2013	03/29/2013	13:56	(EPA 8260)	Trichloroethene	8.8J	ug/kg	20		1	
3/29/2013	03/29/2013	13:56	(EPA 8260)	Vinyl chloride	ND	ug/kg	20		1	
3/29/2013	03/29/2013	13:56	(EPA 8260)	1,2-Dichloroethane-d4	96	%			1	
3/29/2013	03/29/2013	13:56	(EPA 8260)	4-Bromofluorobenzene	145	%			1	
3/29/2013	03/29/2013	13:56	(EPA 8260)	Toluene-d8	120	%			1	
EPA 8270C - 8270										
3/29/2013	03/30/2013	13:26	(EPA 8270C)	1,2,4-Trichlorobenzene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	1,2-Dichlorobenzene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	1,3-Dichlorobenzene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	1,4-Dichlorobenzene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2,4,5-Trichlorophenol	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2,4,6-Trichlorophenol	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2,4-Dichlorophenol	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2,4-Dimethylphenol	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2,4-Dinitrophenol	ND	ug/kg	5.0	8500	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2,4-Dinitrotoluene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2,6-Dinitrotoluene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2-chloronaphthalene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2-chlorophenol	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2-methylnaphthalene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2-methylphenol	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2-nitroaniline	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2-nitrophenol	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	3,3-Dichlorobenzidine	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	3-nitroaniline	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	4,6-Dinitro-2-methylphenol	ND	ug/kg	5.0	8500	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	4-Bromophenylphenylether	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	4-Chloro-3-methylphenol	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	4-Chloroaniline	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	4-Chlorophenylphenylether	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	4-methylphenol	15000	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	4-Nitroaniline	ND	ug/kg	5.0	4267	15	3

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (626) 386-1101
 1 800 566 LABS (1 800 566 5227)

Environ International Corp.

John M. Pekala, P.G.
 1702 E. Highland Ave.
 Suite 412
 Phoenix, AZ 85016

Samples Received on:
 03/27/2013

Prepared	Analyzed	QC Ref #	Method	Analyte	Result	Units	MDL	MRL	SQL	Dilution
3/29/2013	03/30/2013	13:26	(EPA 8270C)	4-Nitrophenol	ND	ug/kg	5.0	8500	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	acenaphthene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	acenaphthylene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	anthracene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	benzo(a)anthracene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	benzo(a)pyrene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	benzo(b)fluoranthene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	benzo(ghi)perylene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	benzo(k)fluoranthene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	bis(2-Chloroethoxy)methane	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	bis(2-chloroethyl)ether	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	bis(2-Chloroisopropyl)ether	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	bis(2-ethylhexyl)phthalate	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Butylbenzylphthalate	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Chrysene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	dibenzo(a,h)anthracene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	dibenzofuran	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Diethylphthalate	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Dimethylphthalate	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Di-N-butylphthalate	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Di-N-octylphthalate	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Fluoranthene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Fluorene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Hexachlorobenzene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Hexachlorobutadiene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Hexachlorocyclopentadiene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Hexachloroethane	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Indeno(1,2,3,c,d)Pyrene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Isophorone	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Naphthalene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Nitrobenzene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	N-nitroso-di-n-propylamine	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	N-nitroso-diphenylamine	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	pentachlorophenol	ND	ug/kg	5.0	8500	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Phenanthrene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Phenol	ND	ug/kg	5.0	4300	15	3

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (626) 386-1101
1 800 566 LABS (1 800 566 5227)

Environ International Corp.

John M. Pekala, P.G.
1702 E. Highland Ave.
Suite 412
Phoenix, AZ 85016

Samples Received on:
03/27/2013

Prepared	Analyzed	QC Ref #	Method	Analyte	Result	Units	MDL	MRL	SQL	Dilution
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Pyrene	ND	ug/kg	5.0	4300	15	3
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2,4,6-Tribromophenol	64	%				1
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2-Fluorobiphenyl	44	%				1
3/29/2013	03/30/2013	13:26	(EPA 8270C)	2-Fluorophenol	34	%				1
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Nitrobenzene-d5	44	%				1
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Phenol-d5	41	%				1
3/29/2013	03/30/2013	13:26	(EPA 8270C)	Terphenyl-d14	71	%				1
EPA 8081A - Pesticides by 8081A										
04/02/2013	05:45		(EPA 8081A)	4,4-DDD	ND	ug/kg	170			10
04/02/2013	05:45		(EPA 8081A)	4,4-DDE	ND	ug/kg	170			10
04/02/2013	05:45		(EPA 8081A)	4,4-DDT	ND	ug/kg	170			10
04/02/2013	05:45		(EPA 8081A)	Aldrin	ND	ug/kg	86			10
04/02/2013	05:45		(EPA 8081A)	Alpha-BHC	230	ug/kg	86			10
04/02/2013	05:45		(EPA 8081A)	Alpha-Chlordane	ND	ug/kg	86			10
04/02/2013	05:45		(EPA 8081A)	Beta-BHC	250	ug/kg	86			10
04/02/2013	05:45		(EPA 8081A)	Delta-BHC	130	ug/kg	86			10
04/02/2013	05:45		(EPA 8081A)	Dieldrin	ND	ug/kg	170			10
04/02/2013	05:45		(EPA 8081A)	Endosulfan I	ND	ug/kg	86			10
04/02/2013	05:45		(EPA 8081A)	Endosulfan II	ND	ug/kg	170			10
04/02/2013	05:45		(EPA 8081A)	Endosulfan sulfate	ND	ug/kg	170			10
04/02/2013	05:45		(EPA 8081A)	Endrin	ND	ug/kg	170			10
04/02/2013	05:45		(EPA 8081A)	Endrin Aldehyde	ND	ug/kg	170			10
04/02/2013	05:45		(EPA 8081A)	Endrin Ketone	ND	ug/kg	170			10
04/02/2013	05:45		(EPA 8081A)	Gamma-BHC	ND	ug/kg	86			10
04/02/2013	05:45		(EPA 8081A)	Gamma-Chlordane	110	ug/kg	86			10
04/02/2013	05:45		(EPA 8081A)	Heptachlor	ND	ug/kg	86			10
04/02/2013	05:45		(EPA 8081A)	Heptachlor Epoxide	ND	ug/kg	86			10
04/02/2013	05:45		(EPA 8081A)	Methoxychlor	ND	ug/kg	860			10
04/02/2013	05:45		(EPA 8081A)	Toxaphene	ND	ug/kg	2200			10
04/02/2013	05:45		(EPA 8081A)	Decachlorobiphenyl	50	%				1
04/02/2013	05:45		(EPA 8081A)	Tetrachloro-m-xylene	124	%				1
EPA 6010 - Arsenic Subbed										
04/02/2013	16:25		(EPA 6010)	Arsenic Subbed	320	mg/kg	2.2	0.46	2.0	1
EPA 6010 - Cadmium Subbed										
04/02/2013	16:25		(EPA 6010)	Cadmium Subbed	ND	mg/kg	0.55	0.46	0.50	1

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.
Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (626) 386-1101
 1 800 566 LABS (1 800 566 5227)

Environ International Corp.

John M. Pekala, P.G.
 1702 E. Highland Ave.
 Suite 412
 Phoenix, AZ 85016

Samples Received on:
 03/27/2013

Prepared	Analyzed	QC Ref #	Method	Analyte	Result	Units	MDL	MRL	SQL	Dilution
EPA 6010 - Chromium Subbed										
04/02/2013	16:25		(EPA 6010)	Chromium Subbed	350	mg/kg	1.1	0.46	1.0	1
EPA 6010 - Copper Subbed										
04/02/2013	16:25		(EPA 6010)	Copper Subbed	200	mg/kg	1.1	0.46	1.0	1
EPA 6010 - Molybdenum Subbed										
04/02/2013	16:25		(EPA 6010)	Molybdenum Subbed	920	mg/kg	2.8	0.46	2.6	1
EPA 6010 - Nickel Subbed										
04/02/2013	16:25		(EPA 6010)	Nickel Subbed	35	mg/kg	1.1	0.46	1.0	1
EPA 6010 - Selenium Subbed										
04/02/2013	16:25		(EPA 6010)	Selenium Subbed	86	mg/kg	2.8	0.46	2.6	1
EPA 6010 - Silver Subbed										
04/02/2013	16:25		(EPA 6010)	Silver Subbed	ND	mg/kg	1.4	0.49	1.4	1
EPA 6010 - Zinc Subbed										
04/02/2013	16:25		(EPA 6010)	Zinc Subbed	300	mg/kg	2.8	1.8	2.6	1
EPA 7471A - Mercury Subbed										
04/03/2013	16:37		(EPA 7471A)	Mercury Subbed	ND	mg/kg	0.19	2.1	0.93	5
Misc subcontracted work - Percent Moisture										
04/02/2013	16:25		(Misc subcontracted work)	Percent Moisture	77	%	1.0			1
EPA 7199 - Hexavalent Chromium										
04/02/2013	15:53		(EPA 7199)	@7199	ND	mg/kg		768		100
EPA 9014 - Total Cyanide Solid Subbed										
04/01/2013	18:56		(EPA 9014)	Total Cyanide	ND	mg/kg		4.3		1
9045C - PH Solid										
03/28/2013	13:42		(9045C)	pH	5.86	pH				1
EPA 8082 - PCBs by 8082										
04/01/2013	11:38		(EPA 8082)	PCB 1016	ND	ug/kg	20	220	20	1
04/01/2013	11:38		(EPA 8082)	PCB 1016 Aroclor	ND	ug/kg	20	220	20	1
04/01/2013	11:38		(EPA 8082)	PCB 1221 Aroclor	ND	ug/kg	20	220	20	1
04/01/2013	11:38		(EPA 8082)	PCB 1232 Aroclor	ND	ug/kg	20	220	20	1
04/01/2013	11:38		(EPA 8082)	PCB 1242 Aroclor	ND	ug/kg	20	220	20	1
04/01/2013	11:38		(EPA 8082)	PCB 1248 Aroclor	ND	ug/kg	20	220	20	1
04/01/2013	11:38		(EPA 8082)	PCB 1254 Aroclor	ND	ug/kg	20	220	20	1

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (626) 386-1101
 1 800 566 LABS (1 800 566 5227)

Environ International Corp.

John M. Pekala, P.G.
 1702 E. Highland Ave.
 Suite 412
 Phoenix, AZ 85016

Samples Received on:
 03/27/2013

Prepared	Analyzed	QC Ref #	Method	Analyte	Result	Units	MDL	MRL	SQL	Dilution
04/01/2013	11:38		(EPA 8082)	PCB 1260 Aroclor	ND	ug/kg	20	220	20	1
04/01/2013	11:38		(EPA 8082)	Decachlorobiphenyl	96	%				1
04/01/2013	11:38		(EPA 8082)	Tetrachlorometaxylene	115	%				1
EPA8290 - Dioxin/Furan - MDL and RL reporting										
04/02/2013	14:10		(EPA8290)	1,2,3,4,6,7,8-HpCDD	ND	ng/kg	1.0	5	1.0	1
04/02/2013	14:10		(EPA8290)	1,2,3,4,6,7,8-HpCDF	6.9	ng/kg	0.64	5	0.64	1
04/02/2013	14:10		(EPA8290)	1,2,3,4,7,8,9-HpCDF	2.7J	ng/kg	0.65	5	0.65	1
04/02/2013	14:10		(EPA8290)	1,2,3,4,7,8-HxCDD	ND	ng/kg	0.83	5	0.83	1
04/02/2013	14:10		(EPA8290)	1,2,3,4,7,8-HxCDF	2.4J	ng/kg	0.34	5	0.34	1
04/02/2013	14:10		(EPA8290)	1,2,3,6,7,8-HxCDD	ND	ng/kg	0.56	5	0.56	1
04/02/2013	14:10		(EPA8290)	1,2,3,6,7,8-HxCDF	1.6J	ng/kg	0.48	5	0.48	1
04/02/2013	14:10		(EPA8290)	1,2,3,7,8,9-HxCDD	ND	ng/kg	0.58	5	0.58	1
04/02/2013	14:10		(EPA8290)	1,2,3,7,8,9-HxCDF	ND	ng/kg	0.79	5	0.79	1
04/02/2013	14:10		(EPA8290)	1,2,3,7,8-PeCDD	ND	ng/kg	0.32	5	0.32	1
04/02/2013	14:10		(EPA8290)	1,2,3,7,8-PeCDF	1.6J	ng/kg	0.64	5	0.64	1
04/02/2013	14:10		(EPA8290)	2,3,4,6,7,8-HxCDF	0.79J	ng/kg	0.51	5	0.51	1
04/02/2013	14:10		(EPA8290)	2,3,4,7,8-PeCDF	1.1J	ng/kg	0.47	5	0.47	1
04/02/2013	14:10		(EPA8290)	2,3,7,8-TCDD	ND	ng/kg	0.49	1	0.49	1
04/02/2013	14:10		(EPA8290)	2,3,7,8-TCDF	1.6	ng/kg	0.31	1	0.31	1
04/02/2013	14:10		(EPA8290)	OCDD	4.5J	ng/kg	1.6	10	1.6	1
04/02/2013	14:10		(EPA8290)	OCDF	60	ng/kg	1.9	10	1.9	1
04/02/2013	14:10		(EPA8290)	Total HpCDD	2.0J	ng/kg	1.0	5	1.0	1
04/02/2013	14:10		(EPA8290)	Total HpCDF	11	ng/kg	0.65	5	0.65	1
04/02/2013	14:10		(EPA8290)	Total HxCDD	ND	ng/kg	0.83	5	0.83	1
04/02/2013	14:10		(EPA8290)	Total HxCDF	9.8	ng/kg	0.79	5	0.79	1
04/02/2013	14:10		(EPA8290)	Total PeCDD	0.64J	ng/kg	0.32	5	0.32	1
04/02/2013	14:10		(EPA8290)	Total PeCDF	13	ng/kg	0.64	5	0.64	1
04/02/2013	14:10		(EPA8290)	Total TCDD	ND	ng/kg	0.49	1	0.49	1
04/02/2013	14:10		(EPA8290)	Total TCDF	23	ng/kg	0.31	1	0.31	1
EPA8270 -										
03/30/2013	01:21		(EPA8270)	acenaphthylene	ND	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	Acenapthene	ND	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	anthracene	160	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	benzo(a)anthracene	73	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	benzo(a)pyrene	270	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	benzo(b)fluoranthene	310	ug/kg	2.5	65	7.5	3

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (626) 386-1101
 1 800 566 LABS (1 800 566 5227)

Environ International Corp.

John M. Pekala, P.G.
 1702 E. Highland Ave.
 Suite 412
 Phoenix, AZ 85016

Samples Received on:
 03/27/2013

Prepared	Analyzed	QC Ref #	Method	Analyte	Result	Units	MDL	MRL	SQL	Dilution
03/30/2013	01:21		(EPA8270)	Benzo(g,h,i)perylene	1200	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	benzo(k)fluoranthene	230	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	chrysene	56J	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	Dibenz(a,h)Anthracene	410	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	fluoranthene	82	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	fluorene	ND	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	Indeno(1,2,3,c,d)Pyrene	610	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	naphthalene	ND	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	phenanthrene	67	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	pyrene	98	ug/kg	2.5	65	7.5	3
03/30/2013	01:21		(EPA8270)	Terphenyl-d14	65	%				1
SM 4500 NH3 F - Ammonia-N Solid_Emax										
04/02/2013	19:40		(SM 4500 NH3 F)	Ammonia by N	4300	mg/kg	2.6	948	570	220
6850 - Perchlorate Solid Subbed										
04/02/2013	12:47		(6850)	Perchlorate	ND	ug/kg	4.3	8.6	4.3	1
9056 - @ANIONS BY IC_Subbed										
04/02/2013	15:54		(9056)	Bromide	ND	mg/kg	11	22	11	1
04/02/2013	15:54		(9056)	Chloride	5300	mg/kg	4.3	431	220	50
04/02/2013	15:54		(9056)	Fluoride	30	mg/kg	2.2	4.3	2.2	1
04/02/2013	15:54		(9056)	Nitrate-N	2.5J	mg/kg	2.2	4.3	2.2	1
04/02/2013	15:54		(9056)	Nitrite-N	ND	mg/kg	2.2	4.3	2.2	1
04/02/2013	15:54		(9056)	Orthophosphate-P	ND	mg/kg	11	22	11	1
04/02/2013	15:54		(9056)	Sulfate	11000	mg/kg	11	22	11	1

Sample Quantitation Limit (SQL) = MDL * Dilution Factor.

Rounding on totals after summation.

(c) - Indicates calculated results.

J - The analyte was either detected at or greater than the SQL and less than the MRL, or did not meet any one of the required QC criteria.

Tel:
Fax:

QC Ref # -

Analysis Date:

Analyzed by:

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (626) 386-1101
 1 800 566 LABS (1 800 566 5227)

Environ International Corp.

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
---------	---------	--------	--------	-----------	-------	-----------	------------	--------------	------

QC Ref# - by

Analysis Date:

Spike recovery is already corrected for native results.
 Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.
 Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.
 RPD not calculated for LCS2 when different a concentration than LCS1 is used.
 RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).
 (S) - Indicates surrogate compound.
 (I) - Indicates internal standard compound.

TABLE OF CONTENTS

CLIENT: **EUROFINS EATON ANALYTICAL**

PROJECT: **429486**

SDG: **13C207**

SECTION		PAGE
Cover Letter, COC/Sample Receipt Form		1000 – 1010
GC/MS-VOA	METHOD 5035/8260B	2000 – 2013
GC/MS-SVOA	METHOD 3550B/8270C	3000 – 3007
	METHOD 3550B/8270C SIM	3008 – 3015
GC-VOA	**	4000 –
GC-SVOA	METHOD 3550B/8081A	5000 – 5007
	METHOD 3550B/8082	5008 – 5015
HPLC	**	6000 –
METALS	METHOD 6020A	7000 – 7007
	METHOD 7471A	7008 – 7013
WET	METHOD SM 4500 NH3 F	8000 – 8003
	METHOD SM 4500 S2F	8004 – 8006
	METHOD 6850	8007 – 8011
	METHOD 3060A/7196A	8012 – 8016
	METHOD 9010B/9014	8017 – 8019
	METHOD 9045C	8020 – 8021
	METHOD 9056 (ANIONS)	8022 – 8038
	METHOD 9056 (ORTHOPHOSPHATE)	8039 – 8041
OTHERS	**	9000 –

** - Not Requested

E MAX

LABORATORIES, INC.
1835 W. 205th Street
Torrance, CA 90501
Tel: (310) 618-8889
Fax: (310) 618-0818

Date: 04-05-2013
EMAX Batch No.: 13C207

Attn: Jackie Contreras

Eurofins Eaton Analytical
750 Royal Oaks Dr., Suite 100
Monrovia, CA 91016-3629

Subject: Laboratory Report
Project: 429486

Enclosed is the Laboratory report for samples received on 03/28/13.
The data reported relate only to samples listed below :

Sample ID	Control #	Col Date	Matrix	Analysis
FBR SLUDGE	C207-01	03/22/13	SOIL	PAH BY 8270C SIM ORTHO-PHOSPHATE-P PH ANIONS BY IC TOTAL SULFIDE BY STD METHOD AMMONIA-N BY SM4500-NH3 F PERCHLORATE BY 6850 TOTAL CYANIDE CHROMIUM HEXAVALENT TOTAL METALS BY ICP-MS MERCURY VOLATILE ORGANICS BY GC/MS SEMOVOLATILE ORGANICS BY GCMS POLYCHLORINATED BIPHENYLS (PCBS) PESTICIDES ORGANOCHLORINE

The results are summarized on the following pages.

Please feel free to call if you have any questions concerning
these results.

Sincerely yours,

Caspar J. Pang
Laboratory Director

This report is confidential and intended solely for the use of the individual or entity to whom it is addressed. This report shall not be reproduced except in full or without the written approval of EMAX.

EMAX certifies that results included in this report meets all NELAC & DOD requirements unless noted in the Case Narrative.

NELAC Accredited Certificate Number 02116CA
L-A-B Accredited DoD ELAP and ISO/IEC 17025 Certificate Number L2278 Testing



LABORATORIES, INC.

SAMPLE RECEIPT FORM 1

Type of Delivery	Airbill / Tracking Number	ECN
<input checked="" type="checkbox"/> FedEx <input type="checkbox"/> UPS <input type="checkbox"/> GSO <input type="checkbox"/> Others	429428877941	13L307 DANEZ
<input type="checkbox"/> EMAX Courier	<input type="checkbox"/> Client Delivery	Recipient Date 3/28/13 Time 09:15

COC Inspection					
<input checked="" type="checkbox"/> Client Name	<input type="checkbox"/> Client PM/PC	<input type="checkbox"/> Sampler Name	<input checked="" type="checkbox"/> Sampling Date/Time/Location	<input checked="" type="checkbox"/> Sample ID	<input type="checkbox"/> Matrix
<input checked="" type="checkbox"/> Address	<input type="checkbox"/> Tel # / Fax #	<input type="checkbox"/> Courier Signature	<input type="checkbox"/> Analysis Required	<input type="checkbox"/> Preservative (if any)	<input checked="" type="checkbox"/> TAT
Safety Issues (if any)		<input type="checkbox"/> High concentrations expected		<input type="checkbox"/> Superfund Site samples	<input type="checkbox"/> Rad screening required
Comments:					

Packaging Inspection										
Container	<input checked="" type="checkbox"/> Cooler	<input type="checkbox"/> Box	<input type="checkbox"/> Other _____							
Condition	<input type="checkbox"/> Custody Seal	<input type="checkbox"/> Intact	<input type="checkbox"/> Damaged							
Packaging	<input type="checkbox"/> Bubble Pack	<input type="checkbox"/> Styrofoam	<input type="checkbox"/> Popcorn	<input type="checkbox"/> Equipment						
Temperatures (Cool, -6 °C but not frozen)	<input type="checkbox"/> Cooler 1 _____ °C	<input type="checkbox"/> Cooler 2 _____ °C	<input type="checkbox"/> Cooler 3 _____ °C	<input type="checkbox"/> Cooler 4 _____ °C	<input type="checkbox"/> Cooler 5 _____ °C					
	<input type="checkbox"/> Cooler 6 _____ °C	<input type="checkbox"/> Cooler 7 _____ °C	<input type="checkbox"/> Cooler 8 _____ °C	<input type="checkbox"/> Cooler 9 _____ °C	<input type="checkbox"/> Cooler 10 _____ °C					
Thermometer:	A - S/N 101541371	B - S/N 101541382	C - S/N 122091701	D - S/N 122091758						
Comments: <input type="checkbox"/> Temperature is out of range. PM was informed IMMEDIATELY.										
The following samples were taken at time of sampling. Water samples for pH analysis are received beyond 15 minutes from sampling time.										

Packaging Inspection

Container Cooler Box Other _____
 Condition Custody Seal Damaged
 Packaging Bubble Pack Styrofoam Popcorn Equipment
 Temperatures Cooler 1 _____ °C Cooler 2 _____ °C Cooler 3 _____ °C Cooler 4 _____ °C Cooler 5 _____ °C
 (Cool. = 6 °C but not frozen) Cooler 6 _____ °C Cooler 7 _____ °C Cooler 8 _____ °C Cooler 9 _____ °C Cooler 10 _____ °C
 Thermometers A - S/N 101541371 B - S/N 101541382 C - S/N 122091701 D - S/N 122091758

Note: pH holding time requirement for water samples is 15 mins. Water samples for pH analysis are received beyond 15 minutes from sampling time.

DISCREPANCIES

Continue to next page.

REVIEWS

Sample Labelling

Date 3/27/15
3/27/15

SRF Clyde
Date 3/28/13

PM 4/3
Date 3/28/13

LEGEND:

Code	Description- Sample Management
A1	Analysis is not indicated in COC.
A2	Analysis is not indicated in label.
A3	Analysis is inconsistent in COC vis-à-vis label.
B1	Sample ID is not indicated in COC.
B2	Sample ID is not indicated in label.
B3	Sample ID is inconsistent in COC vis-à-vis label.
C1	Improper container
C2	Broken container
C3	Leaking container
D1	Date and/or time is not indicated in COC
D2	Date and/or time is not indicated in label.
D3	Date and/or time is inconsistent in COC vis-à-vis lab
F1	Improper preservation
F2	Insufficient Sample
F3	Bubble is > 6mm. Use vial with smallest bubble first
F4	Bubble is > 6mm in all vials.
F5	>20 % solid particle
F6	Out of Holding Time

<u>Code</u>	<u>Description-Sample Management</u>
G1	Sample indicated in COC is not received.
G2	MS/MSD is not indicated in COC.
G3	No identified trip blank, proceed as indicated in COC.
G4	Trip Blank is designated in SDG _____
G5	Trip Blank has no sampling date & time, Log-in with earliest sampling date and 0:00/time.

Code Description-Project Management

- R1 Hold sample(s); wait for further instructions
- R2 Proceed as indicated in COC and inform client
- R3 Refer to attached instruction
- R4 Cancel the analysis
- R5 Inform client
- R6 Proceed as indicated in COC

Richard Beauvil

From: Jaclyn Contreras [JaclynContreras@eurofinsUS.com]
Sent: Friday, March 29, 2013 8:36 AM
To: Richard Beauvil
Cc: Linda Geddes; #us20_subcontract
Subject: RE: 13C207 sample receipt forms for your review

Hi Richard

At this time, please use the coc that was submitted with the sample. I have to work on some things on our end for this order so the normal sub coc isn't going to work. Please go with PO 99-22842 and EEA folder # 429486. thanks

From: Richard Beauvil [mailto:RBeauvil@emaxlabs.com]
Sent: Thursday, March 28, 2013 6:42 PM
To: Jaclyn Contreras
Cc: Linda Geddes; #us20_subcontract
Subject: 13C207 sample receipt forms for your review

Hi Jackie,

Please find attached the login for your review. Please send me the sub COC at your earliest convenience.

Thank you.

Richard M. Beauvil
Project Manager/Safety Officer
1835 W. 205th Street
Torrance, CA 90501
Tel: 310-618-8889 X118
rbeauvil@emaxlabs.com

Click [here](#) to report this email as spam.

Jaclyn Contreras

From: Richard Beauvil [RBeauvil@emaxlabs.com]
Sent: Wednesday, March 27, 2013 12:38 PM
To: Jaclyn Contreras
Cc: Linda Geddes
Subject: RE: FBR Sludge sample?

Hi Jackie,

We are pretty busy right now. With all these tests, lets shoot for 5 days TAT.

Richard M. Beauvil
Project Manager/Safety Officer
1835 W. 205th Street
Torrance, CA 90501
Tel: 310-618-8889 X118
rbeauvil@emaxlabs.com

-----Original Message-----

From: Jaclyn Contreras [mailto:JaclynContreras@eurofinsus.com]
Sent: Wednesday, March 27, 2013 12:30 PM
To: Richard Beauvil
Cc: Linda Geddes
Subject: FW: FBR Sludge sample?

The client gave us this list as metals by 6010 or 6020. With the list you gave me we should go with 6020 plus the suite of testing we have been discussing. The sample is here and we will ship out today but I need to know how fast you can report. Please confirm. Jackie

Arsenic
Barium
Cadmium
Chromium
Cobalt
Copper
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Selenium
Silver
Zinc

6020 only

From: Richard Beauvil [mailto:RBeauvil@emaxlabs.com]
Sent: Wednesday, March 27, 2013 9:24 AM
To: Jaclyn Contreras; Linda Geddes
Subject: RE: FBR Sludge sample?

Hi Jackie,

Here's the 8270 standard list. For the metals, I assumed you needed the CAM 17 metal list. Here's a longer list of metals by 6010 and 6020 methods.

Richard M. Beauvil
Project Manager/Safety Officer
1835 W. 205th Street
Torrance, CA 90501
Tel: 310-618-8889 X118
rbeauvil@emaxlabs.com

-----Original Message-----

From: Jaclyn Contreras [<mailto:JaclynContreras@eurofinsus.com>]
Sent: Wednesday, March 27, 2013 8:45 AM
To: Linda Geddes; Richard Beauvil
Subject: RE: FBR Sludge sample?

Hi Richard

We still need to know if Iron is reported by 6010 plus I still need your standard list for 8270. Is hexachlorobenze and Benzo(a)pyrene included in your standard 8270?

From: Linda Geddes
Sent: Tuesday, March 26, 2013 4:36 PM
To: Richard Beauvil; Jaclyn Contreras
Subject: RE: FBR Sludge sample?

Yes, as long as you have a method reference that is acceptable to regulators.

Linda

Eurofins Eaton Analytical

Please update your address book. The old email is no longer working:
lindageddes@eurofinsUS.com

Linda Geddes
Analytical Services Manager

Phone: +1 626 386 1163

Website: www.EatonAnalytical.com

This transmission and/or attachments contain information which is confidential and/or privileged. The information is intended for the addressee only. If you are not the intended recipient, any dissemination, distribution or copying of this communication is prohibited. If you have received this communication in error, please notify and return the original communication to the sender.

From: Richard Beauvil [<mailto:RBeauvil@emaxlabs.com>]
Sent: Tuesday, March 26, 2013 4:34 PM
To: Linda Geddes; Jaclyn Contreras
Subject: RE: FBR Sludge sample?

Hi Linda,

Yes, we can do Ammonia and Phosphate. A lot of these EPA methods are being phased out. Would your client mind for us to use the Standard Method Equivalent. FYI, see attached.

Thank you.

Richard M. Beauvil
Project Manager/Safety Officer
1835 W. 205th Street
Torrance, CA 90501
Tel: 310-618-8889 X118
rbeauvil@emaxlabs.com

-----Original Message-----

From: Linda Geddes [<mailto:LindaGeddes@eurofinsUS.com>]
Sent: Tuesday, March 26, 2013 4:14 PM
To: Richard Beauvil; Jaclyn Contreras
Subject: RE: FBR Sludge sample?

Ammonia by EPA 350.1 or equivalent, Phosphate by 365.1 or equivalent for solids

Eurofins Eaton Analytical

Please update your address book. The old email is no longer working:
lindageddes@eurofinsUS.com

Linda Geddes
Analytical Services Manager

Phone: +1 626 386 1163

Website: www.EatonAnalytical.com

This transmission and/or attachments contain information which is confidential and/or privileged. The information is intended for the addressee only. If you are not the intended recipient, any dissemination, distribution or copying of this communication is prohibited. If you have received this communication in error, please notify and return the original communication to the sender.

From: Richard Beauvil [<mailto:RBeauvil@emaxlabs.com>]
Sent: Tuesday, March 26, 2013 4:09 PM
To: Jaclyn Contreras
Cc: Linda Geddes
Subject: RE: FBR Sludge sample?

Yes, PAH by 8270SIM. Do you have a method number for Ammonia Phosphate? That may be the only one we don't do.

Richard M. Beauvil
Project Manager/Safety Officer
1835 W. 205th Street
Torrance, CA 90501
Tel: 310-618-8889 X118
rbeauvil@emaxlabs.com

-----Original Message-----

From: Jaclyn Contreras [<mailto:JaclynContreras@eurofinsus.com>]
Sent: Tuesday, March 26, 2013 3:35 PM
To: Richard Beauvil
Cc: Linda Geddes
Subject: FW: FBR Sludge sample?

Please confirm if the 8270SIM is the PAH test. Plus, would Emax still be able to run the other test requested below:

Cyanide by EPA 9012
Perchlorate by 6860
VOCs 8260
SVOCs (including Hexachlorobenzene and Benzo(a)pyrene by 8270
Inorganic anions (bromide, chloride, fluoride, nitrate as nitrate, sulfate, nitrite as N, nitrate as N, and orthophosphate as phosphate) by EPA Method 9056
Sulfide by EPA Method 9034
Ammonia Phosphate
Percent Moisture

I would need your list for these as well except for 8260.

From: Richard Beauvil [<mailto:RBeauvil@emaxlabs.com>]
Sent: Tuesday, March 26, 2013 3:22 PM
To: Jaclyn Contreras
Cc: Linda Geddes
Subject: RE: FBR Sludge sample?

Hi Jackie,

See RLs/MDLs attached. Open under notepad. On the sample volume a 8 oz jar should be sufficient if its a heavy normal soil. If its a light solid like some of filter cake you sent us in the past maybe a 16oz jar.

Richard M. Beauvil
Project Manager/Safety Officer
1835 W. 205th Street
Torrance, CA 90501
Tel: 310-618-8889 X118
rbeauvil@emaxlabs.com

-----Original Message-----

From: Jaclyn Contreras [<mailto:JaclynContreras@eurofinsus.com>]
Sent: Tuesday, March 26, 2013 2:58 PM
To: Richard Beauvil
Cc: Linda Geddes
Subject: RE: FBR Sludge sample?

It looks solid to us and it came from the desert. If that helps. Please provide me with your 6020 and 6010 list with RLs and MDLs. Also, I would need to know your list for the PAHs and 8270 list. thanks

From: Richard Beauvil [<mailto:RBeauvil@emaxlabs.com>]
Sent: Tuesday, March 26, 2013 2:55 PM
To: Jaclyn Contreras
Cc: Linda Geddes
Subject: RE: FBR Sludge sample?

Hi Jackie,

Can you find out what the sample look like? We've received sludge from you that liquid samples and some are filter cake, some are more solid. It would make a difference in how much volume we would need. Most of these tests we can do but it depends on the matrix. However, we would not recommend any tests as we do not know what your client need.

Richard M. Beauvil
Project Manager/Safety Officer
1835 W. 205th Street
Torrance, CA 90501
Tel: 310-618-8889 X118
rbeauvil@emaxlabs.com

-----Original Message-----

From: Jaclyn Contreras [<mailto:JaclynContreras@eurofinsUS.com>]
Sent: Tuesday, March 26, 2013 2:37 PM
To: Richard Beauvil
Cc: Linda Geddes
Subject: FBR Sludge sample?

Hi Richard

I have a NV client that needs several types of test that are needed on a sludge sample. Please let me know which test are recommended for a sludge sample and how much volume you need to run the sample. Plus, this would be a rush and we would need to know how fast you can report the test. thanks

They are asking for 6010 metals and 6020 metals (please let me know which test to pick)

Mercury by EPA 7470/7471A

Cyanide by EPA 9012

Perchlorate by 6860

VOCs 8260

SVOCs (including Hexachlorobenzene and Benzo(a)pyrene by 8270

PAHs by EPA 8310 or 8270

Inorganic anions (bromide, chloride, fluoride, nitrate as nitrate, sulfate, nitrite as N, nitrate as N, and orthophosphate as phosphate) by EPA Method 9056

Sulfide by EPA Method 9034

[Click here](#) to report this email as spam.

ORIGIN ID: WHPA (626) 386-1116
JEREMY HANSEN
EUROFINS EATON ANALYTICAL
750 ROYAL OAKS DR
MONROVIA, CA 91016
UNITED STATES US

SHIP DATE 2013-03-28
ACTWTG: 1.2 LBS
CAD: 0031.800000000000
DIMS: 12x8x10 IN

BILL SENDER

**SAMPLE RECEIVING
EMAX LABORATORIES, INC.
1835 205TH STREET**


51251748MF/FED

TORRANCE CA 90501
(310) 618-8888 X 118 PO: MLD
DEPT: SAMPLE PREP. / SHIPPING



THU - 28 MAR 3:00P
TRK# 4294 2887 7441 STANDARD OVERNIGHT

90501
CA - US LAX



REPORTING CONVENTIONS

DATA QUALIFIERS:

Lab Qualifier	AFCEE Qualifier	Description
J	F	Indicates that the analyte is positively identified and the result is less than RL but greater than MDL.
N		Indicates presumptive evidence of a compound.
B	B	Indicates that the analyte is found in the associated method blank as well as in the sample at above QC level.
E	J	Indicates that the result is above the maximum calibration range.
*	*	Out of QC limit.

Note: The above qualifiers are used to flag the results unless the project requires a different set of qualification criteria.

ACRONYMS AND ABBREVIATIONS:

CRDL	Contract Required Detection Limit
RL	Reporting Limit
MRL	Method Reporting Limit
PQL	Practical Quantitation Limit
MDL	Method Detection Limit
DO	Diluted out

DATES

The date and time information for leaching and preparation reflect the beginning date and time of the procedure unless the method, protocol, or project specifically requires otherwise.

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

429486

METHOD 5035/8260B
VOLATILE ORGANICS BY GC/MS

SDG#: 13C207

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 5035/8260B
VOLATILE ORGANICS BY GC/MS

One (1) soil sample was received on 03/28/13 for Volatile Organics by GC/MS analysis, Method 5035/8260B in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Instrument Performance and Calibration

Instrument tune check was performed prior to calibration. Instrument mass ratios were within specification. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried on at a frequency required by the project. All project calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank

Method blanks were analyzed at the frequency required by the project. For this SDG, four (4) method blanks were analyzed with the samples. All results were compliant to project requirement. Refer to QC result summary forms for details.

Lab Control Sample

Two (2) sets of LCS/LCD were analyzed with the samples in this SDG.

Percent recoveries for VMF4D01L/C were all within QC limits.

Percent recoveries for VSF4C30X/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated in this SDG.

Surrogate

Surrogates were added on QC and field samples. Surrogate recoveries were within project QC limits. Refer to sample result forms for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. Manual integration was applied to Carbon Disulfide in samples C207-01R because of improper integration. Hence, the original chromatograms were retained with the initialed and dated corrected chromatograms. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter. One internal standard was out of QC criteria in sample C207-01 initial analysis. However, sample was reanalyzed and reported from methanol extract at dilution to reduce possible matrix interference(sludge) and due to high concentration.

LAB CHRONICLE
VOLATILE ORGANICS BY GC/MS

Client : EUROTINS EATON ANALYTICAL
Project : 429486

SDG No. : 13C207
Instrument ID : F4

Client Sample ID	Sample ID	SOIL			Extraction Date/Time	Sample Data FN	Calibration Prep. Data FN	Batch	Notes
		Laboratory	Dilution Factor	% Moist					
NBLK1S	VSF4C30B	1	NA	03/29/1308:34	03/29/1308:34	RCN402	RCN199	VSF4C30	Method Blank
LCS1S	VSF4C30X	1	NA	03/29/1309:56	03/29/1309:56	RCN405	RCN199	VSF4C30	Lab Control Sample (LCS)
LCD1S	VSF4C30C	1	NA	03/29/1309:26	03/29/1309:26	RCN404	RCN199	VSF4C30	LCS Duplicate
MBLK2S	VSC010SB	1	NA	03/29/1311:42	03/29/1311:42	RCN409	RCN199	VSF4C30	Method Blank
FBR SLUDGE	C207-01R	0.94	76.8	03/29/1313:56	03/29/1313:56	RCN414	RCN199	VSF4C30	Field Sample
NBLK3S	VHF4D01B	50	NA	04/01/1310:54	04/01/1310:54	RDN007	RCN164	VSF4D01	Method Blank
LCS3S	VHF4D01L	50	NA	04/01/1309:34	04/01/1309:34	RDN004	RCN164	VSF4D01	Lab Control Sample (LCS)
LCD3S	VHF4D01C	50	NA	04/01/1310:01	04/01/1310:01	RDN005	RCN164	VSF4D01	LCS Duplicate
NBLK4S	VSC011SB	50	NA	04/01/1311:20	04/01/1311:20	RDN008	RCN164	VSF4D01	Method Blank
FBR SLUDGEDL	C207-01T	45	76.8	04/01/1313:07	04/01/1313:07	RDN012	RCN164	VSF4D01	Diluted Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD 5035/8260B
VOLATILE ORGANICS BY GC/MS

Client : EUROFINS EATON ANALYTICAL
 Project : 429486
 Batch No. : 13C207
 Sample ID: FBR SLUDGE
 Lab Samp ID: C207-01R #C207-01T
 Lab File ID: RCN414 #RDN012
 Ext Btch ID: VSF4C30 #VSF4D01
 Calib. Ref.: RCN199 #RCN164

Date Collected: 03/22/13
 Date Received: 03/28/13
 Date Extracted: 03/29/13 13:56 # 04/01/13 13:07
 Date Analyzed: 03/29/13 13:56 # 04/01/13 13:07
 Dilution Factor: 0.94 # 45
 Matrix : SOIL
 % Moisture : 76.8
 Instrument ID : TDF4

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
1,1,1-TRICHLOROETHANE	ND	20	8.1
1,1,2,2-TETRACHLOROETHANE	ND	20	8.1
1,1,2-TRICHLOROETHANE	ND	20	8.1
1,1-DICHLOROETHANE	ND	20	8.1
1,1-DICHLOROETHENE	ND	20	8.1
1,2-DICHLOROETHANE	ND	20	8.1
1,2-DICHLOROPROPANE	ND	20	8.1
# 2-BUTANONE	7100	1900	970
2-HEXANONE	45	41	20
4-METHYL-2-PENTANONE	74	41	20
# ACETONE	24000	1900	970
BENZENE	ND	20	8.1
BROMODICHLOROMETHANE	ND	20	8.1
BROMOFORM	ND	20	8.1
BROMOMETHANE	ND	41	8.1
# CARBON DISULFIDE	2000	970	390
CARBON TETRACHLORIDE	ND	20	8.1
CHLOROBENZENE	ND	20	8.1
CHLOROETHANE	ND	20	8.1
CHLOROFDRM	ND	20	8.1
CHLDROMETHANE	ND	41	8.1
CIS-1,2-DICHLOROETHENE	ND	20	8.1
CIS-1,3-DICHLOROPROPENE	ND	20	8.1
DIBROMOCHLOROMETHANE	ND	20	8.1
ETHYLBENZENE	38	20	8.1
M/P-XYLENES	150	41	8.1
MTBE	ND	20	8.1
METHYLENE CHLORIDE	ND	41	8.1
O-XYLENE	43	20	8.1
STYRENE	ND	20	8.1
TETRACHLOROETHENE	27	20	8.1
TOLUENE	33	20	8.1
TRANS-1,2-DICHLOROETHENE	ND	20	8.1
TRANS-1,3-DICHLOROPROPENE	ND	20	8.1
TRICHLOROETHENE	8.8J	20	8.1
VINYL CHLORIDE	ND	20	8.1
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY QC LIMIT
1,2-DICHLOROETHANE-D4	194	202.6	95.6 60-160
4-BROMOFLUOROBENZENE	294	202.6	145 70-150
TOLUENE-D8	243	202.6	120 70-140
# 1,2-DICHLOROETHANE-D4	8370	9698	86.3 60-160
# 4-BROMOFLUOROBENZENE	9770	9698	101 70-150
# TOLUENE-D8	10100	9698	104 70-140

Members of the Associated File

METHOD 5035/8260B
VOLATILE ORGANICS BY GC/MS

=====
 Client : EURDFINS EATON ANALYTICAL Date Collected: 03/22/13
 Project : 429486 Date Received: 03/28/13
 Batch No. : 13C207 Date Extracted: 03/29/13 13:56
 Sample ID: FBR SLUDGE Date Analyzed: 03/29/13 13:56
 Lab Samp ID: C207-01R Dilution Factor: 0.94
 Lab File ID: RCN414 Matrix : SOIL
 Ext Btch ID: VSF4C30 % Moisture : 76.8
 Calib. Ref.: RCN199 Instrument ID : TOF4
 =====

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
1,1,1-TRICHLOROETHANE	ND	20	8.1
1,1,2,2-TETRACHLOROETHANE	ND	20	8.1
1,1,2-TRICHLOROETHANE	ND	20	8.1
1,1-DICHLOROETHANE	ND	20	8.1
1,1-DICHLOROETHENE	ND	20	8.1
1,2-DICHLOROETHANE	ND	20	8.1
1,2-DICHLOROPROPANE	ND	20	8.1
2-BUTANONE	12000E	41	20
2-HEXANONE	45	41	20
4-METHYL-2-PENTANONE	74	41	20
ACETONE	40000E	41	20
BENZENE	ND	20	8.1
BROMODICHLOROMETHANE	ND	20	8.1
BROMOFORM	ND	20	8.1
BROMOMETHANE	ND	41	8.1
CARBON DISULFIDE	3300E	20	8.1
CARBON TETRACHLORIDE	ND	20	8.1
CHLOROBENZENE	ND	20	8.1
CHLOROETHANE	ND	20	8.1
CHLOROFORM	ND	20	8.1
CHLOROMETHANE	ND	41	8.1
CIS-1,2-DICHLOROETHENE	ND	20	8.1
CIS-1,3-DICHLOROPROPENE	ND	20	8.1
DIBROMOCHLOROMETHANE	ND	20	8.1
ETHYLBENZENE	38	20	8.1
M/P-XYLENES	150	41	8.1
MTBE	ND	20	8.1
METHYLENE CHLORIDE	ND	41	8.1
O-XYLENE	43	20	8.1
STYRENE	ND	20	8.1
TETRACHLOROETHENE	27	20	8.1
TOLUENE	33	20	8.1
TRANS-1,2-DICHLOROETHENE	ND	20	8.1
TRANS-1,3-DICHLOROPROPENE	ND	20	8.1
TRICHLOROETHENE	8.8J	20	8.1
VINYL CHLORIDE	ND	20	8.1
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY QC LIMIT
1,2-DICHLOROETHANE-D4	194	202.6	95.6 60-160
4-BROMOFLUOROBENZENE	294	202.6	145 70-150
TOLUENE-DB	243	202.6	120 70-140

METHOD 5035/8260B
VOLATILE ORGANICS BY GC/MS

Client : EUROFINS EATON ANALYTICAL Date Collected: 03/22/13
 Project : 429486 Date Received: 03/28/13
 Batch No. : 13C207 Date Extracted: 04/01/13 13:07
 Sample ID: FBR SLUDGEOL Date Analyzed: 04/01/13 13:07
 Lab Samp ID: C207-01T Dilution Factor: 45
 Lab File ID: RON012 Matrix : SOIL
 Ext Btch ID: VSF4D01 % Moisture : 76.B
 Calib. Ref.: RCN164 Instrument ID : TOF4

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
1,1,1-TRICHLOROETHANE	ND	970	390
1,1,2,2-TETRACHLOROETHANE	ND	970	390
1,1,2-TRICHLOROETHANE	ND	970	390
1,1-DICHLOROETHANE	ND	970	390
1,1-DICHLOROETHENE	ND	970	390
1,2-DICHLOROETHANE	ND	970	390
1,2-DICHLOROPROPANE	ND	970	390
2-BUTANONE	7100	1900	970
2-HEXANONE	ND	1900	970
4-METHYL-2-PENTANONE	ND	1900	970
ACETONE	24000	1900	970
BENZENE	ND	970	390
BROMODICHLOROMETHANE	ND	970	390
BROMOFORM	ND	970	390
BROMOMETHANE	ND	1900	390
CARBON DISULFIDE	2000	970	390
CARBON TETRACHLORIDE	ND	970	390
CHLOROBENZENE	ND	970	390
CHLOROETHANE	ND	970	390
CHLOROFORM	ND	970	390
CHLOROMETHANE	ND	1900	390
CIS-1,2-DICHLOROETHENE	ND	970	390
CIS-1,3-DICHLOROPROPENE	ND	970	390
DIBROMOCHLOROMETHANE	ND	970	390
ETHYLBENZENE	ND	970	390
M/P-XYLENES	ND	1900	390
MTBE	ND	970	390
METHYLENE CHLORIDE	ND	1900	390
O-XYLENE	ND	970	390
STYRENE	ND	970	390
TETRACHLOROETHENE	ND	970	390
TOLUENE	ND	970	390
TRANS-1,2-DICHLOROETHENE	ND	970	390
TRANS-1,3-DICHLOROPROPENE	ND	970	390
TRICHLOROETHENE	ND	970	390
VINYL CHLORIDE	ND	970	390
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY QC LIMIT
1,2-DICHLOROETHANE-D4	8370	9698	86.3 60-160
4-BROMOFLUOROBENZENE	9770	9698	101 70-150
TOLUENE-D8	10100	9698	104 70-140

QC SUMMARIES

METHOD 5035/8260B
VOLATILE ORGANICS BY GC/MS

Client : EUROFINS EATON ANALYTICAL Date Collected: NA
 Project : 429486 Date Received: 03/29/13
 Batch No. : 13C207 Date Extracted: 03/29/13 08:34
 Sample ID: MBLK1S Date Analyzed: 03/29/13 08:34
 Lab Samp ID: VSF4C30B Dilution Factor: 1
 Lab File ID: RCN4U2 Matrix : SOIL
 Ext Btch ID: VSF4C30 % Moisture : NA
 Calib. Ref.: RCN199 Instrument ID : TOF4

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
1,1,1-TRICHLOROETHANE	ND	5.0	2.0
1,1,2,2-TETRACHLOROETHANE	ND	5.0	2.0
1,1,2-TRICHLOROETHANE	ND	5.0	2.0
1,1-DICHLOROETHANE	ND	5.0	2.0
1,1-DICHLOROETHENE	ND	5.0	2.0
1,2-DICHLOROETHANE	ND	5.0	2.0
1,2-DICHLOROPROPANE	NO	5.0	2.0
2-BUTANONE	ND	10	5.0
2-HEXANONE	ND	10	5.0
4-METHYL-2-PENTANONE	ND	10	5.0
ACETONE	ND	10	5.0
BENZENE	ND	5.0	2.0
BROMODICHLOROMETHANE	ND	5.0	2.0
BROMOFORM	ND	5.0	2.0
BROMOMETHANE	ND	10	2.0
CARBON DISULFIDE	ND	5.0	2.0
CARBON TETRACHLORIDE	ND	5.0	2.0
CHLOROBENZENE	ND	5.0	2.0
CHLOROETHANE	NO	5.0	2.0
CHLOROFORM	NO	5.0	2.0
CHLOROMETHANE	ND	10	2.0
CIS-1,2-DICHLOROETHENE	NO	5.0	2.0
CIS-1,3-DICHLOROPROPENE	NO	5.0	2.0
DIBROMOCHLOROMETHANE	ND	5.0	2.0
ETHYLBENZENE	ND	5.0	2.0
M/P-XYLENES	ND	10	2.0
MTBE	ND	5.0	2.0
METHYLENE CHLORIDE	ND	10	2.0
O-XYLENE	ND	5.0	2.0
STYRENE	ND	5.0	2.0
TETRACHLOROETHENE	ND	5.0	2.0
TOLUENE	ND	5.0	2.0
TRANS-1,2-DICHLOROETHENE	ND	5.0	2.0
TRANS-1,3-DICHLOROPROPENE	ND	5.0	2.0
TRICHLOROETHENE	ND	5.0	2.0
VINYL CHLORIDE	ND	5.0	2.0
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY QC LIMIT
1,2-DICHLOROETHANE-D4	45.7	50.00	91.5 70-140
4-BROMOFLUOROBENZENE	48.2	50.00	96.5 70-130
TOLUENE-D8	50.6	50.00	101 70-130

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13C207
 METHOD: SW 5035/8260B

MATRIX: SOIL % MOISTURE: NA
 DILUTION FACTOR: 1 1 1
 SAMPLE ID: MBLK1S
 LAB SAMP ID: VSF4C30B VSF4C30X VSF4C30C
 LAB FILE ID: RCN402 RCN405 RCN404
 DATE EXTRACTED: 03/29/13 08:34 03/29/13 09:56 03/29/13 09:26 DATE COLLECTED: NA
 DATE ANALYZED: 03/29/13 08:34 03/29/13 09:56 03/29/13 09:26 DATE RECEIVED: 03/29/13
 PREP. BATCH: VSF4C30 VSF4C30 VSF4C30
 CALIB. REF: RCN199 RCN199 RCN199

ACCESSION:

PARAMETER	BLNK RSLT (ug/kg)	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	% REC	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	BSD	RPD (%)	QC LIMIT (%)	MAX RPD (%)
1,1-Dichloroethene	ND	50.0	51.7	103	50.0	50.8	102	2	60-130	50
Benzene	ND	50.0	50.0	100	50.0	50.2	100	0	70-130	50
Chlorobenzene	ND	50.0	51.2	102	50.0	51.2	102	0	70-130	50
Toluene	ND	50.0	50.6	101	50.0	50.8	102	0	70-130	50
Trichloroethene	ND	50.0	52.8	106	50.0	52.3	105	1	70-130	50

SURROGATE PARAMETER	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	% REC	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	BSD	QC LIMIT (%)
1,2-Dichloroethane-d4	50.0	45.1	90	50.0	45.3	91	70-140
4-Bromofluorobenzene	50.0	47.8	96	50.0	47.5	95	70-130
Toluene-d8	50.0	50.0	100	50.0	50.1	100	70-130

METHOD 5035/B260B
VOLATILE ORGANICS BY GC/MS

Client	: EUROFINS EATON ANALYTICAL	Date Collected:	NA
Project	: 429486	Date Received:	03/29/13
Batch No.	: 13C207	Date Extracted:	03/29/13 11:42
Sample ID:	MBLK2S	Date Analyzed:	03/29/13 11:42
Lab Samp ID:	VSC010SB	Dilution Factor:	1
Lab File ID:	RCN409	Matrix	: SDIL
Ext Btch ID:	VSF4C30	% Moisture	: NA
Calib. Ref.:	RCN199	Instrument ID	: TOF4

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
1,1,1-TRICHLOROETHANE	ND	5.0	2.0
1,1,2,2-TETRACHLOROETHANE	ND	5.0	2.0
1,1,2-TRICHLOROETHANE	ND	5.0	2.0
1,1-DICHLOROETHANE	ND	5.0	2.0
1,1-DICHLOROETHENE	ND	5.0	2.0
1,2-DICHLOROETHANE	ND	5.0	2.0
1,2-DICHLOROPROPANE	ND	5.0	2.0
2-BUTANONE	ND	10	5.0
2-HEXANONE	ND	10	5.0
4-METHYL-2-PENTANONE	ND	10	5.0
ACETONE	ND	10	5.0
BENZENE	ND	5.0	2.0
BROMODICHLOROMETHANE	ND	5.0	2.0
BROMOFORM	ND	5.0	2.0
BROMOMETHANE	ND	10	2.0
CARBON DISULFIDE	ND	5.0	2.0
CARBON TETRACHLORIDE	ND	5.0	2.0
CHLOROBENZENE	ND	5.0	2.0
CHLOROETHANE	ND	5.0	2.0
CHLOROFORM	ND	5.0	2.0
CHLOROMETHANE	ND	10	2.0
CIS-1,2-DICHLOROETHENE	ND	5.0	2.0
CIS-1,3-DICHLOROPROPENE	ND	5.0	2.0
DIBROMOCHLOROMETHANE	ND	5.0	2.0
ETHYLBENZENE	ND	5.0	2.0
M/P-XYLENES	ND	10	2.0
MTBE	ND	5.0	2.0
METHYLENE CHLORIDE	ND	10	2.0
O-XYLENE	ND	5.0	2.0
STYRENE	ND	5.0	2.0
TETRACHLOROETHENE	ND	5.0	2.0
TOLUENE	ND	5.0	2.0
TRANS-1,2-DICHLOROETHENE	ND	5.0	2.0
TRANS-1,3-DICHLOROPROPENE	ND	5.0	2.0
TRICHLOROETHENE	ND	5.0	2.0
VINYL CHLORIDE	ND	5.0	2.0
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY QC LIMIT
1,2-DICHLOROETHANE-D4	47.8	50.00	95.6 70-140
4-BROMOFLUDROBENZENE	47.4	50.00	94.8 70-130
TOLUENE-D8	50.3	50.00	101 70-130

METHOD 5035/8260B
VOLATILE ORGANICS BY GC/MS

Client : EUROFINS EATON ANALYTICAL
 Project : 429486
 Batch No. : 13C207
 Sample ID: MBLK3S
 Lab Samp ID: VMF4D01B
 Lab File ID: RDN007
 Ext Btch ID: VSF4D01
 Calib. Ref.: RCN164

Date Collected: NA
 Date Received: 04/01/13
 Date Extracted: 04/01/13 10:54
 Date Analyzed: 04/01/13 10:54
 Dilution Factor: 50
 Matrix : SOIL
 % Moisture : NA
 Instrument ID : TOF4

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
1,1,1-TRICHLOROETHANE	ND	250	100
1,1,2,2-TETRACHLOROETHANE	ND	250	100
1,1,2-TRICHLOROETHANE	ND	250	100
1,1-DICHLOROETHANE	ND	250	100
1,1-DICHLOROETHENE	ND	250	100
1,2-DICHLOROETHANE	ND	250	100
1,2-DICHLOROPROPANE	ND	250	100
2-BUTANONE	ND	500	250
2-HEXANONE	ND	500	250
4-METHYL-2-PENTANONE	ND	500	250
ACETONE	ND	500	250
BENZENE	ND	250	100
BROMODICHLORDMETHANE	ND	250	100
BROMOFORM	ND	250	100
BROMOMETHANE	ND	500	100
CARBON DISULFIDE	ND	250	100
CARBON TETRACHLORIDE	ND	250	100
CHLOROBENZENE	ND	250	100
CHLOROETHANE	ND	250	100
CHLOROFORM	ND	250	100
CHLOROMETHANE	ND	500	100
CIS-1,2-DICHLOROETHENE	ND	250	100
CIS-1,3-DICHLOROPROPENE	ND	250	100
DIBROMOCHLORDMETHANE	ND	250	100
ETHYLBENZENE	ND	250	100
M/P-XYLENES	ND	500	100
MTBE	ND	250	100
METHYLENE CHLDRIDE	ND	500	100
O-XYLENE	ND	250	100
STYRENE	ND	250	100
TETRACHLOROETHENE	ND	250	100
TOLUENE	ND	250	100
TRANS-1,2-DICHLOROETHENE	ND	250	100
TRANS-1,3-DICHLOROPROPENE	ND	250	100
TRICHLOROETHENE	ND	250	100
VINYL CHLORIDE	ND	250	100
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY QC LIMIT
1,2-DICHLOROETHANE-D4	2340	2500	93.5 70-140
4-BROMOFLUOROBENZENE	2430	2500	97.1 70-130
TOLUENE-D8	2560	2500	102 70-130

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13C207
 METHOD: SW 5035/8260B

MATRIX:	SOIL			% MOISTURE:	NA
DILUTION FACTOR:	50	50	50		
SAMPLE ID:	MBLK3S				
LAB SAMP ID:	VMF4D01B	VMF4D01L	VMF4D01C		
LAB FILE ID:	RDN007	RDN004	RDN005		
DATE EXTRACTED:	04/01/13 10:54	04/01/13 09:34	04/01/13 10:01	DATE COLLECTED:	NA
DATE ANALYZED:	04/01/13 10:54	04/01/13 09:34	04/01/13 10:01	DATE RECEIVED:	04/01/13
PREP. BATCH:	VSF4D01	VSF4D01	VSF4D01		
CALIB. REF:	RCN164	RCN164	RCN164		

ACCESSION:

PARAMETER	BLNK RSLT	SPIKE AMT	BS RSLT	% REC	SPIKE AMT	BSD RSLT	BSD % REC	RPD	QC LIMIT	MAX RPD
	(ug/kg)	(ug/kg)	(ug/kg)		(ug/kg)	(ug/kg)		(%)	(%)	(%)
1,1-Dichloroethene	ND	2500	2320	93	2500	2270	91	2	60-130	50
Benzene	ND	2500	2400	96	2500	2370	95	1	70-130	50
Chlorobenzene	ND	2500	2400	96	2500	2370	95	1	70-130	50
Toluene	ND	2500	2410	96	2500	2380	95	1	70-130	50
Trichloroethene	ND	2500	2470	99	2500	2430	97	2	70-130	50

SURROGATE PARAMETER	SPIKE AMT	BS RSLT	BS	SPIKE AMT	BSD RSLT	BSD	QC LIMIT
	(ug/kg)	(ug/kg)	% REC	(ug/kg)	(ug/kg)	% REC	(%)
1,2-Dichloroethane-d4	2500	2200	88	2500	2210	88	70-140
4-Bromofluorobenzene	2500	2490	100	2500	2480	99	70-130
Toluene-d8	2500	2540	102	2500	2560	102	70-130

METHOD 5035/B260B
VOLATILE ORGANICS BY GC/MS

Client : EUROFINS EATON ANALYTICAL	Date Collected: NA
Project : 429486	Date Received: 04/01/13
Batch No. : 13C207	Date Extracted: 04/01/13 11:20
Sample ID: MBLK4S	Date Analyzed: 04/01/13 11:20
Lab Samp ID: VSC011SB	Dilution Factor: 50
Lab File ID: RDN008	Matrix : SOIL
Ext Btch ID: VSF4D01	% Moisture : NA
Calib. Ref.: RCN164	Instrument ID : TOF4

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
1,1,1-TRICHLOROETHANE	ND	250	100
1,1,2,2-TETRACHLOROETHANE	ND	250	100
1,1,2-TRICHLOROETHANE	ND	250	100
1,1-DICHLOROETHANE	ND	250	100
1,1-DICHLOROETHENE	ND	250	100
1,2-DICHLOROETHANE	ND	250	100
1,2-DICHLOROPROPANE	ND	250	100
2-BUTANONE	ND	500	250
2-HEXANONE	ND	500	250
4-METHYL-2-PENTANONE	ND	500	250
ACETONE	ND	500	250
BENZENE	ND	250	100
BROMODICHLOROMETHANE	ND	250	100
BROMOFORM	ND	250	100
BROMOMETHANE	ND	500	100
CARBON DISULFIDE	ND	250	100
CARBON TETRACHLORIDE	ND	250	100
CHLOROBENZENE	ND	250	100
CHLOROETHANE	ND	250	100
CHLOROFORM	ND	250	100
CHLORDMETHANE	ND	500	100
CIS-1,2-DICHLOROETHENE	ND	250	100
CIS-1,3-DICHLOROPROPENE	ND	250	100
DIBROMOCHLOROMETHANE	ND	250	100
ETHYLBENZENE	ND	250	100
M/P-XYLENES	ND	500	100
MTBE	ND	250	100
METHYLENE CHLORIDE	ND	500	100
O-XYLENE	ND	250	100
STYRENE	ND	250	100
TETRACHLOROETHENE	ND	250	100
TOLUENE	ND	250	100
TRANS-1,2-DICHLOROETHENE	ND	250	100
TRANS-1,3-DICHLOROPROPENE	ND	250	100
TRICHLOROETHENE	ND	250	100
VINYL CHLORIDE	ND	250	100
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY QC LIMIT
1,2-DICHLOROETHANE-D4	2250	2500	90.0 70-140
4-BROMOFLUOROBENZENE	2430	2500	97.1 70-130
TOLUENE-D8	2590	2500	104 70-130

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

429486

**METHOD 3550B/8270C
SEMI VOLATILE ORGANICS BY GC/MS**

SDG#: 13C207

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 3550B/8270C
SEMI VOLATILE ORGANICS BY GC/MS

One (1) soil sample was received on 03/28/13 for Semivolatile Organics by GCMS analysis, Method 3550B/8270C in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Instrument Performance and Calibration

Instrument tune check was performed prior to calibration. Instrument mass ratios as well as DDT breakdown were evaluated. Results were within acceptance criteria. Tailing factor for Benzidine and Pentachlorophenol were also verified and results were within the method limits. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried on at a frequency required by the project. All project calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Results were compliant to project requirement.

Lab Control Sample

A set of LCS/LCD was analyzed with the samples in this SDG. Percent recoveries for SVC021SL/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated in this SDG.

Surrogate

Surrogates were added on QC and field samples. Surrogate recoveries were within project QC limits. Refer to sample result forms for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter. Sample was initially analyzed at dilution DF 3X due to matrix problem.

LAB CHRONICLE
SEMI VOLATILE ORGANICS BY GC/MS

Client : EUROFINS EATON ANALYTICAL
Project : 429486

SDG NO. : 13C207
Instrument ID : T-OE4

Client Sample ID	Sample ID	Laboratory Factor	Dilution	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Prep.	
								Data FN	Batch
LCS1S	SVC021SL	1	NA	03/30/1300:43	03/29/1313:26	RCJ179	RCJ007	SVC021S	Lab Control Sample (LCS)
LCD1S	SVC021SC	1	NA	03/30/1301:02	03/29/1313:26	RCJ180	RCJ007	SVC021S	LCS Duplicate
FBR SLUDGE	C207-01	3	76.8	03/30/1301:21	03/29/1313:26	RCJ181	RCJ007	SVC021S	Field Sample
MBLK1S	SVC021SB	1	NA	04/01/1313:24	03/29/1313:26	RDJ005	RCJ007	SVC021S	Method Blank

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD 3550B/8270C
SEMI VOLATILE ORGANICS BY GC/MS

```
=====
Client : EUROFINS EATON ANALYTICAL          Date Collected: 03/22/13
Project : 429486                            Date Received: 03/28/13
Batch No.: 15C207                           Date Extracted: 03/29/13 13:26
Sample ID: FBR SLUDGE                      Date Analyzed: 03/30/13 01:21
Lab Samp ID: C207-01                         Dilution Factor: 3
Lab File ID: RCJ181                          Matrix: SOIL
Ext Btch ID: SVC021S                        % Moisture: 76.8
Calib. Ref.: RCJ007                          Instrument ID: T-OE4
=====
```

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
1,2,4-TRICHLOROBENZENE	ND	4300	2200
1,2-DICHLOROBENZENE	NO	4300	2200
1,3-DICHLOROBENZENE	ND	4300	2200
1,4-DICHLOROBENZENE	ND	4300	2200
2,4,5-TRICHLOROPHENOL	ND	4300	2200
2,4,6-TRICHLOROPHENOL	ND	4300	2400
2,4-DICHLOROPHENOL	ND	4300	2200
2,4-DIMETHYLPHENOL	ND	4300	2200
2,4-DINITROPHENOL	ND	8500	2200
2,4-DINITROTOLUENE	ND	4300	2200
2,6-DINITROTOLUENE	ND	4300	2200
2-CHLORONAPHTHALENE	ND	4300	2200
2-CHLOROPHENOL	ND	4300	2200
2-METHYLNAPHTHALENE	ND	4300	2200
2-METHYLPHENOL	ND	4300	2200
2-NITROANILINE	ND	4300	2200
2-NITROPHENOL	ND	4300	2200
3,3'-DICHLOROBENZIDINE	ND	4300	2200
3-NITROANILINE	ND	4300	2200
4,6-DINITRO-2-METHYLPHENOL	ND	8500	2200
4-BROMOPHENYL-PHENYL ETHER	ND	4300	2200
4-CHLORO-3-METHYLPHENOL	ND	4300	2200
4-CHLOROANILINE	ND	4300	2200
4-CHLOROPHENYL-PHENYL ETHER	ND	4300	2200
4-METHYLPHENOL (1)	15000	4300	2200
4-NITROANILINE	ND	4300	2200
4-NITROPHENOL	ND	8500	2200
ACENAPHTHENE	ND	4300	2200
ACENAPHTHYLENE	ND	4300	2200
ANTHRACENE	ND	4300	2200
BENZO(A)ANTHRACENE	ND	4300	2200
BENZO(A)PYRENE	ND	4300	2200
BENZO(B)FLUORANTHENE	ND	4300	2200
BENZO(K)FLUORANTHENE	ND	4300	2200
BENZO(G, H, I)PERYLENE	ND	4300	2200
BIS(2-CHLOROETHOXY)METHANE	ND	4300	2200
BIS(2-CHLOROETHYL)ETHER	ND	4300	2200
BIS(2-CHLOROSOPROPYL)ETHER	ND	4300	2200
BIS(2-ETHYLHEXYL)PHTHALATE	ND	4300	2200
BUTYLBENZYL PHTHALATE	ND	4300	2200
CHRYSENE	ND	4300	2200
DI-N-BUTYL PHTHALATE	ND	4300	2200
DI-N-OCTYL PHTHALATE	ND	4300	2200
DIBENZO(A, H)ANTHRACENE	ND	4300	2200
DIBENZOFURAN	ND	4300	2200
DIETHYL PHTHALATE	ND	4300	2200
DIMETHYL PHTHALATE	ND	4300	2200
FLUORANTHENE	ND	4300	2200
FLUORENE	ND	4300	2200
HEXA CHLOROBENZENE	ND	4300	2500
HEXA CHLOROBUTADIENE	ND	4300	2200
HEXA CHLOROCYCLOPENTADIENE	ND	4300	2200
HEXA CHLOROETHANE	ND	4300	2200
INDENO(1,2,3-CD)PYRENE	ND	4300	2200
ISOPHORONE	ND	4300	2200
N-NITROSO-DI-N-PROPYLAMINE	ND	4300	2200
N-NITROSODIPHENYLAMINE (2)	ND	4300	2200
NAPHTHALENE	ND	4300	2200
NITROBENZENE	ND	4300	2300
PENTACHLOROPHENOL	ND	8500	2300
PHENANTHRENE	ND	4300	2200
PHENOL	ND	4300	2200
PYRENE	ND	4300	2200
SURROGATE PARAMETERS	RESULTS	SPK AMT	% RECOVERY QC LIMIT
2,4,6-TRIBROMOPHENOL	5530	8621	64.2 20-140
2-FLUOROBIPHENYL	1260	2875	43.9 30-130
2-FLUOROPHENOL	2910	8621	33.8 20-130
NITROBENZENE-D5	1260	2875	43.8 20-130
PHENOL-D5	3520	8621	40.8 20-130
TERPHENYL-D14	2040	2875	71.1 40-130

(1): Cannot be separated from 3-Methylphenol
(2): Cannot be separated from Diphenylamine

QC SUMMARIES

METHOD 3550B/B270C
SEMI VOLATILE ORGANICS BY GC/MS

```
=====
Client : EUROFINS EATON ANALYTICAL          Date Collected: NA
Project : 429486                            Date Received: 03/29/13
Batch No.: 13C207                           Date Extracted: 03/29/13 13:26
Sample ID: MBLK1S                           Date Analyzed: 04/01/13 13:24
Lab Samp ID: SVC021SB                      Dilution Factor: 1
Lab File ID: RDJ005                          Matrix: SOIL
Ext Btch ID: SVC021S                        % Moisture: NA
Calib. Ref.: RCJ007                          Instrument ID: T-OE4
=====
```

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
1,2,4-TRICHLOROBENZENE	ND	330	170
1,2-DICHLOROBENZENE	ND	330	170
1,3-DICHLOROBENZENE	ND	330	170
1,4-DICHLOROBENZENE	ND	330	170
2,4,5-TRICHLOROPHENOL	ND	330	170
2,4,6-TRICHLOROPHENOL	ND	330	180
2,4-DICHLOROPHENOL	ND	330	170
2,4-DIMETHYLPHENOL	ND	330	170
2,4-DINITROPHENOL	ND	660	170
2,4-DINITROTOLUENE	ND	330	170
2,6-DINITROTOLUENE	ND	330	170
2-CHLORONAPHTHALENE	ND	330	170
2-CHLOROPHENOL	ND	330	170
2-METHYLNAPHTHALENE	ND	330	170
2-METHYLPHENOL	ND	330	170
2-NITROANILINE	ND	330	170
2-NITROPHENOL	ND	330	170
3,3'-DICHLOROBENZIDINE	ND	330	170
3-NITROANILINE	ND	330	170
4,6-DINITRO-2-METHYLPHENOL	ND	660	170
4-BROMOPHENYL-PHENYL ETHER	ND	330	170
4-CHLORO-3-METHYLPHENOL	ND	330	170
4-CHLOROANILINE	ND	330	170
4-CHLOROPHENYL-PHENYL ETHER	ND	330	170
4-METHYLPHENOL (1)	ND	330	170
4-NITROANILINE	ND	330	170
4-NITROPHENOL	ND	660	170
ACENAPHTHENE	ND	330	170
ACENAPHTHYLENE	ND	330	170
ANTHRACENE	ND	330	170
BENZO(A)ANTHRACENE	ND	330	170
BENZO(A)PYRENE	ND	330	170
BENZO(B)FLUORANTHENE	ND	330	170
BENZO(K)FLUORANTHENE	ND	330	170
BENZO(G, H, I)PERYLENE	ND	330	170
BIS(2-CHLOROETHOXY)METHANE	ND	330	170
BIS(2-CHLOROETHYL)ETHER	ND	330	170
BIS(2-CHLORO)SOPROPYL)ETHER	ND	330	170
BIS(2-ETHYLHEXYL)PHTHALATE	ND	330	170
BUTYLBENZYLPHthalate	ND	330	170
CHRYSENE	ND	330	170
DIBENZ-N-BUTYLPHthalate	ND	330	170
DIBENZ-OCTYLPHthalate	ND	330	170
DIBENZO(A, H)ANTHRACENE	ND	330	170
DIBENZOFURAN	ND	330	170
DIETHYLPHthalate	ND	330	170
DIMETHYLPHthalate	ND	330	170
FLUORANTHENE	ND	330	170
FLUORENE	ND	330	170
HEXAChLOROBENZENE	ND	330	170
HEXAChLOROBUTADIENE	ND	330	190
HEXAChLOROCYCLOPENTADIENE	ND	330	170
HEXAChLOROETHANE	ND	330	170
INDENO(1,2,3-CD)PYRENE	ND	330	170
ISOPHORONE	ND	330	170
N-NITROSO-D1-N-PROPYLAMINE	ND	330	170
N-NITROSODIPHENYLAMINE (2)	ND	330	170
NAPHTHALENE	ND	330	170
NITROBENZENE	ND	330	170
PENTACHLOROPHENOL	ND	660	170
PHENANTHRENE	ND	330	170
PHENOL	ND	330	170
PYRENE	ND	330	170

SURROGATE PARAMETERS	RESULTS	SPK AMT	% RECOVERY	QC LIMIT
2,4,6-TRIBROMOPHENOL	1550	2000	77.6	40-130
2-FLUOROBIPHENYL	462	667.0	69.2	30-130
2-FLUOROPHENOL	1570	2000	78.6	30-130
NITROBENZENE-D5	426	667.0	63.8	30-130
PHENOL-D5	1650	2000	82.5	30-130
TERPHENYL-D14	660	667.0	98.9	40-130

C1: Cannot be separated from 3-Methylphenol
C2: Cannot be separated from Diphenylamine

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13C207
 METHOD: METHOD 3550B/8270C

MATRIX:	SOIL	% MOISTURE: NA	
DILUTION FACTOR:	1	1	
SAMPLE ID:	MBLK1S		
LAB SAMP ID:	SVC021SB	SVC021SL	SVC021SC
LAB FILE ID:	RDJ005	RCJ179	RCJ180
DATE EXTRACTED:	03/29/13 13:26	03/29/13 13:26	03/29/13 13:26
DATE ANALYZED:	04/01/13 13:24	03/30/13 00:43	03/30/13 01:02
PREP. BATCH:	SVC021S	SVC021S	SVC021S
CALIB. REF:	RCJ007	RCJ007	RCJ007

ACCESSION:

PARAMETER	BLNK RSLT (ug/kg)	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	BS % REC	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	BSD % REC	RPD (%)	QC LIMIT (%)	MAX RPD (%)
1,2,4-Trichlorobenzene	ND	1330	1170	88	1330	1150	87	2	30-130	50
1,4-Dichlorobenzene	ND	1330	1140	86	1330	1100	83	4	30-130	50
2,4-Dinitrotoluene	ND	1330	1330	100	1330	1330	100	0	30-130	50
2-Chlorophenol	ND	1330	1100	83	1330	1080	81	2	30-130	50
4-Chloro-3-Methylphenol	ND	1330	1150	86	1330	1170	88	2	30-130	50
4-Nitrophenol	ND	1330	1070	80	1330	1080	81	1	20-130	50
Acenaphthene	ND	1330	1160	87	1330	1180	89	2	30-130	50
n-Nitroso-di-n-propylamine	ND	1330	1150	86	1330	1300	98	12	30-130	50
Pentachlorophenol	ND	1330	694	52	1330	735	55	6	20-130	50
Phenol	ND	1330	1070	80	1330	1080	81	1	30-130	50
Pyrene	ND	1330	1250	93	1330	1280	96	3	30-130	50

SURROGATE PARAMETER	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	BS % REC	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	BSD % REC	QC LIMIT (%)
2,4,6-Tribromophenol	2000	1840	92	2000	1880	94	40-130
2-Fluorobiphenyl	667	504	76	667	502	75	30-130
2-Fluorophenol	2000	1590	80	2000	1590	79	30-130
Nitrobenzene-d5	667	471	71	667	457	68	30-130
Phenol-d5	2000	1670	84	2000	1670	83	30-130
Terphenyl-d14	667	695	104	667	710	106	40-130

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

429486

METHOD 3550B/8270C SIM
SEMI VOLATILE ORGANICS BY GC/MS

SDG#: 13C207

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 3550B/8270C SIM
SEMI VOLATILE ORGANICS BY GC/MS

One (1) soil sample was received on 03/28/13 for PAH BY 8270C SIM analysis, Method 3550B/8270C SIM in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Instrument Performance and Calibration

Instrument tune check was performed prior to calibration. Instrument mass ratios were evaluated and results were within acceptance criteria. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried on at a frequency required by the project. All project calibration requirements were satisfied. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Results were compliant to project requirement.

Lab Control Sample

A set of LCS/LCD was analyzed with the samples in this SDG. Percent recoveries for SVC021SL/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated in this SDG.

Surrogate

Surrogate was added on QC and field samples. Surrogate recoveries were within project QC limits. Refer to sample result forms for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter. Sample was initially analyzed at dilution SDF 3X due to matrix problem.

LAB CHRONICLE
SEMI VOLATILE ORGANICS BY GC/MS

Client : EUROFINS EATON ANALYTICAL
Project : 429486

SDG NO. : 13C207

Instrument ID : T-0E4

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	SOIL		Extraction Date/Time	Sample Data FN	Calibration Prep. Data FN	Batch	Notes
				Analysis Date/Time	Extraction Date/Time					
MBLK1S	SVC021SB	1	NA	04/01/1313:24	03/29/1313:26	RDJ005	RCJ007	SVC021S	Method Blank	
LCS1S	SVC021SL	1	NA	03/30/1300:43	03/29/1313:26	RCJ179	RCJ007	SVC021S	Lab Control Sample (LCS)	
LCD1S	SVC021SC	1	NA	03/30/1301:02	03/29/1313:26	RCJ180	RCJ007	SVC021S	LCS Duplicate	
FBR SLUDGE	G207-01	3	76.8	03/30/1301:21	03/29/1313:26	RCJ181	RCJ007	SVC021S	Field Sample	

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD 3550B/8270C SIM
SEMI VOLATILE ORGANICS BY GC/MS

```
=====
Client      : EUROFINS EATON ANALYTICAL          Date Collected: 03/22/13
Project     : 429486                          Date Received: 03/28/13
Batch No.   : 13C207                          Date Extracted: 03/29/13 13:26
Sample ID: FBR SLUDGE                      Date Analyzed: 03/30/13 01:21
Lab Samp ID: C207-01                         Dilution Factor: 3
Lab File ID: RCJ181                          Matrix       : SOIL
Ext Btch ID: SVCD21S                        % Moisture    : 76.8
Calib. Ref.: RCJ007                          Instrument ID: T-OE4
=====
```

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
ACENAPHTHENE	ND	65	32
ACENAPHTHYLENE	ND	65	32
ANTHRACENE	160	65	32
BENZO(A)ANTHRACENE	73	65	32
BENZO(A)PYRENE	270	65	32
BENZO(B)FLUORANTHENE	310	65	32
BENZO(K)FLUORANTHENE	230	65	32
BENZO(G,H,I)PERYLENE	1200	65	32
CHRYSENE	56J	65	32
DI-BENZO(A,H)ANTHRACENE	410	65	32
FLUORANTHENE	82	65	32
FLUORENE	ND	65	32
INDENO(1,2,3-CD)PYRENE	610	65	32
NAPHTHALENE	ND	65	32
PHENANTHRENE	67	65	32
PYRENE	98	65	32
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY QC LIMIT
TERPHENYL-D14	1880	2874	65.3 40-130

QC SUMMARIES

METHOD 3550B/8270C SIM
SEMI VOLATILE ORGANICS BY GC/MS

=====
 Client : EUROFINS EATON ANALYTICAL Date Collected: NA
 Project : 429486 Date Received: 03/29/13
 Batch No. : 13C207 Date Extracted: 03/29/13 13:26
 Sample ID: MBLK1S Date Analyzed: 04/01/13 13:24
 Lab Samp ID: SVC021SB Dilution Factor: 1
 Lab File ID: RDJ005 Matrix : SOIL
 Ext Btch ID: SVC021S % Moisture : NA
 Calib. Ref.: RCJ007 Instrument ID : T-OE4
=====

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
ACENAPHTHENE	ND	5.0	2.5
ACENAPHTHYLENE	ND	5.0	2.5
ANTHRACENE	ND	5.0	2.5
BENZO(A)ANTHRACENE	ND	5.0	2.5
BENZO(A)PYRENE	ND	5.0	2.5
BENZO(B)FLUORANTHENE	ND	5.0	2.5
BENZO(K)FLUORANTHENE	ND	5.0	2.5
BENZO(G,H,I)PERYLENE	ND	5.0	2.5
CHRYSENE	ND	5.0	2.5
DIBENZO(A,H)ANTHRACENE	ND	5.0	2.5
FLUORANTHENE	ND	5.0	2.5
FLUORENE	ND	5.0	2.5
INDENO(1,2,3-CD)PYRENE	ND	5.0	2.5
NAPHTHALENE	ND	5.0	2.5
PHENANTHRENE	ND	5.0	2.5
PYRENE	ND	5.0	2.5
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY QC LIMIT
TERPHENYL-D14	628	666.7	94.2 40-130

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13C207
 METHOD: METHOD 3550B/8270C SIM

MATRIX:	SOIL	% MOISTURE:		NA
DILUTION FACTOR:	1	1		
SAMPLE ID:	MBLK1S			
LAB SAMP ID:	SVC021SB	SVC021SL	SVC021SC	
LAB FILE ID:	RDJ005	RCJ179	RCJ180	
DATE EXTRACTED:	03/29/13 13:26	03/29/13 13:26	03/29/13 13:26	DATE COLLECTED: NA
DATE ANALYZED:	04/01/13 13:24	03/30/13 00:43	03/30/13 01:02	DATE RECEIVED: 03/29/13
PREP. BATCH:	SVC021S	SVC021S	SVC021S	
CALIB. REF:	RCJ007	RCJ007	RCJ007	

ACCESSION:

PARAMETER	BLNK RSLT (ug/kg)	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	BS % REC	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	BSD % REC	RPD (%)	QC LIMIT (%)	MAX RPD (%)
Acenaphthene	ND	1330	1130	85	1330	1140	86	1	10-130	50
Acenaphthylene	ND	1330	1210	91	1330	1220	91	0	20-130	50
Anthracene	ND	1330	1150	86	1330	1180	89	3	20-130	50
Benzo(a)anthracene	ND	1330	1220	91	1330	1250	94	2	30-130	50
Benzo(a)pyrene	ND	1330	1240	93	1330	1260	94	1	30-130	50
Benzo(b)fluoranthene	ND	1330	1210	91	1330	1230	93	2	40-130	50
Benzo(k)fluoranthene	ND	1330	1280	96	1330	1300	97	1	30-140	50
Benzo(g,h,i)perylene	ND	1330	1020	77	1330	1090	82	6	30-140	50
Chrysene	ND	1330	1240	93	1330	1270	95	2	30-140	50
Dibenz(a,h)anthracene	ND	1330	1300	97	1330	1320	99	2	40-140	50
Fluoranthene	ND	1330	1160	87	1330	1180	89	2	30-130	50
Fluorene	ND	1330	1220	91	1330	1230	92	1	20-130	50
Indeno(1,2,3-cd)pyrene	ND	1330	1200	90	1330	1240	93	3	20-160	50
Naphthalene	ND	1330	1090	82	1330	1080	81	1	10-130	50
Phenanthrene	ND	1330	1150	86	1330	1180	89	2	20-130	50
Pyrene	ND	1330	1160	87	1330	1180	89	2	20-150	50

SURROGATE PARAMETER	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	BS % REC	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	BSD % REC	QC LIMIT (%)
Terphenyl-d14	667	649	97	667	659	99	40-130

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

429486

**METHOD 3550B/8081A
PESTICIDES**

SDG#: 13C207

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 3550B/8081A PESTICIDES

One (1) soil sample was received on 03/28/13 for Pesticides Organochlorine analysis, Method 3550B/8081A in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Instrument Performance and Calibration

Instrument performance was checked prior to calibration. DDT and Endrin breakdown were within specification. Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using secondary source (ICV). Continuing calibration (CCV) was carried on at a frequency required by the project. All project calibration requirements were satisfied; except for mean recovery in column A of closing DCC-MD01052 was bias high. Detected pesticides were reported from in-control column B. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Results were compliant to project requirement.

Lab Control Sample

A set of LCS/LCD was analyzed with the samples in this SDG. Percent recoveries for CPC033SL/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated in this SDG.

Surrogate

Surrogates were added on QC and field samples. Surrogate recoveries were within project QC limits.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter. Positive sample results were confirmed by a second column. Relative percentage difference (RPD) between the two results was evaluated. If RPD is less than 40% and peaks are well defined the higher result is reported. Where RPD is greater than 40% the chromatogram is checked for anomalies and results are selected based on processed knowledge. If there is no evidence of any chromatographic ambiguity, the higher result is reported. Sample extracts subjected to appropriate cleanup technique (to reduce matrix interference) are recorded in extraction log. Results were reported from dilution run DF 10X due to matrix problem in non-dilution run.

LAB CHRONICLE
PESTICIDES

Client : EUROFINS EATON ANALYTICAL
Project : 429486

SDG NO. : 13C207
Instrument ID : GCE8

Client Sample ID	Sample ID	Laboratory	Dilution Factor	% Moist	Analysis DateTime	SOIL		Calibration Prep. Batch	Notes
						Extraction Date/Time	Sample Data FN		
MBLK1S	CPC033SB		1	NA	04/02/1303:16	03/29/1313:26	MD01043B	CPC033S	Method Blank
LCS1S	CPC033SL		1	NA	04/02/1303:38	03/29/1313:26	MD01044B	CPC033S	Lab Control Sample (LCS)
LCD1S	CPC033SC		1	NA	04/02/1303:59	03/29/1313:26	MD01045B	CPC033S	LCS Duplicate
FBR SLUDGE	C207-011		10	76.8	04/02/1305:45	03/29/1313:26	MD01050B	CPC033S	Diluted Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD 3550B/8081A
PESTICIDES

=====
 Client : EUROFINS EATON ANALYTICAL Date Collected: 03/22/13
 Project : 429486 Date Received: 03/28/13
 Batch No. : 13C207 Date Extracted: 03/29/13 13:26
 Sample ID: FBR SLUDGE Date Analyzed: 04/02/13 05:45
 Lab Samp ID: C207-011 Dilution Factor: 10
 Lab File ID: MDD01050A Matrix : SOIL
 Ext Btch ID: CPC033S % Moisture : 76.8
 Calib. Ref.: MDD1047A Instrument IO : GCE8
 =====

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
ALPHA-BHC	140 (230)	86	26 26
GAMMA-BHC (LINDANE)	250 (ND)	86	26 26
BETA-BHC	200 (250)	86	26 26
HEPTACHLOR	ND (ND)	86	26 26
DELTA-BHC	160 (130)	86	26 26
ALDRIN	(ND) 34J	86	26 26
HEPTACHLOR EPOXIDE	27J (ND)	86	26 26
GAMMA-CHLORDANE	100 (110)	86	26 26
ALPHA-CHLORDANE	ND (ND)	86	26 26
ENDOSULFAN I	52J (ND)	86	26 26
4,4'-DDE	ND (ND)	170	52 52
DIELDRIN	ND (ND)	170	52 52
ENDRIN	ND (ND)	170	52 52
4,4'-DDD	ND (ND)	170	52 52
ENDOSULFAN II	ND (ND)	170	52 52
4,4'-DDT	ND (ND)	170	52 52
ENDRIN ALDEHYDE	150J (ND)	170	52 52
ENDOSULFAN SULFATE	ND (ND)	170	65 65
ENDRIN KETONE	ND (ND)	170	52 52
METHOXYCHLOR	ND (ND)	860	170 170
TOXAPHENE	ND (ND)	2200	430 430
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY
TETRACHLORO-M-XYLENE	110.9 (71.10)	57.46	193* (124)
DECACHLOROBIPHENYL	66.94 (28.50)	57.46	116 (49.6)

RL : Reporting limit

Left of | is related to first column ; Right of | related to second column

Final result indicated by ()

17-11
1-10
2-10
3-10
4-10
5-10
6-10
7-10
8-10
9-10
10-10
11-10
12-10
13-10
14-10
15-10
16-10
17-10
18-10
19-10
20-10
21-10
22-10
23-10
24-10
25-10
26-10
27-10
28-10
29-10
30-10
31-10
32-10
33-10
34-10
35-10
36-10
37-10
38-10
39-10
40-10
41-10
42-10
43-10
44-10
45-10
46-10
47-10
48-10
49-10
50-10
51-10
52-10
53-10
54-10
55-10
56-10
57-10
58-10
59-10
60-10
61-10
62-10
63-10
64-10
65-10
66-10
67-10
68-10
69-10
70-10
71-10
72-10
73-10
74-10
75-10
76-10
77-10
78-10
79-10
80-10
81-10
82-10
83-10
84-10
85-10
86-10
87-10
88-10
89-10
90-10
91-10
92-10
93-10
94-10
95-10
96-10
97-10
98-10
99-10
100-10
101-10
102-10
103-10
104-10
105-10
106-10
107-10
108-10
109-10
110-10
111-10
112-10
113-10
114-10
115-10
116-10
117-10
118-10
119-10
120-10
121-10
122-10
123-10
124-10
125-10
126-10
127-10
128-10
129-10
130-10
131-10
132-10
133-10
134-10
135-10
136-10
137-10
138-10
139-10
140-10
141-10
142-10
143-10
144-10
145-10
146-10
147-10
148-10
149-10
150-10
151-10
152-10
153-10
154-10
155-10
156-10
157-10
158-10
159-10
160-10
161-10
162-10
163-10
164-10
165-10
166-10
167-10
168-10
169-10
170-10
171-10
172-10
173-10
174-10
175-10
176-10
177-10
178-10
179-10
180-10
181-10
182-10
183-10
184-10
185-10
186-10
187-10
188-10
189-10
190-10
191-10
192-10
193-10
194-10
195-10
196-10
197-10
198-10
199-10
200-10
201-10
202-10
203-10
204-10
205-10
206-10
207-10
208-10
209-10
210-10
211-10
212-10
213-10
214-10
215-10
216-10
217-10
218-10
219-10
220-10
221-10
222-10
223-10
224-10
225-10
226-10
227-10
228-10
229-10
230-10
231-10
232-10
233-10
234-10
235-10
236-10
237-10
238-10
239-10
240-10
241-10
242-10
243-10
244-10
245-10
246-10
247-10
248-10
249-10
250-10
251-10
252-10
253-10
254-10
255-10
256-10
257-10
258-10
259-10
260-10
261-10
262-10
263-10
264-10
265-10
266-10
267-10
268-10
269-10
270-10
271-10
272-10
273-10
274-10
275-10
276-10
277-10
278-10
279-10
280-10
281-10
282-10
283-10
284-10
285-10
286-10
287-10
288-10
289-10
290-10
291-10
292-10
293-10
294-10
295-10
296-10
297-10
298-10
299-10
300-10
301-10
302-10
303-10
304-10
305-10
306-10
307-10
308-10
309-10
310-10
311-10
312-10
313-10
314-10
315-10
316-10
317-10
318-10
319-10
320-10
321-10
322-10
323-10
324-10
325-10
326-10
327-10
328-10
329-10
330-10
331-10
332-10
333-10
334-10
335-10
336-10
337-10
338-10
339-10
340-10
341-10
342-10
343-10
344-10
345-10
346-10
347-10
348-10
349-10
350-10
351-10
352-10
353-10
354-10
355-10
356-10
357-10
358-10
359-10
360-10
361-10
362-10
363-10
364-10
365-10
366-10
367-10
368-10
369-10
370-10
371-10
372-10
373-10
374-10
375-10
376-10
377-10
378-10
379-10
380-10
381-10
382-10
383-10
384-10
385-10
386-10
387-10
388-10
389-10
390-10
391-10
392-10
393-10
394-10
395-10
396-10
397-10
398-10
399-10
400-10
401-10
402-10
403-10
404-10
405-10
406-10
407-10
408-10
409-10
410-10
411-10
412-10
413-10
414-10
415-10
416-10
417-10
418-10
419-10
420-10
421-10
422-10
423-10
424-10
425-10
426-10
427-10
428-10
429-10
430-10
431-10
432-10
433-10
434-10
435-10
436-10
437-10
438-10
439-10
440-10
441-10
442-10
443-10
444-10
445-10
446-10
447-10
448-10
449-10
450-10
451-10
452-10
453-10
454-10
455-10
456-10
457-10
458-10
459-10
460-10
461-10
462-10
463-10
464-10
465-10
466-10
467-10
468-10
469-10
470-10
471-10
472-10
473-10
474-10
475-10
476-10
477-10
478-10
479-10
480-10
481-10
482-10
483-10
484-10
485-10
486-10
487-10
488-10
489-10
490-10
491-10
492-10
493-10
494-10
495-10
496-10
497-10
498-10
499-10
500-10
501-10
502-10
503-10
504-10
505-10
506-10
507-10
508-10
509-10
510-10
511-10
512-10
513-10
514-10
515-10
516-10
517-10
518-10
519-10
520-10
521-10
522-10
523-10
524-10
525-10
526-10
527-10
528-10
529-10
530-10
531-10
532-10
533-10
534-10
535-10
536-10
537-10
538-10
539-10
540-10
541-10
542-10
543-10
544-10
545-10
546-10
547-10
548-10
549-10
550-10
551-10
552-10
553-10
554-10
555-10
556-10
557-10
558-10
559-10
560-10
561-10
562-10
563-10
564-10
565-10
566-10
567-10
568-10
569-10
570-10
571-10
572-10
573-10
574-10
575-10
576-10
577-10
578-10
579-10
580-10
581-10
582-10
583-10
584-10
585-10
586-10
587-10
588-10
589-10
590-10
591-10
592-10
593-10
594-10
595-10
596-10
597-10
598-10
599-10
600-10
601-10
602-10
603-10
604-10
605-10
606-10
607-10
608-10
609-10
610-10
611-10
612-10
613-10
614-10
615-10
616-10
617-10
618-10
619-10
620-10
621-10
622-10
623-10
624-10
625-10
626-10
627-10
628-10
629-10
630-10
631-10
632-10
633-10
634-10
635-10
636-10
637-10
638-10
639-10
640-10
641-10
642-10
643-10
644-10
645-10
646-10
647-10
648-10
649-10
650-10
651-10
652-10
653-10
654-10
655-10
656-10
657-10
658-10
659-10
660-10
661-10
662-10
663-10
664-10
665-10
666-10
667-10
668-10
669-10
670-10
671-10
672-10
673-10
674-10
675-10
676-10
677-10
678-10
679-10
680-10
681-10
682-10
683-10
684-10
685-10
686-10
687-10
688-10
689-10
690-10
691-10
692-10
693-10
694-10
695-10
696-10
697-10
698-10
699-10
700-10
701-10
702-10
703-10
704-10
705-10
706-10
707-10
708-10
709-10
710-10
711-10
712-10
713-10
714-10
715-10
716-10
717-10
718-10
719-10
720-10
721-10
722-10
723-10
724-10
725-10
726-10
727-10
728-10
729-10
730-10
731-10
732-10
733-10
734-10
735-10
736-10
737-10
738-10
739-10
740-10
741-10
742-10
743-10
744-10
745-10
746-10
747-10
748-10
749-10
750-10
751-10
752-10
753-10
754-10
755-10
756-10
757-10
758-10
759-10
760-10
761-10
762-10
763-10
764-10
765-10
766-10
767-10
768-10
769-10
770-10
771-10
772-10
773-10
774-10
775-10
776-10
777-10
778-10
779-10
780-10
781-10
782-10
783-10
784-10
785-10
786-10
787-10
788-10
789-10
790-10
791-10
792-10
793-10
794-10
795-10
796-10
797-10
798-10
799-10
800-10
801-10
802-10
803-10
804-10
805-10
806-10
807-10
808-10
809-10
810-10
811-10
812-10
813-10
814-10
815-10
816-10
817-10
818-10
819-10
820-10
821-10
822-10
823-10
824-10
825-10
826-10
827-10
828-10
829-10
830-10
831-10
832-10
833-10
834-10
835-10
836-10
837-10
838-10
839-10
840-10
841-10
842-10
843-10
844-10
845-10
846-10
847-10
848-10
849-10
850-10
851-10
852-10
853-10
854-10
855-10
856-10
857-10
858-10
859-10
860-10
861-10
862-10
863-10
864-10
865-10
866-10
867-10
868-10
869-10
870-10
871-10
872-10
873-10
874-10
875-10
876-10
877-10
878-10
879-10
880-10
881-10
882-10
883-10
884-10
885-10
886-10
887-10
888-10
889-10
890-10
891-10
892-10
893-10
894-10
895-10
896-10
897-10
898-10
899-10
900-10
901-10
902-10
903-10
904-10
905-10
906-10
907-10
908-10
909-10
910-10
911-10
912-10
913-10
914-10
915-10
916-10
917-10
918-10
919-10
920-10
921-10
922-10
923-10
924-10
925-10
926-10
927-10
928-10
929-10
930-10
931-10
932-10
933-10
934-10
935-10
936-10
937-10
938-10
939-10
940-10
941-10
942-10
943-10
944-10
945-10
946-10
947-10
948-10
949-10
950-10
951-10
952-10
953-10
954-10
955-10
956-10
957-10
958-10
959-10
960-10
961-10
962-10
963-10
964-10
965-10
966-10
967-10
968-10
969-10
970-10
971-10
972-10
973-10
974-10
975-10
976-10
977-10
978-10
979-10
980-10
981-10
982-10
983-10
984-10
985-10
986-10
987-10
988-10
989-10
990-10
991-10
992-10
993-10
994-10
995-10
996-10
997-10
998-10
999-10
1000-10

QC SUMMARIES

METHOD 3550B/8081A
PESTICIDES

=====
 Client : EUROFINS EATON ANALYTICAL Date Collected: NA
 Project : 429486 Date Received: 03/29/13
 Batch No. : 13C207 Date Extracted: 03/29/13 13:26
 Sample ID: MBLK1S Date Analyzed: 04/02/13 03:16
 Lab Samp ID: CPC033SB Dilution Factor: 1
 Lab File ID: MD01D43A Matrix : SOIL
 Ext Btch ID: CPC033S % Moisture : NA
 Calib. Ref.: MD01034A Instrument ID : GCE8
=====

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
ALPHA-BHC	ND (ND)	2.0	0.60 0.60
GAMMA-BHC (LINDANE)	ND (ND)	2.0	0.60 0.60
BETA-BHC	ND (ND)	2.0	0.60 0.60
HEPTACHLOR	ND (ND)	2.0	0.60 0.60
DELTA-BHC	ND (ND)	2.0	0.60 0.60
ALDRIN	ND (ND)	2.0	0.60 0.60
HEPTACHLOR EPOXIDE	ND (ND)	2.0	0.60 0.60
GAMMA-CHLORDANE	ND (ND)	2.0	0.60 0.60
ALPHA-CHLORDANE	ND (ND)	2.0	0.60 0.60
ENDOSULFAN I	ND (ND)	2.0	0.60 0.60
4,4'-DDE	ND (ND)	4.0	1.2 1.2
DIELDRIN	ND (ND)	4.0	1.2 1.2
ENDRIN	ND (ND)	4.0	1.2 1.2
4,4'-DDD	ND (ND)	4.0	1.2 1.2
ENDOSULFAN II	ND (ND)	4.0	1.2 1.2
4,4'-DDT	ND (ND)	4.0	1.2 1.2
ENDRIN ALDEHYDE	ND (ND)	4.0	1.2 1.2
ENDOSULFAN SULFATE	ND (ND)	4.0	1.5 1.5
ENDRIN KETONE	ND (ND)	4.0	1.2 1.2
METHOXYCHLOR	ND (ND)	20	4.0 4.0
TOXAPHENE	ND (ND)	50	10 10
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY
TETRACHLORO-M-XYLENE	15.53 (13.83)	13.33	117 (104)
DECACHLOROBIPHENYL	15.95 (14.32)	13.33	120 (107)

RL : Reporting limit

Left of | is related to first column ; Right of | related to second column

Final result indicated by ()

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROLINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13C207
 METHOD: METHOD 3550B/8081A

MATRIX:	SOIL	DILUTION FACTOR:	1	1	% MOISTURE:	NA
SAMPLE ID:	MBLK'S					
LAB Samp ID:	CPC033SB	CPC033SL	CPC033SC			
LAB FILE ID:	MD01043A	MD01044A	MD01045A			
DATE EXTRACTED:	03/29/1313:26	03/29/1313:26	03/29/1313:26		DATE COLLECTED:	NA
DATE ANALYZED:	04/02/1303:16	04/02/1303:38	04/02/1303:59		DATE RECEIVED:	03/29/13
PREP. BATCH:	CPC033S	CPC033S	CPC033S			
CALIB. REF:	MD01034A	MD01034A	MD01034A			

ACCESSION:

PARAMETER	BLNK RSLT (ug/kg)	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	BS % REC	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	% REC	BSD % REC	RPD (%)	QC LIMIT (%)	MAX RPD (%)
gamma-BHC (Lindane)	ND (ND)	6.67	9.33 (8.62)	140* (129)	6.67	8.60 (8.18)	129 (123)	8 (5)	40-130	50	
Heptachlor	ND (ND)	6.67	8.44 (8.24)	127 (124)	6.67	7.96 (7.87)	119 (118)	6 (5)	30-130	50	
Aldrin	ND (ND)	6.67	8.28 (8.06)	124 (121)	6.67	8.03 (8.08)	120 (121)	3 (0)	30-130	50	
Dieldrin	ND (ND)	6.67	8.32 (8.18)	125 (123)	6.67	8.20 (8.03)	123 (120)	1 (2)	60-130	50	
Endrin	ND (ND)	6.67	8.63 (8.29)	129 (124)	6.67	8.39 (8.01)	126 (120)	3 (3)	50-140	50	
4,4'-DDT	ND (ND)	6.67	9.95 (9.15)	149* (137)	6.67	9.76 (8.54)	146* (128)	2 (7)	60-140	50	

SURROGATE PARAMETER	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	BS % REC	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	% REC	BSD % REC	QC LIMIT (%)
Tetrachloro-m-xylene	13.33	18.09 (16.08)	136* (121)	13.33	16.41 (14.68)	123 (110)	40-130	
Decachlorobiphenyl	13.33	16.39 (14.82)	123 (111)	13.33	16.79 (14.66)	126 (110)	40-160	

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

429486

**METHOD 3550B/8082
PCBs**

SDG#: 13C207

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 3550B/8082
PCBS

One (1) soil sample was received on 03/28/13 for Polychlorinated Biphenyls (PCBs) analysis, Method 3550B/8082 in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Results were compliant to project requirement.

Lab Control Sample

A set of LCS/LCD was analyzed with the samples in this SDG. Percent recoveries for 60C033SL/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated in this SDG.

Surrogate

Surrogates were added on QC and field samples. Surrogate recoveries were within project QC limits. Refer to sample result forms for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter. Sample extracts subjected to appropriate cleanup technique (to reduce matrix interference) are recorded in extraction log.

LAB CHRONICLE
PCBs

Client : EUROFINS EATON ANALYTICAL
Project : 429486

SDG NO. : 13C207
Instrument ID : GC1071

Client Sample ID	Sample ID	SOIL			Extraction Date/Time	Sample Data FN	Calibration Prep. Batch	Notes
		Laboratory	Dilution Factor	% Moist				
MBLK1S	CPC033SB	1	NA	04/01/1310:24	03/29/1313:26	KD01006A	KD01003A	CPC033SB Method Blank
LCS1S	60C033SL	1	NA	04/01/1310:49	03/29/1313:26	KD01007A	KD01003A	CPC033SB Lab Control Sample (LCS)
LCD1S	60C033SC	1	NA	04/01/1311:13	03/29/1313:26	KD01008A	KD01003A	CPC033SB LCS Duplicate
FBR SLUDGE	C207-01	1	76.8	04/01/1311:38	03/29/1313:26	KD01009A	KD01003A	CPC033SB Field Sample

FN - File Name
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD 3550B/8082
PCBs

```
=====
Client : EUROFINS EATON ANALYTICAL          Date Collected: 03/22/13
Project : 429486                            Date Received: 03/28/13
Batch No. : 13C207                           Date Extracted: 03/29/13 13:26
Sample ID: FBR SLUDGE                      Date Analyzed: 04/01/13 11:38
Lab Samp ID: C207-01                         Dilution Factor: 1
Lab File ID: KDO1009A                        Matrix : SOIL
Ext Btch ID: CPC033SB                       % Moisture : 76.8
Calib. Ref.: KDO1003A                        Instrument ID : GCT071
=====
```

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)
PCB-1016	(ND) ND	220	86 86
PCB-1221	(ND) ND	220	86 86
PCB-1232	(ND) ND	220	86 86
PCB-1242	(ND) ND	220	86 86
PCB-1248	(ND) ND	220	86 86
PCB-1254	(ND) ND	220	86 86
PCB-1260	(ND) ND	220	86 86
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY
TETRACHLORO-M-XYLENE	(66.35) 49.18	57.46	(115) 85.6
DECACHLOROBIPHENYL	(55.20) 48.43	57.46	(96.1) 84.3

Left of | is related to first column ; Right of | related to second column

Final result indicated by ()

* Out side of QC Limit

QC SUMMARIES

METHOD 3550B/8082
PCBs

=====
 Client : EUROFINS EATON ANALYTICAL Date Collected: NA
 Project : 429486 Date Received: 03/29/13
 Batch No. : 13C207 Date Extracted: 03/29/13 13:26
 Sample ID: MBLK1S Date Analyzed: 04/01/13 10:24
 Lab Samp ID: CPC033SB Dilution Factor: 1
 Lab File ID: KDO1006A Matrix : SOIL
 Ext Btch ID: CPC033SB % Moisture : NA
 Calib. Ref.: KDO1003A Instrument ID : GCT071

=====

PARAMETERS	RESULTS (ug/kg)	RL (ug/kg)	MDL (ug/kg)	
PCB-1016	(ND) ND	50	20 20	
PCB-1221	(ND) ND	50	20 20	
PCB-1232	(ND) ND	50	20 20	
PCB-1242	(ND) ND	50	20 20	
PCB-1248	(ND) ND	50	20 20	
PCB-1254	(ND) ND	50	20 20	
PCB-1260	(ND) ND	50	20 20	
SURROGATE PARAMETERS	RESULTS	SPK_AMT	% RECOVERY	QC LIMIT
TETRACHLORO-M-XYLENE	(15.22) 14.96	13.33	(114) 112	40-130
DECACHLOROBIPHENYL	(17.01) 16.24	13.33	(128) 122	40-160

Left of | is related to first column ; Right of | related to second column

Final result indicated by ()

* Out side of QC Limit

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
PROJECT: 429486
BATCH NO.: 13C207
METHOD: METHOD 3550B/8082

MATRIX:	SOIL	DILUTION FACTOR:	1	% MOISTURE:	NA
SAMPLE ID:	MBLK1S				
LAB SAMP ID:	CPC033SB	60CO33SL	60CO33SC		
LAB FILE ID:	KD01006A	KD01007A	KD01008A		
DATE EXTRACTED:	03/29/13 13:26	03/29/13 13:26	03/29/13 13:26	DATE COLLECTED:	NA
DATE ANALYZED:	04/01/13 10:24	04/01/13 10:49	04/01/13 11:13	DATE RECEIVED:	03/29/13
PREP. BATCH:	CPC033SB	CPC033SB	CPC033SB		
CALIB. REF:	KD01003A	KD01003A	KD01003A		

ACCESSION:

PARAMETER	BLNK RSLT (ug/kg)	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	% REC	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	% REC	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	% REC	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	% REC	SPIKE AMT (ug/kg)	BSD RSLT (ug/kg)	% REC
PCB-1016	(ND)	167	(185)	177	(189)	106	167	167	107	(113)	179	121	(2)	1	50	130	50	
PCB-1260	(ND)	167	196	199	202	118	167	167	123	(205)	123	(3)	3	70-150	50	117	117	119

SURROGATE PARAMETER
TetraChloro-m-xylene
Decachlorobiphenyl

SURROGATE PARAMETER	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	% REC	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	% REC	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	% REC	SPIKE AMT (ug/kg)	BS RSLT (ug/kg)	% REC	
TetraChloro-m-xylene	13.33	(15.77)	15.55	(118)	117	13.33	(16.20)	15.91	(122)	119	(122)	119	40-130
Decachlorobiphenyl	13.33	(15.63)	14.94	(117)	112	13.33	(16.29)	15.63	(122)	117	(122)	117	40-160

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

429486

METALS / MERCURY

SDG#: 13C207

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 6020A
METALS BY ICP-MS

One (1) soil sample was received on 03/28/13 for Total Metals by ICP-MS analysis, Method 6020A in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Initial Calibration was established as prescribed by the method and was verified using a secondary source. Interference checks were performed and results were within required limits. Continuing calibration verifications and continuing calibration blanks were carried out at the frequency specified by the project. All calibration requirements were within acceptance criteria.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Results were compliant to project requirement.

Lab Control Sample

A set of LCS/LCD was analyzed with the samples in this SDG. Percent recoveries for IMC037SL/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated for this SDG. Analytical spike and serial dilution were analyzed for matrix interference evaluation. Results were within method acceptance criteria.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter.

LAB CHRONICLE
METALS BY ICP-MS

Client : EUROTINS EATON ANALYTICAL
Project : 429486

SDG No. : 13C207
Instrument ID : T-IF6

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis Date/Time	Extraction Date/Time	Sample Data FN	Calibration Prep. Data FN	Batch	Notes
NBLK1S	IMC037SB	1	NA	04/02/1316:08	03/28/1315:35	F6D03049	F6D03047	IMC037S	Method Blank
LCS1S	IMC037SL	1	NA	04/02/1316:12	03/28/1315:35	F6D03050	F6D03047	IMC037S	Lab Control Sample (LCS)
LCD1S	IMC037SC	1	NA	04/02/1316:17	03/28/1315:35	F6D03051	F6D03047	IMC037S	LCS Duplicate
FBR SLUDGEAS	C207-01A	0.971	76.8	04/02/1316:21	03/28/1315:35	F6D03052	F6D03047	IMC037S	Analytical Spike Sample
FBR SLUDGE	C207-01J	0.971	76.8	04/02/1316:25	03/28/1315:35	F6D03053	F6D03047	IMC037S	Field Sample
FBR SLUGGEDL	C207-01J	4.85	76.8	04/02/1316:29	03/28/1315:35	F6D03054	F6D03047	IMC037S	Diluted Sample

FN - Filename
% Moist - Percent Moisture

METHOD 6020A
METALS BY ICP-MS

Client : EURDFINS EATON ANALYTICAL	Date Collected: 03/22/13
Project : 429486	Date Received: 03/28/13
SDG NO. : 13C207	Date Extracted: 03/28/13 15:35
Sample ID: FBR SLUDGE	Date Analyzed: 04/02/13 16:25
Lab Samp ID: C207-01	Dilution Factor: 0.971
Lab File ID: F6D03053	Matrix : SOIL
Ext Btch ID: IMC037S	% Moisture : 76.8
Calib. Ref.: F6D03047	Instrument ID : T-IF6

PARAMETERS	RESULTS (mg/kg)	RL (mg/kg)	MDL (mg/kg)
Arsenic	318	2.09	0.419
Barium	32.2	2.09	0.419
Cadmium	ND	2.09	0.419
Chromium	350	2.09	0.419
Cobalt	76.3	2.09	0.419
Copper	202	2.09	0.837
Lead	0.450J	2.09	0.419
Magnesium	1880	419	83.7
Manganese	56.1	2.09	0.837
Molybdenum	918	2.09	0.837
Nickel	35.3	2.09	0.419
Selenium	85.6	2.09	0.419
Silver	ND	2.09	0.419
Zinc	302	8.37	4.19

METHOD 6020A
METALS BY ICP-MS

Client : EUROFINS EATON ANALYTICAL	Date Collected: NA
Project : 429486	Date Received: 03/28/13
SDG NO. : 13C207	Date Extracted: 03/28/13 15:35
Sample ID: MBLK1S	Date Analyzed: 04/02/13 16:08
Lab Samp ID: IMC037SB	Dilution Factor: 1
Lab File ID: F6003049	Matrix : SOIL
Ext Btch ID: IMC037S	% Moisture : NA
Calib. Ref.: F6003047	Instrument ID : T-IF6

PARAMETERS	RESULTS (mg/kg)	RL (mg/kg)	MDL (mg/kg)
Arsenic	ND	0.500	0.100
Barium	ND	0.500	0.100
Cadmium	ND	0.500	0.100
Chromium	ND	0.500	0.100
Cobalt	ND	0.500	0.100
Copper	ND	0.500	0.200
Lead	ND	0.500	0.100
Magnesium	ND	100	20.0
Manganese	ND	0.500	0.200
Molybdenum	ND	0.500	0.200
Nickel	ND	0.500	0.100
Selenium	ND	0.500	0.100
Silver	ND	0.500	0.100
Zinc	ND	2.00	1.00

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 SDG NO.: 13C207
 METHOD: METHOD 6020A

MATRIX: SOIL X MOISTURE: NA
 DILTN FACTR: 1 1
 SAMPLE ID: MBLK1S
 CONTROL NO.: IMC037SB IMC037SL IMC037SC
 LAB FILE ID: F6D03049 F6D03050 F6D03051
 DATIME EXTRCTD: 03/28/1315:35 03/28/1315:35 03/28/1315:35 DATE COLLECTED: NA
 DATIME ANALYZD: 04/02/1316:08 04/02/1316:12 04/02/1316:17 DATE RECEIVED: 03/28/13
 PREP. BATCH: IMC037S IMC037S IMC037S
 CALIB. REF: F6D03047 F6D03047 F6D03047

ACCESSION:

PARAMETER	BLNK RSLT mg/kg	SPIKE AMT mg/kg	BS RSLT mg/kg	8S % REC	SPIKE AMT mg/kg	BSD RSLT mg/kg	BSD % REC	RPD %	QC LIMIT %	MAX RPD %
Arsenic	ND	25.0	23.9	96	25.0	24.4	98	2	80-120	20
Barium	ND	25.0	24.1	97	25.0	24.3	97	1	80-120	20
Cadmium	ND	25.0	24.2	97	25.0	24.5	98	1	80-120	20
Chromium	ND	25.0	23.9	96	25.0	24.2	97	1	80-120	20
Cobalt	ND	25.0	24.2	97	25.0	24.3	97	1	80-120	20
Copper	ND	25.0	23.6	95	25.0	24.0	96	2	80-120	20
Lead	ND	25.0	24.3	97	25.0	24.6	98	1	80-120	20
Magnesium	ND	2500	2500	100	2500	2520	101	1	80-120	20
Manganese	ND	25.0	24.6	98	25.0	24.7	99	1	80-120	20
Molybdenum	ND	25.0	24.0	96	25.0	24.3	97	1	80-120	20
Nickel	ND	25.0	23.8	95	25.0	23.9	96	1	80-120	20
Selenium	ND	25.0	24.0	96	25.0	24.2	97	1	80-120	20
Silver	ND	25.0	24.6	98	25.0	24.8	99	1	80-120	20
Zinc	ND	50.0	48.2	96	50.0	48.7	97	1	80-120	20

EMAX QUALITY CONTROL DATA
SERIAL DILUTION ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13C207
 METHOD: METHOD 6020A

MATRIX:	SOIL	% MOISTURE:	76.8
DILUTION FACTOR:	0.971	4.85	
SAMPLE ID:	FBR SLUDGE	FBR SLUDGEDL	
EMAX SAMP ID:	C207-01	C207-01J	
LAB FILE ID:	F6D03053	F6D03054	
DATE EXTRACTED:	03/28/1315:35	03/28/1315:35	DATE COLLECTED: 03/22/13
DATE ANALYZED:	04/02/1316:25	04/02/1316:29	DATE RECEIVED: 03/28/13
PREP. BATCH:	IMC037S	IMC037S	
CALIB. REF:	F6D03047	F6D03047	

ACCESSION:

PARAMETER	SMPL RSLT (mg/kg)	SERIAL DIL RSLT (mg/kg)	DIF RSLT %	QC LIMIT (%)
Arsenic	318	308	3	10
Barium	32.2	31.9	1	10
Cadmium	ND	ND	0	10
Chromium	350	337	4	10
Cobalt	76.3	74.6	2	10
Copper	202	197	2	10
Lead	0.450J	ND	NA	10
Magnesium	1880	1950J	NA	10
Manganese	56.1	55.2	2	10
Molybdenum	918	891	3	10
Nickel	35.3	34.4	3	10
Selenium	85.6	80.2	6	10
Silver	ND	ND	0	10
Zinc	302	300	0	10

EMAX QUALITY CONTROL DATA
ANALYTICAL SPIKE ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 SDG NO.: 13C207
 METHOD: METHOD 6020A

MATRIX:	SOIL	% MOISTURE:	76.8
DILTN FACTR:	0.971	0.971	
SAMPLE ID:	FBR SLUDGE		
CONTROL NO.:	C207-01	C207-01A	
LAB FILE ID:	F6D03053	F6D03052	
DATIME EXTRCTD:	03/28/1315:35	03/28/1315:35	DATE COLLECTED: 03/22/13
DATIME ANALYZD:	04/02/1316:25	04/02/1316:21	DATE RECEIVED: 03/28/13
PREP. BATCH:	IMC037S	IMC037S	
CALIB. REF:	F6D03047	F6D03047	

ACCESSION:

PARAMETER	SMPL RSLT (mg/kg)	SPIKE AMT (mg/kg)	AS RSLT (mg/kg)	AS % REC	QC LIMIT (%)
Arsenic	318	105	419	97	80-120
Barium	32.2	105	136	99	80-120
Cadmium	ND	105	106	102	80-120
Chromium	350	105	452	98	80-120
Cobalt	76.3	105	186	105	80-120
Copper	202	105	303	97	80-120
Lead	0.450J	105	106	100	80-120
Magnesium	1880	10500	12600	103	80-120
Manganese	56.1	105	165	104	80-120
Molybdenum	918	105	1020	99	80-120
Nickel	35.3	105	138	98	80-120
Selenium	85.6	105	190	100	80-120
Silver	ND	105	105	101	80-120
Zinc	302	209	514	102	80-120

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 7471A
MERCURY BY COLD VAPOR

One (1) soil sample was received on 03/28/13 for Mercury analysis, Method 7471A in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source. Continuing calibration verifications were carried out at the frequency specified by the project. All calibration requirements were within acceptance criteria.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Result was compliant to project requirement.

Lab Control Sample

A set of LCS/LCD was analyzed with the samples in this SDG. Percent recoveries for HGD002SL/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated for this SDG. Analytical spike and serial dilution were analyzed for matrix interference evaluation. Results were within method acceptance criteria.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter. Limited sample; not enough samples to analyzed MS/MSD.

LAB CHRONICLE
MERCURY BY COLD VAPOR

Client : EUROFINS EATON ANALYTICAL
Project : 429486

SDG No. : 13C207
Instrument ID : TI047

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Prep. Data FN	Batch	Notes
WBLKLS	HGD0025B	1	NA	04/03/1316:25	04/03/1314:30	M47D002011	M47D002009	HGD002S	Method Blank
LCS1S	HGD0025L	1	NA	04/03/1316:28	04/03/1314:30	M47D002012	M47D002009	HGD002S	Lab Control Sample (LCS)
LCD1S	HGD0025C	1	NA	04/03/1316:30	04/03/1314:30	M47D002013	M47D002009	HGD002S	LCS Duplicate
FBR SLUDGEAS	C207-01A	0.982	76.8	04/03/1316:32	04/03/1314:30	M47D002014	M47D002009	HGD002S	Analytical Spike Sample
FBR SLUDGE	C207-01J	0.9B2	76.8	04/03/1316:34	04/03/1314:30	M47D002015	M47D002009	HGD002S	Field Sample
FBR SLUGEDL	C207-01J	4.91	76.8	04/03/1316:37	04/03/1314:30	M47D002016	M47D002009	HGD002S	Diluted Sample

FN - Filename
% Moist - Percent Moisture

METHOD 7471A
MERCURY BY COLD VAPOR

Client : EUROFINS EATON ANALYTICAL
Project : 429486
Batch No. : 13C207

Matrix : SOIL
Instrument ID : TI047

SAMPLE ID	EMAX SAMPLE ID	RESULTS (mg/kg)	DLF MOIST	RL	MDL (mg/kg)	Analysis DATE/TIME	Extraction DATE/TIME	LFID	CAL REF	PREP BATCH	Collection DATE/TIME	Received DATE/TIME	
MBLK1S	HGD0025B	ND	1	NA	0.100	0/03/13 16:25	04/03/13 14:30	M47D002011	M47D002009	HGD0025	NA	04/03/13	
LCS1S	HGD0025L	0.817	1	NA	0.100	0/03/13 16:28	04/03/13 14:30	M47D002012	M47D002009	HGD0025	NA	04/03/13	
LCD1S	HGD0025C	0.815	1	NA	0.100	0/03/13 16:30	04/03/13 14:30	M47D002013	M47D002009	HGD0025	NA	04/03/13	
FBR SLUDGEAS	C207-01A	3.28	0.982	76.8	0.423	0/03/13 16:32	04/03/13 14:30	M47D002014	M47D002009	HGD0025	03/22/13	03/28/13	
FBR SLUDGE	C207-01	ND	0.982	76.8	0.423	0/03/13 16:34	04/03/13 14:30	M47D002015	M47D002009	HGD0025	03/22/13	03/28/13	
FBR SLUGGEDL	C207-01J	ND	4.91	76.8	2.12	0.423	0/03/13 16:37	04/03/13 14:30	M47D002016	M47D002009	HGD0025	03/22/13	03/28/13

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 SDG NO.: 13C207
 METHOD: METHOD 7471A

MATRIX:	SOIL			% MOISTURE:	NA
DILUTION FACTR:	1	1	1		
SAMPLE ID:	MBLK1S				
CONTROL NO.:	HGD0023S	HGD0023L	HGD0023C		
LAB FILE ID:	M47D002011	M47D002012	M47D002013		
DATE TIME EXTRCTD:	04/03/1314:30	04/03/1314:30	04/03/1314:30	DATE COLLECTED:	NA
DATE TIME ANALYZD:	04/03/1316:25	04/03/1316:28	04/03/1316:30	DATE RECEIVED:	04/03/13
PREP. BATCH:	HGD002S	HGD002S	HGD002S		
CALIB. REF:	M47D002009	M47D002009	M47D002009		

ACCESSION:

PARAMETER	BLNK RSLT mg/kg	SPIKE AMT mg/kg	BS RSLT mg/kg	BS % REC	SPIKE AMT mg/kg	BSD RSLT mg/kg	BSD % REC	RPD	QC LIMIT	MAX RPD
Mercury	ND	.833	.817	98	.833	.815	98	0	80-120	20

EMAX QUALITY CONTROL DATA
SERIAL DILUTION ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
PROJECT: 42986
BATCH NO.: 13C207
METHOD: METHOD 7471A

MATRIX:	SOIL	% MOISTURE:	76.8
DILUTION FACTOR:	0.982		
SAMPLE ID:	FBR SLUDGE	4.91	
EMAX SAMP ID:	C207_01	FBR SLUDGEDL	
LAB FILE ID:	M47D002015	C207_01.J	
DATE EXTRACTED:	04/03/1314:30	M47D002016	
DATE ANALYZED:	04/03/1316:34	04/03/1314:30	DATE COLLECTED: 03/22/13
PREP. BATCH:	HGD002S	04/03/1316:37	DATE RECEIVED: 03/28/13
CALIB. REF:	M47D002009	HGD002S	
		M47D002009	

ACCESSION:

PARAMETER	SMPL RSLT (mg/kg)	SERIAL DIL RSLT (mg/kg)	DIF RSLT %	QC LIMIT (%)
Mercury	ND	ND	0	10

ENAX QUALITY CONTROL DATA
ANALYTICAL SPIKE ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 SDG NO.: 13C207
 METHOD: METHOD 7471A

MATRIX:	SOIL	* MOISTURE:	76.8
DILTN FACTR:	0.982		
SAMPLE ID:	FBR SLUDGE		
CONTROL NO.:	C207_01		
LAB FILE ID:	M47D002015	DATE COLLECTED:	03/22/13
DATETIME EXTRCTD:	04/03/2014:30	DATE RECEIVED:	03/28/13
DATETIME ANALYZD:	04/03/2014:34		
PREP. BATCH:	HGD002S		
CALIB. REF:	M47D002009		

ACCESSION:

PARAMETER	SMPL RSLT (mg/kg)	SPIKE AMT (mg/kg)	AS RSLT (mg/kg)	AS % REC	QC LIMIT (%)
Mercury	ND	3.53	3.28	93	85-115

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

429486

WET CHEMICAL ANALYSES

SDG#: 13C207

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD SM 4500 NH₃ F AMMONIA (NH₃-N)

One (1) soil sample was received on 03/28/13 for Ammonia-N by SM4500-NH₃ F analysis, Method SM 4500 NH₃ F in accordance with Standard Methods for the Examination of Water and Wastewater, 20th Edition.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source. Continuing calibration verifications were carried out at the frequency specified by the project. All calibration requirements were within acceptance criteria.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Result was compliant to project requirement.

Lab Control Sample

A set of LCS/LCD was analyzed with the samples in this SDG. Percent recoveries for NHD001SL/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated for this SDG.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter. Limited sample; not enough sample to analyzed sample duplicate and matrix spike.

METHOD SM 4500 NH₃ F
AMMONIA (NH₃-N)

Client : EUROTINS EATON ANALYTICAL
Project : 429486
Batch No. : 13C207

Matrix : SLUDGE
Instrument ID : 70

CLIENT SAMPLE ID	EMAX RESULTS SAMPLE 10 (mg/kg)	PREP FACTOR (%)	MOIST	LOQ (mg/kg)	LOD (mg/kg)	ANALYSIS DATETIME	PREPARATION DATETIME	DATA FILE ID	CAL REF	PREP BATCH	COLLECTION DATE TIME	RECEIVED DATE TIME
MBLK1S	NHD001SB	ND	1	NA	1.00	0.60	04/02/1319:36	04/01/1314:07	13NHD00111 NHD001	NHD001S	NA	NA
LCS1S	NHD001SL	3.97	1	NA	1.00	0.60	04/02/1319:37	04/01/1314:07	13NHD00112 NHD001	NHD001S	NA	NA
LCO1S	NHD001SC	3.94	1	NA	1.00	0.60	04/02/1319:37	04/01/1314:07	13NHD00113 NHD001	NHD001S	NA	NA
FBR SLUDGE	C207-01	4260	220	76.8	948	569	04/02/1319:40	04/01/1314:07	13NHD00124 NHD001	NHD001S	03/22/1310:36	03/28/13

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
 PROJECT : 429486
 BATCH NO. : 13C207
 METHOD : SM 4500 NH3 F

MATRIX : SOIL % MOISTURE: NA
 DILUTION FACTOR: 1 1
 SAMPLE ID : MBLK1S LCS1S LCD1S
 LAB SAMPLE ID : NHD001S8 NHD001S1 NHD001SC
 LAB FILE ID : 13NHD00111 13NHD00112 13NHD00113
 DATE EXTRACTED : 04/01/1314:07 04/01/1314:07 04/01/1314:07
 DATE ANALYZED : 04/02/1319:36 04/02/1319:37 04/02/1319:37
 PREP BATCH : NHD001S NHD001S NHD001S
 CALIBRATION REF: NHD001 NHD001 NHD001

ACCESSION:

PARAMETER	MS RESULT (mg/kg)	SPike AMT (mg/kg)	BS RESULT (%)	BS REC (%)	SPike AMT (mg/kg)	BS RESULT (%)	BS REC (%)	RPD (%)	QC LIMIT (%)	MAX RPD (%)
Ammonia (NH3-N)	ND	4	3.97	99	4	3.94	99	1	80-120	20

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD SM 4500 S2F
SULFIDE

One (1) soil sample was received on 03/28/13 for Total Sulfide by Std Method analysis, Method SM 4500 S2 F in accordance with Standard Methods for the Examination of Water and Wastewater, 20th Edition.

Holding Time

The sample was analyzed within the prescribed holding time.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Result was compliant to project requirement.

Lab Control Sample

A set of LCS/LCD was analyzed with the samples in this SDG. Percent recoveries for SDC002SL/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated for this SDG.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter. Limited sample; not enough sample to analyzed sample duplicate.

METHOD SM4500 S2F
SULFIDE

Client : EUROPINS EATON ANALYTICAL
Project : 429486
Batch No. : 13C207

Matrix : SLUDGE
Instrument ID : NA

CLIENT SAMPLE ID	EMAX RESULTS	SAMPLE ID	PREP. FACTOR	MOIST (%)	LOQ (mg/kg)	ANALYSIS DATETIME	PREPARATION DATETIME	DATA FILE 1D	CAL REF	PREP BATCH	COLLECTION DATETIME	RECEIVED DATE TIME
MBLK1S	SDC002SB	ND	1	NA	10	03/29/1316:26	03/29/1314:25	13SDC002S01	13SDC002	SDC002S	NA	NA
LCS1S	SDC002SL	38.6	1	NA	10	03/29/1316:33	03/29/1314:25	13SDC002S02	13SDC002	SDC002S	NA	NA
LCD1S	SDC002SC	37	1	NA	10	03/29/1316:52	03/29/1314:25	13SDC002S03	13SDC002	SDC002S	NA	NA
FBR SLUDGE	C207-01	ND	1	76.8	43.1	03/29/1317:03	03/29/1314:25	13SDC002S04	13SDC002	SDC002S	03/22/1310:36	03/28/13

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
 PROJECT : 429486
 BATCH NO. : 13C207
 METHOD : METHOD SM4500 S2F

MATRIX	: SOIL	DILUTION FACTOR:	1	% MOISTURE:	NA
SAMPLE ID	: MBLK1S		1		
LAB SAMPLE ID	: SDC002SB	LCS1S		LCD1S	
LAB FILE ID	: 13SDC002S01	SDC002SL		SDC002SC	
DATE EXTRACTED	: 03/29/1314:25	13SDC002S02		13SDC002S03	
DATE ANALYZED	: 03/29/1316:26	03/29/1314:25		03/29/1314:25	
PREP BATCH	: SDC002S	SDC002S		SDC002S	
CALIBRATION REF:	13SDC002	13SDC002		13SDC002	

ACCESSION:

PARAMETER	MB RESULT (mg/kg)	SPIKE AMT (mg/kg)	BS RESULT (%)	BS REC (%)	SPIKE AMT (mg/kg)	BSD RESULT (%)	BSD REC (%)	RPD (%)	QC LIMIT (%)	MAX RPD (%)
SULFIDE	ND	40	38.6	96	40	37.0	92	4	80-120	20

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 6850
PERCHLORATE

One (1) soil sample was received on 03/28/13 for Perchlorate by 6850 analysis, Method 6850 in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source. Continuing calibration verifications were carried out at the frequency specified by the project. All calibration requirements were within acceptance criteria.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Result was compliant to project requirement.

Lab Control Sample

A set of LCS/LCD was analyzed with the samples in this SDG. Percent recoveries for PLC001SL/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated for this SDG.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter.

SAMPLE RESULTS

METHOD 6850
PERCHLORATE

Client : EUROFINS EATON ANALYTICAL
Project : 429446
Batch No. : 13C207

Matrix : SOIL
Instrument ID : GO

SAMPLE ID	EMAX SAMPLE ID	RESULTS			Extraction DATETIME	LFID	CAL REF	PREP BATCH	Collection DATETIME	Received DATETIME
		DLF	MOIST	RL						
NBLK1S	PLC001SB	ND	1	NA	2.00	1.00	04/02/1312:05	MD02004	MD02003	03/29/13
LCS1S	PLC001SL	20.2	1	NA	2.00	1.00	04/02/1312:19	MD02005	MD02003	03/29/13
LCD1S	PLC001SC	21.0	1	NA	2.00	1.00	04/02/1312:33	MD02006	MD02003	03/29/13
FBR SLUDGE	C207-01	ND	1	76.8	8.62	4.31	04/02/1312:47	MD02007	MD02003	03/22/1310:36

QC SUMMARIES

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13C207
 METHOD: METHOD 6850

MATRIX:	SOIL			% MOISTURE:	NA
DILUTION FACTOR:	1	1			
SAMPLE ID:	MBLK1S				
LAB SAMP ID:	PLC001SB	PLC001SL	PLC001SC		
LAB FILE ID:	MD02004	MD02005	MD02006		
DATE EXTRACTED:	03/29/1313:31	03/29/1313:31	03/29/1313:31	DATE COLLECTED:	NA
DATE ANALYZED:	04/02/1312:05	04/02/1312:19	04/02/1312:33	DATE RECEIVED:	03/29/13
PREP. BATCH:	PLC001S	PLC001S	PLC001S		
CALIB. REF:	MD02003	MD02003	MD02003		

ACCESSION:

PARAMETER	BLNK RSLT	SPIKE AMT	BS RSLT	BS	SPIKE AMT	BSD RSLT	BSD	RPD	QC LIMIT	MAX RPD
	(ug/kg)	(ug/kg)	(ug/kg)	% REC	(ug/kg)	(ug/kg)	% REC	(%)	(%)	(%)
Perchlorate	ND	20.0	20.2	101	20.0	21.0	105	4	85-115	20

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 3060A/7196A HEXAVALENT CHROMIUM

One (1) soil sample was received on 03/28/13 for Chromium Hexavalent analysis, Method 3060A/7196A in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source. Continuing calibration verifications were carried out at the frequency specified by the project. All calibration requirements were within acceptance criteria.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Result was compliant to project requirement.

Lab Control Sample

Two (2) sets of LCS/LCD were analyzed with the samples in this SDG. Percent recoveries for CIS012SL/C (insoluble spike) were all within QC limits. Percent recoveries for CSC012SL/C (soluble spike) were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated for this SDG. Analytical spike was analyzed for matrix interference evaluation. Results were within method acceptance criteria.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise anomalies were discussed within the associated QC parameter. Limited sample; not enough sample to analyze matrix spike and matrix spike duplicate.

METHOD 3060A/7196A
HEXAVALENT CHROMIUM

Client : EUROTINS EATON ANALYTICAL
 Project : 429486
 Batch No. : 13C207

Matrix : SOIL
 InstrumentID : 70

CLIENT SAMPLE ID	EMAX RESULTS SAMPLE ID (mg/kg)	PREP MOIST FACTOR (%)	RL (mg/kg)	MDL (mg/kg)	ANALYSIS DATETIME	PREPARATION DATETIME	DATA FILE ID	CAL REF	PREP BATCH	COLLECTION DATETIME	RECEIVED DATETIME
MBLK1S	ND	1	NA	1	.5	04/02/1315:44	CRC0128	CRC0128	NA	NA	NA
LCS1S	11.2	1	NA	1	.5	04/02/1315:44	CRC0128	CSC0125	NA	NA	NA
LCD1S	10.9	1	NA	1	.5	04/02/1315:44	CRC0128	CRC0121	NA	NA	NA
LCS2S	586	50	NA	50	25	04/02/1315:44	CRC0128	CIS0125	NA	NA	NA
LCD2S	599	50	NA	50	25	04/02/1315:45	CRC0128	CRC0123	NA	NA	NA
C207-01K	ND	100	76.8	431	216	04/02/1315:47	CRC0128	CRC0127	03/22/1310:36	03/28/13	03/28/13
FBR SLUDGE	4450	100	76.8	431	216	04/02/1315:53	CRC0128	CRC0128	03/22/1310:36	03/28/13	03/28/13
FBR SLUDGE											

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROTINS EATON ANALYTICAL
 PROJECT : 429486
 BATCH NO. : 13C207
 METHOD : 3060A/7196A

MATRIX	: SOIL	% MOISTURE:	NA
DILUTION FACTOR:	1		
SAMPLE ID	MBLK1S	LCS1S	LCD1S
LAB SAMPLE ID	CRC012SB	CSC012SL	CSC012SC
LAB FILE ID	CRC01209	CRC01210	CRC01211
DATE EXTRACTED	03/28/1314:44	03/28/1314:44	03/28/1314:44
DATE ANALYZED	04/02/1315:44	04/02/1315:44	04/02/1315:44
PREP BATCH	CRD012S	CRC012S	CRC012S
CALIBRATION REF:	CRD012	CRD012	CRD012

ACCESSION:

PARAMETER	MB RESULT (mg/kg)	SPIKE AMT (mg/kg)	BS RESULT (%)	BS REC (%)	SPIKE AMT (mg/kg)	BSD RESULT (%)	BSD REC (%)	RPD (%)	QC LIMIT (%)	MAX RPD (%)
Hexavalent Chromium	ND	12	11.2	93	12	10.9	91	2	85-115	20

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
 PROJECT : 429486
 BATCH NO. : 13C207
 METHOD : 3060A/7196A

MATRIX	:	SOIL		% MOISTURE:	NA
DIILUTION FACTOR:	:	1			
SAMPLE ID	:	MBLK1S	1		
LAB SAMPLE ID	:	CRC012S8	LCS2S	LCD2S	
LAB FILE ID	:	CRC01209	C15012SL	C15012SC	
DATE EXTRACTED	:	03/28/1314:44	CRC01212	CRC01213	
DATE ANALYZED	:	04/02/1315:44	03/28/1314:44	03/28/1314:44	
PREP BATCH	:	CRC012S	04/02/1315:44	04/02/1215:45	
CALIBRATION REF:	CRC012	CRC012S	CRC012S	CRC012S	
		CRC012	CRC012	CRC012	

ACCESSION:

PARAMETER	MB RESULT (mg/kg)	SPIKE AMT (mg/kg)	BS RESULT (mg/kg)	BS REC (%)	SPIKE AMT (mg/kg)	BSD RESULT (mg/kg)	BSD REC (%)	RPD (%)	QC LIMIT (%)	MAX RPD (%)
Hexavalent Chromium	ND	624	586	94	676	599	89	2	80-120	20

EMAX QUALITY CONTROL DATA
MATRIX SPIKE (SOLUBLE) ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 429486
BATCH NO. : 13C207
METHOD : 3060A/7196A

MATRIX : SLUDGE % MOISTURE: 76.8
DILUTION FACTOR: 100
SAMPLE ID : FBR SLUDGE
LAB SAMPLE ID : C207-01K FBR SLUDGE
LAB FILE ID : CRC01218 C207-01A
DATE PREPARED : 03/28/1314:44
DATE ANALYZED : 04/02/1315:47
PREP BATCH : CRC012S 04/02/1315:53
CALIBRATION REF: CRC012 CRC012S

ACCESSION:

PARAMETER	PARENT RESULT (mg/kg)	SPIKE AMT (mg/kg)	MS RESULT (mg/kg)	MS REC (%)	QC LIMIT (%)
Hexavalent Chromium	ND	5090	4450	88	85-115

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 9010B/9014 TOTAL CYANIDE

One (1) soil sample was received on 03/28/13 for Total Cyanide analysis, Method 9010B/9014 in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source. Continuing calibration verifications were carried out at the frequency specified by the project. All calibration requirements were within acceptance criteria.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Result was compliant to project requirement.

Lab Control Sample

A set of LCS/LCD was analyzed with the samples in this SDG. Percent recoveries for CND001SL/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated for this SDG.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter.

METHOD 9010B/9014
TOTAL CYANIDE

Client : EUROFINS EATON ANALYTICAL
Project : 429486
Batch No. : 13C207

Matrix : SOIL
InstrumentID : 70

CLIENT SAMPLE ID	EMAX SAMPLE ID	RESULTS (mg/kg)	PREP MOIST FACTOR (%)	RL (mg/kg)	MDL (mg/kg)	ANALYSIS DATETIME	PREPARATION DATETIME	DATA FILE ID	CAL REF	PREP BATCH	COLLECTION DATETIME	RECEIVED DATETIME
MBLK1S	CND001SB	ND	1	NA	1	0.2	04/01/1318:55	13CND00110	CND001	CND001S	NA	NA
LCS1S	CND001SL	4.54	1	NA	1	0.2	04/01/1318:56	13CND00111	CND001	CND001S	NA	NA
LCD1S	CND001SC	4.63	1	NA	1	0.2	04/01/1318:56	13CND00112	CND001	CND001S	NA	NA
FBR SLUDGE	C207-01	ND	1	76.8	4.31	0.862	04/01/1318:56	13CND00115	CND001	CND001S	03/22/1310:36	03/28/13

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
 PROJECT : 429486
 BATCH NO. : 13C207
 METHOD : 9010B/9014

MATRIX : SOIL DILUTION FACTOR: 1 % MOISTURE: NA
 SAMPLE ID : MBLK1S 1 1
 LAB SAMPLE ID : CND001SB LCS1S LCD1S
 LAB FILE ID : 13CND00110 CND001SL CND001SC
 DATE EXTRACTED : 04/01/1312:04 13CND00111 13CND00112
 DATE ANALYZED : 04/01/1318:55 04/01/1312:04
 PREP BATCH : CND001S 04/01/1318:56
 CALIBRATION REF: CND001 CND001S CND001
 CND001

ACCESSION#:

PARAMETER	MB RESULT (mg/kg)	SPIKE AMT (mg/kg)	BS RESULT (%)	BS REC (%)	SP1KE AMT (mg/kg)	BSD RESULT (%)	BSD REC (%)	RPD (%)	QC LIMIT (%)	MAX RPD (%)
CYANIDE	ND	5	4.54	91	5	4.63	93	2	85-115	20

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 9045C
PH

One (1) soil sample was received on 03/28/13 for pH analysis, Method 9045C in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Calibration was performed as prescribed by the method. All calibration requirements were within acceptance criteria.

Matrix QC Sample

No matrix QC sample was designated for this SDG.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter.

METHOD 9045C
PH

Client : EUROFINS EATON ANALYTICAL

Project : 429486

Batch No. : 13C207

Matrix : SOIL
Instrument ID : 53

CLIENT SAMPLE ID	EMAX SAMPLE ID (pH unit)	RESULTS FACTOR (%)	PREP MOIST	RL (pH unit)	MDL (pH unit)	ANALYSIS DATETIME	PREPARATION DATETIME	DATA FILE ID	CAL REF	PREP BATCH	COLLECTION DATETIME	RECEIVED DATETIME
FBR SLUDGE	C207-01	5.86	1	76.8	0.1	0.1 03/28/1313:42	03/28/1312:15	13PHC007S01	13PHC007	03/22/1310:36	03/28/13	

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 9056
ANIONS BY IC

One (1) soil sample was received on 03/28/13 for Anions (Bromide, Chloride, Fluoride, Nitrate-N, Nitrite-N, Orthophosphate and Sulfate) by IC analysis. Method 9056 in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source. Continuing calibration verifications were carried out at the frequency specified by the project. All calibration requirements were within acceptance criteria.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Results were compliant to project requirement.

Lab Control Sample

A set of LCS/LCD was analyzed with the samples in this SDG. Percent recoveries for ICD001SL/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated for this SDG.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter.

SAMPLE RESULTS

METHOD 9056
BROMIDE

Client : EUROFINS EATON ANALYTICAL
 Project : 429486
 Batch No. : 13C207

Matrix : SOIL
 Instrument ID : D0

SAMPLE ID	EMAX SAMPLE ID	RESULTS (mg/kg)	DLF MOIST	RL (mg/kg)	NDL (mg/kg)	Analysis DATETIME	Extraction DATETIME	LFID	CAL REF	PREP BATCH	Collection DATETIME	Received DATETIME
MBLK1S	ICD001SB	ND	1	NA	5.00	2.50	04/02/1315:06	04/01/1311:09	AD03-03	AD03-01	ICD001S	04/01/13
LCS1S	ICD001SL	18.7	1	NA	5.00	2.50	04/02/1315:22	04/01/1311:09	AD03-04	AD03-01	ICD001S	04/01/13
LCD1S	ICD001SC	18.7	1	NA	5.00	2.50	04/02/1315:38	04/01/1311:09	AD03-05	AD03-01	ICD001S	04/01/13
FBR SLUDGE	C207-01	ND	1	76.8	21.6	10.8	04/02/1315:54	04/01/1311:09	AD03-06	AD03-01	ICD001S	03/22/1310:36

METHOD 9056
CHLORIDE

Client : EUROTINS EATON ANALYTICAL
Project : 429486
Batch No. : 13C207

Matrix : SOIL
Instrument ID : DO

SAMPLE ID	EMAX SAMPLE ID	RESULTS (mg/kg)		DLF MOIST	RL (mg/kg)	MDL (mg/kg)	Analysis DATETIME	Extraction DATETIME	LFID	CAL REF	PREP BATCH	Collection DATETIME	Received DATETIME
		RESULTS	EMAX (mg/kg)										
NBLK1S	ICD001SB	ND	1	NA	2.00	1.00	04/02/1315:06	04/01/1311:09	AD03-03	AD03-01	ICD001S	NA	04/01/13
LCS1S	ICD001SL	19.5	1	NA	2.00	1.00	04/02/1315:22	04/01/1311:09	AD03-04	AD03-01	ICD001S	NA	04/01/13
LCD1S	ICD001SC	19.5	1	NA	2.00	1.00	04/02/1315:38	04/01/1311:09	AD03-05	AD03-01	ICD001S	NA	04/01/13
FBR SLUDGE	C207-01I	5250	50	76.8	431	216	04/02/1316:11	04/01/1311:09	AD03-07	AD03-01	ICD001S	03/22/1310:36	03/28/13

METHOD 9056
FLUORIDE

Client : EUROFINS EATON ANALYTICAL
Project : 429486
Batch No. : 13C207

Matrix : SOIL
Instrument ID : D0

SAMPLE ID	EMAX SAMPLE ID	RESULTS (mg/kg)			RL	MDL (mg/kg)	Analysis DATETIME	Extraction DATETIME	LFID	CAL REF	PREP BATCH	Collection DATETIME	Received DATETIME
		DLF	MOIST	(mg/kg)									
MBLK1S	ICD001SB	ND	1	NA	1.00	0.500	04/02/1315:06	04/01/1311:09	AD03-03	AD03-01	ICD001S	NA	04/01/13
LCS1S	ICD001SL	20.5	1	NA	1.00	0.500	04/02/1315:22	04/01/1311:09	AD03-04	AD03-01	ICD001S	NA	04/01/13
LCD1S	ICD001SC	20.5	1	NA	1.00	0.500	04/02/1315:38	04/01/1311:09	AD03-05	AD03-01	ICD001S	NA	04/01/13
FBR SLUDGE	C207-01	30.2	1	76.8	4.31	2.16	04/02/1315:54	04/01/1311:09	AD03-06	AD03-01	ICD001S	03/22/1310:36	03/28/13

METHOD 9056
NITRATE-N

Client : EUROFINS EATON ANALYTICAL
Project : 429486
Batch No. : 13G207

Matrix : SOIL
Instrument ID : DO

SAMPLE ID	EMAX SAMPLE ID	RESULTS		RL (mg/kg)	MDL (mg/kg)	Analysis DATETIME	Extraction DATETIME	LFID	CAL REF	PREP BATCH	Collection DATETIME	Received DATETIME	
		DLF	MOIST (mg/kg)										
NBLK1S	ICD001SB	ND	1	NA	1.00	0.500	04/02/1315:06	04/01/1311:09	AD03-03	AD03-01	ICD001S	NA	04/01/13
LCS1S	ICD001SL	10.1	1	NA	1.00	0.500	04/02/1315:22	04/01/1311:09	AD03-04	AD03-01	ICD001S	NA	04/01/13
LCD1S	ICD001SC	10.1	1	NA	1.00	0.500	04/02/1315:38	04/01/1311:09	AD03-05	AD03-01	ICD001S	NA	04/01/13
FBR SLUDGE	C207-01	2.54J	1	76.8	4.31	2.16	04/02/1315:54	04/01/1311:09	AD03-06	AD03-01	ICD001S	03/22/1310:36	03/28/13

METHOD 9056
NITRITE-N

Client : EUROFINS EATON ANALYTICAL
Project : 429486
Batch No. : 13C207

Matrix : SOIL
Instrument ID : DO

SAMPLE ID	EMAX SAMPLE ID	RESULTS			RL	MDL (mg/kg)	Analysis DATETIME	Extraction DATETIME	LFID	CAL REF	PREP BATCH	Collection DATETIME	Received DATETIME
		DLF	MOIST	(mg/kg)									
MBLK1S	ICD001SB	ND	1	NA	1.00	0.500	04/02/1315:06	04/01/1311:09	AD03-03	AD03-01	ICD001S	NA	04/01/13
LCS1S	ICD001SL	20.5	1	NA	1.00	0.500	04/02/1315:22	04/01/1311:09	AD03-04	AD03-01	ICD001S	NA	04/01/13
LCD1S	ICD001SC	20.4	1	NA	1.00	0.500	04/02/1315:38	04/01/1311:09	AD03-05	AD03-01	ICD001S	NA	04/01/13
FBR SLUDGE	C207-01	ND	1	76.8	4.31	2.16	04/02/1315:54	04/01/1311:09	AD03-06	AD03-01	ICD001S	03/22/1310:36	03/28/13

METHOD 9056
ORTHOPHOSPHATE-P

Client : EUROTINS EATON ANALYTICAL
 Project : 429486
 Batch No. : 13C207

Matrix : SOIL
 Instrument ID : DO

SAMPLE ID	EMAX SAMPLE ID	RESULTS (mg/kg)	DLF MOIST	RL (mg/kg)	MDL Analysis (mg/kg)	Extraction DATE/TIME	LFID	CAL REF	PREP BATCH	Collection DATE/TIME	Received DATE/TIME	
MBLK1S	ICD001SB	ND	1	NA	5.00	2.50	04/02/1315:06	AD03-03	AD03-01	ICD001S	NA	04/01/13
LCS1S	ICD001SL	18.2	1	NA	5.00	2.50	04/02/1311:09	AD03-04	AD03-01	ICD001S	NA	04/01/13
LCD1S	ICD001SC	18.4	1	NA	5.00	2.50	04/02/1315:22	AD03-05	AD03-01	ICD001S	NA	04/01/13
FBR SLUDGE	C207-01	ND	1	76.8	21.6	10.8	04/02/1315:38	AD03-06	AD03-01	ICD001S	03/22/1310:36	03/28/13

METHOD 9056
SULFATE

Client : EUROTRANS EATON ANALYTICAL
 Project : 429486
 Batch No. : 13C207

Matrix : SOIL
 Instrument ID : D0

SAMPLE ID	EMAX SAMPLE ID	RESULTS (mg/kg)	DLF	MOIST	RL (mg/kg)	NOL (mg/kg)	Analysis DATETIME	Extraction DATETIME	LFID	CAL REF	PREP BATCH	Collection DATETIME	Received DATETIME
MBLK1S	ICD001SB	ND	1	NA	5.00	2.50	04/02/1315:06	04/01/1311:09	AD03-03	AD03-01	ICD001S	NA	04/01/13
LCS1S	ICD001SL	47.4	1	NA	5.00	2.50	04/02/1315:22	04/01/1311:09	AD03-04	AD03-01	ICD001S	NA	04/01/13
LCD1S	ICD001SC	47.5	1	NA	5.00	2.50	04/02/1315:38	04/01/1311:09	AD03-05	AD03-01	ICD001S	NA	04/01/13
FBR SLUDGE	C207-011	10500	50	76.8	1080	539	04/02/1316:11	04/01/1311:09	AD03-07	AD03-01	ICD001S	03/22/1310:36	03/28/13

QC SUMMARIES

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13C207
 METHOD: METHOD 9056

MATRIX:	SOIL	% MOISTURE:	NA
DILUTION FACTOR:	1		
SAMPLE ID:	MBLK1S		
LAB Samp ID:	ICD001SB	ICD001SL	ICD001SC
LAB FILE ID:	AD03-03	AD03-04	AD03-05
DATE EXTRACTED:	04/01/1311:09	04/01/1311:09	04/01/1311:09
DATE ANALYZED:	04/02/1315:06	04/02/1315:22	04/02/1315:38
PREP. BATCH:	ICD001S	ICD001S	ICD001S
CALIB. REF.:	AD03-01	AD03-01	AD03-01
ACCESSION:			
PARAMETER	BLNK RSLT (mg/kg)	SPIKE AMT (mg/kg)	BS RSLT (mg/kg)
Bromide	ND	20	18.7
			% REC
			94
			20
			18.7
			% REC
			94
			BSD RSLT (mg/kg)
			% REC
			0
			90-110
			20
			MAX RPD (%) (%)

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13C207
 METHOD: METHOD 9056

=====

MATRIX: SOIL % MOISTURE: NA

DILUTION FACTOR:	1	1	
SAMPLE ID:	MBLK1S		
LAB SAMP ID:	ICD001SB	ICD001SL	ICD001SC
LAB FILE ID:	AD03-03	AD03-04	AD03-05
DATE EXTRACTED:	04/01/1311:09	04/01/1311:09	04/01/1311:09
DATE ANALYZED:	04/02/1315:06	04/02/1315:22	04/02/1315:38
PREP. BATCH:	ICD001S	ICD001S	ICD001S
CALIB. REF:	AD03-01	AD03-01	AD03-01

ACCESSION:

PARAMETER	BLNK RSLT (mg/kg)	SPIKE AMT (mg/kg)	BS RSLT (mg/kg)	% REC	SPIKE AMT (mg/kg)	BS RSLT (mg/kg)	% REC	BSD	RSD	RPD (%)	QC LIMIT (%)	MAX RPD (%)
Chloride-CL	ND	20	19.5	97	20	19.5	98	0	90-110	20	-	-

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13C207
 METHOD: METHOD 9056

=====

MATRIX: SOIL % MOISTURE: NA

DILUTION FACTOR: 1 1

SAMPLE ID: MBLK1S

LAB Samp ID: ICD001SB

LAB FILE ID: AD03-03

DATE EXTRACTED: 04/01/1311:09

DATE ANALYZED: 04/02/1315:06

PREP. BATCH: ICD001S

CALIB. REF: AD03-01

AD03-04

04/01/1311:09

04/02/1315:22

ICD001S

AD03-01

AD03-05

04/01/1311:09

04/02/1315:38

ICD001S

AD03-01

AD03-01

04/02/1315:38

04/01/1311:09

04/01/1311:09

ICD001SC

AD03-01

04/01/1311:09

04/02/1315:38

NA

DATE RECEIVED: 04/01/13

ACCESSION:

PARAMETER	BLNK RSLT (mg/kg)	SPIKE AMT (mg/kg)	BS RSLT (mg/kg)	% REC	SPIKE AMT (mg/kg)	BS RSLT (mg/kg)	% REC	BSD	RSD	QC LIMIT (%)	MAX RPD (%)
Fluoride-F	ND	20	20.5	102	20	20.5	102	0	0	90-110	20

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROTINS EATON ANALYTICAL
PROJECT: 429486
BATCH NO.: 13C207
METHOD: METHOD 9056

=====

MATRIX: SOIL % MOISTURE: NA

DILUTION FACTOR:	1	1	
SAMPLE ID:	MBLK1S	ICD001SL	ICD001SC
LAB Samp ID:	ICD001SB		
LAB FILE ID:	AD03-03	AD03-04	AD03-05
DATE EXTRACTED:	04/01/1311:09	04/01/1311:09	04/01/1311:09
DATE ANALYZED:	04/02/1315:06	04/02/1315:22	04/02/1315:38
PREP. BATCH:	ICD001S	ICD001S	ICD001S
CALIB. REF.:	AD03-01	AD03-01	AD03-01

ACCESSION:

PARAMETER	BLNK RSLT (mg/kg)	SPIKE AMT (mg/kg)	BS RSLT (mg/kg)	% REC	SPIKE AMT (mg/kg)	BSD RSLT (mg/kg)	BSD	RSD	RPD	QC LIMIT (%)	MAX RPD (%)
Nitrate-N	ND	10	10.1	101	10	10.1	101	0	90-110	20	20

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROTINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13C207
 METHOD: METHOD 9056

=====

MATRIX: SOIL % MOISTURE: NA

DILUTION FACTOR:	1	1	
SAMPLE ID:	MBLK1S		
LAB Samp ID:	ICD001SB	ICD001SL	ICD001SC
LAB FILE ID:	AD03-03	AD03-04	AD03-05
DATE EXTRACTED:	04/01/1311:09	04/01/1311:09	04/01/1311:09
DATE ANALYZED:	04/02/1315:06	04/02/1315:22	04/02/1315:38
PREP. BATCH:	ICD001S	ICD001S	ICD001S
CALIB. REF.:	AD03-01	AD03-01	AD03-01

ACCESSION:

PARAMETER	BLNK RSLT (mg/kg)	SPIKE AMT (mg/kg)	BS RSLT (mg/kg)	% REC	SPIKE AMT (mg/kg)	BSD RSLT (mg/kg)	% REC	BSD	RSD	RPD	QC LIMIT (%)	MAX RPD (%)
Nitrite-N	ND	20	20.5	102	20	20.4	102	0	0	90-110	20	

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13G207
 METHOD: METHOD 9056

=====

MATRIX: SOIL % MOISTURE: NA

DILUTION FACTOR:	1	1	
SAMPLE ID:	MBLK1S		
LAB SAMP ID:	ICD001SB	ICD001SL	
LAB FILE ID:	AD03-03	AD03-04	ICD001SC
DATE EXTRACTED:	04/01/1311:09	04/01/1311:09	04/01/1311:09
DATE ANALYZED:	04/02/1315:06	04/02/1315:22	04/02/1315:38
PREP. BATCH:	ICD001S	ICD001S	DATE COLLECTED: NA
CALIB. REF:	AD03-01	AD03-01	DATE RECEIVED: 04/01/13

ACCESSION:

PARAMETER	BLNK RSLT (mg/kg)	SPIKE AMT (mg/kg)	BS RSLT (mg/kg)	% REC	SPIKE AMT (mg/kg)	BSD RSLT (mg/kg)	% REC	RPD (%)	QC LIMIT (%)	MAX RPD (%)
ORTHOPHOSPHATE-P	ND	20	18.2	91	20	18.4	92	1	90-110	20

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 429486
 BATCH NO.: 13C207
 METHOD: METHOD 9056

MATRIX: SOIL % MOISTURE: NA
 DILUTION FACTOR: 1 1
 SAMPLE ID: MBLK1S ICD001SL
 LAB SAMP ID: ICD001SB ICD001SC
 LAB FILE ID: AD03-03 AD03-04
 DATE EXTRACTED: 04/01/1311:09 04/01/1311:09
 DATE ANALYZED: 04/02/1315:06 04/02/1315:22
 PREP. BATCH: ICD001S ICD001S
 CALIB. REF.: AD03-01 AD03-01
 ACCESSION:

PARAMETER	BLNK RSLT (mg/kg)	SPIKE AMT (mg/kg)	BS RSLT (mg/kg)	% REC	SPIKE AMT (mg/kg)	BSD RSLT (mg/kg)	% REC	BSD	RPD (%)	QC LIMIT (%)	MAX RPD (%)
Sulfate	ND	50	47.4	95	50	47.5	95	0	90-110	20	-

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project : 429486

SDG : 13C207

METHOD 9056
ORTHOPHOSPHATE BY IC

One (1) soil sample was received on 03/28/13 for Anions by IC analysis, Method 9056 in accordance with USEPA SW-846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source. Continuing calibration verifications were carried out at the frequency specified by the project. All calibration requirements were within acceptance criteria.

Method Blank

Method blank was analyzed at the frequency required by the project. For this SDG, one method blank was analyzed with the samples. Result was compliant to project requirement.

Lab Control Sample

A set of LCS/LCD was analyzed with the samples in this SDG. Percent recoveries for ICD001SL/C were all within QC limits.

Matrix QC Sample

No matrix QC sample was designated for this SDG.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. All project requirements were met; otherwise, anomalies were discussed within the associated QC parameter.

METHOD 9056
ORTHOphosphate-P

Client : EUROFINS EATON ANALYTICAL
Project : 429486
Batch No. : 13C207

Matrix : SLUDGE
Instrument ID : D0

SAMPLE ID	EMAX SAMPLE ID	RESULTS (mg/kg)	DLF MOIST	RL	MDL Analysis (mg/kg)	Extraction DATE TIME	LFID	CAL REF	PREP BATCH	Collection DATE TIME	Received DATE TIME
MBLK1S	ICD001SB	ND	1	NA	5.00	2.50	04/02/1315:06	AD03-03	AD03-01	ICD001S	NA
LCS1S	ICD001SL	18.2	1	NA	5.00	2.50	04/02/1315:22	AD03-04	AD03-01	ICD001S	NA
LCD1S	ICD001SC	18.4	1	NA	5.00	2.50	04/02/1315:38	AD03-05	AD03-01	ICD001S	NA
FBR SLUDGE	C207-01	ND	1	76.8	21.6	10.8	04/02/1315:54	AD03-06	AD03-01	ICD001S	03/22/1310:36

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROLINS EATON ANALYTICAL
 PROJECT : 429486
 BATCH NO. : 13C207
 METHOD : SM 4500 PE

MATRIX	:	SOIL	% MOISTURE:	NA
DILUTION FACTOR:	:	1		
SAMPLE ID	:	MBLK1S		
LAB SAMPLE ID	:	POD001SB	LCS1S	1
LAB FILE ID	:	13POD00112	POD001SL	LCD1S
DATE EXTRACTED	:	04/01/1313:31	13POD00113	POD001SC
DATE ANALYZED	:	04/01/1317:44	04/01/1313:31	13POD00114
PREP BATCH	:	POD001S	04/01/1317:44	04/01/1317:44
CALIBRATION REF:	POD001	POD001S	POD001	POD001


ACCESSION:

PARAMETER	MB RESULT	SPIKE AMT	BS RESULT	BS REC	SPIKE AMT	BS RESULT	BS REC	RPD	QC LIMIT	MAX RPD
	(mg/kg)	(mg/kg)	(mg/kg)	(%)	(mg/kg)	(mg/kg)	(%)	(%)	(%)	(%)
Phosphorus	ND	5	4.89	98	5	4.99	100	2	80-120	20

Report Prepared for:

Jaclyn Contreras
Montgomery Watson Harza Labs
750 Royal Oaks Drive
Suite 100
Monrovia CA 91016-3629

**REPORT OF
LABORATORY
ANALYSIS FOR
PCDD/PCDF**



Report Information:

Pace Project #: 10223720

Sample Receipt Date: 03/28/2013

Client Project #: 429486

Client Sub PO #: 99-22845

State Cert #: 200012

Invoicing & Reporting Options:

The report provided has been invoiced as a Level 2 PCDD/PCDF Report. If an upgrade of this report package is requested, an additional charge may be applied.

Please review the attached invoice for accuracy and forward any questions to Emily Hazelroth, your Pace Project Manager.

This report has been reviewed by:

April 04, 2013

Emily Hazelroth, Project Manager
(612) 607-6407
(612) 607-6444 (fax)
emily.hazelroth@pacelabs.com



Report of Laboratory Analysis

This report should not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.

DISCUSSION

This report presents the results from the analysis performed on one sample submitted by a representative of Eurofins. The sample was analyzed for the presence or absence of polychlorodibenzo-p-dioxins (PCDDs) and polychlorodibenzofurans (PCDFs) using a modified version of USEPA Method 8290. The reporting limits were based on signal-to-noise measurements. Method blank and field sample results presented with reporting limits corresponding to the lowest calibration points and a nominal 10-gram sample amount were included in Appendix A.

Second column confirmation analyses of 2,3,7,8-TCDF values obtained from the primary (DB5-MS) column are performed only when specifically requested for a project and only when the values are above the concentration of the lowest calibration standard. Typical resolution for this isomer using the DB5-MS column ranges from 25-30%.

The recoveries of the isotopically-labeled PCDD/PCDF internal standards in the sample extract ranged from 38-70%. Except for one low value, which was flagged "R" on the results table, the labeled standard recoveries obtained for this project were within the 40-135% target range specified in Method 8290. Also, since the quantification of the native 2,3,7,8-substituted congeners was based on isotope dilution, the data were automatically corrected for variation in recovery and accurate values were obtained.

In some cases, interfering substances impacted the determinations of PCDD or PCDF congeners; the affected values were flagged "I" where incorrect isotope ratios were obtained or "P" where polychlorinated diphenyl ethers were present. Concentrations below the calibration range were flagged "J" and should be regarded as estimates.

A laboratory method blank was prepared and analyzed with the sample batch as part of our routine quality control procedures. The results show the blank to contain trace levels of selected congeners. These were below the calibration range of the method. The levels reported for the affected congeners in the field sample were higher than the corresponding blank levels by one or more orders of magnitude. These results indicate that the sample processing steps did not contribute significantly to the levels reported for the field sample.

Laboratory spike samples were also prepared with the sample batch using clean sand that had been fortified with native standard materials. The results show that the spiked native compounds were recovered at 82-119% with relative percent differences of 0.0-9.3%. These results indicate high degrees of accuracy and precision for these determinations. Matrix spikes were not prepared with the sample batch.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612- 607-6444

Minnesota Laboratory Certifications

Authority	Certificate #	Authority	Certificate #
Alabama	40770	Montana	92
Alaska	MN00064	Nebraska	
Arizona	AZ0014	Nevada	MN_00064_200
Arkansas	88-0680	New Jersey (NE)	MN002
California	01155CA	New Mexico	MN00064
Colorado	MN00064	New York (NEL)	11647
Connecticut	PH-0256	North Carolina	27700
EPA Region 5	WD-15J	North Dakota	R-036
EPA Region 8	8TMS-Q	Ohio	4150
Florida (NELAP)	E87605	Ohio VAP	CL101 9507
Georgia (DNR)	959	Oklahoma	D9922
Guam	959	Oregon (ELAP)	MN200001-005
Hawaii	SLD	Oregon (OREL)	MN300001-001
Idaho	MN00064	Pennsylvania	68-00563
Illinois	200012	Saipan	MP0003
Indiana	C-MN-01	South Carolina	74003001
Indiana	C-MN-01	Tennessee	2818
Iowa	368	Tennessee	02818
Kansas	E-10167	Texas	T104704192-08
Kentucky	90062	Utah (NELAP)	PAM
Louisiana	03086	Virginia	00251
Maine	2007029	Washington	C755
Maryland	322	West Virginia	9952C
Michigan	9909	Wisconsin	999407970
Minnesota	027-053-137	Wyoming	8TMS-Q
Mississippi	MN00064		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Report No.....10223720

Appendix A

Sample Management

32813
7/24
eurofins

1700 Southeast Elm Street, Suite 200
PACE Analytical Services, Inc.
Minneapolis, MN 55414
Phone: 612-607-6330 Fax: 612-607-6444

Faraday & W.H. Laboratories

Eaton Analytical

Submittal Form & Purchase Order 99-22845 10223720 Date: 3/27/2013

*REPORTING REQUIREMENTS: Do Not Combine Reports with any other samples submitted under different Folder Numbers!
Report & invoice must have the Folder# 429486 Sub PO# 99-22845 and Job # 1000014

Report all quality control data according to Method. Include dates analyzed. Date extracted (if extracted) and Method reference on the report.
Results must have Complete data & QC with Approval Signature.

Ship To:	1700 Southeast Elm Street, Suite 200 PACE Analytical Services, Inc. Minneapolis, MN 55414 Phone: 612-607-6330 Fax: 612-607-6444
Folder #:	Report Due: Sub PO #: 04/03/2013 99-22845

Report: Jackie Contreras Sub Contracting Administrator EMAIL: jis20@eatonanalytical.com Eaton's Eaton Analytical 750 Royal Oaks Drive, Suite 100 Monrovia, CA 91016 Phone: (626) 386-1151 fax: (626) 386-1122 Invoices to: Eaton's Eaton Analytical Accounts Payable: 725 New Holland Pike Lancaster, PA 17605	Provide a search Report file Specific State Certification # & Exp. Date for requested test Method Sample from ILLINOIS
---	---

4-5 day rush							
Sequester the glass, no pre-screening and pre-approved 4-5-day rush							
JLS	Client Sample ID for reference only	Analysis Requested	Sample	Date & Time	Matrix	PWS System code	PWSID
201303270294	FBR BIOLOGICAL SOLIDS @8290_Solid_PM	Dioxin/Furan - MDL and RL reporting	03/22/13	1036 DW			10223720001

Prepared by: M. DeLoach Sample Control Received by: J.W. Eddie	Date 3-27-13 Time 1601 Date 3-28-13 Time 9:16	NOTIFICATION REQUIRED IF RECEIVED OUTSIDE OF 0-6 CELSIUS Acknowlegement of Receipts requested to attain faster turnarounds
T = 0.0	Page 1 of 1	Page 136 of 146 pages

	Document Name: Sample Condition Upon Receipt Form	Document Revised: 28Jan2013 Page 1 of 1
	Document No.: F-MN-L-219-rev.06	Issuing Authority: Pace Minnesota Quality Office

Sample Condition Upon Receipt	Client Name: <i>Eurofins</i>	Project #:	WOT# : 10223720																																																								
Courier:	<input checked="" type="checkbox"/> FedEx <input type="checkbox"/> UPS <input type="checkbox"/> USPS <input type="checkbox"/> Client <input type="checkbox"/> Commercial <input type="checkbox"/> Pace <input type="checkbox"/> Other: _____	 10223720																																																									
Tracking Number:	4294 2887 7474																																																										
Custody Seal on Cooler/Box Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Seals Intact?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																																								
Packing Material:	<input type="checkbox"/> Bubble Wrap <input checked="" type="checkbox"/> Bubble Bags <input type="checkbox"/> None <input type="checkbox"/> Other: _____	Temp Blank? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																																									
Thermom. Used:	<input checked="" type="checkbox"/> 3598A912167504 <input type="checkbox"/> 80512447 <input type="checkbox"/> 72337080	Type of Ice:	<input type="checkbox"/> Wet <input type="checkbox"/> Blue <input type="checkbox"/> None <input type="checkbox"/> Samples on ice, cooling process has begun																																																								
Cooler Temp Read (°C): 0.0	Cooler Temp Corrected (°C): 0.0	Biological Tissue Frozen?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																																								
Temp should be above freezing to 6°C	Correction Factor: <i>+0.0</i>	Date and Initials of Person Examining Contents: 3 28 13 TN	Comments: _____																																																								
<table border="1"> <tr> <td>Chain of Custody Present?</td> <td><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</td> <td>1.</td> </tr> <tr> <td>Chain of Custody Filled Out?</td> <td><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</td> <td>2.</td> </tr> <tr> <td>Chain of Custody Relinquished?</td> <td><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</td> <td>3.</td> </tr> <tr> <td>Sampler Name and/or Signature on COC?</td> <td><input type="checkbox"/> Yes <input checked="" type="checkbox"/> ND <input type="checkbox"/> N/A</td> <td>4.</td> </tr> <tr> <td>Samples Arrived within Hold Time?</td> <td><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</td> <td>5.</td> </tr> <tr> <td>Short Hold Time Analysis (<72 hr)?</td> <td><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A</td> <td>6.</td> </tr> <tr> <td>Rush Turn Around Time Requested?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</td> <td>7.</td> </tr> <tr> <td>Sufficient Volume?</td> <td><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</td> <td>8.</td> </tr> <tr> <td>Correct Containers Used?</td> <td><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</td> <td>9.</td> </tr> <tr> <td>-Pace Containers Used?</td> <td><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A</td> <td>10.</td> </tr> <tr> <td>Containers Intact?</td> <td><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</td> <td>11.</td> </tr> <tr> <td>Filtered Volume Received for Dissolved Tests?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</td> <td>12.</td> </tr> <tr> <td>Sample Labels Match COC? -Includes Date/Time/ID/Analysis Matrix: <i>SL</i></td> <td><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</td> <td colspan="2"> 13. <input type="checkbox"/> HNO₃ <input type="checkbox"/> H₂SO₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl Sample # _____ Initial when completed: _____ Lot # of added preservative: _____ </td> </tr> <tr> <td>All containers needing acid/base preservation have been checked? Noncompliances are noted in 13. All containers needing preservation are found to be in compliance with EPA recommendation? (HNO₃, H₂SO₄, HCl<2; NaOH>12) Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water)</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A</td> <td colspan="2"></td> </tr> <tr> <td>Headspace in VOA Vials (>6mm)?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A</td> <td colspan="2">14.</td> </tr> <tr> <td>Trip Blank Present?</td> <td><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A</td> <td colspan="2">15.</td> </tr> <tr> <td>Pace Trip Blank Lot # (If purchased):</td> <td colspan="3"></td> </tr> </table>				Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.	Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.	Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.	Sampler Name and/or Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> ND <input type="checkbox"/> N/A	4.	Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.	Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.	Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.	Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.	Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.	-Pace Containers Used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10.	Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.	Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.	Sample Labels Match COC? -Includes Date/Time/ID/Analysis Matrix: <i>SL</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl Sample # _____ Initial when completed: _____ Lot # of added preservative: _____		All containers needing acid/base preservation have been checked? Noncompliances are noted in 13. All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>12) Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.		Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.		Pace Trip Blank Lot # (If purchased):			
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.																																																									
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.																																																									
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.																																																									
Sampler Name and/or Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> ND <input type="checkbox"/> N/A	4.																																																									
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.																																																									
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.																																																									
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.																																																									
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.																																																									
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.																																																									
-Pace Containers Used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10.																																																									
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.																																																									
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.																																																									
Sample Labels Match COC? -Includes Date/Time/ID/Analysis Matrix: <i>SL</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl Sample # _____ Initial when completed: _____ Lot # of added preservative: _____																																																									
All containers needing acid/base preservation have been checked? Noncompliances are noted in 13. All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>12) Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A																																																										
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.																																																									
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.																																																									
Pace Trip Blank Lot # (If purchased):																																																											

CLIENT NOTIFICATION/RESOLUTION

 Field Data Required? Yes No

 Person Contacted: _____ Date/Time: _____
 Comments/Resolution: _____

 Project Manager Review: *SL*

 Date: *12/28/2013*

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Method 8290 Blank Analysis Results

Lab Sample ID	BLANK-35946	Matrix	Solid
Filename	U130402A_06	Dilution	NA
Total Amount Extracted	20.1 g	Extracted	03/28/2013 19:40
ICAL ID	U130319	Analyzed	04/02/2013 14:10
CCal Filename(s)	U130402A_01 & U130402A_13	Injected By	CVS

Native Isomers	Conc ng/Kg	EMPC ng/Kg	RL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	1.0	2,3,7,8-TCDF-13C	2.00	67
Total TCDF	ND	----	1.0	2,3,7,8-TCDD-13C	2.00	82
				1,2,3,7,8-PeCDF-13C	2.00	77
2,3,7,8-TCDD	ND	----	1.0	2,3,4,7,8-PeCDF-13C	2.00	75
Total TCDD	ND	----	1.0	1,2,3,7,8-PeCDD-13C	2.00	97
				1,2,3,4,7,8-HxCDF-13C	2.00	64
1,2,3,7,8-PeCDF	ND	----	5.0	1,2,3,6,7,8-HxCDF-13C	2.00	71
2,3,4,7,8-PeCDF	ND	----	5.0	2,3,4,6,7,8-HxCDF-13C	2.00	66
Total PeCDF	ND	----	5.0	1,2,3,7,8,9-HxCDF-13C	2.00	67
				1,2,3,4,7,8-HxCDD-13C	2.00	72
1,2,3,7,8-PeCDD	ND	----	5.0	1,2,3,6,7,8-HxCDD-13C	2.00	71
Total PeCDD	ND	----	5.0	1,2,3,4,6,7,8-HpCDF-13C	2.00	69
				1,2,3,4,7,8,9-HpCDF-13C	2.00	65
1,2,3,4,7,8-HxCDF	ND	----	5.0	1,2,3,4,6,7,8-HpCDD-13C	2.00	77
1,2,3,6,7,8-HxCDF	ND	----	5.0	OCDD-13C	4.00	56
2,3,4,6,7,8-HxCDF	ND	----	5.0			
1,2,3,7,8,9-HxCDF	ND	----	5.0	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	5.0	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	5.0	2,3,7,8-TCDD-37Cl4	0.20	82
1,2,3,6,7,8-HxCDD	ND	----	5.0			
1,2,3,7,8,9-HxCDD	ND	----	5.0			
Total HxCDD	ND	----	5.0			
1,2,3,4,6,7,8-HpCDF	ND	----	5.0	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	5.0	Equivalence: 0.00 ng/Kg		
Total HpCDF	ND	----	5.0	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	ND	----	5.0			
Total HpCDD	ND	----	5.0			
OCDF	ND	----	10.0			
OCDD	ND	----	10.0			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

RL = Reporting Limit

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Report No.....10223720



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Sample Analysis Results

Client - Montgomery Watson Harza Labs

Client's Sample ID	201303270294			
Lab Sample ID	10223720001			
Filename	U130402A_07			
Injected By	CVS			
Total Amount Extracted	40.4 g	Matrix	Solid	
% Moisture	76.8	Dilution	NA	
Dry Weight Extracted	9.39 g	Collected	03/22/2013 10:36	
ICAL ID	U130319	Received	03/28/2013 09:11	
CCal Filename(s)	U130402A_01 & U130402A_13	Extracted	03/28/2013 19:40	
Method Blank ID	BLANK-35946	Analyzed	04/02/2013 14:55	

Native Isomers	Conc ng/Kg	EMPC ng/Kg	RL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	1.6	----	1.0	2,3,7,8-TCDF-13C	2.00	50
Total TCDF	23.0	----	1.0	2,3,7,8-TCDD-13C	2.00	60
				1,2,3,7,8-PeCDF-13C	2.00	56
2,3,7,8-TCDD	ND	----	1.0	2,3,4,7,8-PeCDF-13C	2.00	55
Total TCDD	ND	----	1.0	1,2,3,7,8-PeCDD-13C	2.00	70
				1,2,3,4,7,8-HxCDF-13C	2.00	47
1,2,3,7,8-PeCDF	ND	----	5.0	1,2,3,6,7,8-HxCDF-13C	2.00	50
2,3,4,7,8-PeCDF	ND	----	5.0	2,3,4,6,7,8-HxCDF-13C	2.00	50
Total PeCDF	ND	----	5.0	1,2,3,7,8,9-HxCDF-13C	2.00	49
				1,2,3,4,7,8-HxCDD-13C	2.00	52
1,2,3,7,8-PeCDD	ND	----	5.0	1,2,3,6,7,8-HxCDD-13C	2.00	52
Total PeCDD	ND	----	5.0	1,2,3,4,6,7,8-HpCDF-13C	2.00	47
				1,2,3,4,7,8,9-HpCDF-13C	2.00	49
1,2,3,4,7,8-HxCDF	ND	----	5.0	1,2,3,4,6,7,8-HpCDD-13C	2.00	55
1,2,3,6,7,8-HxCDF	ND	----	5.0	OCDD-13C	4.00	38 R
2,3,4,6,7,8-HxCDF	ND	----	5.0			
1,2,3,7,8,9-HxCDF	ND	----	5.0	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	5.0	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	5.0	2,3,7,8-TCDD-37Cl4	0.20	61
1,2,3,6,7,8-HxCDD	ND	----	5.0			
1,2,3,7,8,9-HxCDD	ND	----	5.0			
Total HxCDD	ND	----	5.0			
1,2,3,4,6,7,8-HpCDF	6.9	----	5.0	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	5.0	Equivalence: 0.29 ng/Kg		
Total HpCDF	6.9	----	5.0	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	ND	----	5.0			
Total HpCDD	ND	----	5.0			
OCDF	60.0	----	10.0			
OCDD	ND	----	10.0			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

ND = Not Detected

EMPC = Estimated Maximum Possible Concentration

NA = Not Applicable

RL = Reporting Limit.

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Report No.....10223720

Report No.....10223720_8290

Page 8 of 15
Page 139 of 146 pages

Reporting Flags

- A = Reporting Limit based on signal to noise
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- I = Interference present
- J = Estimated value
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs
- * = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Report No.....10223720

Report No.....10223720_8290

Page 9 of 15
Page 140 of 146 pages

Appendix B

Sample Analysis Summary



Method 8290 Sample Analysis Results

Client - Montgomery Watson Harza Labs

Client's Sample ID	201303270294				
Lab Sample ID	10223720001				
Filename	U130402A_07				
Injected By	CVS				
Total Amount Extracted	40.4 g	Matrix	Solid		
% Moisture	76.8	Dilution	NA		
Dry Weight Extracted	9.39 g	Collected	03/22/2013 10:36		
ICAL ID	U130319	Received	03/28/2013 09:11		
CCal Filename(s)	U130402A_01 & U130402A_13	Extracted	03/28/2013 19:40		
Method Blank ID	BLANK-35946	Analyzed	04/02/2013 14:55		

Native Isomers	Conc ng/Kg	EMPC ng/Kg	RL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	1.60	----	0.31	2,3,7,8-TCDF-13C	2.00	50
Total TCDF	23.00	----	0.31	2,3,7,8-TCDD-13C	2.00	60
				1,2,3,7,8-PeCDF-13C	2.00	56
2,3,7,8-TCDD	ND	----	0.24	2,3,4,7,8-PeCDF-13C	2.00	55
Total TCDD	ND	----	0.24	1,2,3,7,8-PeCDD-13C	2.00	70
				1,2,3,4,7,8-HxCDF-13C	2.00	47
1,2,3,7,8-PeCDF	1.60	----	0.40 J	1,2,3,6,7,8-HxCDF-13C	2.00	50
2,3,4,7,8-PeCDF	1.10	----	0.43 J	2,3,4,6,7,8-HxCDF-13C	2.00	50
Total PeCDF	13.00	----	0.41	1,2,3,7,8,9-HxCDF-13C	2.00	49
				1,2,3,4,7,8-HxCDD-13C	2.00	52
1,2,3,7,8-PeCDD	ND	----	0.31	1,2,3,6,7,8-HxCDD-13C	2.00	52
Total PeCDD	0.64	----	0.31 J	1,2,3,4,6,7,8-HpCDF-13C	2.00	47
				1,2,3,4,7,8,9-HpCDF-13C	2.00	49
1,2,3,4,7,8-HxCDF	2.40	----	0.42 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	55
1,2,3,6,7,8-HxCDF	----	1.60	0.43 I	OCDD-13C	4.00	38 R
2,3,4,6,7,8-HxCDF	0.79	----	0.36 J			
1,2,3,7,8,9-HxCDF	----	0.63	0.42 P	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	9.80	----	0.41	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.29	2,3,7,8-TCDD-37Cl4	0.20	61
1,2,3,6,7,8-HxCDD	ND	----	0.38			
1,2,3,7,8,9-HxCDD	ND	----	0.32			
Total HxCDD	ND	----	0.33			
1,2,3,4,6,7,8-HpCDF	6.90	----	0.32	Total 2,3,7,8-TCDD Equivalence: 1.3 ng/Kg (Using ITE Factors)		
1,2,3,4,7,8,9-HpCDF	2.70	----	0.42 J			
Total HpCDF	11.00	----	0.37			
1,2,3,4,6,7,8-HpCDD	----	0.81	0.36 I			
Total HpCDD	2.00	----	0.36 J			
OCDF	60.00	----	0.65			
OCDD	4.50	----	0.78 J			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

ND = Not Detected

EMPC = Estimated Maximum Possible Concentration

NA = Not Applicable

RL = Reporting Limit.

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

R = Recovery outside target range

P = PCDE Interference

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Blank Analysis Results

Lab Sample ID	BLANK-35946	Matrix	Solid
Filename	U130402A_06	Dilution	NA
Total Amount Extracted	20.1 g	Extracted	03/28/2013 19:40
ICAL ID	U130319	Analyzed	04/02/2013 14:10
CCal Filename(s)	U130402A_01 & U130402A_13	Injected By	CVS

Native Isomers	Conc ng/Kg	EMPC ng/Kg	RL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.12	----	0.055 J	2,3,7,8-TCDF-13C	2.00	67
Total TCDF	0.12	----	0.055 J	2,3,7,8-TCDD-13C 1,2,3,7,8-PeCDF-13C	2.00 2.00	82 77
2,3,7,8-TCDD	ND	----	0.076	2,3,4,7,8-PeCDF-13C	2.00	75
Total TCDD	ND	----	0.076	1,2,3,7,8-PeCDD-13C 1,2,3,4,7,8-HxCDF-13C	2.00 2.00	97 64
1,2,3,7,8-PeCDF	ND	----	0.065	1,2,3,6,7,8-HxCDF-13C	2.00	71
2,3,4,7,8-PeCDF	ND	----	0.060	2,3,4,6,7,8-HxCDF-13C	2.00	66
Total PeCDF	ND	----	0.063	1,2,3,7,8,9-HxCDF-13C 1,2,3,4,7,8-HxCDD-13C	2.00 2.00	67 72
1,2,3,7,8-PeCDD	ND	----	0.075	1,2,3,6,7,8-HxCDD-13C	2.00	71
Total PeCDD	ND	----	0.075	1,2,3,4,6,7,8-HpCDF-13C 1,2,3,4,7,8,9-HpCDF-13C	2.00 2.00	69 65
1,2,3,4,7,8-HxCDF	ND	----	0.052	1,2,3,4,6,7,8-HpCDD-13C	2.00	77
1,2,3,6,7,8-HxCDF	ND	----	0.051	OCDD-13C	4.00	56
2,3,4,6,7,8-HxCDF	ND	----	0.048			
1,2,3,7,8,9-HxCDF	ND	----	0.073	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	0.056	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.071	2,3,7,8-TCDD-37Cl4	0.20	82
1,2,3,6,7,8-HxCDD	ND	----	0.097			
1,2,3,7,8,9-HxCDD	ND	----	0.099			
Total HxCDD	ND	----	0.089			
1,2,3,4,6,7,8-HpCDF	ND	----	0.068	Total 2,3,7,8-TCDD Equivalence: 0.013 ng/Kg (Using ITE Factors)		
1,2,3,4,7,8,9-HpCDF	ND	----	0.095			
Total HpCDF	ND	----	0.082			
1,2,3,4,6,7,8-HpCDD	ND	----	0.100			
Total HpCDD	0.14	----	0.100 J			
OCDF	ND	----	0.120			
OCDD	0.45	----	0.180 J			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

RL = Reporting Limit

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Laboratory Control Spike Results

Lab Sample ID	LCS-35947	Matrix	Solid
Filename	U130402A_02	Dilution	NA
Total Amount Extracted	20.2 g	Extracted	03/28/2013 19:40
ICAL ID	U130319	Analyzed	04/02/2013 11:10
CCal Filename(s)	U130402A_01 & U130402A_13	Injected By	CVS
Method Blank ID	BLANK-35946		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.23	113	2,3,7,8-TCDF-13C	2.0	66
Total TCDF				2,3,7,8-TCDD-13C	2.0	82
				1,2,3,7,8-PeCDF-13C	2.0	77
2,3,7,8-TCDD	0.20	0.17	87	2,3,4,7,8-PeCDF-13C	2.0	76
Total TCDD				1,2,3,7,8-PeCDD-13C	2.0	96
				1,2,3,4,7,8-HxCDF-13C	2.0	65
1,2,3,7,8-PeCDF	1.0	1.0	104	1,2,3,6,7,8-HxCDF-13C	2.0	73
2,3,4,7,8-PeCDF	1.0	1.0	102	2,3,4,6,7,8-HxCDF-13C	2.0	69
Total PeCDF				1,2,3,7,8,9-HxCDF-13C	2.0	68
				1,2,3,4,7,8-HxCDD-13C	2.0	74
1,2,3,7,8-PeCDD	1.0	0.90	90	1,2,3,6,7,8-HxCDD-13C	2.0	72
Total PeCDD				1,2,3,4,6,7,8-HpCDF-13C	2.0	74
				1,2,3,4,7,8,9-HpCDF-13C	2.0	68
1,2,3,4,7,8-HxCDF	1.0	1.1	105	1,2,3,4,6,7,8-HpCDD-13C	2.0	81
1,2,3,6,7,8-HxCDF	1.0	1.00	100	OCDD-13C	4.0	62
2,3,4,6,7,8-HxCDF	1.0	0.98	98			
1,2,3,7,8,9-HxCDF	1.0	0.99	99	1,2,3,4-TCDD-13C	2.0	NA
Total HxCDF				1,2,3,7,8,9-HxCDD-13C	2.0	NA
1,2,3,4,7,8-HxCDD	1.0	1.1	107	2,3,7,8-TCDD-37Cl4	0.20	79
1,2,3,6,7,8-HxCDD	1.0	1.1	106			
1,2,3,7,8,9-HxCDD	1.0	1.1	107			
Total HxCDD						
1,2,3,4,6,7,8-HpCDF	1.0	1.1	107			
1,2,3,4,7,8,9-HpCDF	1.0	0.96	96			
Total HpCDF						
1,2,3,4,6,7,8-HpCDD	1.0	0.94	94			
Total HpCDD						
OCDF	2.0	1.8	90			
OCDD	2.0	2.1	105			

Qs = Quantity Spiked

Qm = Quantity Measured

Rec. = Recovery (Expressed as Percent)

R = Recovery outside of target range

Y = RF averaging used in calculations

Nn = Value obtained from additional analysis

NA = Not Applicable

* = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Laboratory Control Spike Results

Lab Sample ID	LCSD-35948	Matrix	Solid
Filename	U130402A_03	Dilution	NA
Total Amount Extracted	20.3 g	Extracted	03/28/2013 19:40
ICAL ID	U130319	Analyzed	04/02/2013 11:54
CCal Filename(s)	U130402A_01 & U130402A_13	Injected By	
Method Blank ID	BLANK-35946		CVS

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.24	119	2,3,7,8-TCDF-13C	2.0	56
Total TCDF				2,3,7,8-TCDD-13C	2.0	71
				1,2,3,7,8-PeCDF-13C	2.0	65
2,3,7,8-TCDD	0.20	0.18	88	2,3,4,7,8-PeCDF-13C	2.0	65
Total TCDD				1,2,3,7,8-PeCDD-13C	2.0	82
				1,2,3,4,7,8-HxCDF-13C	2.0	54
1,2,3,7,8-PeCDF	1.0	1.1	113	1,2,3,6,7,8-HxCDF-13C	2.0	60
2,3,4,7,8-PeCDF	1.0	1.1	107	2,3,4,6,7,8-HxCDF-13C	2.0	56
Total PeCDF				1,2,3,7,8,9-HxCDF-13C	2.0	53
				1,2,3,4,7,8-HxCDD-13C	2.0	61
1,2,3,7,8-PeCDD	1.0	0.95	95	1,2,3,6,7,8-HxCDD-13C	2.0	59
Total PeCDD				1,2,3,4,6,7,8-HpCDF-13C	2.0	60
				1,2,3,4,7,8,9-HpCDF-13C	2.0	55
1,2,3,4,7,8-HxCDF	1.0	1.1	108	1,2,3,4,6,7,8-HpCDD-13C	2.0	66
1,2,3,6,7,8-HxCDF	1.0	1.0	104	OCDD-13C	4.0	47
2,3,4,6,7,8-HxCDF	1.0	1.1	106			
1,2,3,7,8,9-HxCDF	1.0	1.0	102	1,2,3,4-TCDD-13C	2.0	NA
Total HxCDF				1,2,3,7,8,9-HxCDD-13C	2.0	NA
1,2,3,4,7,8-HxCDD	1.0	1.1	107	2,3,7,8-TCDD-37Cl4	0.20	71
1,2,3,6,7,8-HxCDD	1.0	1.2	116			
1,2,3,7,8,9-HxCDD	1.0	1.1	111			
Total HxCDD						
1,2,3,4,6,7,8-HpCDF	1.0	1.1	112			
1,2,3,4,7,8,9-HpCDF	1.0	1.0	102			
Total HpCDF						
1,2,3,4,6,7,8-HpCDD	1.0	0.98	98			
Total HpCDD						
OCDF	2.0	1.6	82			
OCDD	2.0	2.2	111			

Qs = Quantity Spiked

Qm = Quantity Measured

Rec. = Recovery (Expressed as Percent)

R = Recovery outside of target range

Y = RF averaging used in calculations

Nn = Value obtained from additional analysis

NA = Not Applicable

* = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612- 607-6444

Method 8290

Spike Recovery Relative Percent Difference (RPD) Results

Client Montgomery Watson Harza Labs

Spike 1 ID LCS-35947 Spike 2 ID LCSD-35948
Spike 1 Filename U130402A_02 Spike 2 Filename U130402A_03

Compound	Spike 1 %REC	Spike 2 %REC	%RPD
2,3,7,8-TCDF	113	119	5.2
2,3,7,8-TCDD	87	88	1.1
1,2,3,7,8-PeCDF	104	113	8.3
2,3,4,7,8-PeCDF	102	107	4.8
1,2,3,7,8-PeCDD	90	95	5.4
1,2,3,4,7,8-HxCDF	105	108	2.8
1,2,3,6,7,8-HxCDF	100	104	3.9
2,3,4,6,7,8-HxCDF	98	106	7.8
1,2,3,7,8,9-HxCDF	99	102	3.0
1,2,3,4,7,8-HxCDD	107	107	0.0
1,2,3,6,7,8-HxCDD	106	116	9.0
1,2,3,7,8,9-HxCDD	107	111	3.7
1,2,3,4,6,7,8-HpCDF	107	112	4.6
1,2,3,4,7,8,9-HpCDF	96	102	6.1
1,2,3,4,6,7,8-HpCDD	94	98	4.2
OCDF	90	82	9.3
OCDD	105	111	5.6

%REC = Percent Recovered

RPD = The difference between the two values divided by the mean value

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Attachment B
Laboratory Analytical Report

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Irvine

17461 Derian Ave

Suite 100

Irvine, CA 92614-5817

Tel: (949)261-1022

TestAmerica Job ID: 440-52134-1

Client Project/Site: Veolia - NERT Soils

For:

ENVIRON International Corp.

2200 Powell Street

Suite 700

Emeryville, California 94608

Attn: Kimberly Kuwabara



Authorized for release by:

7/25/2013 4:55:00 PM

Sushmitha Reddy, Project Manager I

sushmitha.reddy@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Client Sample Results	5
Method Summary	7
Chronicle	8
QC Sample Results	10
QC Association	12
Definitions	14
Certification Summary	15
Chain of Custody	16
Receipt Checklists	17

Sample Summary

Client: ENVIRON International Corp.
Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
440-52134-3	SR-05-0.2	Solid	07/17/13 07:59	07/18/13 09:30
440-52134-5	SR-04-0.3	Solid	07/17/13 08:17	07/18/13 09:30
440-52134-7	SR-03-0.3	Solid	07/17/13 08:42	07/18/13 09:30
440-52134-9	SR-02-0.3	Solid	07/17/13 08:59	07/18/13 09:30
440-52134-11	SR-01-0.3	Solid	07/17/13 09:30	07/18/13 09:30

1

2

3

4

5

6

7

8

9

10

11

12

13

Case Narrative

Client: ENVIRON International Corp.
Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

Job ID: 440-52134-1

Laboratory: TestAmerica Irvine

Narrative

Job Narrative 440-52134-1

Comments

No additional comments.

Receipt

The samples were received on 7/18/2013 9:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.3° C.

GC/MS Semi VOA

Method(s) 8270C SIM: Internal standard responses were outside of acceptance limits for the following sample(s): SR-03-0.3 (440-52134-7), SR-04-0.3 (440-52134-5), SR-01-0.3 (440-52134-11), SR-02-0.3 (440-52134-9). The sample(s) shows evidence of matrix interference.

Method(s) 8270C SIM: The source sample for the MS/MSD sample was diluted due to the nature of the sample matrix: (LCS 440-119047/2-A). As such, the MS/MSD surrogate and spike recoveries were diluted out and are not reported.

No other analytical or quality issues were noted.

Metals

Method(s) 6010B: The following sample(s) was diluted due to the nature of the sample matrix: SR-05-0.2 (440-52134-3), SR-02-0.3 (440-52134-9), SR-03-0.3 (440-52134-7), SR-04-0.3 (440-52134-5). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

Organic Prep

No analytical or quality issues were noted.

Client Sample Results

Client: ENVIRON International Corp.
Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

Client Sample ID: SR-05-0.2

Lab Sample ID: 440-52134-3

Matrix: Solid

Date Collected: 07/17/13 07:59

Date Received: 07/18/13 09:30

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]pyrene	ND		30	2.0	ug/Kg		07/22/13 10:12	07/23/13 17:45	1
Dibenz(a,h)anthracene	ND		30	2.5	ug/Kg		07/22/13 10:12	07/23/13 17:45	1
Surrogate									
2-Fluorobiphenyl (Surr)	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	86		35 - 120				07/22/13 10:12	07/23/13 17:45	1
Nitrobenzene-d5			30 - 120				07/22/13 10:12	07/23/13 17:45	1
Terphenyl-d14			40 - 135				07/22/13 10:12	07/23/13 17:45	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		10	4.0	mg/Kg		07/23/13 09:10	07/23/13 20:49	25

Client Sample ID: SR-04-0.3

Lab Sample ID: 440-52134-5

Matrix: Solid

Date Collected: 07/17/13 08:17

Date Received: 07/18/13 09:30

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]pyrene	99		30	2.0	ug/Kg		07/22/13 10:12	07/23/13 18:31	1
Dibenz(a,h)anthracene	9.2 J		30	2.5	ug/Kg		07/22/13 10:12	07/23/13 18:31	1
Surrogate									
2-Fluorobiphenyl (Surr)	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	95		35 - 120				07/22/13 10:12	07/23/13 18:31	1
Nitrobenzene-d5			30 - 120				07/22/13 10:12	07/23/13 18:31	1
Terphenyl-d14			40 - 135				07/22/13 10:12	07/23/13 18:31	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		9.9	4.0	mg/Kg		07/23/13 15:20	07/24/13 14:24	25

Client Sample ID: SR-03-0.3

Lab Sample ID: 440-52134-7

Matrix: Solid

Date Collected: 07/17/13 08:42

Date Received: 07/18/13 09:30

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]pyrene	ND		30	2.0	ug/Kg		07/22/13 10:12	07/23/13 19:16	1
Dibenz(a,h)anthracene	ND		30	2.5	ug/Kg		07/22/13 10:12	07/23/13 19:16	1
Surrogate									
2-Fluorobiphenyl (Surr)	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	87		35 - 120				07/22/13 10:12	07/23/13 19:16	1
Nitrobenzene-d5			30 - 120				07/22/13 10:12	07/23/13 19:16	1
Terphenyl-d14			40 - 135				07/22/13 10:12	07/23/13 19:16	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		10	4.1	mg/Kg		07/23/13 15:20	07/24/13 14:30	25

TestAmerica Irvine

Client Sample Results

Client: ENVIRON International Corp.
Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

Client Sample ID: SR-02-0.3
Date Collected: 07/17/13 08:59
Date Received: 07/18/13 09:30

Lab Sample ID: 440-52134-9
Matrix: Solid

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]pyrene	7.0	J	30	2.0	ug/Kg		07/22/13 10:12	07/24/13 15:14	1
Dibenz(a,h)anthracene	ND		30	2.5	ug/Kg		07/22/13 10:12	07/24/13 15:14	1
Surrogate									
2-Fluorobiphenyl (Surr)									
75 %Recovery									
35 - 120 Limits									
Nitrobenzene-d5									
70 %Recovery									
30 - 120 Limits									
Terphenyl-d14									
71 %Recovery									
40 - 135 Limits									

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	3.1	J	4.0	1.6	mg/Kg		07/23/13 15:20	07/24/13 14:32	10

Client Sample ID: SR-01-0.3

Lab Sample ID: 440-52134-11

Date Collected: 07/17/13 09:30

Matrix: Solid

Date Received: 07/18/13 09:30

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]pyrene	ND		30	2.0	ug/Kg		07/22/13 10:12	07/24/13 15:55	1
Dibenz(a,h)anthracene	ND		30	2.5	ug/Kg		07/22/13 10:12	07/24/13 15:55	1
Surrogate									
2-Fluorobiphenyl (Surr)									
87 %Recovery									
35 - 120 Limits									
Nitrobenzene-d5									
84 %Recovery									
30 - 120 Limits									
Terphenyl-d14									
76 %Recovery									
40 - 135 Limits									

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	4.6		2.0	0.80	mg/Kg		07/23/13 15:20	07/24/13 14:06	5

TestAmerica Irvine

Method Summary

Client: ENVIRON International Corp.
Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

Method	Method Description	Protocol	Laboratory
8270C SIM	Semivolatile Organic Compounds (GC/MS SIM)	SW846	TAL IRV
6010B	Metals (ICP)	SW846	TAL IRV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

1

2

3

4

5

6

7

8

9

10

11

12

13

Lab Chronicle

Client: ENVIRON International Corp.
Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

Client Sample ID: SR-05-0.2

Date Collected: 07/17/13 07:59

Date Received: 07/18/13 09:30

Lab Sample ID: 440-52134-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			15.13 g	1 mL	119047	07/22/13 10:12	QCT	TAL IRV
Total/NA	Analysis	8270C SIM		1			119303	07/23/13 17:45	AI	TAL IRV
Total/NA	Prep	3050B			2.01 g	50 mL	119343	07/23/13 09:10	DT	TAL IRV
Total/NA	Analysis	6010B		25			119545	07/23/13 20:49	TK	TAL IRV

Client Sample ID: SR-04-0.3

Date Collected: 07/17/13 08:17

Date Received: 07/18/13 09:30

Lab Sample ID: 440-52134-5

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			15.07 g	1 mL	119047	07/22/13 10:12	QCT	TAL IRV
Total/NA	Analysis	8270C SIM		1			119303	07/23/13 18:31	AI	TAL IRV
Total/NA	Prep	3050B			2.03 g	50 mL	119471	07/23/13 15:20	DT	TAL IRV
Total/NA	Analysis	6010B		25			119779	07/24/13 14:24	EN	TAL IRV

Client Sample ID: SR-03-0.3

Date Collected: 07/17/13 08:42

Date Received: 07/18/13 09:30

Lab Sample ID: 440-52134-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			15.02 g	1 mL	119047	07/22/13 10:12	QCT	TAL IRV
Total/NA	Analysis	8270C SIM		1			119303	07/23/13 19:16	AI	TAL IRV
Total/NA	Prep	3050B			2.00 g	50 mL	119471	07/23/13 15:20	DT	TAL IRV
Total/NA	Analysis	6010B		25			119779	07/24/13 14:30	EN	TAL IRV

Client Sample ID: SR-02-0.3

Date Collected: 07/17/13 08:59

Date Received: 07/18/13 09:30

Lab Sample ID: 440-52134-9

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			15.00 g	1 mL	119047	07/22/13 10:12	QCT	TAL IRV
Total/NA	Analysis	8270C SIM		1			119672	07/24/13 15:14	AI	TAL IRV
Total/NA	Prep	3050B			2.00 g	50 mL	119471	07/23/13 15:20	DT	TAL IRV
Total/NA	Analysis	6010B		10			119779	07/24/13 14:32	EN	TAL IRV

Client Sample ID: SR-01-0.3

Date Collected: 07/17/13 09:30

Date Received: 07/18/13 09:30

Lab Sample ID: 440-52134-11

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3546			15.02 g	1 mL	119047	07/22/13 10:12	QCT	TAL IRV
Total/NA	Analysis	8270C SIM		1			119672	07/24/13 15:55	AI	TAL IRV
Total/NA	Prep	3050B			2.03 g	50 mL	119471	07/23/13 15:20	DT	TAL IRV

TestAmerica Irvine

Lab Chronicle

Client: ENVIRON International Corp.
Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

Client Sample ID: SR-01-0.3

Date Collected: 07/17/13 09:30

Date Received: 07/18/13 09:30

Lab Sample ID: 440-52134-11

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	6010B		5			119779	07/24/13 14:06	EN	TAL IRV

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

QC Sample Results

Client: ENVIRON International Corp.
Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

Method: 8270C SIM - Semivolatile Organic Compounds (GC/MS SIM)

Lab Sample ID: MB 440-119047/1-A

Matrix: Solid

Analysis Batch: 119257

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 119047

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
	Result	Qualifier								
Benzo[a]pyrene	ND		30	2.0	ug/Kg		07/22/13 10:12	07/22/13 22:06	1	
Dibenz(a,h)anthracene	ND		30	2.5	ug/Kg		07/22/13 10:12	07/22/13 22:06	1	
Surrogate	MB		MB		Limits		Prepared		Analyzed	
2-Fluorobiphenyl (Surr)	%Recovery	Qualifier		35 - 120			07/22/13 10:12	07/22/13 22:06		1
Nitrobenzene-d5	87			35 - 120			07/22/13 10:12	07/22/13 22:06		1
Terphenyl-d14	91			30 - 120			07/22/13 10:12	07/22/13 22:06		1
	61			40 - 135			07/22/13 10:12	07/22/13 22:06		1

Lab Sample ID: LCS 440-119047/2-A

Matrix: Solid

Analysis Batch: 119257

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 119047

Analyte	Spike		Result	LCS Qualifier	Unit	D	%Rec.	Limits
	Added							
Benzo[a]pyrene		66.7	59.0		ug/Kg		88	50 - 125
Dibenz(a,h)anthracene		66.7	52.4		ug/Kg		79	40 - 135
Surrogate	LCS		LCS		Limits			
2-Fluorobiphenyl (Surr)	%Recovery	Qualifier		35 - 120				
Nitrobenzene-d5	72			35 - 120				
Terphenyl-d14	63			30 - 120				
	57			40 - 135				

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 440-119343/1-A ^5

Matrix: Solid

Analysis Batch: 119545

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 119343

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Arsenic	ND		2.0	0.80	mg/Kg		07/23/13 09:10	07/23/13 18:30	5

Lab Sample ID: LCS 440-119343/2-A ^5

Matrix: Solid

Analysis Batch: 119545

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 119343

Analyte	Spike		Result	LCS Qualifier	Unit	D	%Rec.	Limits
	Added							
Arsenic		49.5	48.9		mg/Kg		99	80 - 120

Lab Sample ID: 440-51650-A-1-D MS ^5

Matrix: Solid

Analysis Batch: 119545

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 119343

Analyte	Sample		Spike	MS Result	MS Qualifier	Unit	D	%Rec.	Limits
	Result	Qualifier							
Arsenic	1.5	J		50.0		mg/Kg		89	75 - 125

TestAmerica Irvine

QC Sample Results

Client: ENVIRON International Corp.
Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 440-51650-A-1-E MSD ^5

Matrix: Solid

Analysis Batch: 119545

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	Limits	RPD	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
Arsenic	1.5	J	50.0	49.6		mg/Kg		96	75 - 125	8		20

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 119343

Lab Sample ID: MB 440-119471/1-A ^5

Matrix: Solid

Analysis Batch: 119779

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Arsenic	ND		2.0	0.81	mg/Kg		07/23/13 15:20	07/24/13 13:51	5

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 119471

Lab Sample ID: LCS 440-119471/2-A ^5

Matrix: Solid

Analysis Batch: 119779

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits
	Added	Result	Qualifier				
Arsenic	50.0	48.6		mg/Kg		97	80 - 120

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 119471

Lab Sample ID: 440-52134-5 MS

Matrix: Solid

Analysis Batch: 119779

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec.	Limits
	Result	Qualifier	Added	Result	Qualifier				
Arsenic	ND		49.5	44.4		mg/Kg		90	75 - 125

Client Sample ID: SR-04-0.3

Prep Type: Total/NA

Prep Batch: 119471

Lab Sample ID: 440-52134-5 MSD

Matrix: Solid

Analysis Batch: 119779

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	Limits	RPD	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
Arsenic	ND		49.5	43.0		mg/Kg		87	75 - 125	3		20

Client Sample ID: SR-04-0.3

Prep Type: Total/NA

Prep Batch: 119471

QC Association Summary

Client: ENVIRON International Corp.
Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

GC/MS Semi VOA

Prep Batch: 119047

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-52134-3	SR-05-0.2	Total/NA	Solid	3546	
440-52134-5	SR-04-0.3	Total/NA	Solid	3546	
440-52134-7	SR-03-0.3	Total/NA	Solid	3546	
440-52134-9	SR-02-0.3	Total/NA	Solid	3546	
440-52134-11	SR-01-0.3	Total/NA	Solid	3546	
LCS 440-119047/2-A	Lab Control Sample	Total/NA	Solid	3546	
MB 440-119047/1-A	Method Blank	Total/NA	Solid	3546	

Analysis Batch: 119257

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 440-119047/2-A	Lab Control Sample	Total/NA	Solid	8270C SIM	119047
MB 440-119047/1-A	Method Blank	Total/NA	Solid	8270C SIM	119047

Analysis Batch: 119303

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-52134-3	SR-05-0.2	Total/NA	Solid	8270C SIM	119047
440-52134-5	SR-04-0.3	Total/NA	Solid	8270C SIM	119047
440-52134-7	SR-03-0.3	Total/NA	Solid	8270C SIM	119047

Analysis Batch: 119672

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-52134-9	SR-02-0.3	Total/NA	Solid	8270C SIM	119047
440-52134-11	SR-01-0.3	Total/NA	Solid	8270C SIM	119047

Metals

Prep Batch: 119343

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-51650-A-1-D MS ^5	Matrix Spike	Total/NA	Solid	3050B	
440-51650-A-1-E MSD ^5	Matrix Spike Duplicate	Total/NA	Solid	3050B	
440-52134-3	SR-05-0.2	Total/NA	Solid	3050B	
LCS 440-119343/2-A ^5	Lab Control Sample	Total/NA	Solid	3050B	
MB 440-119343/1-A ^5	Method Blank	Total/NA	Solid	3050B	

Prep Batch: 119471

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-52134-5	SR-04-0.3	Total/NA	Solid	3050B	
440-52134-5 MS	SR-04-0.3	Total/NA	Solid	3050B	
440-52134-5 MSD	SR-04-0.3	Total/NA	Solid	3050B	
440-52134-7	SR-03-0.3	Total/NA	Solid	3050B	
440-52134-9	SR-02-0.3	Total/NA	Solid	3050B	
440-52134-11	SR-01-0.3	Total/NA	Solid	3050B	
LCS 440-119471/2-A ^5	Lab Control Sample	Total/NA	Solid	3050B	
MB 440-119471/1-A ^5	Method Blank	Total/NA	Solid	3050B	

Analysis Batch: 119545

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-51650-A-1-D MS ^5	Matrix Spike	Total/NA	Solid	6010B	119343
440-51650-A-1-E MSD ^5	Matrix Spike Duplicate	Total/NA	Solid	6010B	119343
440-52134-3	SR-05-0.2	Total/NA	Solid	6010B	119343

TestAmerica Irvine

QC Association Summary

Client: ENVIRON International Corp.
Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

Metals (Continued)

Analysis Batch: 119545 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 440-119343/2-A ^5	Lab Control Sample	Total/NA	Solid	6010B	119343
MB 440-119343/1-A ^5	Method Blank	Total/NA	Solid	6010B	119343

Analysis Batch: 119779

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-52134-5	SR-04-0.3	Total/NA	Solid	6010B	119471
440-52134-5 MS	SR-04-0.3	Total/NA	Solid	6010B	119471
440-52134-5 MSD	SR-04-0.3	Total/NA	Solid	6010B	119471
440-52134-7	SR-03-0.3	Total/NA	Solid	6010B	119471
440-52134-9	SR-02-0.3	Total/NA	Solid	6010B	119471
440-52134-11	SR-01-0.3	Total/NA	Solid	6010B	119471
LCS 440-119471/2-A ^5	Lab Control Sample	Total/NA	Solid	6010B	119471
MB 440-119471/1-A ^5	Method Blank	Total/NA	Solid	6010B	119471

Definitions/Glossary

Client: ENVIRON International Corp.

Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

1

2

3

4

5

6

7

8

9

10

11

12

13

Certification Summary

Client: ENVIRON International Corp.
Project/Site: Veolia - NERT Soils

TestAmerica Job ID: 440-52134-1

Laboratory: TestAmerica Irvine

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	CA01531	06-30-14
Arizona	State Program	9	AZ0671	10-13-13
California	LA Cty Sanitation Districts	9	10256	01-31-14
California	NELAP	9	1108CA	01-31-14
California	State Program	9	2706	06-30-14
Guam	State Program	9	Cert. No. 12.002r	01-28-14 *
Hawaii	State Program	9	N/A	01-31-14
Nevada	State Program	9	CA015312007A	07-31-13
New Mexico	State Program	6	N/A	01-31-14
Northern Mariana Islands	State Program	9	MP0002	01-31-14
Oregon	NELAP	10	4005	09-12-13
USDA	Federal		P330-09-00080	06-06-14
USEPA UCMR	Federal	1	CA01531	01-31-15

* Expired certification is currently pending renewal and is considered valid.

TestAmerica Irvine

Chain of Custody Record

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Client Contact

Enviro - Kim KUWABARA
2200 Powder St. Ste 700
Emeryville, CA
Veolia Water North America
3010 Old Ranch Parkway STE 3500
Seal Beach, CA 90740

TestAmerica Laboratories, Inc.

Project Manager: Wendy Prescott /KIM KWABARA

Tel/Fax: 702-371-9307

Analysis Turnaround Time

Calendar (C) or Work Days (W) WORK	5 DAY
TAT Different from Below	5 DAY
<input checked="" type="checkbox"/> 1 week	
<input type="checkbox"/> 2 days	
<input type="checkbox"/> 1 day	

Project Manager: Wendy Prescott /KIM KWABARA	Site Contact: Wendy Prescott	Date: 7/17/13
Tel/Fax: 702-371-9307	Lab Contact: Sushmitha Reedy	Carrier:
Analysis Turnaround Time		
Calendar (C) or Work Days (W) WORK		
TAT Different from Below		
<input checked="" type="checkbox"/> 5 DAY		
<input type="checkbox"/> 1 week		
<input type="checkbox"/> 2 days		
<input type="checkbox"/> 1 day		

Sample Identification	Sample Date	Sample Time	Sample Type	Sample Matrix	% of Cont.
SR_06_0.2	7/17/13	0735	Soil	Soil	1. HOLD*
SP_06_0.8	7/17/13	0747	Soil	Soil	1. HOLD*
SR_05_0.2	7/17/13	0159	Soil	Soil	1. XX X
SP_05_0.8	7/17/13	0809	Soil	Soil	1. HOLD*
SR_04_0.3	7/17/13	0817	Soil	Soil	1. XX X
SP_04_0.9	7/17/13	0826	Soil	Soil	1. HOLD*
SP_03_0.3	7/17/13	0842	Soil	Soil	1. XX X
SP_03_0.8	7/17/13	0851	Soil	Soil	1. HOLD*
SP_02_0.3	7/17/13	0859	Soil	Soil	1. XX X
SP_02_0.9	7/17/13	0919	Soil	Soil	1. HOLD*
SP_01_0.3	7/17/13	0930	Soil	Soil	1. XXX
SP_01_0.8	7/17/13	0936	Soil	Soil	1. HOLD*

Preservation Used: 1= Ice; 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other

Non-Hazard

Flammable

Skin Irritant

Special Instructions/QC Requirements & Comments: PLEASE SEND RESULTS TO KUWABARA@ENVIRONCORP.COM

* PLEASE "HOLD" SAMPLES UNTIL FURTHER INSTRUCTION

Relinquished by: <i>JAMES HILLER</i>	Company: <i>James Hiller</i>	Date/Time: <i>7/17/13 1042</i>	Received by: <i>John Brown</i>	Company: <i>John Brown</i>	Date/Time: <i>7/17/13 1043A</i>
Relinquished by: <i>John Brown</i>	Company: <i>John Brown</i>	Date/Time: <i>7/17/13 1355</i>	Received by: <i>John Brown</i>	Company: <i>John Brown</i>	Date/Time: <i>7/17/13 1355</i>
Refined by: <i>John Brown</i>	Company: <i>John Brown</i>	Date/Time: <i>7/17/13 1355</i>	Received by: <i>John Brown</i>	Company: <i>John Brown</i>	Date/Time: <i>7/17/13 1355</i>
Refined by: <i>John Brown</i>	Company: <i>John Brown</i>	Date/Time: <i>7/17/13 1355</i>	Received by: <i>John Brown</i>	Company: <i>John Brown</i>	Date/Time: <i>7/17/13 1355</i>

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client

Disposal By Lab

Archive For 1 Month

Login Sample Receipt Checklist

Client: ENVIRON International Corp.

Job Number: 440-52134-1

Login Number: 52134

List Source: TestAmerica Irvine

List Number: 1

Creator: Avila, Stephanie

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	James Hiller
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	