

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
AA-01	05/08/2017	07:25	08:00	49.9	170.0	4.25	23.54	7.47	5470	3.22	157.0	2.6	Clear	N
ARP-1	11/15/2016	11:27	11:51	33.2	150.0	3.45	24.6	7.22	6901	1.5	49.9	5.14	Clear	N
	05/04/2017	11:09	11:42	35.04	165.0	4.0	25.49	8.64	7270	2.62	169.0	2.4	Clear with a tint of brown	N
ARP-2A	11/15/2016	09:25	09:50	39.84	270.0	4.25	24.74	7.78	8328	2.83	103.0	2.66	Clear	N
	05/04/2017	08:25	08:37	41.16	320.0	3.0	25.06	7.48	7480	1.99	163.0	0.0	Clear	N
ARP-3A	11/15/2016	10:35	11:10	33.98	330.0	5.0	25.83	7.58	9811	0.58	118.4	7.99	Clear	N
	05/04/2017	06:52	07:26	35.18	360.0	7.0	24.72	7.43	11500	0.0	69.0	0.0	Clear	N
ARP-4A	11/15/2016	13:35	13:55	30.81	330.0	3.0	25.17	7.63	5026	0.97	116.7	1.8	Clear	N
	05/04/2017	09:00	09:27	31.84	90.0	2.6	22.84	8.33	6040	1.3	152.0	0.0	Clear	N
ARP-5A	11/15/2016	11:35	11:55	34.4	150.0	3.0	24.32	7.32	4341	5.37	185.3	0.54	Clear	N
	05/04/2017	07:10	07:42	35.5	300.0	4.75	25.68	7.51	10500	3.04	208.0	1.5	Clear	N
ARP-6B	11/15/2016	11:38	12:08	36.89	360.0	4.0	24.88	7.14	9271	5.83	189.5	8.77	Clear	N
	05/04/2017	07:22	07:41	37.74	240.0	3.7	20.99	7.17	8980	4.79	184.0	0.0	Clear	N
ARP-7	11/15/2016	10:02	10:22	31.66	300.0	3.0	25.67	6.95	9781	6.85	181.5	2.95	Clear	N
	05/04/2017	12:45	13:00	32.23	75.0	0.9	34.69	7.65	9260	7.35	181.0	5.7	Clear	N
ART-1A	03/20/2017	NA	NA	--	--	--	26.2	7.44	8170	--	--	--	--	--
	04/13/2017	NA	NA	--	--	--	25.2	7.48	7980	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	24.6	7.51	7970	--	--	--	--	--
	06/15/2017	NA	NA	--	--	--	23.3	7.5	8080	--	--	--	--	--
ART-2	04/13/2017	NA	NA	--	--	--	25.7	7.24	14270	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	25.1	7.2	14070	--	--	--	--	--
ART-2A	03/20/2017	NA	NA	--	--	--	26.0	7.18	13670	--	--	--	--	--
	06/15/2017	NA	NA	--	--	--	23.9	7.19	13960	--	--	--	--	--
ART-3A	03/20/2017	NA	NA	--	--	--	25.3	7.28	10770	--	--	--	--	--
	04/13/2017	NA	NA	--	--	--	26.5	7.33	10260	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	24.2	7.36	10100	--	--	--	--	--
	06/15/2017	NA	NA	--	--	--	23.2	7.43	9330	--	--	--	--	--
ART-4	03/20/2017	NA	NA	--	--	--	25.4	7.41	7430	--	--	--	--	--
	04/13/2017	NA	NA	--	--	--	26.2	7.43	7210	--	--	--	--	--
	06/15/2017	NA	NA	--	--	--	23.5	7.5	7200	--	--	--	--	--
ART-4A	05/10/2017	NA	NA	--	--	--	24.2	7.51	7410	--	--	--	--	--
ART-6	03/20/2017	NA	NA	--	--	--	26.7	7.23	7030	--	--	--	--	--
	04/13/2017	NA	NA	--	--	--	26.9	7.55	7310	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	25.6	7.52	7840	--	--	--	--	--
	06/15/2017	NA	NA	--	--	--	23.7	7.44	8440	--	--	--	--	--
ART-7A	03/20/2017	NA	NA	--	--	--	24.1	7.13	9360	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	24.4	7.44	9250	--	--	--	--	--
	06/15/2017	NA	NA	--	--	--	23.2	7.42	9210	--	--	--	--	--

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
ART-7B	04/13/2017	NA	NA	--	--	--	25.0	7.42	9420	--	--	--	--	--
ART-8A	03/20/2017	NA	NA	--	--	--	25.6	7.19	13750	--	--	--	--	--
	04/13/2017	NA	NA	--	--	--	25.7	7.24	13620	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	24.6	7.23	13500	--	--	--	--	--
	06/15/2017	NA	NA	--	--	--	23.6	7.21	12990	--	--	--	--	--
ART-9	03/20/2017	NA	NA	--	--	--	25.4	7.33	7560	--	--	--	--	--
	04/13/2017	NA	NA	--	--	--	25.1	7.31	7420	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	25.5	7.39	7440	--	--	--	--	--
	06/15/2017	NA	NA	--	--	--	23.6	7.44	7310	--	--	--	--	--
DBMW-4	05/03/2017	08:49	09:06	29.43	300.0	4.9	24.74	7.86	6870	3.95	161.0	0.0	Clear	N
H-28A	05/10/2017	12:12	12:42	43.0	300.0	9.0	27.88	7.16	16900	0.0	21.0	5.2	Clear	N
H-48	05/08/2017	11:19	11:32	30.03	100.0	1.2	23.22	6.42	15800	0.2	-136.0	50.6	Gray	N
H-58A	05/08/2017	12:00	12:15	49.45	110.0	1.5	27.59	7.41	34800	6.32	164.0	0.0	Clear	N
HM-2	05/04/2017	08:50	09:52	31.5	230.0	14.0	24.69	8.08	6690	3.58	153.0	109.0	Slightly cloudy	N
HMW-15	05/05/2017	13:15	13:49	18.13	150.0	5.0	24.12	7.23	3220	0.0	67.0	0.0	Clear	N
HMW-16	05/05/2017	13:14	13:28	15.35	330.0	3.0	28.53	7.34	7720	0.0	214.0	0.0	Clear	N
I-AA	01/18/2017	NA	NA	--	--	--	26.5	7.32	5120	--	--	--	--	--
	03/22/2017	NA	NA	--	--	--	24.1	7.37	5100	--	--	--	--	--
	04/11/2017	NA	NA	--	--	--	25.1	7.31	5100	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	27.1	7.15	5280	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	27.4	7.32	5410	--	--	--	--	--
I-AB	03/22/2017	NA	NA	--	--	--	23.7	7.3	4660	--	--	--	--	--
	04/11/2017	NA	NA	--	--	--	24.9	7.25	4560	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	26.2	7.42	4930	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	25.5	7.14	4490	--	--	--	--	--
I-AC	03/23/2017	NA	NA	--	--	--	22.2	7.28	7630	--	--	--	--	--
	04/05/2017	NA	NA	--	--	--	25.4	7.19	8350	--	--	--	--	--
	05/03/2017	NA	NA	--	--	--	29.6	7.33	7180	--	--	--	--	--
	06/14/2017	NA	NA	--	--	--	23.3	7.3	7820	--	--	--	--	--
I-AD	03/23/2017	NA	NA	--	--	--	22.9	7.62	7040	--	--	--	--	--
	04/05/2017	NA	NA	--	--	--	25.7	7.33	7080	--	--	--	--	--
	05/03/2017	NA	NA	--	--	--	31.4	7.46	6730	--	--	--	--	--
	06/14/2017	NA	NA	--	--	--	24.0	7.52	6980	--	--	--	--	--
I-AR	03/22/2017	NA	NA	--	--	--	27.3	7.4	5690	--	--	--	--	--
	04/11/2017	NA	NA	--	--	--	26.4	7.06	5720	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	28.7	7.09	6020	--	--	--	--	--
	06/19/2017	NA	NA	--	--	--	31.0	6.99	6380	--	--	--	--	--
I-B	03/22/2017	NA	NA	--	--	--	24.5	7.11	5320	--	--	--	--	--

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
I-B	04/11/2017	NA	NA	--	--	--	24.5	7.17	5310	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	27.3	7.07	5260	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	25.7	7.21	4920	--	--	--	--	--
I-C	03/22/2017	NA	NA	--	--	--	25.2	7.2	7260	--	--	--	--	--
	04/11/2017	NA	NA	--	--	--	24.7	7.28	7510	--	--	--	--	--
	05/09/2017	NA	NA	--	--	--	24.3	7.05	7510	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	25.6	7.32	7580	--	--	--	--	--
I-D	03/22/2017	NA	NA	--	--	--	25.5	7.29	8500	--	--	--	--	--
	04/11/2017	NA	NA	--	--	--	24.5	7.31	8510	--	--	--	--	--
	05/09/2017	NA	NA	--	--	--	24.6	7.43	8350	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	26.0	7.4	8280	--	--	--	--	--
I-E	03/22/2017	NA	NA	--	--	--	24.6	7.26	8810	--	--	--	--	--
	04/06/2017	NA	NA	--	--	--	27.4	7.16	9020	--	--	--	--	--
	05/09/2017	NA	NA	--	--	--	24.0	6.78	8560	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	26.8	7.17	8590	--	--	--	--	--
I-F	03/22/2017	NA	NA	--	--	--	24.8	7.2	9360	--	--	--	--	--
	04/06/2017	NA	NA	--	--	--	25.6	7.23	9770	--	--	--	--	--
	05/04/2017	NA	NA	--	--	--	24.4	7.24	9510	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	25.3	7.31	9610	--	--	--	--	--
I-G	03/22/2017	NA	NA	--	--	--	25.9	7.05	13790	--	--	--	--	--
	04/06/2017	NA	NA	--	--	--	28.1	7.03	13770	--	--	--	--	--
	05/04/2017	NA	NA	--	--	--	24.2	7.1	13440	--	--	--	--	--
	06/19/2017	NA	NA	--	--	--	30.4	7.06	13540	--	--	--	--	--
I-H	03/22/2017	NA	NA	--	--	--	25.0	7.01	12040	--	--	--	--	--
	04/06/2017	NA	NA	--	--	--	26.3	7.06	11990	--	--	--	--	--
	05/04/2017	NA	NA	--	--	--	22.6	7.14	11710	--	--	--	--	--
	06/19/2017	NA	NA	--	--	--	27.7	7.2	11770	--	--	--	--	--
I-I	03/23/2017	NA	NA	--	--	--	22.9	7.39	9020	--	--	--	--	--
	04/05/2017	NA	NA	--	--	--	25.9	7.34	9020	--	--	--	--	--
	05/03/2017	NA	NA	--	--	--	26.2	7.51	8420	--	--	--	--	--
	06/14/2017	NA	NA	--	--	--	25.6	7.42	8760	--	--	--	--	--
I-J	03/23/2017	NA	NA	--	--	--	22.3	7.33	7430	--	--	--	--	--
	04/05/2017	NA	NA	--	--	--	26.1	7.31	7490	--	--	--	--	--
	05/03/2017	NA	NA	--	--	--	28.4	7.4	7060	--	--	--	--	--
	06/14/2017	NA	NA	--	--	--	25.0	7.37	7300	--	--	--	--	--
I-K	03/23/2017	NA	NA	--	--	--	22.7	7.38	7360	--	--	--	--	--
	04/05/2017	NA	NA	--	--	--	25.3	7.36	7390	--	--	--	--	--
	05/03/2017	NA	NA	--	--	--	29.3	7.34	7000	--	--	--	--	--

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
I-K	06/14/2017	NA	NA	--	--	--	24.4	7.38	7370	--	--	--	--	--
I-L	03/22/2017	NA	NA	--	--	--	24.7	7.16	6330	--	--	--	--	--
	04/11/2017	NA	NA	--	--	--	25.0	7.16	6650	--	--	--	--	--
	05/09/2017	NA	NA	--	--	--	24.4	7.4	6600	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	26.0	7.15	6540	--	--	--	--	--
I-M	03/22/2017	NA	NA	--	--	--	25.7	7.25	9020	--	--	--	--	--
	04/11/2017	NA	NA	--	--	--	24.7	7.31	8970	--	--	--	--	--
	05/09/2017	NA	NA	--	--	--	24.9	7.06	9070	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	26.5	7.27	8930	--	--	--	--	--
I-N	03/22/2017	NA	NA	--	--	--	24.8	7.17	8760	--	--	--	--	--
	04/06/2017	NA	NA	--	--	--	25.9	7.14	8670	--	--	--	--	--
	05/09/2017	NA	NA	--	--	--	25.8	7.32	8390	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	26.3	7.27	8370	--	--	--	--	--
I-O	03/22/2017	NA	NA	--	--	--	29.3	7.16	11380	--	--	--	--	--
	04/06/2017	NA	NA	--	--	--	30.6	7.17	11260	--	--	--	--	--
	05/04/2017	NA	NA	--	--	--	26.7	7.45	11270	--	--	--	--	--
	06/19/2017	NA	NA	--	--	--	29.5	7.18	11530	--	--	--	--	--
I-P	03/22/2017	NA	NA	--	--	--	25.5	7.13	11980	--	--	--	--	--
	04/06/2017	NA	NA	--	--	--	27.2	7.1	11860	--	--	--	--	--
	05/04/2017	NA	NA	--	--	--	22.6	7.28	11570	--	--	--	--	--
	06/19/2017	NA	NA	--	--	--	27.3	7.16	11870	--	--	--	--	--
I-Q	03/22/2017	NA	NA	--	--	--	24.8	6.98	12920	--	--	--	--	--
	04/06/2017	NA	NA	--	--	--	28.4	6.88	12960	--	--	--	--	--
	05/04/2017	NA	NA	--	--	--	25.4	7.03	12680	--	--	--	--	--
	06/19/2017	NA	NA	--	--	--	30.2	7.22	12580	--	--	--	--	--
I-R	03/22/2017	NA	NA	--	--	--	25.8	7.05	6720	--	--	--	--	--
	04/11/2017	NA	NA	--	--	--	25.7	7.03	6510	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	28.0	7.16	6700	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	26.0	7.18	6250	--	--	--	--	--
I-S	03/22/2017	NA	NA	--	--	--	24.4	7.22	6810	--	--	--	--	--
	04/11/2017	NA	NA	--	--	--	24.6	7.17	7130	--	--	--	--	--
	05/09/2017	NA	NA	--	--	--	23.1	7.21	7030	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	25.3	7.11	6830	--	--	--	--	--
I-T	03/22/2017	NA	NA	--	--	--	25.8	6.68	14080	--	--	--	--	--
	04/06/2017	NA	NA	--	--	--	28.6	6.65	14030	--	--	--	--	--
	05/04/2017	NA	NA	--	--	--	25.2	6.82	13810	--	--	--	--	--
	06/19/2017	NA	NA	--	--	--	28.8	6.88	14050	--	--	--	--	--
I-U	03/22/2017	NA	NA	--	--	--	24.8	6.94	13780	--	--	--	--	--

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
I-U	04/06/2017	NA	NA	--	--	--	28.0	6.91	13650	--	--	--	--	--
	05/04/2017	NA	NA	--	--	--	24.7	6.9	13480	--	--	--	--	--
	06/19/2017	NA	NA	--	--	--	27.2	6.97	13820	--	--	--	--	--
I-V	03/23/2017	NA	NA	--	--	--	22.5	7.37	11100	--	--	--	--	--
	04/05/2017	NA	NA	--	--	--	25.4	7.47	9040	--	--	--	--	--
	05/03/2017	NA	NA	--	--	--	27.3	7.35	10160	--	--	--	--	--
	06/14/2017	NA	NA	--	--	--	25.5	7.39	10690	--	--	--	--	--
I-W	03/22/2017	NA	NA	--	--	--	26.9	7.1	11590	--	--	--	--	--
	04/06/2017	NA	NA	--	--	--	28.2	7.04	11320	--	--	--	--	--
	05/04/2017	NA	NA	--	--	--	24.1	7.37	10840	--	--	--	--	--
	06/19/2017	NA	NA	--	--	--	27.5	7.18	11560	--	--	--	--	--
I-X	03/22/2017	NA	NA	--	--	--	25.1	7.06	10100	--	--	--	--	--
	04/06/2017	NA	NA	--	--	--	26.3	7.1	9950	--	--	--	--	--
	05/04/2017	NA	NA	--	--	--	25.5	7.0	9480	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	26.5	7.25	9370	--	--	--	--	--
I-Y	03/22/2017	NA	NA	--	--	--	24.4	7.13	7350	--	--	--	--	--
	04/11/2017	NA	NA	--	--	--	25.0	7.11	7310	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	24.8	6.81	7760	--	--	--	--	--
	06/20/2017	NA	NA	--	--	--	26.0	7.14	7170	--	--	--	--	--
I-Z	03/23/2017	NA	NA	--	--	--	22.6	7.42	8050	--	--	--	--	--
	04/05/2017	NA	NA	--	--	--	26.0	7.44	8040	--	--	--	--	--
	05/03/2017	NA	NA	--	--	--	26.8	7.37	7570	--	--	--	--	--
	06/14/2017	NA	NA	--	--	--	25.5	7.45	8030	--	--	--	--	--
LVW0.55	06/27/2017	NA	NA	--	--	--	22.1	7.57	1930	9.7	245.0	16.9	--	--
LVW3.5-1	06/27/2017	NA	NA	--	--	--	25.21	8.5	1780	5.91	253.0	30.0	--	--
LVW3.5-2	06/27/2017	NA	NA	--	--	--	25.42	9.36	1900	5.88	221.0	14.9	--	--
LVW3.5-3	06/27/2017	NA	NA	--	--	--	25.98	9.44	1860	5.89	218.0	17.4	--	--
LVW3.5-4	06/27/2017	NA	NA	--	--	--	26.17	9.39	1850	5.98	225.0	20.6	--	--
LVW3.5-5	06/27/2017	NA	NA	--	--	--	26.53	8.56	1830	5.99	261.0	33.7	--	--
LVW3.5-6	06/27/2017	NA	NA	--	--	--	27.75	8.91	1860	5.34	264.0	19.0	--	--
LVW4.2-1	06/28/2017	NA	NA	--	--	--	29.16	7.19	1560	7.68	306.0	75.1	--	--
LVW4.2-2	06/28/2017	NA	NA	--	--	--	29.6	8.01	1990	6.52	269.0	10.5	--	--
LVW4.2-3	06/28/2017	NA	NA	--	--	--	29.18	8.34	1970	5.43	251.0	17.3	--	--
LVW4.2-4	06/28/2017	NA	NA	--	--	--	28.35	8.54	1980	5.8	254.0	15.3	--	--
LVW5.3-1	06/29/2017	NA	NA	--	--	--	24.7	8.47	1910	5.51	224.0	14.7	--	--
LVW5.3-2	06/29/2017	NA	NA	--	--	--	24.6	8.6	1900	5.33	220.0	15.8	--	--
LVW5.3-3	06/29/2017	NA	NA	--	--	--	24.4	8.65	1910	5.6	212.0	13.5	--	--
LVW6.05	06/26/2017	NA	NA	--	--	--	26.7	5.66	1850	10.1	476.0	29.2	--	--

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
LVW6.6-1	06/28/2017	NA	NA	--	--	--	28.24	8.59	2030	6.46	200.0	24.9	--	--
LVW6.6-2	06/28/2017	NA	NA	--	--	--	25.61	8.57	1650	6.35	225.0	24.6	--	--
LVW6.6-3	06/28/2017	NA	NA	--	--	--	25.89	8.63	1640	6.34	226.0	20.0	--	--
LVW7.2	06/28/2017	NA	NA	--	--	--	27.1	8.34	903	7.92	256.0	177.0	--	--
M-2A	05/11/2017	12:30	13:16	40.69	330.0	15.0	28.37	7.27	7990	4.0	212.0	4.4	Cloudy	N
M-5A	05/10/2017	06:22	06:44	44.78	330.0	7.0	21.95	6.9	18900	0.0	14.0	6.6	Clear	N
M-6A	05/10/2017	10:05	10:32	41.8	300.0	7.0	26.92	7.56	12400	0.25	152.0	27.0	Clear	N
M-7B	05/10/2017	06:40	07:18	43.3	300.0	12.0	25.38	7.94	12600	6.71	234.0	158.0	Cloudy	N
M-10	11/22/2016	07:00	07:34	59.19	330.0	7.0	22.26	7.67	3190	1.29	-195.9	17.4	Clear	N
	02/08/2017	12:50	13:13	56.69	200.0	4.4	22.84	7.9	2950	0.0	-211.0	10.8	Clear	N
	05/15/2017	10:18	10:41	59.77	195.0	3.3	23.18	7.47	3720	0.0	-248.0	24.9	Red	N
M-11	11/21/2016	11:55	12:22	46.52	300.0	3.0	25.19	7.18	3092	2.29	174.0	46.54	Brown	N
	02/07/2017	11:40	11:51	46.31	200.0	3.0	24.58	7.79	3890	4.84	167.0	61.8	Clear	N
	05/15/2017	13:32	13:48	49.25	180.0	2.1	26.52	7.82	5000	3.13	125.0	58.9	Red	N
M-12A	11/22/2016	11:04	11:30	46.29	270.0	6.5	23.59	8.13	6677	4.92	118.7	2.53	Yellowish	N
	02/07/2017	14:01	14:29	45.56	200.0	4.8	23.6	8.41	7280	4.16	189.0	15.9	Clear	N
	05/15/2017	11:55	12:17	45.39	230.0	3.9	25.85	8.27	7440	3.82	107.0	17.2	Yellow	N
M-13	05/12/2017	07:03	07:26	46.7	100.0	1.5	23.22	8.07	5020	3.38	134.0	8.2	Clear	N
M-14A	11/17/2016	07:07	07:43	37.2	300.0	11.0	23.82	7.39	3759	5.93	193.6	6.06	Clear	N
	05/09/2017	11:04	11:51	36.24	105.0	4.5	25.13	7.74	4220	4.71	172.0	19.7	Clear	N
M-19	11/18/2016	10:55	11:28	38.26	330.0	7.0	24.51	7.43	5391	1.06	-98.2	0.34	Clear	N
	05/10/2017	13:47	14:15	35.89	60.0	1.2	26.65	8.63	5970	1.48	179.0	0.0	Clear	N
M-22A	11/17/2016	11:45	12:14	34.0	240.0	8.0	24.75	7.21	10980	0.33	197.7	0.64	Light yellow	N
	05/10/2017	07:42	08:04	33.35	105.0	1.5	21.92	7.4	12000	0.19	163.0	0.0	Light yellow	N
M-23	11/22/2016	13:25	13:50	37.9	110.0	2.0	23.67	7.39	4368	3.69	67.9	1.26	Clear	N
	05/08/2017	13:15	13:31	37.76	330.0	5.0	26.01	7.75	4860	0.0	222.0	0.0	Clear	N
M-25	11/17/2016	09:57	10:27	38.0	120.0	4.0	22.95	7.26	7581	0.61	205.3	0.79	Light yellow	N
	05/09/2017	11:05	11:24	36.45	330.0	6.0	26.34	6.35	8690	0.0	219.0	0.0	Clear	N
M-31A	11/30/2016	09:30	09:58	49.37	240.0	4.7	23.6	7.54	1258	6.11	172.5	25.3	Clear	N
	05/11/2017	08:10	08:39	49.31	90.0	2.0	19.42	7.69	1120	11.33	406.0	52.2	Tan	N
M-32	05/12/2017	11:43	12:18	46.1	230.0	7.0	26.78	7.36	783	7.31	198.0	48.6	Slightly cloudy	N
M-33	05/12/2017	13:22	13:59	46.36	220.0	8.0	31.35	7.23	5760	2.39	178.0	14.3	Slightly cloudy	N
M-35	11/18/2016	12:18	12:45	36.25	360.0	7.0	25.01	7.3	5640	1.64	107.2	0.81	Yellow	N
	05/11/2017	10:40	10:55	35.83	270.0	2.25	25.34	7.53	5110	2.86	119.0	0.0	Light yellow	N
M-37	11/22/2016	06:08	06:41	33.7	180.0	6.0	24.08	7.11	6512	5.09	197.6	1.24	Clear	N
	02/07/2017	14:22	15:03	31.95	150.0	6.5	25.08	6.7	6070	0.0	68.0	4.8	Clear	N
	05/09/2017	13:00	13:25	33.13	330.0	8.0	26.34	6.02	6540	0.0	175.0	0.0	Clear	N
M-38	11/17/2016	07:24	08:05	34.31	360.0	9.0	22.43	7.37	8073	5.9	-113.0	0.22	Light yellow	N

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
M-38	02/08/2017	10:29	11:03	32.8	150.0	5.9	23.14	7.17	10100	0.0	204.0	0.5	Yellow-clear	N
	05/10/2017	13:10	13:34	33.93	135.0	2.75	24.45	7.33	9840	1.36	149.0	0.0	Light yellow	N
M-44	02/07/2017	12:05	12:30	30.59	180.0	4.75	23.9	7.15	10500	0.0	72.0	8.0	Clear	N
	05/04/2017	12:31	12:48	31.83	180.0	3.4	26.91	7.64	10800	0.0	12.0	0.0	Clear	N
M-48A	11/22/2016	10:52	11:32	34.98	120.0	4.0	26.02	7.3	5617	2.22	83.9	2.37	Light yellow	N
	05/08/2017	10:30	10:53	35.2	300.0	6.75	29.01	7.6	6870	2.36	201.0	0.0	Clears/light Yellow	N
M-52	11/22/2016	11:30	11:48	44.08	330.0	3.0	24.83	7.45	5052	5.27	185.8	2.6	Clear	N
	05/11/2017	07:03	07:21	43.94	90.0	1.0	19.21	7.47	7470	8.24	379.0	0.0	Clear	N
M-57A	11/18/2016	06:30	07:12	35.3	240.0	12.0	23.57	7.57	4183	5.5	178.0	6.43	Clear	N
	05/09/2017	12:46	13:30	34.5	300.0	12.0	24.84	7.62	4460	4.65	176.0	5.6	Clear	N
M-64	11/17/2016	14:00	14:25	32.49	80.0	2.4	24.99	7.42	7136	2.4	136.3	6.41	Yellow	N
	05/10/2017	06:27	06:45	31.79	75.0	1.2	14.89	7.08	8720	1.8	191.0	20.1	Clear with a tint of yellow	N
M-65	11/17/2016	12:45	13:10	36.4	330.0	5.0	24.96	7.24	10840	0.6	136.0	1.52	Yellow	N
	05/10/2017	07:47	08:17	36.17	120.0	3.0	20.15	7.14	11900	0.82	181.0	1.8	Light yellow	N
M-66	11/17/2016	11:12	11:40	35.31	330.0	6.9	25.23	7.14	11220	0.29	107.7	0.19	Light yellow	N
	05/10/2017	09:04	09:24	35.07	150.0	2.3	21.64	8.01	11800	1.57	196.0	0.0	Light yellow	N
M-67	11/18/2016	11:40	12:22	31.05	180.0	7.38	25.44	8.95	5789	0.66	44.9	0.49	Clear	N
	05/10/2017	13:07	13:29	30.95	330.0	7.0	26.43	7.36	6980	0.0	207.0	0.0	Yellow	N
M-68	11/18/2016	09:34	10:03	34.75	330.0	6.0	24.16	7.68	6565	6.57	-56.8	0.05	Clear	N
	05/10/2017	11:58	12:18	34.0	330.0	6.0	26.13	7.37	7460	0.0	204.0	0.0	Clear	N
M-69	11/17/2016	15:50	16:18	37.14	210.0	4.0	24.22	7.49	4416	1.45	193.4	3.46	Clear	N
	05/10/2017	12:06	12:28	36.72	110.0	2.0	26.77	7.53	4600	3.38	158.0	49.1	Clear	N
M-70	11/18/2016	10:15	10:54	39.3	100.0	6.5	22.77	7.29	8623	0.65	182.4	0.45	Light yellow	N
	05/10/2017	08:55	09:25	38.57	195.0	6.5	24.62	7.31	10100	0.0	189.0	0.0	Slight Yellow	N
M-71	11/17/2016	15:34	16:03	39.97	110.0	3.6	23.15	7.36	7575	3.97	141.6	0.94	Yellow	N
	05/10/2017	10:52	11:28	39.71	180.0	6.25	25.33	7.06	10200	0.11	201.0	0.0	Clear with yellow-green hue	N
M-72	11/18/2016	08:15	08:40	34.9	60.0	2.2	21.87	7.1	10730	3.92	193.1	2.28	Yellow	N
	05/10/2017	10:20	10:51	34.31	60.0	1.5	22.95	8.1	12100	2.2	202.0	0.7	Light yellow	N
M-73	11/18/2016	09:25	10:13	33.04	210.0	9.87	24.74	10.61	8068	3.71	83.0	0.6	Clear	N
	05/10/2017	08:12	08:32	33.46	330.0	6.0	23.68	7.45	9390	0.28	204.0	0.0	Yellow	N
M-74	11/18/2016	08:26	08:50	35.28	180.0	2.6	20.94	7.6	6291	3.07	-138.4	2.59	Clear	N
	05/10/2017	10:35	10:55	34.9	330.0	6.0	25.57	7.42	7350	0.0	208.0	0.0	Clear	N
M-75	05/12/2017	07:16	07:40	46.55	300.0	7.0	27.66	7.93	5900	5.15	215.0	0.0	Slightly yellow	N
M-76	05/11/2017	10:45	11:04	45.49	180.0	3.0	27.71	7.55	5880	7.33	174.0	1.4	Clear	N
M-77	05/12/2017	09:05	09:32	43.22	280.0	9.0	27.31	7.27	3840	0.0	205.0	74.0	Slightly cloudy	N
M-79	11/17/2016	15:35	16:03	33.42	120.0	4.5	22.17	7.38	4933	0.4	187.6	1.01	Clear	N
	05/09/2017	06:22	06:45	33.0	90.0	1.25	20.62	7.53	5420	0.03	188.0	0.0	Clear	N
M-80	11/18/2016	07:10	08:02	40.02	150.0	8.1	21.07	12.32	4901	0.38	81.6	0.61	Clear	N

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
M-80	02/08/2017	09:20	09:54	38.77	200.0	4.3	22.61	7.56	5530	0.0	195.0	0.0	Clear	N
	05/11/2017	13:43	14:13	40.74	180.0	6.75	26.72	7.54	7040	0.0	153.0	0.0	Slightly yellow	N
M-81A	11/18/2016	07:10	07:36	38.75	270.0	5.75	23.1	7.64	5174	0.57	174.2	3.63	Clear	N
	05/11/2017	11:57	12:22	38.63	150.0	3.75	28.55	7.35	6300	0.0	168.0	0.0	Slightly green	N
M-83	11/21/2016	15:34	16:13	37.53	330.0	11.0	23.4	7.26	5925	0.44	173.8	0.9	Clear	N
	05/11/2017	12:48	13:18	37.35	105.0	1.9	25.97	8.9	8050	0.87	332.0	0.0	Clear	N
M-92	05/10/2017	06:30	07:01	42.67	180.0	4.0	22.72	7.71	3230	6.45	211.0	7.7	Clear	N
M-93	05/19/2017	11:00	12:07	39.55	180.0	3.7	21.74	7.45	3440	8.1	197.0	1.2	Clear	N
M-97	05/11/2017	07:40	07:59	42.98	120.0	2.0	22.94	7.53	6960	3.62	195.0	0.0	Clear	N
M-103	05/11/2017	13:02	13:25	--	175.0	2.75	29.89	8.12	2620	6.47	227.0	0.0	Clear	N
M-115	05/11/2017	08:10	08:35	43.18	330.0	8.0	25.17	7.61	3320	6.51	176.0	67.9	Cloudy	N
M-117	05/11/2017	12:06	12:35	140.0	300.0	6.5	28.17	8.39	1240	5.91	203.0	0.8	Clear	N
M-118	05/11/2017	10:20	10:57	148.0	250.0	9.0	28.63	8.33	1260	2.66	201.0	83.6	Slightly cloudy	N
M-120	05/11/2017	11:18	11:39	90.0	300.0	10.75	26.01	7.79	2860	0.7	226.0	0.5	Clear	N
M-121	05/11/2017	09:23	09:46	87.0	375.0	9.25	27.32	7.57	6170	3.96	211.0	0.0	Clear	N
M-123	05/12/2017	06:21	06:40	46.37	330.0	6.0	25.33	7.33	17100	--	143.0	22.7	Clear	Y
M-124	05/11/2017	06:28	06:55	44.32	330.0	9.0	24.63	7.63	3960	8.9	176.0	19.3	Clear	N
M-125	05/09/2017	06:48	07:19	45.32	250.0	7.5	23.97	6.98	19400	2.76	196.0	36.0	Mostly clear	N
M-126	05/10/2017	06:22	06:47	37.15	90.0	2.25	20.44	7.22	20200	0.54	110.0	32.5	Light brown	N
M-129	05/15/2017	08:47	09:03	--	160.0	2.5	23.42	7.43	7810	0.0	168.0	0.0	Clear	N
M-132	05/11/2017	12:29	12:42	87.59	120.0	1.4	27.81	8.03	2330	1.73	74.0	0.0	Clear	N
M-133	05/10/2017	09:20	09:57	67.39	240.0	6.75	25.22	7.45	7270	1.57	227.0	103.0	Yellow	N
M-134	05/10/2017	09:00	09:26	67.46	100.0	2.0	24.35	7.91	3640	10.52	170.0	3.7	Clear	N
M-135	11/21/2016	12:57	13:32	37.66	110.0	3.0	23.41	7.43	4405	4.47	165.3	5.45	Clear	N
	05/10/2017	06:54	07:18	37.15	160.0	5.25	23.83	7.57	5080	4.07	219.0	0.0	Clear	N
M-136	05/04/2017	14:35	14:46	87.48	180.0	2.3	28.67	7.93	1690	0.45	88.0	0.0	Clear	N
M-137	05/11/2017	07:35	08:07	65.66	220.0	8.25	24.94	7.46	3680	6.98	176.0	108.0	Slightly cloudy	N
M-138	05/11/2017	09:34	10:11	60.09	195.0	7.0	26.3	7.5	3520	4.05	165.0	129.0	Slightly cloudy	N
M-139	05/12/2017	07:21	08:05	52.22	135.0	5.0	23.02	7.48	4180	5.56	220.0	2.1	Clear	N
M-140	05/11/2017	13:35	13:39	--	--	--	--	--	--	--	--	--	Clear	N
M-141	05/12/2017	07:13	07:39	44.32	260.0	6.0	24.6	7.01	7740	0.0	229.0	13.1	Slightly yellow/green	N
M-142	05/11/2017	09:28	09:59	36.96	330.0	10.0	26.2	7.56	3740	8.71	178.0	37.3	Cloudy	N
M-144	05/11/2017	11:29	11:46	40.98	90.0	1.0	26.48	9.01	7400	7.75	349.0	4.8	Clear	N
M-145	05/11/2017	11:36	11:46	51.98	105.0	1.2	27.74	7.62	4050	3.41	-32.0	61.2	Gray	N
M-147	05/10/2017	12:17	12:53	36.57	180.0	3.0	22.53	8.78	5290	4.5	177.0	6.7	Clear	N
M-148A	05/12/2017	08:33	08:53	48.98	100.0	2.0	25.5	7.59	7000	4.67	151.0	0.0	Clear	N
M-149	05/12/2017	10:50	11:12	110.0	140.0	2.5	26.02	6.17	2890	4.08	209.0	0.0	Clear	N
M-150	05/10/2017	12:51	13:18	137.5	320.0	7.8	25.12	7.09	622	3.73	113.0	0.0	Clear	N

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
M-151	05/12/2017	12:12	12:37	137.5	375.0	10.5	27.7	7.98	930	0.0	68.0	0.0	Clear	N
M-152	05/05/2017	12:05	12:27	135.0	320.0	5.2	26.26	7.55	657	0.0	115.0	0.0	Clear	N
M-153	05/12/2017	11:56	12:11	160.0	275.0	3.5	24.29	7.24	1020	0.56	183.0	0.0	Light brown	N
M-154	05/10/2017	11:55	12:29	187.0	300.0	11.1	25.73	7.48	661	2.19	43.0	0.0	Clear	N
M-156	05/05/2017	12:44	13:05	185.0	320.0	6.2	25.91	7.54	648	3.94	31.0	0.0	Clear	N
M-161	05/10/2017	06:42	07:13	107.0	320.0	9.8	23.7	7.18	682	4.92	184.0	0.0	Clear	N
M-161D	11/18/2016	12:20	13:00	137.04	100.0	2.0	18.82	8.36	878	2.1	143.4	0.73	Clear	N
	05/11/2017	09:22	09:33	137.04	300.0	2.0	24.68	8.23	707	0.41	177.0	0.0	Clear	N
M-162	05/10/2017	13:48	14:09	107.0	350.0	7.1	25.01	7.57	1060	0.0	168.0	0.0	Clear	N
M-162D	11/22/2016	07:45	08:30	136.8	90.0	2.5	20.74	8.03	752	0.68	119.1	0.42	Clear	N
	05/11/2017	10:25	10:37	136.77	330.0	2.3	24.88	8.14	646	0.16	152.0	0.0	Clear	N
M-163	05/11/2017	08:14	08:39	85.0	250.0	5.7	24.35	8.25	694	1.39	192.0	0.0	Clear	N
M-164	05/10/2017	13:32	14:05	64.0	260.0	6.75	26.31	6.97	6360	0.55	170.0	0.0	Clear with yellow-green hue	N
M-165	05/11/2017	13:23	13:42	114.0	300.0	4.2	25.46	7.8	620	0.0	164.0	0.0	Clear	N
M-181	05/12/2017	10:56	11:15	112.0	375.0	6.0	29.73	8.35	905	0.0	198.0	0.0	Clear	N
M-182	06/27/2017	10:52	11:13	87.0	90.0	2.9	32.23	7.58	14900	6.0	100.0	3.2	Clear with a tint of yellow	N
M-186	05/12/2017	08:33	08:54	112.0	425.0	7.5	29.05	7.21	13300	0.18	254.0	0.0	Slightly yellow	N
M-186D	11/22/2016	12:59	14:10	165.8	80.0	4.0	25.91	7.95	768	0.85	119.5	1.17	Clear	N
	05/12/2017	09:36	09:54	165.65	375.0	5.0	30.81	8.18	1000	0.0	199.0	0.0	Clear	N
M-189	11/17/2016	13:05	13:56	41.5	270.0	15.0	25.06	7.8	3349	3.69	153.5	6.54	Clear	N
	05/12/2017	11:38	12:11	41.76	135.0	3.1	26.12	9.1	4860	5.12	194.0	26.0	Clear	N
M-190	11/22/2016	09:48	10:34	42.44	360.0	13.8	25.68	7.54	2400	5.15	21.5	11.64	Clear	N
	05/12/2017	09:27	10:28	42.2	120.0	6.2	25.18	8.98	3260	6.94	199.0	6.1	Clear	N
M-191	11/22/2016	16:42	17:05	43.62	300.0	4.5	25.02	7.65	6391	2.43	143.7	12.0	Yellow	N
	05/12/2017	07:57	08:19	43.22	330.0	7.0	26.86	7.64	9590	0.0	124.0	52.3	Yellow	N
M-192	11/17/2016	13:25	13:47	42.95	180.0	3.6	25.28	7.6	3220	4.63	103.7	3.56	Clear	N
	05/11/2017	09:40	10:27	43.31	75.0	3.0	24.75	8.9	11400	3.1	335.0	9.2	Light yellow	N
M-193	11/17/2016	15:45	16:10	43.7	150.0	3.6	25.25	7.54	2639	4.96	39.2	16.2	Clear	N
	05/12/2017	10:08	10:51	43.89	330.0	14.0	28.22	7.46	3800	5.44	133.0	8.1	Cloudy	N
MC-3	05/09/2017	07:04	08:00	40.3	120.0	5.5	20.29	7.15	33700	0.73	-117.0	3.6	Clear	Y
MC-6	05/09/2017	11:48	12:18	34.23	250.0	8.0	26.31	6.95	24000	0.0	-109.0	0.0	Mostly clear	N
MC-7	05/09/2017	13:41	14:05	36.1	230.0	5.25	26.76	6.74	12100	0.0	-89.0	0.0	Clear	N
MC-50	05/08/2017	13:15	13:40	39.9	300.0	7.75	28.89	7.32	24900	0.32	70.0	0.0	Clear	N
MC-51	05/09/2017	09:04	09:37	38.63	150.0	4.5	21.15	7.04	27400	3.15	48.0	3.6	Clear	N
MC-53	05/09/2017	11:05	11:34	36.53	210.0	5.6	22.7	7.23	23500	1.02	9.0	7.4	Clear	N
MC-65	05/08/2017	13:25	13:49	38.67	210.0	5.25	25.84	7.3	42400	5.1	192.0	24.3	Clear	N
MC-69	05/08/2017	13:08	13:28	38.84	240.0	4.2	23.53	7.55	23200	0.98	-107.0	2.7	Clear	N
MC-93	05/09/2017	12:33	12:59	38.07	150.0	3.7	22.98	7.51	14300	0.77	114.0	1.3	Clear	N

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
MC-97	05/08/2017	11:55	12:11	39.36	330.0	5.0	26.05	7.33	21800	0.0	220.0	0.0	Clear	N
MW-16	05/09/2017	06:20	06:39	38.57	330.0	6.0	24.87	6.16	16400	0.0	202.0	1.2	Clear	N
MW-K4	11/15/2016	11:55	12:45	36.51	300.0	12.0	26.47	7.5	10350	0.58	119.2	10.11	Clear	N
	05/04/2017	09:44	10:07	37.78	360.0	8.0	24.65	7.55	8650	0.75	222.0	11.8	Clear	N
MW-K5	11/15/2016	09:05	09:44	39.1	300.0	11.5	24.84	7.06	8258	1.41	199.0	5.63	Clear	N
	05/04/2017	08:32	08:52	35.7	210.0	4.0	23.74	7.17	8780	0.0	168.0	0.0	Clear	N
PC-2	05/04/2017	06:38	07:00	30.615	330.0	7.0	24.22	7.96	4740	6.24	225.0	0.0	Clear	N
PC-4	05/04/2017	08:19	08:39	38.22	360.0	6.0	23.55	7.67	8380	5.11	192.0	54.7	Clear	N
PC-18	11/15/2016	13:59	14:16	37.86	210.0	3.36	25.6	6.9	13900	0.76	72.7	8.55	Clear	N
	05/04/2017	11:26	11:48	39.1	180.0	2.5	28.18	7.15	15700	0.18	163.0	0.0	Clear	N
PC-21A	05/08/2017	11:55	12:26	34.05	180.0	5.0	27.73	7.24	12900	4.62	121.0	0.0	Clear	N
PC-24	05/05/2017	09:40	10:02	25.13	330.0	6.0	24.1	7.78	3970	4.99	256.0	0.0	Clear	N
PC-28	05/08/2017	08:57	09:35	16.3	225.0	8.0	23.43	7.62	12600	4.05	168.0	6.3	Clear	N
PC-31	05/08/2017	07:47	08:16	30.42	240.0	5.5	23.32	7.29	13500	1.34	182.0	0.0	Light brown	N
PC-37	11/21/2016	09:17	09:46	37.2	110.0	4.0	22.93	7.16	9024	2.47	212.2	2.37	Clear	N
	05/08/2017	09:27	09:43	37.2	330.0	5.0	25.46	7.7	9470	0.0	233.0	0.0	Clear	N
PC-40	05/09/2017	12:30	13:05	40.25	300.0	11.25	28.85	7.02	26100	0.0	42.0	38.8	Clear	N
PC-50	06/16/2017	07:57	08:22	25.43	300.0	7.0	27.48	7.21	15300	0.36	233.0	5.7	Clear	N
PC-53	11/15/2016	08:06	08:30	30.58	360.0	4.5	25.04	7.18	7237	5.65	226.4	4.1	Clear	N
	05/03/2017	14:10	13:28	30.26	90.0	0.9	23.42	8.33	5760	3.39	194.0	4.9	Clear	N
PC-54	11/17/2016	08:10	08:43	29.85	240.0	7.68	25.57	7.33	4747	0.21	45.8	4.27	Clear	N
	05/08/2017	09:22	09:39	30.04	300.0	5.0	28.6	7.38	6570	0.0	200.0	4.3	Clear	N
PC-55	11/15/2016	15:45	15:57	40.96	270.0	2.97	24.32	7.26	7177	3.99	62.0	0.96	Clear	N
	05/04/2017	11:28	11:46	41.3	400.0	6.0	29.58	7.48	15200	5.15	219.0	0.0	Clear	Y
PC-56	11/14/2016	10:37	11:05	38.8	270.0	2.5	23.89	7.08	6199	1.18	60.2	5.83	Clear	N
	05/03/2017	14:02	14:53	39.09	270.0	14.4	26.43	7.56	5600	0.0	100.0	18.1	Clear	N
PC-58	11/14/2016	08:20	09:00	27.92	240.0	3.0	22.87	7.3	4345	0.36	11.6	4.81	Clear	N
	05/03/2017	11:44	11:58	28.07	280.0	4.2	24.89	7.7	4350	0.0	63.0	0.0	Clear	N
PC-59	11/14/2016	13:00	13:42	27.78	360.0	10.5	23.8	7.33	3330	4.8	197.7	24.1	Clear	N
	05/03/2017	07:50	08:20	27.93	240.0	6.7	20.4	7.3	3740	0.27	140.0	29.5	Clear	N
PC-60	11/14/2016	10:35	11:13	29.8	360.0	11.2	23.55	7.25	3322	5.89	193.3	19.9	Clear	N
	05/03/2017	09:51	10:26	30.02	210.0	7.0	20.25	7.36	3410	0.24	163.0	6.3	Clear	N
PC-62	11/14/2016	12:58	13:30	28.37	270.0	7.4	22.13	7.15	2644	0.17	2.8	6.58	Clear	N
	05/02/2017	13:41	14:07	28.57	330.0	7.0	19.58	7.38	2980	5.5	94.0	0.0	Clear	N
PC-64	05/08/2017	09:49	10:29	15.08	180.0	9.2	20.75	5.44	7550	4.6	174.0	7.6	Clear	N
PC-65	05/08/2017	09:30	10:06	15.1	270.0	8.75	24.54	7.79	6580	0.28	142.0	0.0	Clear	N
PC-66	05/05/2017	06:35	06:57	20.88	400.0	5.0	27.35	7.65	6890	0.0	200.0	0.0	Clear	N
PC-67	05/08/2017	10:20	10:50	23.53	315.0	5.5	24.31	7.51	30500	1.77	167.0	69.9	Clear	N

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
PC-71	11/17/2016	07:20	07:45	30.0	300.0	2.0	23.84	7.77	8051	1.58	164.2	2.81	Clear	N
	05/08/2017	07:00	07:17	30.03	210.0	3.0	23.88	7.83	8570	0.0	232.0	8.1	Clear	N
PC-72	11/17/2016	08:40	09:07	34.86	330.0	6.0	24.78	7.61	8353	1.81	143.7	0.81	Clear	N
	05/08/2017	08:17	08:35	34.74	300.0	5.0	23.62	7.87	8930	0.97	232.0	0.0	Clear	N
PC-73	11/21/2016	10:40	11:08	39.9	110.0	3.5	22.48	7.24	8884	3.06	192.4	0.56	Clear	N
	05/08/2017	10:32	10:48	39.55	330.0	5.0	26.13	7.7	9330	0.0	237.0	1.6	Clear	N
PC-74	05/03/2017	13:55	14:29	44.5	300.0	9.0	24.27	7.32	4350	0.0	177.0	4.4	Clear	N
PC-77	05/03/2017	09:58	10:25	34.75	250.0	5.0	27.5	7.34	4670	0.0	181.0	5.5	Clear	N
PC-79	05/02/2017	13:48	14:02	41.31	330.0	3.8	25.98	6.98	2750	0.0	-180.0	0.0	Clear	N
PC-82	05/02/2017	14:46	15:09	59.0	300.0	5.25	24.27	7.53	3010	6.13	-41.0	21.3	Cloudy	N
PC-86	11/14/2016	15:30	15:59	24.49	300.0	6.8	22.12	7.19	2640	0.22	-5.8	8.65	Clear	N
	05/03/2017	10:18	10:43	23.49	210.0	3.75	23.7	7.28	2420	0.16	129.0	9.6	Clear	N
PC-90	11/15/2016	09:17	09:40	9.37	240.0	4.8	25.12	6.97	4468	0.99	95.8	1.76	Clear	N
	05/03/2017	10:15	10:45	10.44	350.0	8.0	23.87	8.15	4440	4.41	103.0	0.0	Clear	N
PC-91	11/14/2016	10:35	11:10	16.45	240.0	9.0	24.59	7.04	3559	1.49	163.1	1.85	Clear	N
	05/03/2017	07:19	07:50	16.44	350.0	9.5	23.42	7.5	3710	2.24	185.0	0.0	Clear	N
PC-94	11/14/2016	10:25	11:00	15.4	250.0	7.0	23.93	6.97	7688	2.32	194.2	9.77	Clear	N
	05/03/2017	08:58	09:26	15.89	350.0	9.0	25.75	7.66	6980	5.09	158.0	74.8	Slightly Cloudy	N
PC-96	05/03/2017	08:50	09:18	32.88	150.0	3.8	22.51	7.32	3070	0.0	174.0	48.6	Clear	N
PC-97	11/14/2016	10:40	11:37	27.38	210.0	11.76	20.64	6.84	2901	5.0	13.0	16.45	Clear	N
	05/02/2017	13:02	13:43	27.75	375.0	12.5	23.65	7.59	3050	1.3	123.0	87.5	Cloudy	N
PC-98R	11/15/2016	07:40	08:10	28.4	270.0	4.0	24.54	7.73	6590	4.18	94.1	7.45	Clear	N
	05/04/2017	07:06	07:39	27.5	225.0	6.5	23.13	7.23	7370	6.24	189.0	0.0	Clear	N
PC-99R2/R3	03/20/2017	NA	NA	--	--	--	26.1	7.27	5250	--	--	--	--	--
	04/12/2017	NA	NA	--	--	--	24.1	7.38	5770	--	--	--	--	--
	05/11/2017	NA	NA	--	--	--	26.9	7.39	6050	--	--	--	--	--
	06/13/2017	NA	NA	--	--	--	25.3	7.29	6050	--	--	--	--	--
PC-101R	11/15/2016	13:20	13:55	34.7	330.0	10.0	24.92	7.21	10290	2.59	194.0	0.93	Clear	N
	05/08/2017	07:59	08:18	40.62	150.0	2.5	20.76	5.8	7710	7.24	218.0	0.2	Clear	N
PC-103	11/15/2016	07:40	08:03	26.35	300.0	5.0	23.56	7.1	7203	0.23	211.8	0.46	Clear	N
	05/03/2017	13:32	13:59	25.92	225.0	4.75	25.52	7.27	3240	2.16	161.0	3.3	Clear	N
PC-107	05/08/2017	07:22	07:40	11.12	300.0	4.0	24.11	7.12	6830	0.0	244.0	0.0	Clear	N
PC-108	05/03/2017	12:16	12:43	27.94	135.0	3.4	17.91	7.38	2870	10.41	132.0	0.6	Clear	N
PC-110	05/03/2017	11:54	12:25	26.0	270.0	7.0	28.02	7.2	4870	2.71	168.0	12.4	Clear	N
PC-115R	03/20/2017	NA	NA	--	--	--	24.8	7.29	4830	--	--	--	--	--
	04/12/2017	NA	NA	--	--	--	23.6	7.36	5020	--	--	--	--	--
	05/11/2017	NA	NA	--	--	--	25.7	7.28	5200	--	--	--	--	--
	06/13/2017	NA	NA	--	--	--	24.6	7.26	5050	--	--	--	--	--

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
PC-116R	03/20/2017	NA	NA	--	--	--	24.8	7.28	5190	--	--	--	--	--
	04/12/2017	NA	NA	--	--	--	23.1	7.38	5480	--	--	--	--	--
	05/11/2017	NA	NA	--	--	--	26.3	7.29	5970	--	--	--	--	--
	06/13/2017	NA	NA	--	--	--	24.8	7.07	5870	--	--	--	--	--
PC-117	03/20/2017	NA	NA	--	--	--	23.8	7.34	4190	--	--	--	--	--
	04/12/2017	NA	NA	--	--	--	22.4	7.36	4090	--	--	--	--	--
	05/11/2017	NA	NA	--	--	--	23.3	7.35	4370	--	--	--	--	--
	06/13/2017	NA	NA	--	--	--	25.3	7.29	4570	--	--	--	--	--
PC-118	03/20/2017	NA	NA	--	--	--	24.6	7.35	4240	--	--	--	--	--
	04/12/2017	NA	NA	--	--	--	23.1	7.41	4230	--	--	--	--	--
	05/11/2017	NA	NA	--	--	--	25.1	7.35	4330	--	--	--	--	--
	06/13/2017	NA	NA	--	--	--	23.9	7.2	4030	--	--	--	--	--
PC-119	03/20/2017	NA	NA	--	--	--	23.6	7.31	3500	--	--	--	--	--
	04/12/2017	NA	NA	--	--	--	22.4	7.43	2810	--	--	--	--	--
	05/11/2017	NA	NA	--	--	--	24.3	7.34	3400	--	--	--	--	--
	06/13/2017	NA	NA	--	--	--	23.6	7.36	3170	--	--	--	--	--
PC-120	03/25/2017	NA	NA	--	--	--	23.8	7.41	2900	--	--	--	--	--
	04/12/2017	NA	NA	--	--	--	21.9	7.24	2750	--	--	--	--	--
	05/11/2017	NA	NA	--	--	--	23.6	7.33	2880	--	--	--	--	--
	06/13/2017	NA	NA	--	--	--	23.0	7.25	2780	--	--	--	--	--
PC-121	03/20/2017	NA	NA	--	--	--	23.5	7.38	2860	--	--	--	--	--
	05/11/2017	NA	NA	--	--	--	23.2	7.41	2900	--	--	--	--	--
	06/13/2017	NA	NA	--	--	--	24.7	7.26	2800	--	--	--	--	--
PC-122	11/16/2016	16:00	16:20	34.82	300.0	3.5	24.33	7.77	8786	3.66	106.7	1.03	Clear	N
	05/04/2017	08:30	08:55	35.54	400.0	7.25	27.32	7.17	21900	3.68	234.0	0.4	Clear	N
PC-123	11/16/2016	07:55	08:28	28.82	210.0	6.51	25.41	7.22	6888	2.72	151.2	1.68	Clear	N
	05/05/2017	07:00	07:24	28.94	330.0	7.3	23.65	6.87	7560	2.17	160.0	0.0	Clear	N
PC-124	11/16/2016	09:50	10:10	30.47	360.0	3.2	25.09	7.2	10060	3.55	194.9	8.05	Clear	N
	05/05/2017	08:12	08:33	30.14	210.0	3.6	24.9	6.9	11500	1.89	122.0	0.0	Clear	N
PC-125	11/16/2016	10:30	11:05	28.38	330.0	9.0	25.57	7.8	8699	3.02	11.3	3.71	Clear	N
	05/05/2017	09:32	09:53	28.55	320.0	5.8	25.67	6.97	9370	4.9	115.0	0.0	Clear	N
PC-126	11/16/2016	11:10	11:50	28.16	330.0	9.7	24.96	7.15	11640	5.41	196.7	39.5	Clear	N
	05/05/2017	08:00	08:25	28.4	150.0	1.75	25.16	7.57	13400	2.32	221.0	15.1	Clear	N
PC-127	11/16/2016	10:14	10:44	26.73	210.0	6.09	25.47	7.25	6461	2.65	86.4	6.26	Clear	N
	05/05/2017	10:30	11:29	26.87	210.0	11.75	25.77	7.44	7230	3.53	137.0	8.9	Light brown	N
PC-128	11/16/2016	12:05	12:40	26.55	270.0	10.0	26.76	8.03	6331	3.35	89.9	5.92	Clear	N
	05/05/2017	07:50	08:12	26.7	400.0	6.25	28.6	7.56	7060	1.0	231.0	0.0	Clear	N
PC-129	11/17/2016	10:05	10:42	27.34	240.0	8.88	24.3	7.28	5890	0.74	49.3	6.27	Clear	N

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
PC-129	05/05/2017	08:48	09:37	27.75	400.0	13.75	28.4	7.55	7760	0.99	240.0	36.0	Slightly cloudy	N
PC-130	11/16/2016	12:56	13:53	31.83	420.0	16.0	25.7	7.32	8156	5.42	192.1	7.05	Clear	N
	05/05/2017	10:14	11:06	32.36	400.0	12.0	29.6	7.43	10300	0.96	44.5	905.0	Cloudy	N
PC-131	11/16/2016	12:35	13:08	24.79	210.0	6.72	27.42	7.02	12930	0.72	128.3	6.15	Clear	N
	05/05/2017	10:24	10:58	25.01	110.0	4.5	30.13	7.33	13800	2.21	134.0	4.3	Mostly clear	N
PC-132	11/16/2016	13:35	14:15	23.66	330.0	11.25	27.37	7.53	13060	0.2	108.1	6.67	Clear	N
	05/05/2017	10:22	11:12	23.65	135.0	7.4	26.75	8.38	13700	0.24	145.0	24.5	Clear	N
PC-133	03/21/2017	NA	NA	--	--	--	23.4	7.27	3190	--	--	--	--	--
	04/13/2017	NA	NA	--	--	--	23.4	7.44	3110	--	--	--	--	--
	05/11/2017	NA	NA	--	--	--	23.2	7.37	3150	--	--	--	--	--
	06/13/2017	NA	NA	--	--	--	25.2	7.31	3100	--	--	--	--	--
PC-134A	05/03/2017	13:36	13:59	64.43	400.0	7.0	27.65	9.28	2490	5.99	71.0	0.0	Clear	N
PC-134D	11/15/2016	15:23	16:50	85.58	50.0	2.5	24.95	7.62	3937	0.91	85.4	1.38	Clear	N
	05/04/2017	09:46	10:03	85.58	100.0	2.5	26.45	7.79	4220	6.54	-47.0	0.0	Clear	N
PC-135A	11/15/2016	13:54	14:39	40.52	360.0	12.0	25.85	7.02	13110	0.12	170.3	4.92	Clear	N
	05/04/2017	11:15	11:43	41.81	360.0	9.0	28.13	7.49	10600	0.0	177.0	0.0	Clear	N
PC-136	11/15/2016	16:08	16:30	36.86	340.0	3.0	25.0	7.68	7721	3.72	126.3	6.02	Clear	N
	05/03/2017	12:18	12:40	37.66	400.0	6.0	27.9	8.75	6400	6.02	96.0	0.0	Clear/Slight Yellow	N
PC-137	05/05/2017	08:58	09:23	67.98	330.0	7.5	24.36	7.87	4310	5.56	10.0	4.4	Clear	Y
PC-137D	11/15/2016	15:07	15:30	84.64	300.0	3.0	25.28	7.69	3730	1.32	104.2	6.1	Clear	N
	05/04/2017	13:21	14:10	84.56	200.0	10.5	26.65	7.84	4070	3.45	-70.0	4.2	Clear	N
PC-142	05/04/2017	10:02	10:30	32.29	200.0	4.0	28.91	7.31	14400	0.0	220.0	0.0	Clear	N
PC-143	05/05/2017	10:58	11:10	49.05	330.0	3.0	28.37	7.24	7230	0.0	224.0	0.0	Clear	N
PC-144	11/16/2016	07:25	07:54	34.63	330.0	6.5	25.6	7.07	10220	5.26	227.7	4.11	Clear	N
	05/04/2017	09:59	10:22	35.4	135.0	2.2	25.46	7.4	9150	4.73	168.0	0.0	Clear	N
PC-145	05/05/2017	07:18	07:34	37.61	330.0	4.0	23.53	7.27	9460	5.32	236.0	7.4	Clear	Y
PC-148	11/16/2016	07:20	07:45	36.42	330.0	4.75	24.67	7.67	8817	0.56	84.3	0.73	Clear	N
	05/04/2017	13:26	13:54	37.93	135.0	2.4	31.79	8.61	9510	1.7	128.0	0.0	Clear	N
PC-149	11/16/2016	07:20	07:43	36.6	330.0	6.0	24.41	7.22	4906	4.34	210.5	1.05	Clear	N
	05/05/2017	07:06	07:41	38.41	280.0	11.0	24.26	7.92	4020	7.91	103.0	2.5	Clear	N
PC-150	03/20/2017	NA	NA	--	--	--	25.1	7.37	7340	--	--	--	--	--
	04/13/2017	NA	NA	--	--	--	26.8	7.54	7350	--	--	--	--	--
	05/10/2017	NA	NA	--	--	--	26.3	7.26	7280	--	--	--	--	--
	06/15/2017	NA	NA	--	--	--	24.4	7.38	7150	--	--	--	--	--
PC-151	11/16/2016	14:30	14:50	17.67	240.0	5.52	26.33	7.02	5346	0.42	64.9	84.1	Clear	N
	05/05/2017	12:17	13:10	17.67	180.0	10.1	24.08	6.12	5920	3.4	158.0	3.1	Clear	N
PC-152	11/17/2016	10:25	11:15	20.0	330.0	13.0	25.94	7.27	5634	0.45	153.5	34.0	Brown	N
	05/05/2017	08:04	08:57	19.56	180.0	11.5	21.78	7.13	6310	1.79	188.0	4.9	Clear	N

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
PC-153	11/16/2016	13:38	14:21	19.8	330.0	13.0	26.83	7.21	8119	0.21	160.1	26.5	Clear	N
PC-154	11/16/2016	11:55	12:27	16.3	330.0	9.0	27.14	7.22	5818	4.09	152.9	1.84	Clear	N
	05/05/2017	12:33	13:05	16.3	315.0	9.0	23.64	7.3	7340	2.28	86.0	2.2	Light brown	N
PC-155A	11/14/2016	16:00	16:40	22.9	240.0	11.0	22.32	7.23	4190	0.34	154.0	34.9	Clear	N
	05/03/2017	07:25	07:48	23.14	300.0	5.5	22.53	7.56	4370	0.0	201.0	93.4	Clear	N
PC-155B	11/14/2016	15:00	15:25	46.15	240.0	8.0	22.89	7.24	4150	0.76	148.1	1.4	Clear	N
	05/03/2017	07:25	07:54	45.2	210.0	5.75	21.98	7.41	3990	5.6	181.0	14.3	Clear	N
PC-156A	11/14/2016	16:30	16:47	18.13	330.0	2.5	22.75	7.33	2957	4.85	70.4	438.0	Tan	N
	05/03/2017	11:35	12:05	17.93	330.0	9.25	21.68	7.38	3190	0.0	234.0	5.4	Clear	N
PC-156B	11/14/2016	14:50	15:55	38.45	180.0	12.42	21.98	7.45	3140	8.32	31.8	27.6	Clear	N
	05/03/2017	10:23	10:55	38.54	360.0	11.0	23.12	7.56	3230	0.55	219.0	46.5	Clear	N
PC-157A	11/14/2016	13:40	13:50	19.63	300.0	3.0	23.2	7.19	3038	0.82	155.8	0.67	Clear	N
	05/03/2017	08:40	09:08	19.66	330.0	8.75	20.95	7.71	3240	0.0	205.0	6.52	Clear	N
PC-157B	11/14/2016	12:30	13:00	38.0	240.0	6.75	23.26	7.18	4107	0.67	154.1	4.45	Clear	N
	05/02/2017	13:52	14:16	38.19	300.0	7.0	22.68	7.36	4180	0.03	135.0	4.2	Clear	N
PC-158	11/16/2016	10:25	10:58	16.6	330.0	9.5	26.91	7.2	6855	2.88	132.1	0.65	Clear	N
	05/05/2017	12:10	12:25	16.67	330.0	4.0	25.91	7.55	7220	0.86	232.0	0.0	Clear	N
PC-159	11/16/2016	08:50	09:30	19.32	330.0	11.0	24.56	7.73	6726	0.75	21.9	23.2	Tan	N
	05/04/2017	13:00	13:44	19.49	400.0	13.5	25.77	7.24	13700	0.0	231.0	13.6	Clear	N
PC-160	11/16/2016	09:00	09:28	19.3	300.0	6.5	25.46	7.31	6612	1.12	205.9	5.73	Clear	N
	05/04/2017	13:00	13:42	18.4	170.0	5.75	28.72	7.36	6760	0.4	144.0	8.6	Clear	N
Powerline Crossing	06/29/2017	NA	NA	--	--	--	28.8	8.84	1950	6.77	244.0	21.9	--	--
TR-2	05/11/2017	07:02	07:11	101.0	300.0	2.1	24.12	8.25	742	2.48	198.0	0.0	Clear	N
TR-4	05/10/2017	10:09	10:38	135.0	200.0	4.9	24.28	7.52	716	2.7	186.0	0.0	Clear	N
TR-6	05/11/2017	08:02	08:28	70.0	450.0	10.0	27.15	7.33	32600	0.0	178.0	0.0	Clear	N
TR-7	05/12/2017	13:55	14:15	277.47	330.0	6.0	27.33	7.88	1230	3.67	133.0	0.0	Clear	N
TR-8	05/12/2017	13:27	13:43	78.0	300.0	5.0	29.55	7.98	1800	6.28	220.0	0.0	Clear	N
TR-9	05/12/2017	12:29	12:45	240.0	300.0	5.0	28.58	7.96	1230	3.54	114.0	2.3	Clear	N
TR-10	05/12/2017	13:03	13:25	92.0	330.0	7.0	27.76	7.62	3010	4.78	144.0	0.0	Clear	N
W1 Archery	06/29/2017	NA	NA	--	--	--	31.62	7.89	1760	9.59	273.0	21.7	--	--
W4 Sunrise Mountain	06/29/2017	NA	NA	--	--	--	31.69	7.85	1880	10.53	275.0	28.3	--	--
W4-5	06/29/2017	NA	NA	--	--	--	34.48	6.74	965	10.06	156.0	114.0	--	--
W5 Middle Way	06/29/2017	NA	NA	--	--	--	33.18	7.86	1810	6.56	211.0	25.7	--	--
W5-6	06/29/2017	NA	NA	--	--	--	31.56	8.1	1820	7.09	245.0	22.9	--	--
W7 Lower Narrows	06/29/2017	NA	NA	--	--	--	30.31	8.07	1890	7.72	239.0	30.2	--	--
W8-9 Three Kids Weir	06/29/2017	NA	NA	--	--	--	29.49	8.78	1920	10.7	226.0	23.3	--	--

Notes:

TABLE A-3: Field Parameters
November 2016 - June 2017
Nevada Environmental Response Trust Site
Henderson, Nevada

Location Name	Measurement Date	Purge Start Time	Purge Stop Time	Pump Depth (ft TOC)	Final Purge Rate (ml/min)	Volume Purged (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	Turbidity (NTU)	Color	Odor (Y/N)
---------------	------------------	------------------	-----------------	---------------------	---------------------------	-------------------	------------------	----	----------------------	-------------------------	----------	-----------------	-------	------------

Tetra Tech started compiling field parameters electronically in November 2016. Envirogen started compiling field parameters electronically for extraction wells in March 2017.

ft TOC = feet below top of casing

ml/min = milliliter per minute

L = liter

µS/cm = microSiemens per centimeter

mg/L = milligrams per liter

mV = millivolts

NTU = nephelometric turbidity unit